

Reproduction and Modification in Plants

MCQ

1. Reproduction is important because it

- a) Increases size
- b) Produces food
- c) Ensures continuity of species
- d) Controls environment

Answer: c

2. Reproduction is the process by which

- a) Plants grow taller
- b) Living beings give rise to young ones
- c) Leaves are formed
- d) Roots absorb water

Answer: b

3. Offspring produced through reproduction are

- a) Always different
- b) Always smaller
- c) Biologically similar
- d) Non-living

Answer: c

4. Vascular plants have how many organ systems?

- a) One
- b) Two
- c) Three
- d) Four

Answer: b

5. The two plant organ systems are

- a) Leaf and flower
- b) Stem and leaf
- c) Shoot and root
- d) Root and fruit

Answer: c

6. The shoot system generally grows

- a) Underground
- b) Inside water
- c) Above ground
- d) Inside stem

Answer: c

7. The shoot system mainly absorbs

- a) Water
- b) Minerals
- c) Light
- d) Oxygen

Answer: c

8. Vegetative organs are

- a) Flowers and fruits
- b) Seeds and fruits
- c) Root, stem and leaves
- d) Pollen and ovule

Answer: c

9. Reproductive organs include

- a) Stem and root

- b) Leaves and stem
- c) Flowers, fruits and seeds
- d) Root and fruit

Answer: c

10. The root system mainly helps in

- a) Photosynthesis
- b) Reproduction
- c) Absorption and anchorage
- d) Pollination

Answer: c

11. Flowers play a major role in

- a) Vegetative reproduction
- b) Asexual reproduction
- c) Sexual reproduction
- d) Fragmentation

Answer: c

12. How many types of reproduction are there in plants?

- a) One
- b) Two
- c) Three
- d) Four

Answer: b

13. Sexual reproduction involves

- a) Budding
- b) Fragmentation
- c) Fusion of gametes

d) Spores

Answer: c

14. Sexual reproduction produces offspring that are

a) Identical

b) Genetically different

c) Smaller

d) Weaker

Answer: b

15. Plants reproduced from seeds show

a) Asexual reproduction

b) Vegetative reproduction

c) Sexual reproduction

d) Budding

Answer: c

16. Asexual reproduction uses

a) Seeds

b) Flowers

c) Vegetative parts

d) Fruits

Answer: c

17. Asexual reproduction produces plants that are

a) Different

b) Weak

c) Identical to parent

d) Seedless

Answer: c

18. Flowers are

- a) Vegetative parts
- b) Non-living parts
- c) Reproductive parts
- d) Support parts

Answer: c

19. Male and female gametes fuse to form

- a) Seed
- b) Fruit
- c) Zygote
- d) Ovule

Answer: c

20. The colourful part of the flower is

- a) Sepal
- b) Petal
- c) Stamen
- d) Pistil

Answer: b

21. Petals attract

- a) Roots
- b) Animals
- c) Pollinators
- d) Seeds

Answer: c

22. The layer of petals is called

- a) Calyx

- b) Corolla
- c) Androecium
- d) Gynoecium

Answer: b

23. Sepal mainly provides

- a) Nutrition
- b) Protection
- c) Pollination
- d) Fertilization

Answer: b

24. The outermost layer of the flower is

- a) Corolla
- b) Stamen
- c) Calyx
- d) Pistil

Answer: c

25. The male reproductive part is

- a) Pistil
- b) Sepal
- c) Stamen
- d) Petal

Answer: c

26. The function of stamen is to produce

- a) Ovules
- b) Seeds
- c) Pollen grains

d) Fruits

Answer: c

27.The female reproductive part is

a) Androecium

b) Corolla

c) Gynoecium

d) Calyx

Answer: c

28.Stigma helps pollen to

a) Fall down

b) Germinate

c) Stick

d) Fly

Answer: c

29.Style connects

a) Ovary and seed

b) Stigma and ovary

c) Anther and stigma

d) Sepal and petal

Answer: b

30.Ovules after fertilization become

a) Fruit

b) Leaves

c) Seeds

d) Flowers

Answer: c

31.Ovary develops into

- a) Seed
- b) Leaf
- c) Fruit
- d) Root

Answer: c

32.Flowers having both male and female parts are

- a) Unisexual
- b) Complete
- c) Bisexual
- d) Incomplete

Answer: c

33.Pollination is transfer of pollen to

- a) Anther
- b) Ovule
- c) Stigma
- d) Style

Answer: c

34.Agents of pollination are called

- a) Fertilizers
- b) Pollinators
- c) Gametes
- d) Receptors

Answer: b

35.Wind, insects and birds are examples of

- a) Dispersers

- b) Producers
- c) Pollinators
- d) Consumers

Answer: c

36. Manual transfer of pollen is

- a) Natural pollination
- b) Self pollination
- c) Artificial pollination
- d) Cross pollination

Answer: c

37. Natural pollination occurs

- a) In labs only
- b) Manually
- c) Naturally by agents
- d) By machines

Answer: c

38. Self-pollination occurs within

- a) Two plants
- b) Same flower
- c) Different species
- d) Different fields

Answer: b

39. Self-pollination mostly occurs in

- a) Unisexual flowers
- b) Bisexual flowers
- c) Incomplete flowers

d) Sterile flowers

Answer: b

40. Cross pollination occurs between

a) Same flower

b) Same plant

c) Different flowers

d) Same ovary

Answer: c

41. Cross-pollinated plants show

a) No variation

b) Less pollen

c) More variation

d) No seeds

Answer: c

42. Fertilization is fusion of

a) Seeds

b) Pollens

c) Gametes

d) Ovules

Answer: c

43. Zygote is formed after

a) Pollination

b) Fertilization

c) Germination

d) Dispersal

Answer: b

44.Ovules are present inside

- a) Stigma
- b) Style
- c) Ovary
- d) Anther

Answer: c

45.In brinjal, green part above fruit is

- a) Petal
- b) Sepal
- c) Stigma
- d) Style

Answer: b

46.Custard apple is

- a) Simple fruit
- b) Dry fruit
- c) Aggregate fruit
- d) False fruit

Answer: c

47.Mango has how many seeds?

- a) Many
- b) Two
- c) One
- d) None

Answer: c

48.Pea fruit is

- a) Fleshy

- b) Dry
- c) Juicy
- d) Aggregate

Answer: b

49. After fertilization petals usually

- a) Grow
- b) Turn green
- c) Fall off
- d) Become fruit

Answer: c

50. After fertilization pistil becomes

- a) Leaf
- b) Root
- c) Fruit
- d) Stem

Answer: c

51. Asexual reproduction does not involve

- a) Seeds
- b) Fertilization
- c) Vegetative parts
- d) Parent plant

Answer: b

52. Budding occurs in

- a) Mango
- b) Pea
- c) Hydra

d) Apple

Answer: c

53. Fragmentation is common in

a) Moss

b) Fern

c) Spirogyra

d) Mango

Answer: c

54. Spore formation occurs in

a) Flowering plants

b) Algae and fungi

c) Fruits

d) Seeds

Answer: b

55. Vegetative propagation uses

a) Flowers

b) Seeds

c) Plant parts

d) Spores only

Answer: c

56. Root modifications help in

a) Pollination

b) Storage and support

c) Seed formation

d) Flowering

Answer: b

57. Roots storing food are seen in

- a) Banyan
- b) Carrot
- c) Rice
- d) Grass

Answer: b

58. Prop roots are seen in

- a) Maize
- b) Banyan
- c) Sugarcane
- d) Pea

Answer: b

59. Stilt roots occur in

- a) Banyan
- b) Mango
- c) Sugarcane
- d) Tomato

Answer: c

60. Climbing roots help plants to

- a) Store food
- b) Absorb air
- c) Climb
- d) Produce seeds

Answer: c

61. Breathing roots are found in

- a) Desert plants

- b) Mangroves
- c) Aquatic plants
- d) Climbers

Answer: b

62. Sucking roots are seen in

- a) Mango
- b) Banyan
- c) Cuscuta
- d) Pea

Answer: c

63. Stem modifications help in

- a) Growth and survival
- b) Pollination
- c) Fertilization
- d) Germination

Answer: a

64. Phylloclade performs

- a) Respiration
- b) Photosynthesis
- c) Reproduction
- d) Absorption

Answer: b

65. In desert plants leaves become

- a) Broad
- b) Green
- c) Thorns

d) Flowers

Answer: c

66. Sub-aerial stems grow

a) Underground

b) In water

c) On soil surface

d) On trees

Answer: c

67. Runner is seen in

a) Onion

b) Potato

c) Centella

d) Ginger

Answer: c

68. Stolon is seen in

a) Strawberry

b) Rice

c) Wheat

d) Mango

Answer: a

69. Sucker is seen in

a) Banana

b) Onion

c) Potato

d) Tomato

Answer: a

70.Offset occurs in

- a) Pea
- b) Eichhornia
- c) Wheat
- d) Carrot

Answer: b

71.Underground stems store

- a) Water only
- b) Air
- c) Food
- d) Oxygen

Answer: c

72.Rhizome is seen in

- a) Onion
- b) Ginger
- c) Potato
- d) Garlic

Answer: b

73.Tuber is seen in

- a) Ginger
- b) Onion
- c) Potato
- d) Banana

Answer: c

74.Bulb is seen in

- a) Carrot

- b) Onion
- c) Potato
- d) Sugarcane

Answer: b

75. Leaf modifications help in

- a) Protection and support
- b) Pollination
- c) Fertilization
- d) Seed dispersal

Answer: a

76. Spines reduce

- a) Respiration
- b) Evaporation
- c) Absorption
- d) Photosynthesis

Answer: b

77. Tendrils help plants to

- a) Store food
- b) Climb
- c) Trap insects
- d) Absorb water

Answer: b

78. Pea plant tendrils are modified

- a) Petals
- b) Sepals
- c) Leaflets

d) Roots

Answer: c

79. Phyllode performs

a) Protection

b) Storage

c) Photosynthesis

d) Pollination

Answer: c

80. Phyllode is modification of

a) Stem

b) Root

c) Petiole

d) Ovary

Answer: c

81. Insectivorous plants trap insects to get

a) Oxygen

b) Carbon

c) Nitrogen

d) Water

Answer: c

82. Nepenthes traps insects using

a) Stem

b) Root

c) Leaf

d) Flower

Answer: c

83. Traps secrete

- a) Nectar
- b) Digestive juices
- c) Pollen
- d) Resin

Answer: b

84. Vegetative reproduction is a type of

- a) Sexual reproduction
- b) Asexual reproduction
- c) Pollination
- d) Fertilization

Answer: b

85. Budding forms offspring that are

- a) Different
- b) Weak
- c) Identical
- d) Sterile

Answer: c

86. Fragmentation produces

- a) Seeds
- b) Spores
- c) Clones
- d) Fruits

Answer: c

87. Spore formation occurs under

- a) Favourable conditions

- b) Dry conditions
- c) Suitable conditions
- d) Cold conditions

Answer: c

88. Seeds are formed from

- a) Ovary
- b) Ovules
- c) Style
- d) Stigma

Answer: b

89. Fruit formation begins after

- a) Pollination
- b) Fertilization
- c) Germination
- d) Dispersal

Answer: b

90. Number of seeds depends on number of

- a) Flowers
- b) Petals
- c) Ovules
- d) Stamens

Answer: c

91. Androecium is

- a) Female part
- b) Male part
- c) Non-reproductive part

d) Supporting part

Answer: b

92. Gynoecium is

a) Male part

b) Female part

c) Neutral part

d) Vegetative part

Answer: b

93. Corolla refers to

a) Sepals

b) Petals

c) Stamens

d) Pistil

Answer: b

94. Calyx refers to

a) Petals

b) Sepals

c) Ovary

d) Style

Answer: b

95. Cross pollination increases

a) Uniformity

b) Variation

c) Weakness

d) Sterility

Answer: b

96. Seeds germinate to form

- a) Flower
- b) Fruit
- c) New plant
- d) Leaf

Answer: c

97. Root system is usually

- a) Above ground
- b) Underground
- c) In air
- d) In flowers

Answer: b

98. Modified roots in mangroves are called

- a) Prop roots
- b) Stilt roots
- c) Breathing roots
- d) Climbing roots

Answer: c

99. Haustoria are

- a) Storage roots
- b) Breathing roots
- c) Sucking roots
- d) Prop roots

Answer: c

100. Modification of leaves in opuntia forms

- a) Tendrils

b) Phyllodes

c) Spines

d) Traps

Answer: c