

Statistics (8 th std)

Choose the Appropriate Answer

1. Data has already been collected by some other person is _____ data.
(a) Primary (b) Secondary (c) Discrete (d) None of these
Ans: (b) Secondary
2. The upper limit of the class interval (25 - 35) is _____.
(a) 25 (b) 30 (c) 35 (d) 40
Ans: (c) 35
3. The range of the data 200, 15, 20, 103, 3, 196, is _____.
(a) 196 (b) 198 (c) 197 (d) 195
Ans: (c) 197
4. If a class size is 10 and range is 80 then the number of classes are _____.
(a) 5 (b) 6 (c) 7 (d) 8
Ans: (d) 8
5. Pie chart is a _____ graph.
(a) Rectangular (b) Circular (c) Triangular (d) None of these
Ans: (a) Circular
6. The total area of the histogram is _____ to the total frequency of the given data
(a) Proportional (b) Inversely proportional
(c) Both (a) & (b) (d) None of these
Ans: (a) Proportional
7. A graph that displays data that changes continuously over the periods of time is _____.
(a) Bar graph (b) Pictograph (c) Pie chart (d) Histogram
Ans: (d) Histogram
8. Histogram is a graphical representation of _____ data.
(a) Ungrouped (b) Grouped (c) Discrete (d) None of these
Ans: (b) Grouped
9. Data is a collection of _____.
(a) Numbers (b) Words (c) Measurements (d) All the three
Ans: (d) All the three
10. The number of times an observation occurs in the given data is called _____.
(a) Tally marks (b) Data (c) Frequency (d) None of these
Ans: (c) Frequency
11. The difference between the largest value and the smallest value of the given data is _____

(a) Range (b) Frequency (c) Variable (d) None of these
Ans: (a) Range

12. The data that can take values between a certain range is called _____
(a) Ungrouped (b) Grouped (c) Frequency (d) None of these
Ans: (b) Grouped

13. Inclusive series is a _____ series.
(a) Continuous (b) Discontinuous (c) Both (d) None of these
Ans: (b) Discontinuous

14. In a class interval the upper limit of one class is the lower limit of the other class.
This is _____ series.
(a) Inclusive (b) Exclusive (c) Ungrouped (d) None of these
Ans: (b) Exclusive

15. The graphical representation of ungrouped data is _____
(a) Histogram (b) Frequency polygon (c) Pie chart (d) All the three
Ans: (c) Pie chart

16. Histogram is a graph of a _____ frequency distribution.
(a) Continuous (b) Discontinuous (c) Discrete (d) None of these
Ans: (a) Continuous

17. A _____ is a line graph for the graphical representation of the continuous frequency distribution.
(a) Frequency polygon (b) Histogram (c) Pie chart (d) Bar graph
Ans: (a) Frequency polygon

18. The graphical representation of grouped data is _____
(a) Bar graph (b) Pictograph (c) Pie chart (d) Histogram
Ans: (d) Histogram

19. Pictorial representation of data using symbols is known as:
(a) Bar graph (b) Pictograph (c) Pie chart (d) None of these
Ans: (b) Pictograph

20. Double bar graphs display _____ sets of data simultaneously.
(a) Four (b) Three (c) Two (d) No
Ans: (c) Two

21. _____ gives the number of times a particular entry occurs.
(a) Organisation of data (b) Collection of Data
(c) Representation of Data (d) Frequency distribution table
Ans: (d) Frequency distribution table

22. In the grouped data, each of the group is called:
(a) Class interval (b) Collection of data
(c) Frequency (d) Frequency distribution
Ans: (a) Class interval

23.If 20 - 30 is the class interval of grouped data, then the lower class limit is:

- (a) 50 (b) 30 (c) 20 (d) 10

Ans: (c) 20

24.The difference between the upper-class limit and lower class limit of a class interval is called:

- (a) Frequency (b) Width (c) Grouped data (d) Ungrouped data

Ans: (b) Width

25.The width or size of the class interval 30-40 is:

- (a) 10 (b) 30 (c) 40 (d) 70

Ans: (a) 10

26.If a coin is flipped in the air, what is the probability of getting a tail?

- (a) 0 (b) $\frac{1}{2}$ (c) 1 (d) 2

Ans: (b) $\frac{1}{2}$

27.A bag has 4 red balls and 4 green balls, what is the probability of getting a red ball randomly?

- (a) $\frac{1}{4}$ (b) $\frac{1}{8}$ (c) $\frac{1}{2}$ (d) 0

Ans: (c) $\frac{1}{2}$

28.If a die is thrown in the air, the probability of getting even numbers is:

- (a) $\frac{1}{2}$ (b) $\frac{1}{6}$ (c) $\frac{1}{3}$ (d) $\frac{2}{3}$

Ans: (a) $\frac{1}{2}$

29.The number of times that a particular entry occurs is called:

- (a) Frequency (b) Class - interval (c) Raw data (d) Range

Ans: (a) Frequency

30.What is the number of possible outcomes, when two dies are thrown, simultaneously?

- (a) 6 (b) 12 (c) 36 (d) None of these

Ans: (c) 36

31.The range of the data: 6,14,20,16,6,5,4,18,25,15, and 5

- (a) 4 (b) 21 (c) 25 (d) 20

Ans: (b) 21

32.The class mark of the class 20-30 is

- (a) 20 (b) 30 (c) 25 (d) 10

Ans: (c) 25

33.The difference between the highest and the lowest value of the observations in a data is called:

- (a) Mean (b) Range (c) Total frequency (d) Sum of observation

Ans: (b) Range

34.In the interval 35 - 45, 45 is called

- (a) Upper limit (b) Lower limit (c) Range (d) Frequency

Ans: (a) Upper limit

35. The number of times a particular observation occurs in a given data is called:

- (a) Its frequency (b) Its range (c) Its mean (d) None of these

Ans: (a) Its frequency

36. In history which of the following is represented by the heights of the rectangles?

- (a) Frequency (b) Class interval (c) Class size (d) Range

Ans: (a) Frequency

37. Tally marks are used to find which of the following?

- (a) Frequency (b) Lower limits (c) Upper limits (d) Class marks

Ans: (a) Frequency

38. When successive mid-points in a histogram are connected by straight lines, the graph is called a:

- (a) Histogram (b) Ogive (c) Frequency curve (d) Frequency polygon

Ans: (d) Frequency polygon

39. The graph of the cumulative frequency distribution is called:

- (a) Histogram (b) Frequency polygon (c) Pictogram (d) Ogive

Ans: (d) Ogive

40. A frequency polygon is a closed figure which is:

- (a) One sided (b) Two sided (c) Three sided (d) Many sided

Ans: (d) Many sided

41. A _____ is a bar graph that shows data in intervals.

- (a) Bar-graph (b) Pie-chart (c) Histogram (d) Line Graph

Ans: (c) Histogram

42. A graph that displays data that changes continuously over periods of time is called:

- (a) Bar-graph (b) Pie-chart (c) Histogram (d) Line Graph

Ans: (d) Line Graph

43. A line graph which is a whole unbroken line is called a:

- (a) Linear graph (b) Pie-chart (c) Histogram (d) Bar-graph

Ans: (a) Linear graph

44. Which graph represents relation between whole and its parts?

- (a) Histogram (b) Pie graph (c) Line graph (d) Stacked bar graph


Ans: (b) Pie graph

45. A frequency distribution is a table showing:

- (a) All data values (b) Frequency of each class
(c) A graph of data (d) None of these

Ans: (b) Frequency of each class

Observe the below diagram and find the correct answer to the following MCQs (46 - 50).



46. Which team has the highest score?

- (a) Team 1 (b) Team 2 (c) Team 3 (d) Team 4

Ans: (d) Team 4

47. Which team has the lowest score?

- (a) Team 1 (b) Team 2 (c) Team 3 (d) Team 4

Ans: (c) Team 3

48. Which team is coloured green?

- (a) Team 1 (b) Team 2 (c) Team 3 (d) Team 4

Ans: (c) Team 3

49. What is the average score of all the teams?

- (a) 22% (b) 25% (c) 27% (d) 29%


Ans: (b) 25%

50. Which team has the second-highest score?

- (a) Team 1 (b) Team 2 (c) Team 3 (d) Team 4

Ans: (a) Team 2

Below is the data of the number of men and women in a village for different years. Now based on this data answer the following MCQs with the correct option (51 - 55)



51. How many men were there in the village in 2010?

- (a) 500 (b) 1000 (c) 1500 (d) 2000

Ans: (b) 1000

52. The population of men and women in 2020 is the same?

- (a) True (b) False (c) Both (d) None of these

Ans: (a) True

53. In which year the population of women is the highest?

- (a) 2005 (b) 2010 (c) 2015 (d) 2020

Ans: (d) 2020

54. When is the population of men, the minimum?

- (a) 2005 (b) 2010 (c) 2015 (d) 2020

Ans: (a) 2005

55. In which year population of men is more than women?

- (a) 2005 (b) 2010 (c) 2015 (d) 2020

Ans: (c) 2015

56. The range of the data 14, 27, 29, 61, 45, 15, 9, 18 is

- (a) 61 (b) 52 (c) 47 (d) 53

Ans: (b) 52

57. The class mark of the class 120 – 150 is

- (a) 120 (b) 130 (c) 135 (d) 150

Ans: (c) 135

58. The class mark of a class is 10 and its class width is 6. The lower limit of the class is

- (a) 5 (b) 7 (c) 8 (d) 10

Ans: (a) 5

59. In a frequency distribution, the class width is 4 and the lower limit of first class is 10. If there are six classes, the upper limit of last class is

- (a) 22 (b) 26 (c) 30 (d) 34

Ans: (c) 30

60. The class marks of a distribution are 15, 20...45. The class corresponding to 45 is

- (a) 12.5 – 17.5 (b) 22.5 – 27.5 (c) 42.5 – 47.5 (d) None of these

Ans: (c) 42.5 – 47.5

61. Construction of cumulative frequency table is useful in determining the

- (a) Mean (b) Median (c) Mode (d) All the three

Ans: (b) Median

62. Data arranged by time periods is called:

- (a) Qualitative classification (b) Quantitative classification
(c) Chronological classification (d) Geographical classification

Ans: (c) Chronological classification

63. The class-interval width in 10 – 20, 20 – 30, 30 – 40 is:

- (a) 10 (b) 20 (c) 30 (d) 40

Ans: (a) 10

64. The class-mark (mid-point) of 20 – 30 is:

- (a) 20 (b) 25 (c) 30 (d) 50

Ans: (b) 25

65. The lower limit of the class 15 – 25 is:

- (a) 10 (b) 15 (c) 20 (d) 25

Ans: (b) 15

66. The frequency of a class is:

- (a) Number of observations in that class (b) Sum of observations in that class
(b) Difference between upper & lower limits (d) None of these

Ans: (a) Number of observations in that class

67. A histogram represents:

- (a) Qualitative data (b) Discrete data
(c) Continuous frequency distribution (d) None of these

Ans: (c) Continuous frequency distribution

68. Cumulative frequency up to a class is:

- (a) Frequency of that class (b) Sum of frequencies up to that class
(c) Difference between successive frequencies (d) None of these

Ans: (b) Sum of frequencies up to that class

69. In the exclusive method of classification, an upper limit is:

- (a) Included (b) Excluded (c) Both (d) None

Ans: (b) Excluded

70. An ogive is a graph of:

- (a) Frequency (b) Cumulative frequency (c) Relative frequency (d) None

Ans: (b) Cumulative frequency

71. In a bar graph, bar heights tell us about _____.

- A) Quantity of each B) Volume of each C) Area of each D) None

Ans: A) Quantity of each

72. When data are classified according to a single characteristic, it is called:

- (a) Quantitative classification (b) Qualitative classification
(c) Area classification (d) Simple classification

Ans: (d) Simple classification

73. Classification of data by attributes is called:

- (a) Quantitative classification (b) Chronological classification
(c) Qualitative classification (d) Geographical classification

Ans: (c) Qualitative classification

74. Classification is applicable in case of:

- (a) Normal characters (b) Quantitative characters
(c) Qualitative characters (d) Both (b) and (c)

Ans: (d) Both (b) and (c)

75. In classification, the data are arranged according to:

- (a) Similarities (b) Differences (c) Percentages (d) Ratios

Ans: (a) Similarities

76. When data are arranged at regular interval of time, the classification is called:

- (a) Qualitative (b) Quantitative (c) Chronological (d) Geographical

Ans: (c) Chronological

77. The number of tally sheet count for each value or a group is called:

- (a) Class limit (b) Class width (c) Class boundary (d) Frequency

Ans: (d) Frequency

78. The frequency distribution according to individual variant values is called:

- (a) Discrete frequency distribution (b) Cumulative frequency distribution
(c) Percentage frequency distribution (d) Continuous frequency distribution

Ans: (a) Discrete frequency distribution

79. A series arranged according to each and every item is known as:

- (a) Discrete series (b) Continuous series
(c) Individual series (d) Time series

Ans: (c) Individual series

80. A frequency distribution can be:

- (a) Qualitative (b) Discrete (c) Continuous (d) Both (b) and (c)

Ans: (d) Both (b) and (c)

81. If 20 – 40 is the class interval of grouped data, then the higher class limit is ____.

- A) 20 B) 30 C) 40 D) 60

Ans: C) 40

82. In the class 30 – 40, class interval is ____.

- A) 20 B) 10 C) 30 D) 40

Ans: B) 10

83. 'Raw data' means data in _____ form.

- A) An organised B) Unorganised C) Tabular D) All the above

Ans: B) un organised

84. Usually we represent three sets of data simultaneously, in _____ graph.

- A) Triple bar B) Double bar C) Bar D) Pie

Ans: A) triple bar

85. Tally marks gives the number of _____ each class.

- A) Class interval B) Frequency C) Width D) Higher boundary

Ans: B) Frequency

Answer the following questions 86 to 90 basing on the table. Frequency distribution of data users of a Network

Data size (daily consumed)	Frequency in Lakhs (number of users)
0 - 1	4.59
1 - 2	6.31
2 - 3	8.99
3 - 4	7.11
4 - 5	4.33
5 - 6	2.67

86. What is the size of class intervals?

- A) 1 B) 2 C) 4 D) 5

Ans: A) 1

87. Which class has the least frequency?

- A) 0 – 1 B) 2 – 3 C) 5 – 6 D) 3 – 4

Ans: C) 5 – 6

88. What is the lower limit of class 3 – 4

- A) 4 B) 2 C) 3 D) 1

Ans: C) 3

89. What is the data limit that highest users using daily?

- A) 1 – 2 B) 2 – 3 C) 3 – 4 D) 5 – 6


Ans: B) 2 – 3

90. How many users using more than 4GB and above?

- A) 7 lakhs B) 14.11 lakhs C) 7.11 lakhs D) 34 lakhs


Ans: B) 14.11 lakhs

In the below given graph, the number of hours for which students of a particular class watched Television during holidays is shown through the given graph. Answer the following questions (91 - 95).



91. For how many hours did the maximum number of students watch TV?
 A) 3 – 4 hours B) 4 – 5 hours C) 5 – 6 hours D) 2 – 3 hours
Ans: B) 4 – 5 hours
92. How many students watched TV for less than 4 hours?
 A) 34 B) 30 C) 32 D) 40
Ans: A) 34
93. For how many hours did the minimum number of students watch TV?
 A) 3 – 4 hours B) 1 – 2 hours C) 5 – 6 hours D) 2 – 3 hours
Ans: B) 1 – 2 hours
94. How many students watched TV for more than 4 hours?
 A) 34 B) 30 C) 46 D) 40
Ans: C) 46
95. How many students watched TV for 5 - 6 hours?
 A) 6 B) 8 C) 4 D) 32
Ans: B) 8

A survey was made to find the type of music that a certain group of young people liked in a city. Below given Pie chart shows the findings of this survey. Answer the following questions (96 - 100).



96. If 20 people liked classical music, how many young people were surveyed?
 A) 100 B) 150 C) 110 D) 200
Ans: D) 200

97. Which type of music is liked by the minimum number of people?

- A) Semi Classical B) Folk C) Classical D) Light

Ans: C) Classical

98. Which type of music is liked by the second maximum number of people?

- A) Semi classical B) Folk C) Classical D) Light

Ans: D) Light

99. Which type of music is liked by the second maximum number of people?

- A) Semi classical B) Folk C) Classical D) Light

Ans: B) Folk

100. For what percentage of people like Semi Classical music?

- (a) 10% (b) 20% (c) 30% (d) 40%

Ans: 20%