

CC.2003/061986/23
Vat: 4650208780
Bank: Standard Bank Menlyn
Branch: 012345
Acc: 012747335

Ad-Hoc Plumbers cc
PO Box 25437
GEZINA
0031
Tel: 012 331 5440
Fax: 012 331 5441

Tax Invoice

Date 20/09/2013

Page 1

Document No IN242140

FOGI

Deliver to

DUBE

ORDER NO:940762

DATE:20/09/2013

Account	Your Reference	Tax Exempt	Tax Reference	Sales Code	
FOGI	75847 - 13505	N		SA006	Inclusive

Code	Description	Quantity	Unit	Unit Price	Disc%	Tax	Nett Price
01	CALL-OUT ONLY	1.00		438.90		53.90	438.90

AD-Hoc Projects for
building,painting,paving.
Contact: 079 209 0014.

Received in good order

Signed _____ Date _____

Sub Total	385.00
Discount @ 0.00%	0.00
Amount Excl Tax	385.00
Tax	53.90
Total	438.90

FOGI PLUMBING SOLUTIONS

System	Actions
Documents	Contact

~~Extended Geyser Cover Report~~
Reports

242140

EXTENDED GEYSER COVER REPORT**Claim Information**

Report Date	26 Sep 2013	Policy Type	Absa (HOC June 1
Claim Date	19 Sep 2013	Policy Holder	DUBE
Order No	940762	Contractor	Ad-Hoc Plumbers
Claim No	2449252		
System Type	Solar System		

Solar System Details

Solar System Heating Type	Direct	Solar System Configuration	Close Couple
Solar System Transfer	Thermo Siphon	If Pumped how is it driven	Electrically
Manufacturer	Franke	Brand	No Brand
Geyser Size	200		
Geyser Code	550507	Serial No	008162
Record Date on tag as per Annex H		Geyser Pressure Rating (kPa)	400kPa
System Position Installed?	On Roof	Collector Manufacturer	Other
Collector Type	Flat Plate	Quantity of Manifolds	0
Quantity of Evacuated Tubes	0	Quantity of Flat Plate Collectors	1
Collector Size	2.5	Geyser Position Installed	On Roof
Is Solar System installed to SANS 10106	Yes <input type="radio"/> No <input type="radio"/>		

General Information

Resultant damage caused by geyser failure	Resultant	What is the overall condition of the roof?	Fair
Resultant damage Items	Resultant	What is the overall condition of the	Fair

438-90

What is the overall condition of the electrics in the roof?

Fair

Is the geyser connected to another device?

Solar Collector

How many operative geysers installed on the property?

2

System Balanced

Yes ☐ No ☒

Old PRV Make

Cobra

Old PRV Kpa

400kPa

What purpose of the building?

Residential

Type Of Failure

Type of Failure

Warranty

Failure Detail

Solar Geyser

Additional Notes

Did you do any repairs?

Yes ☐ No ☒

Claim Outcome

Plumbing Repa

Was income derived from anyone on this claim (excluding FAP)?

Yes ☐ No ☒

Accidental Damage caused by Installation

Yes ☐ No ☒

Did the client want to convert to Heat Pump?

Yes ☐ No ☒

Accidental Damage Detail

GEYSER BURST UNDER WARRANTY.

Comments

[Back](#)

[Save Report](#)

[Submit Report](#)

[Delete Report](#)

[Edit Claim](#)

COMPANY: Ad-Hoc Plumbers ROLE: Contractor USER: Kallie / Thea



No 75847

Tel : 012 331 5440 Fax: 012 331 5441
Cell : 072 796 1313

Vat/Btw. 465 020 8780

804 Michael Brink street Villieria Pretoria
PO Box 25437 Gezina 0031

Domestic , Commercial , Industrial

940762

CUSTOMER / KLIËNT

Fogi

ORDER NO / BESTEL NR 13505

ADDRESS / ADRES

4527 Turnberry

CLIENTS ID / KLIËNT ID

VEHICLE REGNO. VOERTUIG REG NO.

TEL

DATE / DATUM

20/09/13

JOB CARD NO.

TAX INVOICE / QUOTATION
BELASTING FAKTUUR / KWOTASIE

24

EMERGENCY SERVICE / NOOD DIENS

DESCRIPTION & MATERIALS

AMOUNT

geyser geklaars onder
waarsorging.Maart 2011
550507-008162CHRISTO & Louwmorel met oortyd.
PLUMBERS

23 SEP 2013

OVERTIME

PAYMENTS STRICTLY C.O.D. / BETALING STRENG KBA
SEE CONDITIONS ON OVERLEAF / SIEN VOORWAARDES OP KEERSYWork Completed By Plumber
Werk Voltooi Deur Loodgieter

CHRISTO

Client's Satisfaction
Kliënt Tevredenheid

YES/JA

NO/NEE

Clients Approval
Kliënt Goedkeuring

Geyser

On Site

☐

Off Site

☐

Consignment Stock

YES/JA

☐

NO/NEE

☐

Kwikhot

☐

Duratherm

☐

Cover charge / Heffingsfooi

Normal time / Normale fooi

Over time / Oortyd

SUB TOTAL / SUB TOTAAL

VAT / BTW

AMOUNT / BEDRAG

Cheque

☐

Cash


☐

Account

☐STRICTLY C.O.D AND ALL MATERIALS REMAIN THE PROPERTY OF AD-HOC PLUMBERS UNTIL PAID IN FULL
AD-HOC ACCEPT NO RESPONSIBILITY FOR MATERIALS UNDER FACTORY GUARANTEE.

BANKING DETAILS / BANK BESONDERHEDE

Standard Bank Menlyn Account no/rek no. 012747335 Cheque acc/tjek rek. Bank code/kode 012345 Acc name/Rek naam. Ad-Hoc Plumbers



No 75847

Tel: 012 331 5440 Fax: 012 331 5441
Cell: 072 796 1313

Vat/Btw. 465 020 8780

804 Michael Brink street Villieria Pretoria
PO Box 25437 Gezina 0031

Domestic, Commercial, Industrial

CUSTOMER / KLIËNT

Fogi

ORDER NO / BESTEL NR

13505

ADDRESS / ADRES

4527

Turnberry

CLIENTS ID / KLIËNT ID

VEHICLE REGNO. VOERTUIG REG NO.

TEL

DATE / DATUM

20/09/13

TAX INVOICE / QUOTATION

BELASTING FAKTUUR / KWOTASIE

JOB CARD NO.

24

EMERGENCY SERVICE / NOOD DIENS

DESCRIPTION & MATERIALS

UNIT PRICE

AMOUNT


geyser gebars onder
aanboring.

Maart 2011

550507 - 008162

CHRISTO & LOUENORE NUT OORTYD.

PLUMBERS

PAYMENTS STRICTLY C.O.D. / BETALING STRENG. KBA
SEE CONDITIONS ON OVERLEAF / SIEN VOORWAARDES OP KEERSYWork Completed By Plumber
Werk Voltooi Deur Loodgieter

CHRISTO

Client's Satisfaction
Kliënt Tevredenheid

YES/JA

☐

NO/NEE

☐Clients Approval
Kliënt Goedkeuring

Geyser

On Site

☐

Off Site

☐

Consignment Stock

YES/JA

☐

NO/NEE

☐

Kwikhot

☐

Duratherm

☐

Cover charge / Heffingsfooi

Normal time / Normale fooi

Over time / Oortyd

SUB TOTAL / SUB TOTAAL

VAT / BTW

AMOUNT / BEDRAG

Cheque

☐

Cash

☐

Account

☐STRICTLY C.O.D AND ALL MATERIALS REMAIN THE PROPERTY OF AD-HOC PLUMBERS UNTIL PAID IN FULL
AD-HOC ACCEPT NO RESPONSIBILITY FOR MATERIALS UNDER FACTORY GUARANTEE.

BANKING DETAILS / BANK BESONDERHEDE

Standard Bank Menlyn Account no/rek no. 012747335 Cheque acc/tjek rek. Bank code/kode 012345 Acc name/Rek naam. Ad-Hoc Plumbers

Deidre Dreyer

13505

From: acc@fogi.co.za
Sent: 19 September 2013 10:12 AM
To: deidre@adhoc.co.za
Subject: ClaimNo: 2449252 PolicyNo: 6526610254 CallCentreReferenceNo: OrderNo: 940762
PolicyHolder: DUBE - Appointment

9

Provider Instruction Form

PLEASE CONTACT FOGI IMMEDIATELY IF YOU CANNOT ATTEND TO THIS CLIENT.

Organisation: Absa Insurance Services Ltd [Fast Track Claims]
Advisor: Lerato Tamenti
Tel: 0860 100 876
Fax:
Email: lerato.tamenti@absa.co.za

Policy No: 6526610254
Policy Type: HOC June 11
Claim No: 2449252
Call Centre Reference No:
Order No: 940762
Claim Date: 19 Sep 2013 09:38:10
Notification Date: 19 Sep 2013 10:07:37
Replacement FAP: 500.00
Repair FAP: 250.00

20/9
15:47
is there

Policy Holder: DUBE Golf Estate.
Address: BLUE VALLEY erf 4527 TUINBERRY STREET
City: KOSMOSDAL
Home No: 082 337 5384 - (mnr).
Work No:
Cell No: 081 217 9911 - (vrou).

BS Christo

Job Type: Plumbing

Plumbing Failure: Date Of Loss: 14 Sep 2013 - ELE GEYSER WITH SOLAR PANELS

Plumber: Ad-Hoc Plumbers Person: Kallie / Thea Tel: 072 796 1313

10:50 - Bybetaling bevestig.

19/9
11:56
is there

Klient is wel daar vandag, maar
sy vra vir more.
Sal bybetaling los by huis hulp.
=> 20/9.

4527

No Cover Instruction or EGC Report (G 3)
Revision (13/02/2013)

DIGICALL FOGI
PLUMBING SOLUTIONS

Date:	Ord No:	Claim No:	Claim Name:
1 Electric Geyser Details			
Manufacturer & Brand		Franki	
Size	50	100	150
Actual size (if other is selected)	(200) 250 other		
Geyser Code & Serial No	Code Month 2011 Serial		
Record Date on tag per Annex A5	550507-008162		
Geyser Pressure rating (kPa)	100	200	(400) 600 Gravity
Geyser Position Installed?	Suite of flat		
Is the electric Geyser installed to SANS 10254?	(No)		
2 Heat Pump Details			
Manufacturer & Brand			
code and serial number	Code	Serial	
Output in kW	3.2	3.5	5.2 7.0
Type of Heat pump	Integral		Split
Heat Pump installed	Inside		Outside
Is Heat Pump installed to SANS 1352?	Yes		No
3 Solar System Details			
Solar System heating type	(Direct)	Indirect	Pre-heater
Solar system Configuration	Split	(Close-couple)	Integral
Solar system Transfer	Pumped	(Thermo siphon)	
If Pumped how is it driven	(Electrically)	Photovoltaic	
Manufacturer & Brand			
Size	50	100	150 (200) 250 other
Actual size (if other is selected)			
Solar Geyser Code & Serial No	Code	Serial	
Record Date on tag per Annex H			
System Pressure rating (kPa)	100	200	400 600 Gravity
System Position Installed?			
Collector Manufacturer			
Collector type	Evacuated tube		Flat Plate
Qty of manifolds and tubes/manifold	Manifold	Tubes	
Quantity of flat plate collectors and size	Qty	Size	
Specify exact position of the Solar geyser			
Is Solar system installed to SANS 10106?	Yes		No
Is the building being used for any business or commercial purpose?	Yes		No
4 General Information			
Resultant damaged caused by the failure?	Carpet	No Damage	Resultant
What is the overall condition of the roof?	Good	(Fair)	Poor
What is the overall condition of the electrics in the roof?	Good	(Fair)	Poor
What is the overall condition of the piping in the roof?	Good	(Fair)	Poor
How many operative geysers installed on property?	2		
Is the geyser connected to another device?	Solar Collector	Heat Pump	In Parallel In Series Other device
Is System balanced?	Yes		No
What PRV is installed?	Old PRV - Make	kPa	New PRV - Make kPa
5 Type of Failure			
Components	Electric Geyser	D.Cock	Baffle
	Electric geyser & HP	D.Cock	Baffle
	Solar System	D.Cock	Baffle
Overflows	TP	TPConbo	LongPTP
Valves	Electric Geyser	NRV	PRV
	Electric geyser & HP	NRV	PRV
	Solar System	NRV	PRV
Warranty	Electric Geyser	D.Cock	Baffle
	Electric geyser & HP	D.Cock	Baffle
	Solar System	D.Cock	Baffle
Other Failure	Electric Geyser	D.Cock	Baffle
	Electric geyser & HP	D.Cock	Baffle
	Solar System	D.Cock	Baffle
6 Additional Notes			
Did you do any repairs	Yes	Repairs covered	Repairs not covered
	No	FAP lapsed	Repairs not covered
Did you derive income from client or manufacturer	Yes		No
Other comments			



Ad-Hoc Plumbers
PO Box 25437
Gezina
0031

Company RegNo: 2003/061986/23
VAT No: 4650208780

COMPUTER GENERATED

TAX INVOICE

Invoice To: Digicall FOGI Plumbing Solutions
PO Box 30979
Tokai
7966
VAT No: 4720192592

Invoice No: IN242140
Invoice Date: 27 September 2013
Insured: DUBE
Order No: 940762

DESCRIPTION	AMOUNT
EGC - No Claim - Plumber	385.00
Total excluding VAT	385.00
VAT	53.90
Total including VAT	438.90
Amount due	438.90