# Git - Exemplo inicial

May 2, 2019

## 0.1 Git - Exemplo Inicial (Comandos Básicos)

### 0.2 Objetivo:

- Cria uma pasta com seu nome
- Inicie um repositório
- Crie um arquivo com o nome README.md
- Adicione qualquer texto a ele
- Realize um commit
- Verifique o histórico
- Faça um novo commit
- Verifique o histórico
- Reverta o commit (hard)

```
In [1]: mkdir diego
In [2]: cd diego
In [3]: git init
Initialized empty Git repository in /Users/diegopessoa/Documents/IFPB/Disciplinas 2019.1/GCM/g
In [5]: touch README.md
In [6]: ls
README.md
In [10]: echo "Texto Qualquer" > README.md
In [11]: cat README.md
Texto Qualquer
In [12]: git status
```

```
On branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        README.md
nothing added to commit but untracked files present (use "git add" to track)
In [13]: git add README.md
In [14]: git status
On branch master
No commits yet
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:
                  README.md
In [15]: git commit -m "Adiciona arquivo inicial"
[master (root-commit) 6cd359e] Adiciona arquivo inicial
 1 file changed, 1 insertion(+)
 create mode 100644 README.md
In [16]: git log
commit 6cd359e9725c37ce083bd46d9e9c1961a624826e (HEAD -> master)
Author: Diego Pessoa <diegopessoa12@gmail.com>
        Thu May 2 15:16:21 2019 -0300
    Adiciona arquivo inicial
In [17]: git reset HEAD~1 --hard
fatal: ambiguous argument 'HEAD~1': unknown revision or path not in the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
```

```
In [18]: echo "Alterei novamente" > README.md
In [19]: git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)
        modified:
                   R.F.ADMF., md
no changes added to commit (use "git add" and/or "git commit -a")
In [20]: git add .
In [21]: git commit -m "Adiciona novo conteudo ao arquivo README"
[master 306acbc] Adiciona novo conteudo ao arquivo README
1 file changed, 1 insertion(+), 1 deletion(-)
In [22]: git log
commit 306acbc5ba7845e8dccbb8bad35b88711ebb860c (HEAD -> master)
Author: Diego Pessoa <diegopessoa12@gmail.com>
Date:
        Thu May 2 15:18:17 2019 -0300
    Adiciona novo conteudo ao arquivo README
commit 6cd359e9725c37ce083bd46d9e9c1961a624826e
Author: Diego Pessoa <diegopessoa12@gmail.com>
Date:
        Thu May 2 15:16:21 2019 -0300
    Adiciona arquivo inicial
In [23]: cat README.md
Alterei novamente
In [24]: git reset 6cd359e9725c37ce083bd46d9e9c1961a624826e --hard
HEAD is now at 6cd359e Adiciona arquivo inicial
In [25]: cat README.md
```

### Texto Qualquer

```
In [26]: git log
```

commit 6cd359e9725c37ce083bd46d9e9c1961a624826e (HEAD -> master)

Author: Diego Pessoa <diegopessoa12@gmail.com>

Date: Thu May 2 15:16:21 2019 -0300

Adiciona arquivo inicial

#### In []: