Program CRUD Perpustakaan

Oleh M Kevin Almer XI RPL 2 <19>

Tampilan Home :



Tampilan form tambah anggota :



Tampilan form tambah buku :



Tampilan Edit anggota :



Tampilan Edit Buku :



Tampilan tabel database sebelum ditambah :

*di hapus melalui method yang sudah dibuat di website perpustakaan



Tampilan tabel database sesudah ditambah :

```
SELECT * FROM `tb_anggota`
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

←T→	id_anggota	nama	alamat	kota	no_telp	tgl_lahir
Edit Copy Delete	3	kevin almer ganteng	taman kenari	bogor utara	089611330331	08-09-2022
Edit Copy Delete	4	Andy sinantang	Pasir Jambu	bogor	081234567890	09-11-2006
Edit Copy Delete	7	Haji Soleh	Desa runtuh	Minang	0800000000	17-08-1945

Check all *With selected:* Edit Copy Delete Export

Tampilan tabel database setelah di update :

```
SELECT * FROM `tb_anggota`
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

←T→	id_anggota	nama	alamat	kota	no_telp	tgl_lahir
Edit Copy Delete	3	kevin almer ganteng	taman kenari	bogor utara	089611330331	08-09-2022
Edit Copy Delete	4	Andy sinantang	Pasir Jambu	bogor	081234567890	09-11-2006
Edit Copy Delete	7	Haji Soleha	Desa runtuh	Minang raya	081234567890	10-08-1945

Check all *With selected:* Edit Copy Delete Export

Tampilan tabel database setelah di hapus :

```
SELECT * FROM `tb_anggota`
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

←T→	id_anggota	nama	alamat	kota	no_telp	tgl_lahir
Edit Copy Delete	3	kevin almer ganteng	taman kenari	bogor utara	089611330331	08-09-2022
Edit Copy Delete	4	Andy sinantang	Pasir Jambu	bogor	081234567890	09-11-2006

Check all *With selected:* Edit Copy Delete Export

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Struktur folder :



Script fungsi :

```
<?php
$conn = mysqli_connect("localhost","root","kasumawan","perpustakaan");

function query($perintah) {
    global $conn;

    $row = mysqli_query($conn,$perintah);

    $rows = [];

    while($row as $r){
        $rows[] = $r;
    }

    return $rows;
}

function tambahanggota($data){
    global $conn;

    $nama = $data['nama'];
    $alamat = $data['alamat'];
    $kota = $data['kota'];
    $no_telp = $data['no_telp'];
    $tgl_lahir = $data['tgl_lahir'];

    mysqli_query($conn,"INSERT INTO `tb_anggota` ( `id_anggota` , `nama` , `alamat` , `kota` , `no_telp` , `tgl_lahir` ) VALUES (NULL, '$nama', '$alamat', '$kota', '$no_telp', '$tgl_lahir')");

    return mysqli_affected_rows($conn);

}

function tambahbuku($data){
    global $conn;

    $judul = $data['judul'];
    $pengarang = $data['pengarang'];
    $th_terbit = $data['th_terbit'];
    $jenis_buku = $data['jenis_buku'];
    $status = $data['status'];

    mysqli_query($conn, "INSERT INTO `tb_buku` ( `no_buku` , `judul` , `pengarang` , `th_terbit` , `jenis_buku` , `status` ) VALUES (NULL, '$judul', '$pengarang', '$th_terbit', '$jenis_buku', '$status')");

    return mysqli_affected_rows($conn);

}

function hapusanggota($id_anggota){
    global $conn;

    $data = query("SELECT * FROM `tb_anggota` WHERE id_anggota = '$id_anggota'");

    if(!$data){
        return false;
    }

    mysqli_query($conn, "DELETE FROM `tb_anggota` WHERE id_anggota = '$id_anggota'");

    return mysqli_affected_rows($conn);

}

function hapusbuku($no_buku){
    global $conn;

    $data = query("SELECT * FROM `tb_buku` WHERE `no_buku` = '$no_buku'");

    if(!$data){
        return false;
    }

    mysqli_query($conn, "DELETE FROM `tb_buku` WHERE `no_buku` = '$no_buku'");

    return mysqli_affected_rows($conn);

}

function updateanggota($data){
    global $conn;

    $id_anggota = $data['id_anggota'];
    $nama = $data['nama'];
    $alamat = $data['alamat'];
    $kota = $data['kota'];
    $no_telp = $data['no_telp'];
    $tgl_lahir = $data['tgl_lahir'];

    mysqli_query($conn,"UPDATE `tb_anggota` SET `nama` = '$nama', `alamat` = '$alamat', `kota` = '$kota', `no_telp` = '$no_telp', `tgl_lahir` = '$tgl_lahir' WHERE `tb_anggota`.`id_anggota` = '$id_anggota'");

    return mysqli_affected_rows($conn);
}

function updatebuku($data){
    global $conn;

    $no_buku = $data['no_buku'];
    $judul = $data['judul'];
    $pengarang = $data['pengarang'];
    $th_terbit = $data['th_terbit'];
    $jenis_buku = $data['jenis_buku'];
    $status = $data['status'];

    mysqli_query($conn, "UPDATE `tb_buku` SET `judul` = '$judul', `pengarang` = '$pengarang', `th_terbit` = '$th_terbit', `jenis_buku` = '$jenis_buku', `status` = '$status' WHERE `tb_buku`.`no_buku` = '$no_buku'");

    return mysqli_affected_rows($conn);
}
```

Script form anggota :

```php
<?php

require "function/function.php";

if(isset($_POST['submit'])){
    if(tambahAnggota($_POST) > 0){
        echo"<script>alert('berhasil menambahkan anggota!');document.location.href='index.php'</script>";
    }
}

?>

<!doctype html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Tambah Anggota</title>
    <link rel="stylesheet" href="css/anggota.css">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css" rel="stylesheet"
        integrity="sha384-gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNl/vI1Bx" crossorigin="anonymous">
</head>

<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-dark bg-info shadow-sm">
        <div class="container">
            <a class="navbar-brand" href="index.php">Perpustakaan</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
                aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item">
                        <a class="nav-link" href="anggota.php">Tambah Anggota</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="buku.php">Tambah Buku</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
    <!-- akhir navbar -->
    <div class="container">
        <h1 class="text-center my-3">Masukan Data Anggota Baru</h1>
        <form class="border p-3 mb-5" action="" method="post">
            <div class="mb-3">
                <label for="nama" class="form-label">Nama</label>
                <input type="text" class="form-control" id="nama" name="nama">
            </div>
            <div class="mb-3">
                <label for="alamat" class="form-label">Alamat</label>
                <input type="text" class="form-control" id="alamat" name="alamat">
            </div>
            <div class="mb-3">
                <label for="kota" class="form-label">Kota</label>
                <input type="text" class="form-control" id="kota" name="kota">
            </div>
            <div class="mb-3">
                <label for="no_telp" class="form-label">No Telepon</label>
                <input type="text" class="form-control" id="no_telp" name="no_telp">
            </div>
            <div class="mb-3">
                <label for="tgl_lahir" class="form-label">Tanggal Lahir</label>
                <input type="text" class="form-control" id="tgl_lahir" name="tgl_lahir">
            </div>
            <button type="submit" class="btn btn-primary" name="submit">Submit</button>
            <br>
        </form>
    </div>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-A3rJD856KowSb7dwlZdYEkO39Gagi7vIsF0jrRAoQmDKKtQBHUuLZ9AsSv4jD4Xa" crossorigin="anonymous">
    </script>
</body>

</html>
```

Script form buku :

```php
<?php

require "function/function.php";

if(isset($_POST['submit'])){
    if(tambahBuku($_POST) > 0){
        echo"<script>alert('Data berhasil ditambahkan!');</script>";
        header("Location: index.php");
    }
}


?>


<!doctype html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Tambah buku</title>
    <link rel="stylesheet" href="css/anggota.css">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css" rel="stylesheet"
        integrity="sha384-gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNl/vI1Bx" crossorigin="anonymous">
</head>

<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-dark bg-info shadow-sm">
        <div class="container">
            <a class="navbar-brand" href="index.php">Perpustakaan</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
                aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item">
                        <a class="nav-link" href="anggota.php">Tambah Anggota</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="buku.php">Tambah Buku</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
    <!-- akhir navbar -->
    <div class="container">
        <h1 class="text-center my-3">Masukan Data Buku Baru</h1>
        <form class="border p-3 mb-5" action="" method="post">
            <div class="mb-3">
                <label for="judul" class="form-label">Judul</label>
                <input type="text" class="form-control" id="judul" name="judul" required>
            </div>
            <div class="mb-3">
                <label for="pengarang" class="form-label">Pengarang</label>
                <input type="text" class="form-control" id="pengarang" name="pengarang" required>
            </div>
            <div class="mb-3">
                <label for="th_terbit" class="form-label">Tahun Terbit</label>
                <input type="text" class="form-control" id="th_terbit" name="th_terbit" required>
            </div>
            <div class="mb-3">
                <label for="jenis_buku" class="form-label">Jenis Buku</label>
                <select class="form-select" aria-label="Default select example" name="jenis_buku" required>
                    <option selected>Pilih Jenis Buku</option>
                    <option value="fiksi">Fiksi</option>
                    <option value="non-fiksi">Non-Fiksi</option>
                </select>
            </div>
            <div class="mb-3">
                <label for="">Status Buku</label>
                <select class="form-select" aria-label="Default select example" name="status" required>
                    <option selected>Pilih Status Buku</option>
                    <option value="tersedia">Tersedia</option>
                    <option value="dipinjam">Dipijam</option>
                </select>
            </div>
            <button type="submit" class="btn btn-primary" name="submit">Submit</button>
            <br>
        </form>
    </div>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-A3rJD856KowSb7dwlZdYEkO39Gagi7vIsF0jrRAoQmDKKtQBHUuLZ9AsSv4jD4Xa" crossorigin="anonymous">
    </script>
</body>

</html>
```

Script hapus anggota :

```php
<?php

require 'function/function.php';


if(isset($_GET['id_anggota'])){
    if(hapusAnggota($_GET['id_anggota']) > 0){
        echo"<script>alert('berhasil menghapus blog!');document.location.href='index.php'</script>";
    }else{
        echo"<script>alert('gagal menghapus blog!');document.location.href='index.php'</script>";
    }
}
```

Script hapus buku :

```php
<?php

require 'function/function.php';


if(isset($_GET['no_buku'])){
    if(hapusBuku($_GET['no_buku']) > 0){
        echo"<script>alert('berhasil menghapus blog!');document.location.href='index.php'</script>";
    }else{
        echo"<script>alert('gagal menghapus blog!');document.location.href='index.php'</script>";
    }
}
```

Script Home :

```php
<?php

require "function/function.php";

$data_anggota = query("SELECT * FROM `tb_anggota`");
$data_buku = query("SELECT * FROM `tb_buku`");


?>


<!doctype html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Home</title>
    <link rel="stylesheet" href="">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet"
        integrity="sha384-9ndCyUaIbzAi2FUVXJe2K+qDxHXkccRVuNOIL35Eq+cZrXXHrcCitDGjZ6Tec8+g" crossorigin="anonymous">
</head>

<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-dark bg-info shadow-sm">
        <div class="container">
            <a class="navbar-brand" href="index.php">Perpustakaan</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
                aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item">
                        <a class="nav-link" href="anggota.php">Tambah Anggota</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="buku.php">Tambah Buku</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
    <!-- akhir navbar -->
    <!-- tampilan anggota -->
    <div class="container">
        <h1 class="mt-5">Anggota Perpustakaan</h1>
        <table class="table table-striped mt-3 border">
            <thead>
                <tr>
                    <th scope="col">No</th>
                    <th scope="col">Nama</th>
                    <th scope="col">Alamat</th>
                    <th scope="col">Kota</th>
                    <th scope="col">No Telpon</th>
                    <th scope="col">Tanggal Lahir</th>
                    <th scope="col">Fungsi</th>
                </tr>
            </thead>
            <tbody>
                <?php $count = 0; ?>
                <?php foreach($data_anggota as $record) : ?>
                <tr>
                    <?php $count++; ?>
                    <th scope="row">+?= $count?>+</th>
                    <td>+?= $record['nama']?>+</td>
                    <td>+?= $record['alamat']?>+</td>
                    <td>+?= $record['kota']?>+</td>
                    <td>+?= $record['no_telp']?>+</td>
                    <td>+?= $record['tgl_lahir']?>+</td>
                    <td>
                        <a href="hapusAnggota.php?id_anggota=+?= $record['id_anggota']?>"
                            class="link-danger text-center">Hapus</a>
                        <a href="updateAnggota.php?id_anggota=+?= $record['id_anggota']?>"
                            class="link-success text-center">Update</a>
                    </td>
                </tr>
                <?php endforeach;?>
            </tbody>
        </table>
    </div>
    <!-- akhir tampilan anggota -->
    <!-- tampilan buku -->
    <div class="container">
        <h1 class="mt-5">Daftar Buku</h1>
        <table class="table table-striped mt-3 border">
            <thead>
                <tr>
                    <th scope="col">Kode Buku</th>
                    <th scope="col">Judul</th>
                    <th scope="col">Pengarang</th>
                    <th scope="col">Tahun Terbit</th>
                    <th scope="col">Jenis Buku</th>
                    <th scope="col">Status</th>
                    <th scope="col">Fungsi</th>
                </tr>
            </thead>
            <tbody>
                <?php foreach($data_buku as $record) : ?>
                <tr>
                    <th scope="row">+?= $record['no_buku']?>+</th>
                    <td>+?= $record['judul']?>+</td>
                    <td>+?= $record['pengarang']?>+</td>
                    <td>+?= $record['th_terbit']?>+</td>
                    <td>+?= $record['jenis_buku']?>+</td>
                    <?php if($record['status'] == 'tersedia') : ?>
                    <td class="text-success">+?= $record['status']?>+</td>
                    <?php endif ?>
                    <?php if($record['status'] == 'dipinjam') : ?>
                    <td class="text-danger">+?= $record['status']?>+</td>
                    <?php endif ?>
                    <td>
                        <a href="hapusBuku.php?no_buku=+?= $record['no_buku']?>"
                            class="link-danger text-center">Hapus</a>
                        <a href="updateBuku.php?no_buku=+?= $record['no_buku']?>"
                            class="link-success text-center">Update</a>
                    </td>
                </tr>
                <?php endforeach;?>
            </tbody>
        </table>
    </div>
    <!-- akhir tampilan buku -->
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-A3rJD856KowSb7dwlZdYEkO39Gagi7vIsF0jrRA0ghbW2Q17x4RpyleRKZ7zBgG" crossorigin="anonymous">
    </script>
</body>

</html>
```

Script update anggota :

```php
<?php

require "function/function.php";

if(!isset($_GET['id_anggota'])){
    echo"<script>alert('link gagal');</script>";
    header("Location: index.php");
}else{
    $id_anggota = $_GET['id_anggota'];
    $data = query("SELECT * FROM `tb_anggota` WHERE id_anggota = '$id_anggota'")[0];
}

if(isset($_POST['submit'])){
    if((updateAnggota($_POST)) > 0){
        echo"<script>alert('Berhasil Update');</script>";
        header("Location: index.php");
    }else{
        echo"<script>alert('Gagal Update');</script>";
        header("Location: index.php");
    }
}


?>

<!doctype html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Home</title>
    <link rel="stylesheet" href="css/anggota.css">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css" rel="stylesheet"
        integrity="sha384-gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNl/vI1Bx" crossorigin="anonymous">
</head>

<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-dark bg-info shadow-sm">
        <div class="container">
            <a class="navbar-brand" href="index.php">Perpustakaan</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
                aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item">
                        <a class="nav-link" href="anggota.php">Tambah Anggota</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="buku.php">Tambah Buku</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
    <!-- akhir navbar -->
    <!-- awal form -->
    <div class="container">
        <h1 class="text-center my-3">Update Anggota</h1>
        <form class="border p-3 mb-3" action="" method="post">
            <input type="hidden" name="id_anggota" value="<?= $data['id_anggota']?>">
            <div class="mb-3">
                <label for="nama" class="form-label">Nama</label>
                <input type="text" class="form-control" id="nama" name="nama" value="<?= $data['nama']?>">
            </div>
            <div class="mb-3">
                <label for="alamat" class="form-label">Alamat</label>
                <input type="text" class="form-control" id="alamat" name="alamat" value="<?= $data['alamat']?>">
            </div>
            <div class=" mb-3">
                <label for="kota" class="form-label">Kota</label>
                <input type="text" class="form-control" id="kota" name="kota" value="<?= $data['kota']?>">
            </div>
            <div class=" mb-3">
                <label for="no_telp" class="form-label">No Telepon</label>
                <input type="text" class="form-control" id="no_telp" name="no_telp" value="<?= $data['no_telp']?>">
            </div>
            <div class=" mb-3">
                <label for="tgl_lahir" class="form-label">Tanggal Lahir</label>
                <input type="text" class="form-control" id="tgl_lahir" name="tgl_lahir"
                    value="<?= $data['tgl_lahir']?>">
            </div>
            <button type=" submit" class="btn btn-primary" name="submit">Submit</button>
            <br>
        </form>
    </div>
    <!-- akhir form -->
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-A3rJD856KowSb7dwlZdYEkO39Gagi7vIsF0jrRAoQ8ABKKtQBHUuLZ9AsSv4jD4Xa" crossorigin="anonymous">
    </script>
</body>

</html>
```

Script update buku :

```php
<?php

require 'function/function.php';

if(!isset($_GET['no_buku'])){
    echo"<script>alert('link gagal');</script>";
    header("Location: index.php");
}else{
    $no_buku = $_GET['no_buku'];
    $data = query("SELECT * FROM `tb_buku` WHERE no_buku = '$no_buku'")[0];
}

if(isset($_POST['submit'])){
    if(updateBuku($_POST) > 0){
        echo"<script>alert('Berhasil Update');</script>";
        header('location: index.php');
    }
}


?>


<!doctype html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Tambah buku</title>
    <link rel="stylesheet" href="css/anggota.css">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css" rel="stylesheet"
        integrity="sha384-gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNl/vI1Bx" crossorigin="anonymous">
</head>

<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-dark bg-info shadow-sm">
        <div class="container">
            <a class="navbar-brand" href="index.php">Perpustakaan</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
                aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item">
                        <a class="nav-link" href="anggota.php">Tambah Anggota</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="buku.php">Tambah Buku</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
    <!-- akhir navbar -->
    <!-- awal form -->
    <div class="container">
        <h1 class="text-center my-3">Update Buku</h1>
        <form class="border p-3 mb-5" action="" method="post">
            <input type="hidden" name="no_buku" value="<?= $data['no_buku']?>">
            <div class="mb-3">
                <label for="judul" class="form-label">Judul</label>
                <input type="text" class="form-control" id="judul" name="judul" value="<?= $data['judul']?>">
            </div>
            <div class="mb-3">
                <label for="pengarang" class="form-label">Pengarang</label>
                <input type="text" class="form-control" id="pengarang" name="pengarang"
                    value="<?= $data['pengarang']?>">
            </div>
            <div class="mb-3">
                <label for="th_terbit" class="form-label">Tahun Terbit</label>
                <input type="text" class="form-control" id="th_terbit" name="th_terbit"
                    value="<?= $data['th_terbit']?>">
            </div>
            <div class="mb-3">
                <label for="jenis_buku" class="form-label">Jenis Buku</label>
                <select class="form-select" aria-label="Default select example" name="jenis_buku">
                    <option selected>Pilih Jenis Buku</option>
                    <option value=" fiksi">Fiksi</option>
                    <option value="non-fiksi">Non-Fiksi</option>
                </select>
            </div>
            <div class="mb-3">
                <label for="">Status Buku</label>
                <select class="form-select" aria-label="Default select example" name="status" required>
                    <option selected>Pilih Status Buku</option>
                    <option value="tersedia">Tersedia</option>
                    <option value="dipinjam">Dipijam</option>
                </select>
            </div>
            <button type="submit" class="btn btn-primary" name="submit">Submit</button>
            <br>
        </form>
    </div>
    <!-- akhir form -->
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-A3rJD856KowSb7dwlZdYEkO39Gagi7vIsF0jrRAoQmDKKtQBHUuLZ9AsSv4jD4Ka" crossorigin="anonymous">
    </script>
</body>

</html>
```