

9

10 • `select distinct shipmode`
11 `from sample;`

12

13 • `select count(*) from sample;`

14



Result Grid



Filter Rows:

Export:

	shipmode
▶	Second Class
	Standard Class
	First Class
	Same Day

13 • `select count(*) from sample;`

14



Result Grid



Filter Rows:

Export

	count(*)
▶	9994



Result 5 ×

```
15 • select * from sample
16   where shipmode ='first class' and region ='east';
17
18 • select distinct category,subcategory
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
▶	First Class	Consumer	United States	Troy	New York	12180	East	Office Supplies	Storage	208.56	6	0	52.14
	First Class	Consumer	United States	Troy	New York	12180	East	Office Supplies	Paper	32.4	5	0	15.552
	First Class	Consumer	United States	Troy	New York	12180	East	Furniture	Chairs	319.41	5	0.1	7.098
	First Class	Consumer	United States	Troy	New York	12180	East	Office Supplies	Paper	14.56	2	0	6.9888
	First Class	Consumer	United States	Troy	New York	12180	East	Technology	Accessories	30	2	0	3.3
	First Class	Consumer	United States	Troy	New York	12180	East	Office Supplies	Binders	48.48	4	0.2	16.362
	First Class	Consumer	United States	Troy	New York	12180	East	Office Supplies	Art	1.68	1	0	0.84
	First Class	Consumer	United States	Wilmington	Delaware	19805	East	Furniture	Furnishings	47.04	3	0	18.3456

sample 7 ×

```
18 • select distinct category,subcategory
19 from sample;
20
```

<

Result Grid |  Filter Rows: | Export:  | W

	category	subcategory
▶	Furniture	Bookcases
	Furniture	Chairs
	Office Supplies	Labels
	Furniture	Tables
	Office Supplies	Storage
	Furniture	Furnishings
	Office Supplies	Art
	Technology	Phones

sample 8 x

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
19 from sample;
20
21 • select * from sample
22   where region = 'south';
23
24 • select * from sample
25   where category = 'technology' and profit > 200;
26
```

Result Grid

ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136
Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Chairs	731.94	3	0	219.582
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Furniture	Tables	957.5775	5	0.45	-383.031
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Office Supplies	Storage	22.368	2	0.2	2.5464
Standard Class	Consumer	United States	Concord	North Carolina	28027	South	Office Supplies	Paper	15.552	3	0.2	5.4432
Standard Class	Corporate	United States	Melbourne	Florida	32935	South	Office Supplies	Storage	95.616	2	0.2	9.5616
First Class	Consumer	United States	Springfield	Virginia	22153	South	Office Supplies	Paper	75.88	2	0	35.6636
Standard Class	Consumer	United States	Mammoth	Tennessee	38106	South	Furniture	Chairs	821.036	8	0.1	-114.3912

sample 13 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 10	16:10:47	select * from sample where region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.031 sec
✓ 11	16:11:09	select * from sample where category = 'technology' and profit > 200 LIMIT 0, 1000	180 row(s) returned	0.031 sec / 0.016 sec
✓ 12	16:21:54	select * from sample where sales not between 50 and 6000 and discount is not null LIMIT 0, ...	1000 row(s) returned	0.016 sec / 0.015 sec
✓ 13	16:23:33	select * from sample where region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.016 sec
✓ 14	16:24:41	select * from sample where region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.031 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:24

23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
19 from sample;
20
21 • select * from sample
22   where region = 'south';
23
24 • select * from sample
25   where category = 'technology' and profit > 200;
26
```

Result Grid

	ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
▶	Standard Class	Corporate	United States	New York City	New York	10024	East	Technology	Phones	1029.95	5	0	298.6855
	Standard Class	Consumer	United States	Edmond	Oklahoma	73034	Central	Technology	Phones	944.93	7	0	236.2325
	Standard Class	Consumer	United States	San Diego	California	92037	West	Technology	Accessories	3347.37	13	0	636.0003
	Standard Class	Consumer	United States	Houston	Texas	77070	Central	Technology	Phones	1114.4	7	0.2	376.11
	Standard Class	Home Office	United States	New York City	New York	10024	East	Technology	Machines	3991.98	2	0	1995.99
	Standard Class	Consumer	United States	Los Angeles	California	90045	West	Technology	Copiers	959.984	2	0.2	335.9944
	Standard Class	Consumer	United States	Des Moines	Washington	98198	West	Technology	Copiers	1799.97	3	0	701.9893
	Standard Class	Consumer	United States	San Francisco	California	04110	West	Technology	Copiers	1100.076	3	0.2	434.0013

sample 14 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 11	16:11:09	select * from sample where category = 'technology' and profit > 200 LIMIT 0, 1000	180 row(s) returned	0.031 sec / 0.016 sec
✓ 12	16:21:54	select * from sample where sales not between 50 and 6000 and discount is not null LIMIT 0, ...	1000 row(s) returned	0.016 sec / 0.015 sec
✓ 13	16:23:33	select * from sample where region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.016 sec
✓ 14	16:24:41	select * from sample where region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.031 sec
✓ 15	16:24:51	select * from sample where category = 'technology' and profit > 200 LIMIT 0, 1000	180 row(s) returned	0.031 sec / 0.016 sec

Object Info Session

Type here to search

27°C Mostly cloudy 16:24 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
22 where region = 'south';
23
24 • select * from sample
25 where category = 'technology' and profit > 200;
26
27 • select * from sample
28 where region = 'west' or region = 'south';
29
```

Result Grid

ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	251.95	2	0	41.9136
Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Chairs	731.94	3	0	219.582
Second Class	Corporate	United States	Los Angeles	California	90036	West	Office Supplies	Labels	14.62	2	0	5.8714
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Furniture	Tables	957.5775	5	0.45	-383.031
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Office Supplies	Storage	22.368	2	0.2	2.5154
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Furniture	Furnishings	48.86	7	0	14.1594
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Art	7.28	4	0	1.9656
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Technology	Phones	917.157	6	0.2	90.7157

sample 15 x

Output

#	Time	Action	Message	Duration / Fetch
12	16:21:54	select * from sample where sales not between 50 and 6000 and discount is not null LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.015 sec
13	16:23:33	select * from sample where region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.016 sec
14	16:24:41	select * from sample where region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.031 sec
15	16:24:51	select * from sample where category = 'technology' and profit > 200 LIMIT 0, 1000	180 row(s) returned	0.031 sec / 0.016 sec
16	16:24:58	select * from sample where region = 'west' or region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.016 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:24 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
27 select * from sample
28 where region = 'west' or region = 'south';
29
30 select max(sales) as second_max
31 from sample
32 where sales < (select max(sales)
33               from sample);
34
```

Result Grid

	second_max
1	17499.95

Result 16 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 13	16:23:33	select * from sample where region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.016 sec
✓ 14	16:24:41	select * from sample where region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.031 sec
✓ 15	16:24:51	select * from sample where category = 'technology' and profit > 200 LIMIT 0, 1000	100 row(s) returned	0.031 sec / 0.016 sec
✓ 16	16:24:58	select * from sample where region = 'west' or region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.016 sec
✓ 17	16:25:08	select max(sales) as second_max from sample where sales < (select max(sales) fr...	1 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy 16:25 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
31 from sample
32 where sales < (select max(sales)
33               from sample);
34
35 select shipmode,state,pincode,quantity,region
36 from sample
37 where region = 'central';
38
```

Result Grid

shipmode	state	pincode	quantity	region
Standard Class	Texas	76106	5	Central
Standard Class	Texas	76106	3	Central
Standard Class	Wisconsin	53711	6	Central
Standard Class	Nebraska	68025	7	Central
Standard Class	Nebraska	68025	7	Central
Second Class	Texas	77095	3	Central
First Class	Texas	75080	7	Central
First Class	Texas	75080	5	Central

sample 17 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	16:24:41	select * from sample where region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.031 sec
15	16:24:51	select * from sample where category = 'technology' and profit > 200 LIMIT 0, 1000	180 row(s) returned	0.031 sec / 0.016 sec
16	16:24:50	select * from sample where region = 'west' or region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.016 sec
17	16:25:00	select max(sales) as second_max from sample where sales < (select max(sales) fr...	1 row(s) returned	0.047 sec / 0.000 sec
18	16:25:15	select shipmode,state,pincode,quantity,region from sample where region = 'central' LIMIT 0, 1...	1000 row(s) returned	0.000 sec / 0.016 sec

Object Info Session

Type here to search

27°C Mostly cloudy 16:25 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
35 select shipmode,state,pincode,quantity,region
36 from sample
37 where region = 'central';
38
39
40 select * from sample
41 where profit < 25 and region = 'west';
42
```

Result Grid

	ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
▶	Second Class	Corporate	United States	Los Angeles	California	90036	West	Office Supplies	Labels	14.62	2	0	6.8714
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Furniture	Furnishings	48.86	7	0	14.1694
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Art	7.28	4	0	1.9656
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Binders	18.504	3	0.2	5.7825
	Second Class	Consumer	United States	West Jordan	Utah	84084	West	Office Supplies	Storage	55.5	2	0	9.99
	Second Class	Consumer	United States	San Francisco	California	94109	West	Office Supplies	Art	8.56	2	0	2.4824
	Second Class	Consumer	United States	San Francisco	California	94109	West	Technology	Phones	213.48	3	0.2	16.011
	Second Class	Consumer	United States	San Francisco	California	94109	West	Office Supplies	Binders	77.77	4	0.2	7.384

sample 18 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	16:24:51	select * from sample where category = 'technology' and profit > 200 LIMIT 0, 1000	190 row(s) returned	0.031 sec / 0.016 sec
✓ 16	16:24:58	select * from sample where region = 'west' or region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.016 sec
✓ 17	16:25:00	select max(sales) as second_max from sample where sales < (select max(sales) from sample) LIMIT 0, 1000	1 row(s) returned	0.047 sec / 0.000 sec
✓ 18	16:25:15	select shipmode, state, pincode, quantity, region from sample where region = 'central' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.016 sec
✓ 19	16:25:23	select * from sample where profit < 25 and region = 'west' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.032 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:25 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
38
39
40 • select * from sample
41   where profit < 25 and region = 'west';
42
43 • select * from sample
44   where shipmode = 'second class' and pincode = 38109;
45
```

ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
Second Class	Consumer	United States	Memphis	Tennessee	38109	South	Furniture	Tables	189.882	3	0.4	-94.941
Second Class	Consumer	United States	Memphis	Tennessee	38109	South	Office Supplies	Paper	8.904	3	0.2	3.339
Second Class	Consumer	United States	Memphis	Tennessee	38109	South	Office Supplies	Storage	720.064	4	0.2	-63.0036
Second Class	Consumer	United States	Memphis	Tennessee	38109	South	Office Supplies	Paper	25.92	5	0.2	9.072

sample 19 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
16	16:24:58	select * from sample where region = 'west' or region = 'south' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.016 sec
17	16:25:08	select max(sales) as second_max from sample where sales < (select max(sales) fr...	1 row(s) returned	0.047 sec / 0.000 sec
18	16:25:15	select shipmode,state,pincode,quantity,region from sample where region = 'central' LIMIT 0, 1...	1000 row(s) returned	0.000 sec / 0.016 sec
19	16:25:23	select * from sample where profit < 25 and region = 'west' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.032 sec
20	16:25:33	select * from sample where shipmode = 'second class' and pincode = 38109 LIMIT 0, 1000	4 row(s) returned	0.032 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:25 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

db_temp
hw
Tables
Views
Stored Procedures
Functions
project
Tables
Views
Stored Procedures
Functions
project_sql
sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
42 select * from sample
43
44 where shipmode = 'second class' and pincod = 38109;
45
46 select shipmode ,country, city, pincod,region,sales,profit
47 from sample
48 where sales > 6000 and profit > 3000;
49
```

Result Grid

shipmode	country	city	pincod	region	sales	profit
Standard Class	United States	Atlanta	30318	South	6354.95	3177.475
First Class	United States	New York City	10024	East	11199.968	3919.9883
Standard Class	United States	Minneapolis	55407	Central	9449.95	4630.4755
Standard Class	United States	Newark	09711	East	10495.97	5039.9856
Standard Class	United States	Lafayette	47905	Central	17499.95	8399.976
First Class	United States	Seattle	98115	West	13999.96	6719.9808
Standard Class	United States	Detroit	48205	Central	9892.74	4946.37

sample 20 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
17	16:25:08	select max(sales) as second_max from sample where sales < (select max(sales) fr...	1 row(s) returned	0.047 sec / 0.000 sec
18	16:25:15	select shipmode,atate,pincod,quantity,region from sample where region = 'central' LIMIT 0, 1...	1000 row(s) returned	0.000 sec / 0.016 sec
19	16:25:23	select * from sample where profit < 25 and region = 'west' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.032 sec
20	16:25:33	select * from sample where shipmode = 'second class' and pincod = 38109 LIMIT 0, 1000	4 row(s) returned	0.032 sec / 0.000 sec
21	16:25:42	select shipmode ,country, city, pincod,region,sales,profit from sample where sales > 6000 an...	7 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy 16:25 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
47 from sample
48 where sales > 6000 and profit > 3000;
49
50 select * from sample
51 where profit between 5000 and 8000 and sales >11000;
52
53 select shipmode,segment,city,state,pincode,region,category,sales,discount
54 from sample
```

ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
First Class	Consumer	United States	Seattle	Washington	98115	West	Technology	Copiers	13999.96	4	0	6719.9808

Result Grid

Filter Rows

Exports

Wrap Cell Contents

sample 21 x

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
18	16:25:15	select shipmode,atate,pincode,quantity,region from sample where region = 'central' LIMIT 0, 1...	1000 row(s) returned	0.000 sec / 0.016 sec
19	16:25:23	select * from sample where profit < 25 and region = 'west' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.032 sec
20	16:25:33	select * from sample where shipmode = 'second class' and pincode = 38109 LIMIT 0, 1000	4 row(s) returned	0.032 sec / 0.000 sec
21	16:25:42	select shipmode ,country, city, pincode,region,sales,profit from sample where sales > 6000 an...	7 row(s) returned	0.031 sec / 0.000 sec
22	16:25:49	select * from sample where profit between 5000 and 8000 and sales >11000 LIMIT 0, 1000	1 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:25 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
50 • select * from sample
51   where profit between 5000 and 8000 and sales >11000;
52
53 • select shipmode,segment,city,state,pincode,region,category,sales,discount
54   from sample
55   where category in ('technology') and profit < 1000;
56
57 • select * from sample
```

Result Grid

shipmode	segment	city	state	pincode	region	category	sales	discount
Standard Class	Consumer	Los Angeles	California	90032	West	Technology	907.152	0.2
Standard Class	Consumer	Los Angeles	California	90032	West	Technology	911.424	0.2
Second Class	Consumer	San Francisco	California	94109	West	Technology	213.48	0.2
Second Class	Consumer	Los Angeles	California	90049	West	Technology	90.57	0
First Class	Corporate	Richardson	Texas	75080	Central	Technology	1097.544	0.2
Standard Class	Home Office	Houston	Texas	77041	Central	Technology	371.168	0.2
Standard Class	Corporate	Naperville	Illinois	60540	Central	Technology	147.168	0.2
First Class	Corporate	Essex	Minnesota	55122	Central	Technology	45.08	0

sample 22 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
19	16:25:23	select * from sample where profit < 25 and region = 'west' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.032 sec
20	16:25:33	select * from sample where shipmode = 'second class' and pincode = 38109 LIMIT 0, 1000	4 row(s) returned	0.032 sec / 0.000 sec
21	16:25:42	select shipmode ,country, city, pincode,region,sales,profit from sample where sales > 6000 an...	7 row(s) returned	0.031 sec / 0.000 sec
22	16:25:49	select * from sample where profit between 5000 and 8000 and sales >11000 LIMIT 0, 1000	1 row(s) returned	0.047 sec / 0.000 sec
23	16:26:01	select shipmode,segment,city,state,pincode,region,category,sales,discount from sample wher...	1000 row(s) returned	0.000 sec / 0.015 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:26 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
52
53 • select shipmode,segment,city,state,pincode,region,category,sales,discount
54 from sample
55 where category in ('technology') and profit < 1000;
56
57 • select * from sample
58 where region = 'central' and (quantity = 5 or profit > 5000);
59
```

Result Grid

	ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
▶	Standard Class	Home Office	United States	Fort Worth	Texas	76105	Central	Office Supplies	Appliances	68.81	5	0.8	-123.858
	First Class	Corporate	United States	Richardson	Texas	75080	Central	Furniture	Furnishings	190.92	5	0.6	-147.963
	Standard Class	Home Office	United States	Chicago	Illinois	60610	Central	Furniture	Chairs	213.115	5	0.3	-15.2225
	Second Class	Consumer	United States	Houston	Texas	77070	Central	Furniture	Furnishings	19.3	5	0.6	-14.475
	Standard Class	Home Office	United States	Orland Park	Illinois	60462	Central	Technology	Accessories	339.96	5	0.2	67.992
	Standard Class	Corporate	United States	Franklin	Wisconsin	53132	Central	Office Supplies	Binders	171.55	5	0	80.6285
	Standard Class	Consumer	United States	San Antonio	Texas	78207	Central	Office Supplies	Appliances	177.98	5	0.8	-453.849
	Standard Class	Corporate	United States	Detroit	Michigan	48227	Central	Furniture	Tables	677.45	5	0	136.010

sample 24 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
21	16:25:42	select shipmode ,country, city, pincode,region,sales,profit from sample where sales > 6000 an...	7 row(s) returned	0.031 sec / 0.000 sec
22	16:25:49	select * from sample where profit between 5000 and 8000 and sales >11000 LIMIT 0, 1000	1 row(s) returned	0.047 sec / 0.000 sec
23	16:26:01	select shipmode,segment,city,state,pincode,region,category,sales,discount from sample wher...	1000 row(s) returned	0.000 sec / 0.015 sec
24	16:26:05	select * from sample where region = 'central' and (quantity = 5 or profit > 5000) LIMIT 0, 1000	310 row(s) returned	0.031 sec / 0.016 sec
25	16:26:07	select * from sample where region = 'central' and (quantity = 5 or profit > 5000) LIMIT 0, 1000	310 row(s) returned	0.031 sec / 0.016 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:26 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
55 where category in ('technology') and profit < 1000;
56
57 • select * from sample
58 where region = 'central' and (quantity = 5 or profit > 5000);
59
60 • select * from sample
61 where sales not between 50 and 6000 and discount is not null;
62
```

Result Grid

ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
Second Class	Corporate	United States	Los Angeles	California	90036	West	Office Supplies	Labels	14.62	2	0	6.8714
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Office Supplies	Storage	22.368	2	0.2	2.5364
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Furniture	Furnishings	48.86	7	0	14.1694
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Art	7.28	4	0	1.9656
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Binders	18.504	3	0.2	5.7825
Standard Class	Consumer	United States	Concord	North Carolina	28027	South	Office Supplies	Paper	15.552	3	0.2	5.4432
Standard Class	Home Office	United States	Fort Worth	Texas	76106	Central	Office Supplies	Binders	2.544	3	0.8	-3.816
Standard Class	Consumer	United States	San Francisco	California	04110	West	Office Supplies	Art	8.56	2	0	2.4874

sample 25 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
22	16:25:49	select * from sample where profit between 5000 and 8000 and sales > 11000 LIMIT 0, 1000	1 row(s) returned	0.047 sec / 0.000 sec
23	16:26:01	select shipmode,segment,city,state,pincode,region,category,sales,discount from sample where...	1000 row(s) returned	0.000 sec / 0.015 sec
24	16:26:05	select * from sample where region = 'central' and (quantity = 5 or profit > 5000) LIMIT 0, 1000	310 row(s) returned	0.031 sec / 0.016 sec
25	16:26:07	select * from sample where region = 'central' and (quantity = 5 or profit > 5000) LIMIT 0, 1000	310 row(s) returned	0.031 sec / 0.016 sec
26	16:26:17	select * from sample where sales not between 50 and 6000 and discount is not null LIMIT 0, ...	1000 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:26 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
59
60 select * from sample
61 where sales not between 50 and 6000 and discount is not null;
62
63 SELECT shipmode, state, pincode, sales, quantity
64 from sample
65 where state like 's%' and quantity not in (3,4,5);
66
```

Result Grid

shipmode	state	pincode	sales	quantity
Second Class	South Carolina	29203	301.96	2
Second Class	South Carolina	29501	191.89	6
Standard Class	South Dakota	57103	14.62	2
Standard Class	South Dakota	57103	416.32	2
Standard Class	South Dakota	57103	60.83	7
Standard Class	South Carolina	29501	628.81	7
Standard Class	South Carolina	29483	79.1	2
Standard Class	South Carolina	29483	377.84	8

sample 26 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
23	16:26:01	select shipmode,segment,city,state,pincode,region,category,sales,discount from sample where...	1000 row(s) returned	0.000 sec / 0.015 sec
24	16:26:05	select * from sample where region = 'central' and (quantity = 5 or profit > 5000) LIMIT 0, 1000	310 row(s) returned	0.031 sec / 0.016 sec
25	16:26:07	select * from sample where region = 'central' and (quantity = 5 or profit > 5000) LIMIT 0, 1000	310 row(s) returned	0.031 sec / 0.016 sec
26	16:26:17	select * from sample where sales not between 50 and 6000 and discount is not null LIMIT 0, ...	1000 row(s) returned	0.016 sec / 0.000 sec
27	16:26:22	SELECT shipmode, state, pincode, sales, quantity from sample where state like 's%' and quan...	26 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:26 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
63 SELECT shipmode, state, pincode, sales, quantity
64 from sample
65 where state like 's%' and quantity not in (3,4,5);
66
67 select sum(sales) as total_sales, category
68 from sample
69 group by category;
70
```

Result Grid

total_sales	category
741999.7952999998	Furniture
719047.03203000029	Office Supplies
836154.03299999966	Technology

Result 27 x

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
24	16:26:05	select * from sample where region = 'central' and (quantity = 5 or profit > 5000) LIMIT 0, 1000	310 row(s) returned	0.031 sec / 0.016 sec
25	16:26:07	select * from sample where region = 'central' and (quantity = 5 or profit > 5000) LIMIT 0, 1000	310 row(s) returned	0.031 sec / 0.016 sec
26	16:26:17	select * from sample where sales not between 50 and 6000 and discount is not null LIMIT 0, ...	1000 row(s) returned	0.016 sec / 0.000 sec
27	16:26:22	SELECT shipmode, state, pincode, sales, quantity from sample where state like 's%' and quan...	26 row(s) returned	0.031 sec / 0.000 sec
28	16:26:28	select sum(sales) as total_sales, category from sample group by category LIMIT 0, 1000	3 row(s) returned	0.062 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:26 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
67 • select sum(sales) as total_sales, category
68 from sample
69 group by category;
70
71 • select avg(profit) as avg_profit, region
72 from sample
73 group by region;
74
```

Result Grid

avg_profit	region
28.857673024691398	South
33.849031313924505	West
17.09270878174773	Central
32.135807584268756	East

Result 28 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 25	16:26:07	select * from sample where region = 'central' and (quantity > 5 or profit > 5000) LIMIT 0, 1000	310 row(s) returned	0.031 sec / 0.016 sec
✓ 26	16:26:17	select * from sample where sales not between 50 and 6000 and discount is not null LIMIT 0, ...	1000 row(s) returned	0.016 sec / 0.000 sec
✓ 27	16:26:22	SELECT shipmode, state, pincode, sales, quantity from sample where state like 's%' and quan...	26 row(s) returned	0.031 sec / 0.000 sec
✓ 28	16:26:28	select sum(sales) as total_sales, category from sample group by category LIMIT 0, 1000	3 row(s) returned	0.062 sec / 0.000 sec
✓ 29	16:26:34	select avg(profit) as avg_profit, region from sample group by region LIMIT 0, 1000	4 row(s) returned	0.062 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:26 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
72 from sample
73 group by region;
74
75 • select sum(quantity) as total_quantity,segment
76 from sample
77 where region = 'east'
78 group by segment;
79
```

Result Grid

	total_quantity	segment
▶	5347	Consumer
	3358	Corporate
	1913	Home Office

Result 29 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 26	16:26:17	select * from sample where sales not between 50 and 6000 and discount is not null LIMIT 0, ...	1000 row(s) returned	0.016 sec / 0.000 sec
✓ 27	16:26:22	SELECT shipmode, state, pincode, sales, quantity from sample where state like 'a%' and quan...	26 row(s) returned	0.031 sec / 0.000 sec
✓ 28	16:26:20	select sum(sales) as total_sales, category from sample group by category LIMIT 0, 1000	3 row(s) returned	0.062 sec / 0.000 sec
✓ 29	16:26:34	select avg(profit) as avg_profit, region from sample group by region LIMIT 0, 1000	4 row(s) returned	0.062 sec / 0.000 sec
✓ 30	16:26:40	select sum(quantity) as total_quantity, segment from sample where region = 'east' group by se...	3 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:26 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
77 where region = 'east'
78 group by segment;
79
80 select sum(sales) as total_sales, sum(profit) as total_profit, state
81 from sample
82 where quantity between 3 and 4
83 group by state;
84
```

Result Grid

	total_sales	total_profit	state
▶	11923.770000000002	3584.6180999999997	Kentucky
	145727.81900000005	23155.165799999998	California
	26344.423000000002	-5155.8347999999999	North Carolina
	49831.115999999999	14233.6602	Washington
	56853.5815	-7983.8842999999999	Texas
	4321.366	988.19930000000001	Utah
	38949.801000000002	-3946.1660000000002	Pennsylvania
	30393.773000000000	-13877.75400000000014	Tennessee

Result 30 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 27	16:26:22	SELECT shipmode, state, pincode, sales.quantity from sample where state like 's%' and quan...	26 row(s) returned	0.031 sec / 0.000 sec
✓ 28	16:26:28	select sum(sales) as total_sales, category from sample group by category LIMIT 0, 1000	3 row(s) returned	0.062 sec / 0.000 sec
✓ 29	16:26:34	select avg(profit) as avg_profit, region from sample group by region LIMIT 0, 1000	4 row(s) returned	0.062 sec / 0.000 sec
✓ 30	16:26:40	select sum(quantity) as total_quantity, segment from sample where region = 'east' group by se...	3 row(s) returned	0.031 sec / 0.000 sec
✓ 31	16:26:45	select sum(sales) as total_sales, sum(profit) as total_profit, state from sample where quantity b...	49 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy 16:26 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
83 group by state;
84
85 select sum(sales) as total_sales, category
86 from sample
87 where category != 'technology'
88 group by category
89 having sum(sales) > 100000;
90
```

Result Grid

total_sales	category
741999.7952999998	Furniture
719047.0320000029	Office Supplies

Result 31 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
28	16:26:28	select sum(sales) as total_sales, category from sample group by category LIMIT 0, 1000	3 row(s) returned	0.062 sec / 0.000 sec
29	16:26:34	select avg(profit) as avg_profit, region from sample group by region LIMIT 0, 1000	4 row(s) returned	0.062 sec / 0.000 sec
30	16:26:40	select sum(quantity) as total_quantity, segment from sample where region = 'east' group by se...	3 row(s) returned	0.031 sec / 0.000 sec
31	16:26:45	select sum(sales) as total_sales, sum(profit) as total_profit, state from sample where quantity b...	49 row(s) returned	0.047 sec / 0.000 sec
32	16:26:51	select sum(sales) as total_sales, category from sample where category != 'technology' group ...	2 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy 16:26 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
89 having sum(sales) > 1000000;
90
91 select avg(discount) as avg_discount, subcategory
92 from sample
93 where city like '%a'
94 group by subcategory
95 having avg(discount) > 0.20;
96
```

Result Grid

avg_discount	subcategory
0.22151898734177225	Chairs
0.3735294117647059	Bookcases
0.5350000000000011	Binders
0.2648648648648645	Phones
0.5076923076923078	Machines
0.3967741935483872	Tables
0.3333333333333333	Copiers

Result 32 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
29	16:26:34	select avg(profit) as avg_profit, region from sample group by region LIMIT 0, 1000	4 row(s) returned	0.062 sec / 0.000 sec
30	16:26:40	select sum(quantity) as total_quantity, segment from sample where region = 'east' group by segment	3 row(s) returned	0.031 sec / 0.000 sec
31	16:26:45	select sum(sales) as total_sales, sum(profit) as total_profit, state from sample where quantity > 1000	49 row(s) returned	0.047 sec / 0.000 sec
32	16:26:51	select sum(sales) as total_sales, category from sample where category != 'technology' group by category	2 row(s) returned	0.047 sec / 0.000 sec
33	16:26:57	select avg(discount) as avg_discount, subcategory from sample where city like '%a' group by subcategory	7 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:26 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
95 having avg(discount) > 0.20;
96
97 • select count(*) as total_records,region
98 from sample
99 where shipmode = 'standard class'
100 group by region
101 having count(*) > 1000;
102
```

Result Grid

	total_records	region
▶	1882	West
	1439	Central
	1673	East

Result 33 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 30	16:26:40	select sum(quantity) as total_quantity,segment from sample where region = 'east' group by se...	3 row(s) returned	0.031 sec / 0.000 sec
✓ 31	16:26:45	select sum(sales) as total_sales, sum(profit) as total_profit, state from sample where quantity b...	49 row(s) returned	0.047 sec / 0.000 sec
✓ 32	16:26:51	select sum(sales) as total_sales, category from sample where category != 'technology' group ...	2 row(s) returned	0.047 sec / 0.000 sec
✓ 33	16:26:57	select avg(discount) as avg_discount,subcategory from sample where city like '%a' group by ...	7 row(s) returned	0.047 sec / 0.000 sec
✓ 34	16:27:03	select count(*) as total_records,region from sample where shipmode = 'standard class' group ...	3 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy 16:27 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
100 group by region
101 having count(*) > 1000;
102
103 select * from sample
104 where sales=(select max(sales)
105               from sample);
106
107
```

ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
Standard Class	Home Office	United States	Jacksonville	Florida	32216	South	Technology	Machines	22638.48	6	0.5	-1811.0784

sample 34 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
31	16:26:45	select sum(sales) as total_sales, sum(profit) as total_profit, state from sample where quantity b...	49 row(s) returned	0.047 sec / 0.000 sec
32	16:26:51	select sum(sales) as total_sales, category from sample where category != 'technology' group ...	2 row(s) returned	0.047 sec / 0.000 sec
33	16:26:57	select avg(discount) as avg_discount, subcategory from sample where city like '%a' group by ...	7 row(s) returned	0.047 sec / 0.000 sec
34	16:27:03	select count(*) as total_records, region from sample where shipmode = 'standard class' group ...	3 row(s) returned	0.047 sec / 0.000 sec
35	16:27:08	select * from sample where sales=(select max(sales) from sample) LIMIT 0, 1000	1 row(s) returned	0.063 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:27 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
106
107
108 • select sum(profit) as total_profit, state
109       from sample
110       group by state
111       order by total_profit desc
112       limit 5 offset 1;
113
```

Result Grid

	total_profit	state
▶	74038.54860000005	New York
	33402.651699999995	Washington
	24463.187599999994	Michigan
	18597.9504	Virginia
	18382.936300000005	Indiana

Result 35 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 32	16:26:51	select sum(sales) as total_sales, category from sample where category != 'technology' group by ...	2 row(s) returned	0.047 sec / 0.000 sec
✓ 33	16:26:57	select avg(discount) as avg_discount, subcategory from sample where city like '%a' group by ...	7 row(s) returned	0.047 sec / 0.000 sec
✓ 34	16:27:03	select count(*) as total_records, region from sample where shipmode = 'standard class' group by ...	3 row(s) returned	0.047 sec / 0.000 sec
✓ 35	16:27:08	select * from sample where sales = (select max(sales) from sample) LIMIT 0, 1000	1 row(s) returned	0.063 sec / 0.000 sec
✓ 36	16:27:14	select sum(profit) as total_profit, state from sample group by state order by total_profit desc ...	5 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:27 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
112 limit 5 offset 1;
113
114 • select sum(sales) as total_sales,subcategory
115 from sample
116 group by subcategory
117 order by total_sales desc
118 limit 1 offset 1;
119
```

Result Grid

	total_sales	subcategory
▶	328449.10300000076	Chairs

Result 35 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 33	16:26:57	select avg(discount) as avg_discount,subcategory from sample where city like 'a' group by ...	7 row(s) returned	0.047 sec / 0.000 sec
✓ 34	16:27:03	select count(*) as total_records,region from sample where shipmode = 'standard class' group ...	3 row(s) returned	0.047 sec / 0.000 sec
✓ 35	16:27:08	select * from sample where sales=(select max(sales) from sample) LIMIT 0, 1000	1 row(s) returned	0.063 sec / 0.000 sec
✓ 36	16:27:14	select sum(profit) as total_profit, state from sample group by state order by total_profit desc ...	5 row(s) returned	0.047 sec / 0.000 sec
✓ 37	16:27:19	select sum(sales) as total_sales,subcategory from sample group by subcategory order by total...	1 row(s) returned	0.062 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:27 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
117 order by total_sales desc
118 limit 1 offset 1;
119
120 select *
121 from sample
122 where sales > (select avg(sales)
123               from sample);
124
```

Result Grid

	ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
▶	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136
	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Chairs	731.94	3	0	219.582
	Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Furniture	Tables	957.5775	5	0.45	-383.031
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Technology	Phones	907.152	6	0.2	90.7152
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Furniture	Tables	1706.384	9	0.2	85.3092
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Technology	Phones	911.424	4	0.2	68.3568
	Standard Class	Consumer	United States	Seattle	Washington	98103	West	Office Supplies	Binders	407.976	3	0.2	132.5922
	Standard Class	Consumer	United States	Madison	Wisconsin	53711	Central	Office Supplies	Staplers	645.88	6	0	13.3176

sample 37 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
34	16:27:03	select count(*) as total_records, region from sample where shipmode = 'standard class' group by region	3 row(s) returned	0.047 sec / 0.000 sec
35	16:27:08	select * from sample where sales > (select max(sales) from sample) LIMIT 0, 1000	1 row(s) returned	0.063 sec / 0.000 sec
36	16:27:14	select sum(profit) as total_profit, state from sample group by state order by total_profit desc	5 row(s) returned	0.047 sec / 0.000 sec
37	16:27:19	select sum(sales) as total_sales, subcategory from sample group by subcategory order by total_sales	1 row(s) returned	0.062 sec / 0.000 sec
38	16:27:23	select * from sample where sales > (select avg(sales) from sample) LIMIT 0, 1000	1000 row(s) returned	0.032 sec / 0.015 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:27 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
121 from sample
122 where sales > (select avg(sales)
123               from sample);
124
125 select * from sample
126 where profit < (select avg(profit)
127                from sample);
128
```

Result Grid

ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
Second Class	Corporate	United States	Los Angeles	California	90036	West	Office Supplies	Labels	14.62	2	0	6.8714
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Furniture	Tables	957.5775	5	0.45	-383.031
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Furniture	Furnishings	48.86	7	0	14.1694
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Art	7.28	4	0	1.9656
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Binders	18.504	3	0.2	5.7825
Standard Class	Consumer	United States	Concord	North Carolina	28027	South	Office Supplies	Paper	15.552	3	0.2	5.4432
Standard Class	Home Office	United States	Fort Worth	Texas	76106	Central	Office Supplies	Appliances	68.81	5	0.8	-173.858

sample 38 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
35	16:27:08	select * from sample where sales > (select max(sales) from sample) LIMIT 0, 1000	1 row(s) returned	0.063 sec / 0.000 sec
36	16:27:14	select sum(profit) as total_profit, state from sample group by state order by total_profit desc ...	5 row(s) returned	0.047 sec / 0.000 sec
37	16:27:19	select sum(sales) as total_sales, subcategory from sample group by subcategory order by total...	1 row(s) returned	0.062 sec / 0.000 sec
38	16:27:23	select * from sample where sales > (select avg(sales) from sample) LIMIT 0, 1000	1000 row(s) returned	0.032 sec / 0.015 sec
39	16:27:27	select * from sample where profit < (select avg(profit) from sample) LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.015 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:27 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
125 select * from sample
126 where profit < (select avg(profit)
127 from sample);
128
129 select * from sample
130 order by sales desc
131 limit 10;
132
```

Result Grid

ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
Standard Class	Home Office	United States	Jacksonville	Florida	32216	South	Technology	Machines	22638.48	6	0.5	-1811.0784
Standard Class	Corporate	United States	Lafayette	Indiana	47905	Central	Technology	Copiers	17499.95	5	0	8399.976
First Class	Consumer	United States	Seattle	Washington	98115	West	Technology	Copiers	13999.95	4	0	6719.9808
Standard Class	Home Office	United States	New York City	New York	10024	East	Technology	Copiers	11199.968	4	0.2	3919.9888
Standard Class	Consumer	United States	Newark	Delaware	19711	East	Technology	Copiers	10499.97	3	0	5039.9856
Standard Class	Consumer	United States	Detroit	Michigan	48205	Central	Office Supplies	Binders	9892.74	13	0	4946.37
Standard Class	Consumer	United States	Minneapolis	Minnesota	55407	Central	Office Supplies	Binders	9449.95	5	0	4630.4755
Standard Class	Corporate	United States	Lakeview	New Jersey	87011	East	Technology	Machines	8000.93	7	0	7365.9818

sample 39 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
36	16:27:14	select sum(profit) as total_profit, state from sample group by state order by total_profit desc ...	5 row(s) returned	0.047 sec / 0.000 sec
37	16:27:19	select sum(sales) as total_sales, subcategory from sample group by subcategory order by total...	1 row(s) returned	0.062 sec / 0.000 sec
38	16:27:23	select * from sample where sales > (select avg(sales) from sample) LIMIT 0, 1000	1000 row(s) returned	0.032 sec / 0.015 sec
39	16:27:27	select * from sample where profit < (select avg(profit) from sample) LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.015 sec
40	16:27:31	select * from sample order by sales desc limit 10	10 row(s) returned	0.078 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:27 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
131 limit 10;
132
133 • select * from sample
134 order by sales desc;
135
136 • select * from sample
137 order by discount desc
138 limit 10;
```

ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
Standard Class	Home Office	United States	Jacksonville	Florida	32216	South	Technology	Machines	22638.48	6	0.5	-1811.0784
Standard Class	Corporate	United States	Lafayette	Indiana	47905	Central	Technology	Copiers	17499.95	5	0	8399.976
First Class	Consumer	United States	Seattle	Washington	98115	West	Technology	Copiers	13999.95	4	0	6719.9808
Standard Class	Home Office	United States	New York City	New York	10024	East	Technology	Copiers	11199.968	4	0.2	3919.9888
Standard Class	Consumer	United States	Newark	Delaware	19711	East	Technology	Copiers	10499.97	3	0	5039.9856
Standard Class	Consumer	United States	Detroit	Michigan	48205	Central	Office Supplies	Binders	9892.74	13	0	4946.37
Standard Class	Consumer	United States	Minneapolis	Minnesota	55407	Central	Office Supplies	Binders	9449.95	5	0	4630.4755
Standard Class	Corporate	United States	Lakeview	New Jersey	87011	East	Technology	Machines	8000.93	7	0	7365.9818

sample 40 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
37	16:27:19	select sum(sales) as total_sales, subcategory from sample group by subcategory order by total...	1 row(s) returned	0.062 sec / 0.000 sec
38	16:27:23	select * from sample where sales > (select avg(sales) from sample) LIMIT 0, 1000	1000 row(s) returned	0.032 sec / 0.015 sec
39	16:27:27	select * from sample where profit < (select avg(profit) from sample) LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.015 sec
40	16:27:31	select * from sample order by sales desc limit 10	10 row(s) returned	0.078 sec / 0.000 sec
41	16:27:54	select * from sample order by sales desc LIMIT 0, 1000	1000 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:27 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
132
133 select * from sample
134 order by sales desc;
135
136 select * from sample
137 order by discount desc
138 limit 10;
139
```

Result Grid

ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit
Second Class	Consumer	United States	Houston	Texas	77095	Central	Office Supplies	Binders	21.99	5	0.8	-32.985
Standard Class	Corporate	United States	Odessa	Texas	79762	Central	Office Supplies	Appliances	13.762	1	0.8	-24.7716
Standard Class	Consumer	United States	Irving	Texas	75061	Central	Office Supplies	Appliances	58.924	1	0.8	-153.2024
Second Class	Consumer	United States	Dallas	Texas	75220	Central	Office Supplies	Binders	1.72	1	0.8	-2.838
Standard Class	Corporate	United States	Houston	Texas	77041	Central	Office Supplies	Appliances	93.032	2	0.8	-251.1854
Standard Class	Consumer	United States	Rockford	Illinois	61107	Central	Office Supplies	Binders	1.728	3	0.8	-2.6784
Standard Class	Consumer	United States	Oswego	Illinois	60543	Central	Office Supplies	Binders	304.99	5	0.8	-533.7325
Standard Class	Corporate	United States	Mt Pleasant	Texas	78451	Central	Office Supplies	Binders	4.312	7	0.8	-5.8907

sample 41 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
38	16:27:23	select * from sample where sales > (select avg(sales) from sample) LIMIT 0, 1000	1000 row(s) returned	0.032 sec / 0.015 sec
39	16:27:27	select * from sample where profit < (select avg(profit) from sample) LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.015 sec
40	16:27:31	select * from sample order by sales desc limit 10	10 row(s) returned	0.078 sec / 0.000 sec
41	16:27:54	select * from sample order by sales desc LIMIT 0, 1000	1000 row(s) returned	0.047 sec / 0.000 sec
42	16:28:00	select * from sample order by discount desc limit 10	10 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy 16:28 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
166
167 • select * from sample;
168 • select * from statesd;
169
170 • select *
171   from sample cross join statesd;
172
173 • select sum(s.profit),s.state
```

Result Grid

	ShipMode	Segment	Country	City	State	pincode	Region	Category	SubCategory	Sales	Quantity	Discount	Profit	S_ID	State	S_Mgr
▶	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136	587	Pennsylvania	Brian Clark
	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136	38	Nebraska	Kevin Martin
	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136	53	Utah	Mark Taylor
	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136	110	Wisconsin	Daniel Moore
	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136	985	Texas	John Anderson
	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136	506	Washington	David Miller
	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136	240	North Carolina	William Wilson

Result 43 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 41	16:27:54	select * from sample order by sales desc LIMIT 0, 1000	1000 row(s) returned	0.047 sec / 0.000 sec
✓ 42	16:28:00	select * from sample order by discount desc limit 10	10 row(s) returned	0.047 sec / 0.000 sec
✓ 43	16:28:06	select count(*),state from sample group by state limit 49	49 row(s) returned	0.047 sec / 0.000 sec
✗ 44	16:28:16	CREATE TABLE Statesd (S_ID INT, State VARCHAR(50), S_Mgr VARCHAR(50), ...	Error Code: 1050. Table 'statesd' already exists	0.000 sec
✓ 45	16:28:34	select * from sample cross join statesd LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy 16:28 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
170 select *
171 from sample cross join statesd;
172
173 select sum(s.profit),s.state
174 from sample s inner join statesd d
175 on s.state = d.state
176 group by s.state;
177
```

Result Grid

sum(s.profit)	state
22389.3932	Kentucky
152762.77420000022	California
-6798.6034	Florida
-14981.8244000000012	North Carolina
66805.30340000002	Washington
-51458.71260000009	Texas
16803.600800000007	Wisconsin
1202.6660000000006	Utah

Output

Action Output

#	Time	Action	Message	Duration / Fetch
42	16:28:00	select * from sample order by discount desc limit 10	10 row(s) returned	0.047 sec / 0.000 sec
43	16:28:06	select count(*) state from sample group by state limit 49	49 row(s) returned	0.047 sec / 0.000 sec
44	16:28:16	CREATE TABLE Statesd (S_ID INT, State VARCHAR(50), S_Mgr VARCHAR(50), ...	Error Code: 1050. Table 'statesd' already exists	0.000 sec
45	16:28:34	select * from sample cross join statesd LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
46	16:28:48	select sum(s.profit) s.state from sample s inner join statesd d on s.state = d.state group by s st...	10 row(s) returned	0.079 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:28 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
175 on s.state = d.state
176 group by s.state;
177
178 • select sum(s.sales),d.state
179 from sample s inner join states d
180 on s.state = d.state
181 group by d.state;
```

Result Grid

sum(s.sales)	state
73183.50000000003	Kentucky
915375.2629999982	California
178947.41599999997	Florida
111206.32799999985	North Carolina
277282.54000000004	Washington
340376.09159999994	Texas
64229.219999999936	Wisconsin
77440.117	Utah

Result 45 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 43	16:28:06	select count(*) state from sample group by state limit 49	49 row(s) returned	0.047 sec / 0.000 sec
✗ 44	16:28:16	CREATE TABLE Statesd (S_ID INT, State VARCHAR(50), S_Mgr VARCHAR(50), ...	Error Code: 1050. Table 'statesd' already exists	0.000 sec
✓ 45	16:28:34	select * from sample cross join statesd LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
✓ 46	16:28:48	select sum(s.profit) s.state from sample s inner join statesd d on s.state = d.state group by s.st...	10 row(s) returned	0.079 sec / 0.000 sec
✓ 47	16:29:00	select sum(s.sales) d.state from sample s inner join statesd d on s.state = d.state group by d.st...	10 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:29 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

db_temp
hw
Tables
Views
Stored Procedures
Functions
project
Tables
Views
Stored Procedures
Functions
project_sql
sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
197
198 select s.state,sum(s.sales) as total_sales
199 from sample s inner join statesd d
200 on s.state = d.state
201 group by s.state
202 order by total_sales desc
203 limit 1;
204
```

Result Grid

state	total_sales
California	915375.2629999982

Result 46 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
44	16:28:16	CREATE TABLE Statesd (S_ID INT, State VARCHAR(50), S_Mgr VARCHAR(50), ...	Error Code: 1050. Table 'statesd' already exists	0.000 sec
45	16:28:34	select * from sample cross join statesd LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
46	16:28:40	select sum(s.profit) s.state from sample s inner join statesd d on s.state = d.state group by s.st...	10 row(s) returned	0.079 sec / 0.000 sec
47	16:29:00	select sum(s.sales) d.state from sample s inner join statesd d on s.state = d.state group by d.st...	10 row(s) returned	0.047 sec / 0.000 sec
48	16:29:18	select s.state,sum(s.sales) as total_sales from sample s inner join statesd d on s.state = d.stat...	1 row(s) returned	0.063 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy 16:29 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db_temp

hw

Tables

Views

Stored Procedures

Functions

project

Tables

Views

Stored Procedures

Functions

project_sql

sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
201 group by s.state
202 order by total_sales desc
203 limit 1;
204
205 select s.shipmode,d.sales_trgt,s.state
206 from sample s left join statesd d
207 on s.state = d.state;
208
```

Result Grid

shipmode	sales_trgt	state
Second Class	50000.00	Kentucky
Second Class	50000.00	Kentucky
Second Class	50000.00	Kentucky
Second Class	50000.00	Kentucky
Second Class	150000.00	California
Second Class	150000.00	California
Standard Class	100000.00	Florida
Standard Class	100000.00	Florida

Result 47 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
45	16:28:34	select * from sample ercoe join stateed LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
46	16:28:48	select sum(s.profit)/s.state from sample s inner join stateed d on s.state = d.state group by s.st...	10 row(s) returned	0.079 sec / 0.000 sec
47	16:29:00	select sum(s.sales)/d.state from sample s inner join stateed d on s.state = d.state group by d.st...	10 row(s) returned	0.047 sec / 0.000 sec
48	16:29:18	select s.state,sum(s.sales) as total_sales from sample s inner join stateed d on s.state = d.stat...	1 row(s) returned	0.063 sec / 0.000 sec
49	16:29:24	select s.shipmode,d.sales_trgt,s.state from sample s left join stateed d on s.state = d.state LIM...	1000 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:29 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
214 from sample s left join statesd d
215 on s.state = d.state
216 where d.state is null;
217
218 • select d.state,s.sales
219 from statesd d right join sample s
220 on s.state = d.state;
221
```

Result Grid

state	sales
Kentucky	261.96
Kentucky	261.96
Kentucky	731.94
Kentucky	731.94
California	14.62
California	14.62
Florida	957.5775
Florida	657.5775

Result 48 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 46	16:28:48	select sum(e.profit) as state from sample s inner join statesd d on s.state = d.state group by s.state	10 row(s) returned	0.079 sec / 0.000 sec
✓ 47	16:29:00	select sum(e.sales) as state from sample s inner join statesd d on s.state = d.state group by d.state	10 row(s) returned	0.047 sec / 0.000 sec
✓ 48	16:29:10	select s.state,sum(s.sales) as total_sales from sample s inner join statesd d on s.state = d.state	1 row(s) returned	0.063 sec / 0.000 sec
✓ 49	16:29:24	select s.shipmode,d.sales_trgt,s.state from sample s left join statesd d on s.state = d.state LIM...	1000 row(s) returned	0.016 sec / 0.000 sec
✓ 50	16:29:32	select d.state,s.sales from statesd d right join sample s on s.state = d.state LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy 16:29 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
218 select d.state,s.sales
219 from statesd d right join sample s
220 on s.state = d.state;
221
222 select distinct d.state,s.state
223 from statesd d right join sample s
224 on s.state = d.state;
```

Result Grid

state	state
Kentucky	Kentucky
California	California
Florida	Florida
North Carolina	North Carolina
Washington	Washington
Texas	Texas
Wisconsin	Wisconsin
Utah	Utah

Result 49 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
47	16:29:00	select sum(s.sales) d.state from sample s inner join statesd d on s.state = d.state group by d.state	10 row(s) returned	0.047 sec / 0.000 sec
48	16:29:18	select s.state,sum(s.sales) as total_sales from sample s inner join statesd d on s.state = d.state	1 row(s) returned	0.063 sec / 0.000 sec
49	16:29:24	select s.shipmode,d.sales_target,s.state from sample s left join statesd d on s.state = d.state LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.000 sec
50	16:29:32	select d.state,s.sales from statesd d right join sample s on s.state = d.state LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.000 sec
51	16:29:37	select distinct d.state,s.state from statesd d right join sample s on s.state = d.state LIMIT 0, 1000	49 row(s) returned	0.078 sec / 0.000 sec

Object Info Session

Type here to search

27°C Mostly cloudy

16:29 23-09-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- db_temp
- hw
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project
 - Tables
 - Views
 - Stored Procedures
 - Functions
- project_sql
- sakila

Administration Schemas

Information

No object selected

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 15* SQL File 12* SQL File 13* SQL File 14* project_sql* SQL File 18*

Limit to 1000 rows

```
221
222 • select distinct d.state,s.state
223 from statesd d right join sample s
224 on s.state = d.state;
225
226 • select city,s_id
227 from sample cross join statesd;
```

Result Grid

	city	s_id
▶	Henderson	587
	Henderson	38
	Henderson	53
	Henderson	110
	Henderson	985
	Henderson	506
	Henderson	249
	Henderson	393

Result 55 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	16:34:23	select city,s_id from sample cross join statesd LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy 16:34 23-09-2026