

mcm4csharp

Generated by Doxygen 1.9.3

1 Namespace Index	1
1.1 Packages	1
2 Class Index	3
2.1 Class List	3
3 File Index	5
3.1 File List	5
4 Namespace Documentation	7
4.1 mcm4csharp Namespace Reference	7
4.2 mcm4csharp.v1 Namespace Reference	7
4.3 mcm4csharp.v1.Client Namespace Reference	7
4.3.1 Enumeration Type Documentation	7
4.3.1.1 TokenType	7
4.4 mcm4csharp.v1.Data Namespace Reference	8
4.5 mcm4csharp.v1.Data.Alerts Namespace Reference	8
4.6 mcm4csharp.v1.Data.Content Namespace Reference	8
4.7 mcm4csharp.v1.Data.Conversations Namespace Reference	8
4.8 mcm4csharp.v1.Data.Members Namespace Reference	9
4.9 mcm4csharp.v1.Data.Resources Namespace Reference	9
4.10 mcm4csharp.v1.Data.Threads Namespace Reference	9
5 Class Documentation	11
5.1 mcm4csharp.v1.Data.Alerts.Alert Struct Reference	11
5.1.1 Property Documentation	11
5.1.1.1 AlertDate	11
5.1.1.2 AlertType	11
5.1.1.3 CausedMemberId	11
5.1.1.4 ContentId	12
5.1.1.5 ContentType	12
5.2 mcm4csharp.v1.Client.ApiClient Class Reference	12
5.2.1 Constructor & Destructor Documentation	13
5.2.1.1 ApiClient()	13
5.2.2 Member Function Documentation	13
5.2.2.1 DeleteProfilePostAsync()	13
5.2.2.2 DeleteUpdateAsync()	14
5.2.2.3 DeleteVersionAsync()	14
5.2.2.4 GetBansAsync()	14
5.2.2.5 GetCollaboratedResourcesAsync()	14
5.2.2.6 GetDownloadsAsync()	14
5.2.2.7 GetDownloadsMemberAsync()	14
5.2.2.8 GetDownloadsVersionAsync()	15
5.2.2.9 GetHealthAsync()	15

5.2.2.10 GetLatestUpdateAsync()	15
5.2.2.11 GetLatestVersionAsync()	15
5.2.2.12 GetOwnedResourcesAsync()	15
5.2.2.13 GetProfilePostAsync()	15
5.2.2.14 GetProfilePostsAsync()	15
5.2.2.15 GetPublicResourcesAsync()	16
5.2.2.16 GetPurchaseAsync()	16
5.2.2.17 GetPurchasesAsync()	16
5.2.2.18 GetResourceAsync()	16
5.2.2.19 GetResourceLicenseAsync()	16
5.2.2.20 GetResourceLicenseMemberAsync()	16
5.2.2.21 GetResourceLicensesAsync()	17
5.2.2.22 GetResourceReviewAsync()	17
5.2.2.23 GetResourceReviewsAsync()	17
5.2.2.24 GetResourceUpdatesAsync()	17
5.2.2.25 GetResourceVersionsAsync()	17
5.2.2.26 GetSelfAsync()	17
5.2.2.27 GetThreadAsync()	18
5.2.2.28 GetThreadRepliesAsync()	18
5.2.2.29 GetThreadsAsync()	18
5.2.2.30 GetUnreadAlertsAsync()	18
5.2.2.31 GetUnreadConversationsAsync()	18
5.2.2.32 GetUnreadRepliesAsync()	18
5.2.2.33 GetUpdateAsync()	19
5.2.2.34 GetUserAsync() [1/2]	19
5.2.2.35 GetUserAsync() [2/2]	19
5.2.2.36 GetVersionAsync()	19
5.2.2.37 IssueLicenseAsync()	19
5.2.2.38 MarkUnreadAsync()	19
5.2.2.39 ModifyLicenseAsync()	20
5.2.2.40 ModifyProfilePostAsync()	20
5.2.2.41 ModifySelfAsync()	20
5.2.2.42 ReplyThreadAsync()	20
5.2.2.43 ReplyUnreadConversationAsync()	20
5.2.2.44 RespondReviewAsync()	20
5.2.2.45 StartNewConversationAsync()	21
5.2.2.46 UpdateResourceAsync()	21
5.2.3 Member Data Documentation	21
5.2.3.1 BaseUri	21
5.2.4 Property Documentation	21
5.2.4.1 WaitForTimeout	21
5.3 mcm4csharp.v1.Data.Members.Ban Struct Reference	21

5.3.1 Property Documentation	22
5.3.1.1 BannedById	22
5.3.1.2 BannedDate	22
5.3.1.3 MemberId	22
5.3.1.4 Reason	22
5.4 mcm4csharp.v1.Data.Resources.BasicResource Struct Reference	22
5.4.1 Property Documentation	22
5.4.1.1 AuthorId	23
5.4.1.2 Currency	23
5.4.1.3 Price	23
5.4.1.4 ResourceId	23
5.4.1.5 TagLine	23
5.4.1.6 Title	23
5.5 mcm4csharp.v1.Data.Threads.BasicThread Struct Reference	23
5.5.1 Property Documentation	24
5.5.1.1 CreationDate	24
5.5.1.2 LastMessageDate	24
5.5.1.3 ReplyCount	24
5.5.1.4 ThreadId	24
5.5.1.5 Title	24
5.5.1.6 ViewCount	24
5.6 mcm4csharp.v1.Data.Conversations.Conversation Struct Reference	25
5.6.1 Property Documentation	25
5.6.1.1 ConversationId	25
5.6.1.2 CreationDate	25
5.6.1.3 CreatorId	25
5.6.1.4 LastMessageDate	25
5.6.1.5 LastReadDate	25
5.6.1.6 Open	26
5.6.1.7 RecipientIds	26
5.6.1.8 ReplyCount	26
5.6.1.9 Title	26
5.7 mcm4csharp.v1.Data.Content.ConversationContent Struct Reference	26
5.7.1 Property Documentation	26
5.7.1.1 Message	26
5.7.1.2 RecipientIds	27
5.7.1.3 Title	27
5.8 mcm4csharp.v1.Data.Resources.Download Struct Reference	27
5.8.1 Property Documentation	27
5.8.1.1 DownloadDate	27
5.8.1.2 DownloaderId	27
5.8.1.3 DownloadId	27

5.8.1.4 VersionId	28
5.9 mcm4csharp.v1.Client.Endpoints Class Reference	28
5.9.1 Member Data Documentation	28
5.9.1.1 ALERTS	28
5.9.1.2 CONVERSATIONS	28
5.9.1.3 CONVERSATIONS_ID	28
5.9.1.4 DOWNLOADS	29
5.9.1.5 HEALTH	29
5.9.1.6 LICENSES	29
5.9.1.7 MEMBERS	29
5.9.1.8 PROFILE_POSTS	29
5.9.1.9 PURCHASES	29
5.9.1.10 REPLIES	29
5.9.1.11 RESOURCES	30
5.9.1.12 REVIEWS	30
5.9.1.13 UPDATES	30
5.9.1.14 VERSIONS	30
5.10 mcm4csharp.v1.Data.Content.Error Struct Reference	30
5.10.1 Property Documentation	30
5.10.1.1 Code	30
5.10.1.2 Message	31
5.11 mcm4csharp.v1.Data.Resources.License Struct Reference	31
5.11.1 Property Documentation	31
5.11.1.1 Active	31
5.11.1.2 EndDate	31
5.11.1.3 LicenseId	31
5.11.1.4 PreviousEndDate	32
5.11.1.5 PurchaserId	32
5.11.1.6 PurchaserName	32
5.11.1.7 StartDate	32
5.11.1.8 Validated	32
5.12 mcm4csharp.v1.Data.Content.LicenseContent Struct Reference	32
5.12.1 Property Documentation	32
5.12.1.1 Active	33
5.12.1.2 EndDate	33
5.12.1.3 Permanent	33
5.12.1.4 PurchaserId	33
5.12.1.5 StartDate	33
5.13 mcm4csharp.v1.Data.Members.Member Struct Reference	33
5.13.1 Property Documentation	34
5.13.1.1 Banned	34
5.13.1.2 Disabled	34

5.13.1.3 JoinDate	34
5.13.1.4 LastActivityDate	34
5.13.1.5 MemberId	34
5.13.1.6 NegativeFeedback	34
5.13.1.7 NeutralFeedback	34
5.13.1.8 PositiveFeedback	35
5.13.1.9 PostCount	35
5.13.1.10 PurchaseCount	35
5.13.1.11 ResourceCount	35
5.13.1.12 Restricted	35
5.13.1.13 Username	35
5.14 mcm4csharp.v1.Data.Content.MessageContent Struct Reference	35
5.14.1 Property Documentation	36
5.14.1.1 Message	36
5.15 mcm4csharp.v1.Data.Members.ProfilePost Struct Reference	36
5.15.1 Property Documentation	36
5.15.1.1 AuthorId	36
5.15.1.2 CommentCount	36
5.15.1.3 Message	36
5.15.1.4 PostDate	37
5.15.1.5 ProfilePostId	37
5.16 mcm4csharp.v1.Data.Resources.Purchase Struct Reference	37
5.16.1 Property Documentation	37
5.16.1.1 Currency	37
5.16.1.2 LicenseId	37
5.16.1.3 Price	38
5.16.1.4 PurchaseDate	38
5.16.1.5 PurchaseId	38
5.16.1.6 PurchaserId	38
5.16.1.7 Renewal	38
5.16.1.8 Status	38
5.16.1.9 ValidationDate	38
5.17 mcm4csharp.v1.Data.Conversations.Reply Struct Reference	39
5.17.1 Property Documentation	39
5.17.1.1 AuthorId	39
5.17.1.2 Message	39
5.17.1.3 MessageDate	39
5.17.1.4 MessageId	39
5.18 mcm4csharp.v1.Data.Threads.Reply Struct Reference	39
5.18.1 Property Documentation	40
5.18.1.1 AuthorId	40
5.18.1.2 Message	40

5.18.1.3 PostDate	40
5.18.1.4 ReplyId	40
5.19 mcm4csharp.v1.Data.Resources.Resource Struct Reference	40
5.19.1 Property Documentation	41
5.19.1.1 AuthorId	41
5.19.1.2 CategoryTitle	41
5.19.1.3 Currency	41
5.19.1.4 CurrentVersionId	41
5.19.1.5 Description	41
5.19.1.6 DownloadCount	41
5.19.1.7 LastReleaseDate	41
5.19.1.8 Price	42
5.19.1.9 PurchaseCount	42
5.19.1.10 ReleaseDate	42
5.19.1.11 ResourceId	42
5.19.1.12 ReviewAverage	42
5.19.1.13 ReviewCount	42
5.19.1.14 TagLine	42
5.19.1.15 Title	43
5.20 mcm4csharp.v1.Data.Content.ResourceContent Struct Reference	43
5.20.1 Property Documentation	43
5.20.1.1 Description	43
5.20.1.2 Tagline	43
5.20.1.3 Title	43
5.21 mcm4csharp.v1.Data.Content.Response< T > Struct Template Reference	44
5.21.1 Property Documentation	44
5.21.1.1 Data	44
5.21.1.2 Error	44
5.21.1.3 Result	44
5.21.1.4 RetryAfterMilliseconds	44
5.22 mcm4csharp.v1.Data.Content.ResponseContent Struct Reference	44
5.22.1 Property Documentation	45
5.22.1.1 Response	45
5.23 mcm4csharp.v1.Data.Resources.Review Struct Reference	45
5.23.1 Property Documentation	45
5.23.1.1 Message	45
5.23.1.2 Rating	45
5.23.1.3 Response	45
5.23.1.4 ReviewDate	46
5.23.1.5 ReviewerId	46
5.23.1.6 ReviewId	46
5.24 mcm4csharp.v1.Data.Content.SelfUpdateContent Struct Reference	46

5.24.1 Property Documentation	46
5.24.1.1 AboutMe	46
5.24.1.2 CustomTitle	46
5.24.1.3 Signature	47
5.25 mcm4csharp.v1.Data.Content.Sortable Struct Reference	47
5.25.1 Member Function Documentation	47
5.25.1.1 ToDict()	47
5.25.2 Property Documentation	47
5.25.2.1 Order	47
5.25.2.2 Page	48
5.25.2.3 Sort	48
5.26 mcm4csharp.v1.Data.Threads.Thread Struct Reference	48
5.26.1 Property Documentation	48
5.26.1.1 ForumName	48
5.26.1.2 LastPostDate	48
5.26.1.3 PostDate	49
5.26.1.4 ReplyCount	49
5.26.1.5 ThreadId	49
5.26.1.6 ThreadOpen	49
5.26.1.7 ThreadType	49
5.26.1.8 Title	49
5.26.1.9 ViewCount	49
5.27 mcm4csharp.v1.Data.Resources.Update Struct Reference	50
5.27.1 Property Documentation	50
5.27.1.1 Message	50
5.27.1.2 Title	50
5.27.1.3 UpdateDate	50
5.27.1.4 UpdateId	50
5.28 mcm4csharp.v1.Data.Resources.Version Struct Reference	50
5.28.1 Property Documentation	51
5.28.1.1 DownloadCount	51
5.28.1.2 Name	51
5.28.1.3 ReleaseDate	51
5.28.1.4 UpdateId	51
5.28.1.5 VersionId	51
6 File Documentation	53
6.1 obj/Debug/net6.0/.NETCoreApp,Version=v6.0.AssemblyAttributes.cs File Reference	53
6.2 obj/Release/net6.0/.NETCoreApp,Version=v6.0.AssemblyAttributes.cs File Reference	53
6.3 obj/Debug/net6.0/mcm4csharp.AssemblyInfo.cs File Reference	53
6.4 obj/Release/net6.0/mcm4csharp.AssemblyInfo.cs File Reference	53
6.5 obj/Debug/net6.0/mcm4csharp.GlobalUsings.g.cs File Reference	53

6.6 obj/Release/net6.0/mcm4csharp.GlobalUsings.g.cs File Reference	53
6.7 v1/Client/ApiClient.cs File Reference	53
6.7.1 Typedef Documentation	54
6.7.1.1 Thread	54
6.7.1.2 Version	54
6.8 v1/Client/Endpoints.cs File Reference	54
6.9 v1/Client/TokenType.cs File Reference	54
6.10 v1/Data/Alerts/Alert.cs File Reference	55
6.11 v1/Data/Content/ConversationContent.cs File Reference	55
6.12 v1/Data/Content/Error.cs File Reference	55
6.13 v1/Data/Content/LicenseContent.cs File Reference	55
6.14 v1/Data/Content/MessageContent.cs File Reference	56
6.15 v1/Data/Content/ResourceContent.cs File Reference	56
6.16 v1/Data/Content/Response.cs File Reference	56
6.17 v1/Data/Content/ResponseContent.cs File Reference	57
6.18 v1/Data/Content/SelfUpdateContent.cs File Reference	57
6.19 v1/Data/Content/Sortable.cs File Reference	57
6.20 v1/Data/Conversations/Conversation.cs File Reference	57
6.21 v1/Data/Members/Ban.cs File Reference	58
6.22 v1/Data/Members/Member.cs File Reference	58
6.23 v1/Data/Members/ProfilePost.cs File Reference	58
6.24 v1/Data/Resources/BasicResource.cs File Reference	59
6.25 v1/Data/Resources/Download.cs File Reference	59
6.26 v1/Data/Resources/License.cs File Reference	59
6.27 v1/Data/Resources/Purchase.cs File Reference	59
6.28 v1/Data/Resources/Resource.cs File Reference	60
6.29 v1/Data/Resources/Review.cs File Reference	60
6.30 v1/Data/Resources/Update.cs File Reference	60
6.31 v1/Data/Resources/Version.cs File Reference	61
6.32 v1/Data/Threads/BasicThread.cs File Reference	61
6.33 v1/Data/Conversations/Reply.cs File Reference	61
6.34 v1/Data/Threads/Reply.cs File Reference	61
6.35 v1/Data/Threads/Thread.cs File Reference	62
Index	63

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

mcm4csharp	7
mcm4csharp.v1	7
mcm4csharp.v1.Client	7
mcm4csharp.v1.Data	8
mcm4csharp.v1.Data.Alerts	8
mcm4csharp.v1.Data.Content	8
mcm4csharp.v1.Data.Conversations	8
mcm4csharp.v1.Data.Members	9
mcm4csharp.v1.Data.Resources	9
mcm4csharp.v1.Data.Threads	9

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

mcm4csharp.v1.Data.Alerts.Alert	11
mcm4csharp.v1.Client.ApiClient	12
mcm4csharp.v1.Data.Members.Ban	21
mcm4csharp.v1.Data.Resources.BasicResource	22
mcm4csharp.v1.Data.Threads.BasicThread	23
mcm4csharp.v1.Data.Conversations.Conversation	25
mcm4csharp.v1.Data.Content.ConversationContent	26
mcm4csharp.v1.Data.Resources.Download	27
mcm4csharp.v1.Client.Endpoints	28
mcm4csharp.v1.Data.Content.Error	30
mcm4csharp.v1.Data.Resources.License	31
mcm4csharp.v1.Data.Content.LicenseContent	32
mcm4csharp.v1.Data.Members.Member	33
mcm4csharp.v1.Data.Content.MessageContent	35
mcm4csharp.v1.Data.Members.ProfilePost	36
mcm4csharp.v1.Data.Resources.Purchase	37
mcm4csharp.v1.Data.Conversations.Reply	39
mcm4csharp.v1.Data.Threads.Reply	39
mcm4csharp.v1.Data.Resources.Resource	40
mcm4csharp.v1.Data.Content.ResourceContent	43
mcm4csharp.v1.Data.Content.Response< T >	44
mcm4csharp.v1.Data.Content.ResponseContent	44
mcm4csharp.v1.Data.Resources.Review	45
mcm4csharp.v1.Data.Content.SelfUpdateContent	46
mcm4csharp.v1.Data.Content.Sortable	47
mcm4csharp.v1.Data.Threads.Thread	48
mcm4csharp.v1.Data.Resources.Update	50
mcm4csharp.v1.Data.Resources.Version	50

Chapter 3

File Index

3.1 File List

Here is a list of all files with brief descriptions:

obj/Debug/net6.0/.NETCoreApp,Version=v6.0.AssemblyAttributes.cs	53
obj/Debug/net6.0/mcm4csharp.AssemblyInfo.cs	53
obj/Debug/net6.0/mcm4csharp.GlobalUsings.g.cs	53
obj/Release/net6.0/.NETCoreApp,Version=v6.0.AssemblyAttributes.cs	53
obj/Release/net6.0/mcm4csharp.AssemblyInfo.cs	53
obj/Release/net6.0/mcm4csharp.GlobalUsings.g.cs	53
v1/Client/ApiClient.cs	53
v1/Client/Endpoints.cs	54
v1/Client/TokenType.cs	54
v1/Data/Alerts/Alert.cs	55
v1/Data/Content/ConversationContent.cs	55
v1/Data/Content/Error.cs	55
v1/Data/Content/LicenseContent.cs	55
v1/Data/Content/MessageContent.cs	56
v1/Data/Content/ResourceContent.cs	56
v1/Data/Content/Response.cs	56
v1/Data/Content/ResponseContent.cs	57
v1/Data/Content/SelfUpdateContent.cs	57
v1/Data/Content/Sortable.cs	57
v1/Data/Conversations/Conversation.cs	57
v1/Data/Conversations/Reply.cs	61
v1/Data/Members/Ban.cs	58
v1/Data/Members/Member.cs	58
v1/Data/Members/ProfilePost.cs	58
v1/Data/Resources/BasicResource.cs	59
v1/Data/Resources/Download.cs	59
v1/Data/Resources/License.cs	59
v1/Data/Resources/Purchase.cs	59
v1/Data/Resources/Resource.cs	60
v1/Data/Resources/Review.cs	60
v1/Data/Resources/Update.cs	60
v1/Data/Resources/Version.cs	61
v1/Data/Threads/BasicThread.cs	61
v1/Data/Threads/Reply.cs	61
v1/Data/Threads/Thread.cs	62

Chapter 4

Namespace Documentation

4.1 mcm4csharp Namespace Reference

Namespaces

- namespace [v1](#)

4.2 mcm4csharp.v1 Namespace Reference

Namespaces

- namespace [Client](#)
- namespace [Data](#)

4.3 mcm4csharp.v1.Client Namespace Reference

Classes

- class [ApiClient](#)
- class [Endpoints](#)

Enumerations

- enum [TokenType](#) { [Private](#) = 0 , [Shared](#) = 1 }

4.3.1 Enumeration Type Documentation

4.3.1.1 TokenType

```
enum mcm4csharp.v1.Client.TokenType
```

Enumerator

Private	
Shared	

4.4 mcm4csharp.v1.Data Namespace Reference

Namespaces

- namespace [Alerts](#)
- namespace [Content](#)
- namespace [Conversations](#)
- namespace [Members](#)
- namespace [Resources](#)
- namespace [Threads](#)

4.5 mcm4csharp.v1.Data.Alerts Namespace Reference

Classes

- struct [Alert](#)

4.6 mcm4csharp.v1.Data.Content Namespace Reference

Classes

- struct [ConversationContent](#)
- struct [Error](#)
- struct [LicenseContent](#)
- struct [MessageContent](#)
- struct [ResourceContent](#)
- struct [Response](#)
- struct [ResponseContent](#)
- struct [SelfUpdateContent](#)
- struct [Sortable](#)

4.7 mcm4csharp.v1.Data.Conversations Namespace Reference

Classes

- struct [Conversation](#)
- struct [Reply](#)

4.8 mcm4csharp.v1.Data.Members Namespace Reference

Classes

- struct [Ban](#)
- struct [Member](#)
- struct [ProfilePost](#)

4.9 mcm4csharp.v1.Data.Resources Namespace Reference

Classes

- struct [BasicResource](#)
- struct [Download](#)
- struct [License](#)
- struct [Purchase](#)
- struct [Resource](#)
- struct [Review](#)
- struct [Update](#)
- struct [Version](#)

4.10 mcm4csharp.v1.Data.Threads Namespace Reference

Classes

- struct [BasicThread](#)
- struct [Reply](#)
- struct [Thread](#)

Chapter 5

Class Documentation

5.1 mcm4csharp.v1.Data.Alerts.Alert Struct Reference

Properties

- uint [CausedMemberId](#) [get, set]
- string [ContentType](#) [get, set]
- uint [ContentId](#) [get, set]
- string [AlertType](#) [get, set]
- uint [AlertDate](#) [get, set]

5.1.1 Property Documentation

5.1.1.1 AlertDate

```
uint mcm4csharp.v1.Data.Alerts.Alert.AlertDate [get], [set]
```

5.1.1.2 AlertType

```
string mcm4csharp.v1.Data.Alerts.Alert.AlertType [get], [set]
```

5.1.1.3 CausedMemberId

```
uint mcm4csharp.v1.Data.Alerts.Alert.CausedMemberId [get], [set]
```

5.1.1.4 ContentId

```
uint mcm4csharp.v1.Data.Alerts.Alert.ContentId [get], [set]
```

5.1.1.5 ContentType

```
string mcm4csharp.v1.Data.Alerts.Alert.ContentType [get], [set]
```

The documentation for this struct was generated from the following file:

- [v1/Data/Alerts/Alert.cs](#)

5.2 mcm4csharp.v1.Client.ApiClient Class Reference

Public Member Functions

- [ApiClient](#) ([TokenType](#) type, string token)
- async Task< [Response](#)< string > > [GetHealthAsync](#) ()
- async Task< [Response](#)< [Alert](#)[] > > [GetUnreadAlertsAsync](#) ([Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< string > > [MarkUnreadAsync](#) ()
- async Task< [Response](#)< [Conversation](#)[] > > [GetUnreadConversationsAsync](#) ([Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< uint > > [StartNewConversationAsync](#) ([ConversationContent](#) content)
- async Task< [Response](#)< [Data.Conversations.Reply](#)[] > > [GetUnreadRepliesAsync](#) (uint id, [Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< uint > > [ReplyUnreadConversationAsync](#) (uint id, [MessageContent](#) content)
- async Task< [Response](#)< [Member](#) > > [GetSelfAsync](#) ()
- async Task< [Response](#)< string > > [ModifySelfAsync](#) ([SelfUpdateContent](#) content)
- async Task< [Response](#)< [Member](#) > > [GetUserAsync](#) (uint id)
- async Task< [Response](#)< [Member](#) > > [GetUserAsync](#) (string username)
- async Task< [Response](#)< [Ban](#)[] > > [GetBansAsync](#) ()
- async Task< [Response](#)< [ProfilePost](#)[] > > [GetProfilePostsAsync](#) ([Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [ProfilePost](#) > > [GetProfilePostAsync](#) (uint id)
- async Task< [Response](#)< string > > [ModifyProfilePostAsync](#) (uint id, [MessageContent](#) content)
- async Task< [Response](#)< string > > [DeleteProfilePostAsync](#) (uint id)
- async Task< [Response](#)< [BasicResource](#)[] > > [GetPublicResourcesAsync](#) ([Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [BasicResource](#)[] > > [GetOwnedResourcesAsync](#) ([Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [BasicResource](#)[] > > [GetCollaboratedResourcesAsync](#) ([Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [BasicResource](#) > > [GetResourceAsync](#) (uint id)
- async Task< [Response](#)< string > > [UpdateResourceAsync](#) (uint id, [ResourceContent](#) content)
- async Task< [Response](#)< [Version](#)[] > > [GetResourceVersionsAsync](#) (uint id, [Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [Version](#) > > [GetLatestVersionAsync](#) (uint id)
- async Task< [Response](#)< [Version](#) > > [GetVersionAsync](#) (uint resId, uint versionId)
- async Task< [Response](#)< [Version](#) > > [DeleteVersionAsync](#) (uint resId, uint versionId)
- async Task< [Response](#)< [Update](#)[] > > [GetResourceUpdatesAsync](#) (uint id, [Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [Update](#) > > [GetLatestUpdateAsync](#) (uint id)
- async Task< [Response](#)< [Update](#) > > [GetUpdateAsync](#) (uint resId, uint updateId)
- async Task< [Response](#)< [Update](#) > > [DeleteUpdateAsync](#) (uint resId, uint updateId)

- async Task< [Response](#)< [Review](#)[] > > [GetResourceReviewsAsync](#) (uint id, [Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [Review](#) > > [GetResourceReviewAsync](#) (uint resId, uint memberId)
- async Task< [Response](#)< string > > [RespondReviewAsync](#) (uint resId, uint revId, [ResponseContent](#) content)
- async Task< [Response](#)< [Purchase](#)[] > > [GetPurchasesAsync](#) (uint id, [Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [Purchase](#) > > [GetPurchaseAsync](#) (uint resId, uint purchId)
- async Task< [Response](#)< [License](#)[] > > [GetResourceLicensesAsync](#) (uint id, [Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< uint > > [IssueLicenseAsync](#) (uint id, [LicenseContent](#) content)
- async Task< [Response](#)< [License](#) > > [GetResourceLicenseAsync](#) (uint resId, uint licId)
- async Task< [Response](#)< string > > [ModifyLicenseAsync](#) (uint resId, uint licId, [LicenseContent](#) content)
- async Task< [Response](#)< [License](#) > > [GetResourceLicenseMemberAsync](#) (uint resId, uint memId, uint? nonce, uint? timestamp)
- async Task< [Response](#)< [Download](#)[] > > [GetDownloadsAsync](#) (uint id, [Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [Download](#)[] > > [GetDownloadsMemberAsync](#) (uint resId, uint memId, [Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [Download](#)[] > > [GetDownloadsVersionAsync](#) (uint resId, uint memId, [Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [Thread](#)[] > > [GetThreadsAsync](#) ([Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< [Thread](#) > > [GetThreadAsync](#) (uint id)
- async Task< [Response](#)< [Data.Threads.Reply](#)[] > > [GetThreadRepliesAsync](#) (uint id, [Sortable](#)? sortingOptions=null)
- async Task< [Response](#)< uint > > [ReplyThreadAsync](#) (uint id, [MessageContent](#) content)

Public Attributes

- readonly Uri [BaseUri](#) = new UriBuilder ("https://api.mc-market.org").Uri

Properties

- bool [WaitForTimeout](#) = true [get, set]

5.2.1 Constructor & Destructor Documentation

5.2.1.1 ApiClient()

```
mcm4csharp.v1.Client.ApiClient.ApiClient (
    TokenType type,
    string token )
```

5.2.2 Member Function Documentation

5.2.2.1 DeleteProfilePostAsync()

```
async Task< Response< string > > mcm4csharp.v1.Client.ApiClient.DeleteProfilePostAsync (
    uint id )
```

5.2.2.2 DeleteUpdateAsync()

```
async Task< Response< Update > > mcm4csharp.v1.Client.ApiClient.DeleteUpdateAsync (
    uint resId,
    uint updateId )
```

5.2.2.3 DeleteVersionAsync()

```
async Task< Response< Version > > mcm4csharp.v1.Client.ApiClient.DeleteVersionAsync (
    uint resId,
    uint versionId )
```

5.2.2.4 GetBansAsync()

```
async Task< Response< Ban[] > > mcm4csharp.v1.Client.ApiClient.GetBansAsync ( )
```

5.2.2.5 GetCollaboratedResourcesAsync()

```
async Task< Response< BasicResource[] > > mcm4csharp.v1.Client.ApiClient.GetCollaborated↵
ResourcesAsync (
    Sortable? sortingOptions = null )
```

5.2.2.6 GetDownloadsAsync()

```
async Task< Response< Download[] > > mcm4csharp.v1.Client.ApiClient.GetDownloadsAsync (
    uint id,
    Sortable? sortingOptions = null )
```

5.2.2.7 GetDownloadsMemberAsync()

```
async Task< Response< Download[] > > mcm4csharp.v1.Client.ApiClient.GetDownloadsMemberAsync (
    uint resId,
    uint memId,
    Sortable? sortingOptions = null )
```


5.2.2.8 GetDownloadsVersionAsync()

```
async Task< Response< Download[] > > mcm4csharp.v1.Client.ApiClient.GetDownloadsVersionAsync (
    uint resId,
    uint memId,
    Sortable? sortingOptions = null )
```

5.2.2.9 GetHealthAsync()

```
async Task< Response< string > > mcm4csharp.v1.Client.ApiClient.GetHealthAsync ( )
```

5.2.2.10 GetLatestUpdateAsync()

```
async Task< Response< Update > > mcm4csharp.v1.Client.ApiClient.GetLatestUpdateAsync (
    uint id )
```

5.2.2.11 GetLatestVersionAsync()

```
async Task< Response< Version > > mcm4csharp.v1.Client.ApiClient.GetLatestVersionAsync (
    uint id )
```

5.2.2.12 GetOwnedResourcesAsync()

```
async Task< Response< BasicResource[] > > mcm4csharp.v1.Client.ApiClient.GetOwnedResources←
Async (
    Sortable? sortingOptions = null )
```

5.2.2.13 GetProfilePostAsync()

```
async Task< Response< ProfilePost > > mcm4csharp.v1.Client.ApiClient.GetProfilePostAsync (
    uint id )
```

5.2.2.14 GetProfilePostsAsync()

```
async Task< Response< ProfilePost[] > > mcm4csharp.v1.Client.ApiClient.GetProfilePostsAsync (
    Sortable? sortingOptions = null )
```

5.2.2.15 GetPublicResourcesAsync()

```
async Task< Response< BasicResource[] > > mcm4csharp.v1.Client.ApiClient.GetPublicResources←  
Async (   
    Sortable? sortingOptions = null )
```

5.2.2.16 GetPurchaseAsync()

```
async Task< Response< Purchase > > mcm4csharp.v1.Client.ApiClient.GetPurchaseAsync (   
    uint resId,   
    uint purchId )
```

5.2.2.17 GetPurchasesAsync()

```
async Task< Response< Purchase[] > > mcm4csharp.v1.Client.ApiClient.GetPurchasesAsync (   
    uint id,   
    Sortable? sortingOptions = null )
```

5.2.2.18 GetResourceAsync()

```
async Task< Response< BasicResource > > mcm4csharp.v1.Client.ApiClient.GetResourceAsync (   
    uint id )
```

5.2.2.19 GetResourceLicenseAsync()

```
async Task< Response< License > > mcm4csharp.v1.Client.ApiClient.GetResourceLicenseAsync (   
    uint resId,   
    uint licId )
```

5.2.2.20 GetResourceLicenseMemberAsync()

```
async Task< Response< License > > mcm4csharp.v1.Client.ApiClient.GetResourceLicenseMember←  
Async (   
    uint resId,   
    uint memId,   
    uint? nonce,   
    uint? timestamp )
```

5.2.2.21 GetResourceLicensesAsync()

```
async Task< Response< License[] > > mcm4csharp.v1.Client.ApiClient.GetResourceLicensesAsync (
    uint id,
    Sortable? sortingOptions = null )
```

5.2.2.22 GetResourceReviewAsync()

```
async Task< Response< Review > > mcm4csharp.v1.Client.ApiClient.GetResourceReviewAsync (
    uint resId,
    uint memberId )
```

5.2.2.23 GetResourceReviewsAsync()

```
async Task< Response< Review[] > > mcm4csharp.v1.Client.ApiClient.GetResourceReviewsAsync (
    uint id,
    Sortable? sortingOptions = null )
```

5.2.2.24 GetResourceUpdatesAsync()

```
async Task< Response< Update[] > > mcm4csharp.v1.Client.ApiClient.GetResourceUpdatesAsync (
    uint id,
    Sortable? sortingOptions = null )
```

5.2.2.25 GetResourceVersionsAsync()

```
async Task< Response< Version[] > > mcm4csharp.v1.Client.ApiClient.GetResourceVersionsAsync (
    uint id,
    Sortable? sortingOptions = null )
```

5.2.2.26 GetSelfAsync()

```
async Task< Response< Member > > mcm4csharp.v1.Client.ApiClient.GetSelfAsync ( )
```

5.2.2.27 GetThreadAsync()

```
async Task< Response< Thread > > mcm4csharp.v1.Client.ApiClient.GetThreadAsync (
    uint id )
```

5.2.2.28 GetThreadRepliesAsync()

```
async Task< Response< Data.Threads.Reply[] > > mcm4csharp.v1.Client.ApiClient.GetThread↵
RepliesAsync (
    uint id,
    Sortable? sortingOptions = null )
```

5.2.2.29 GetThreadsAsync()

```
async Task< Response< Thread[] > > mcm4csharp.v1.Client.ApiClient.GetThreadsAsync (
    Sortable? sortingOptions = null )
```

5.2.2.30 GetUnreadAlertsAsync()

```
async Task< Response< Alert[] > > mcm4csharp.v1.Client.ApiClient.GetUnreadAlertsAsync (
    Sortable? sortingOptions = null )
```

5.2.2.31 GetUnreadConversationsAsync()

```
async Task< Response< Conversation[] > > mcm4csharp.v1.Client.ApiClient.GetUnreadConversations↵
Async (
    Sortable? sortingOptions = null )
```

5.2.2.32 GetUnreadRepliesAsync()

```
async Task< Response< Data.Conversations.Reply[] > > mcm4csharp.v1.Client.ApiClient.Get↵
UnreadRepliesAsync (
    uint id,
    Sortable? sortingOptions = null )
```

5.2.2.33 GetUpdateAsync()

```
async Task< Response< Update > > mcm4csharp.v1.Client.ApiClient.GetUpdateAsync (
    uint resId,
    uint updateId )
```

5.2.2.34 GetUserAsync() [1/2]

```
async Task< Response< Member > > mcm4csharp.v1.Client.ApiClient.GetUserAsync (
    string username )
```

5.2.2.35 GetUserAsync() [2/2]

```
async Task< Response< Member > > mcm4csharp.v1.Client.ApiClient.GetUserAsync (
    uint id )
```

5.2.2.36 GetVersionAsync()

```
async Task< Response< Version > > mcm4csharp.v1.Client.ApiClient.GetVersionAsync (
    uint resId,
    uint versionId )
```

5.2.2.37 IssueLicenseAsync()

```
async Task< Response< uint > > mcm4csharp.v1.Client.ApiClient.IssueLicenseAsync (
    uint id,
    LicenseContent content )
```

5.2.2.38 MarkUnreadAsync()

```
async Task< Response< string > > mcm4csharp.v1.Client.ApiClient.MarkUnreadAsync ( )
```

5.2.2.39 ModifyLicenseAsync()

```
async Task< Response< string > > mcm4csharp.v1.Client.ApiClient.ModifyLicenseAsync (
    uint resId,
    uint licId,
    LicenseContent content )
```

5.2.2.40 ModifyProfilePostAsync()

```
async Task< Response< string > > mcm4csharp.v1.Client.ApiClient.ModifyProfilePostAsync (
    uint id,
    MessageContent content )
```

5.2.2.41 ModifySelfAsync()

```
async Task< Response< string > > mcm4csharp.v1.Client.ApiClient.ModifySelfAsync (
    SelfUpdateContent content )
```

5.2.2.42 ReplyThreadAsync()

```
async Task< Response< uint > > mcm4csharp.v1.Client.ApiClient.ReplyThreadAsync (
    uint id,
    MessageContent content )
```

5.2.2.43 ReplyUnreadConversationAsync()

```
async Task< Response< uint > > mcm4csharp.v1.Client.ApiClient.ReplyUnreadConversationAsync (
    uint id,
    MessageContent content )
```

5.2.2.44 RespondReviewAsync()

```
async Task< Response< string > > mcm4csharp.v1.Client.ApiClient.RespondReviewAsync (
    uint resId,
    uint revId,
    ResponseContent content )
```

5.2.2.45 StartNewConversationAsync()

```
async Task< Response< uint > > mcm4csharp.v1.Client.ApiClient.StartNewConversationAsync (
    ConversationContent content )
```

5.2.2.46 UpdateResourceAsync()

```
async Task< Response< string > > mcm4csharp.v1.Client.ApiClient.UpdateResourceAsync (
    uint id,
    ResourceContent content )
```

5.2.3 Member Data Documentation

5.2.3.1 BaseUri

```
readonly Uri mcm4csharp.v1.Client.ApiClient.BaseUri = new UriBuilder ("https://api.mc-market.↵
org").Uri
```

5.2.4 Property Documentation

5.2.4.1 WaitForTimeout

```
bool mcm4csharp.v1.Client.ApiClient.WaitForTimeout = true [get], [set]
```

The documentation for this class was generated from the following file:

- [v1/Client/ApiClient.cs](#)

5.3 mcm4csharp.v1.Data.Members.Ban Struct Reference

Properties

- uint [MemberId](#) [get, set]
- uint [BannedById](#) [get, set]
- uint [BannedDate](#) [get, set]
- string [Reason](#) [get, set]

5.3.1 Property Documentation

5.3.1.1 BannedById

`uint mcm4csharp.v1.Data.Members.Ban.BannedById [get], [set]`

5.3.1.2 BannedDate

`uint mcm4csharp.v1.Data.Members.Ban.BannedDate [get], [set]`

5.3.1.3 MemberId

`uint mcm4csharp.v1.Data.Members.Ban.MemberId [get], [set]`

5.3.1.4 Reason

`string mcm4csharp.v1.Data.Members.Ban.Reason [get], [set]`

The documentation for this struct was generated from the following file:

- v1/Data/Members/[Ban.cs](#)

5.4 mcm4csharp.v1.Data.Resources.BasicResource Struct Reference

Properties

- `uint ResourceId [get, set]`
- `uint AuthorId [get, set]`
- `string Title [get, set]`
- `string TagLine [get, set]`
- `float Price [get, set]`
- `string Currency [get, set]`

5.4.1 Property Documentation

5.4.1.1 AuthorId

`uint mcm4csharp.v1.Data.Resources.BasicResource.AuthorId [get], [set]`

5.4.1.2 Currency

`string mcm4csharp.v1.Data.Resources.BasicResource.Currency [get], [set]`

5.4.1.3 Price

`float mcm4csharp.v1.Data.Resources.BasicResource.Price [get], [set]`

5.4.1.4 ResourceId

`uint mcm4csharp.v1.Data.Resources.BasicResource.ResourceId [get], [set]`

5.4.1.5 TagLine

`string mcm4csharp.v1.Data.Resources.BasicResource.TagLine [get], [set]`

5.4.1.6 Title

`string mcm4csharp.v1.Data.Resources.BasicResource.Title [get], [set]`

The documentation for this struct was generated from the following file:

- [v1/Data/Resources/BasicResource.cs](#)

5.5 mcm4csharp.v1.Data.Threads.BasicThread Struct Reference

Properties

- `uint ThreadId [get, set]`
- `string Title [get, set]`
- `uint ReplyCount [get, set]`
- `uint ViewCount [get, set]`
- `uint CreationDate [get, set]`
- `uint LastMessageDate [get, set]`

5.5.1 Property Documentation

5.5.1.1 CreationDate

`uint mcm4csharp.v1.Data.Threads.BasicThread.CreationDate [get], [set]`

5.5.1.2 LastMessageDate

`uint mcm4csharp.v1.Data.Threads.BasicThread.LastMessageDate [get], [set]`

5.5.1.3 ReplyCount

`uint mcm4csharp.v1.Data.Threads.BasicThread.ReplyCount [get], [set]`

5.5.1.4 ThreadId

`uint mcm4csharp.v1.Data.Threads.BasicThread.ThreadId [get], [set]`

5.5.1.5 Title

`string mcm4csharp.v1.Data.Threads.BasicThread.Title [get], [set]`

5.5.1.6 ViewCount

`uint mcm4csharp.v1.Data.Threads.BasicThread.ViewCount [get], [set]`

The documentation for this struct was generated from the following file:

- `v1/Data/Threads/BasicThread.cs`

5.6 mcm4csharp.v1.Data.Conversations.Conversation Struct Reference

Properties

- uint [ConversationId](#) [get, set]
- string [Title](#) [get, set]
- uint [CreationDate](#) [get, set]
- uint [CreatorId](#) [get, set]
- uint [LastMessageDate](#) [get, set]
- uint [LastReadDate](#) [get, set]
- bool [Open](#) [get, set]
- uint [ReplyCount](#) [get, set]
- uint[] [RecipientIds](#) [get, set]

5.6.1 Property Documentation

5.6.1.1 ConversationId

```
uint mcm4csharp.v1.Data.Conversations.Conversation.ConversationId [get], [set]
```

5.6.1.2 CreationDate

```
uint mcm4csharp.v1.Data.Conversations.Conversation.CreationDate [get], [set]
```

5.6.1.3 CreatorId

```
uint mcm4csharp.v1.Data.Conversations.Conversation.CreatorId [get], [set]
```

5.6.1.4 LastMessageDate

```
uint mcm4csharp.v1.Data.Conversations.Conversation.LastMessageDate [get], [set]
```

5.6.1.5 LastReadDate

```
uint mcm4csharp.v1.Data.Conversations.Conversation.LastReadDate [get], [set]
```

5.6.1.6 Open

```
bool mcm4csharp.v1.Data.Conversations.Conversation.Open [get], [set]
```

5.6.1.7 RecipientIds

```
uint [] mcm4csharp.v1.Data.Conversations.Conversation.RecipientIds [get], [set]
```

5.6.1.8 ReplyCount

```
uint mcm4csharp.v1.Data.Conversations.Conversation.ReplyCount [get], [set]
```

5.6.1.9 Title

```
string mcm4csharp.v1.Data.Conversations.Conversation.Title [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Conversations/[Conversation.cs](#)

5.7 mcm4csharp.v1.Data.Content.ConversationContent Struct Reference

Properties

- uint[] [RecipientIds](#) [get, set]
- string [Title](#) [get, set]
- string [Message](#) [get, set]

5.7.1 Property Documentation

5.7.1.1 Message

```
string mcm4csharp.v1.Data.Content.ConversationContent.Message [get], [set]
```

5.7.1.2 RecipientIds

```
uint [] mcm4csharp.v1.Data.Content.ConversationContent.RecipientIds [get], [set]
```

5.7.1.3 Title

```
string mcm4csharp.v1.Data.Content.ConversationContent.Title [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Content/[ConversationContent.cs](#)

5.8 mcm4csharp.v1.Data.Resources.Download Struct Reference

Properties

- uint [DownloadId](#) [get, set]
- uint [VersionId](#) [get, set]
- uint [DownloaderId](#) [get, set]
- uint [DownloadDate](#) [get, set]

5.8.1 Property Documentation

5.8.1.1 DownloadDate

```
uint mcm4csharp.v1.Data.Resources.Download.DownloadDate [get], [set]
```

5.8.1.2 DownloaderId

```
uint mcm4csharp.v1.Data.Resources.Download.DownloaderId [get], [set]
```

5.8.1.3 DownloadId

```
uint mcm4csharp.v1.Data.Resources.Download.DownloadId [get], [set]
```

5.8.1.4 VersionId

```
uint mcm4csharp.v1.Data.Resources.Download.VersionId [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Resources/[Download.cs](#)

5.9 mcm4csharp.v1.Client.Endpoints Class Reference

Static Public Attributes

- const string [HEALTH](#) = "v1/health"
- const string [ALERTS](#) = "v1/alerts"
- const string [CONVERSATIONS](#) = "v1/conversations"
- const string [CONVERSATIONS_ID](#) = "v1/conversations/{id}/replies"
- const string [MEMBERS](#) = "v1/members/{id}"
- const string [PROFILE_POSTS](#) = "v1/members/self/profile-posts/{id}"
- const string [RESOURCES](#) = "v1/resources/{id}"
- const string [VERSIONS](#) = "v1/resources/{r_id}/versions/{v_id}"
- const string [UPDATES](#) = "v1/resources/{r_id}/updates/{u_id}"
- const string [REVIEWS](#) = "v1/resources/{res_id}/reviews/{rev_id}"
- const string [PURCHASES](#) = "v1/resources/{r_id}/purchases/{p_id}"
- const string [LICENSES](#) = "v1/resources/{r_id}/licenses/{l_id}"
- const string [DOWNLOADS](#) = "v1/resources/{r_id}/downloads/{id}"
- const string [REPLIES](#) = "v1/threads/{id}/{id2}"

5.9.1 Member Data Documentation

5.9.1.1 ALERTS

```
const string mcm4csharp.v1.Client.Endpoints.ALERTS = "v1/alerts" [static]
```

5.9.1.2 CONVERSATIONS

```
const string mcm4csharp.v1.Client.Endpoints.CONVERSATIONS = "v1/conversations" [static]
```

5.9.1.3 CONVERSATIONS_ID

```
const string mcm4csharp.v1.Client.Endpoints.CONVERSATIONS_ID = "v1/conversations/{id}/replies" [static]
```

5.9.1.4 DOWNLOADS

```
const string mcm4csharp.v1.Client.Endpoints.DOWNLOADS = "v1/resources/{r_id}/downloads/{id}"  
[static]
```

5.9.1.5 HEALTH

```
const string mcm4csharp.v1.Client.Endpoints.HEALTH = "v1/health" [static]
```

5.9.1.6 LICENSES

```
const string mcm4csharp.v1.Client.Endpoints.LICENSES = "v1/resources/{r_id}/licenses/{l_id}"  
[static]
```

5.9.1.7 MEMBERS

```
const string mcm4csharp.v1.Client.Endpoints.MEMBERS = "v1/members/{id}" [static]
```

5.9.1.8 PROFILE_POSTS

```
const string mcm4csharp.v1.Client.Endpoints.PROFILE_POSTS = "v1/members/self/profile-posts/{id}"  
[static]
```

5.9.1.9 PURCHASES

```
const string mcm4csharp.v1.Client.Endpoints.PURCHASES = "v1/resources/{r_id}/purchases/{p_id}"  
[static]
```

5.9.1.10 REPLIES

```
const string mcm4csharp.v1.Client.Endpoints.REPLIES = "v1/threads/{id}/{id2}" [static]
```

5.9.1.11 RESOURCES

```
const string mcm4csharp.v1.Client.Endpoints.RESOURCES = "v1/resources/{id}" [static]
```

5.9.1.12 REVIEWS

```
const string mcm4csharp.v1.Client.Endpoints.REVIEWS = "v1/resources/{res_id}/reviews/{rev_id}"  
[static]
```

5.9.1.13 UPDATES

```
const string mcm4csharp.v1.Client.Endpoints.UPDATES = "v1/resources/{r_id}/updates/{u_id}"  
[static]
```

5.9.1.14 VERSIONS

```
const string mcm4csharp.v1.Client.Endpoints.VERSIONS = "v1/resources/{r_id}/versions/{v_id}"  
[static]
```

The documentation for this class was generated from the following file:

- v1/Client/[Endpoints.cs](#)

5.10 mcm4csharp.v1.Data.Content.Error Struct Reference

Properties

- string [Code](#) [get, set]
- string [Message](#) [get, set]

5.10.1 Property Documentation

5.10.1.1 Code

```
string mcm4csharp.v1.Data.Content.Error.Code [get], [set]
```


5.10.1.2 Message

```
string mcm4csharp.v1.Data.Content.Error.Message [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Content/[Error.cs](#)

5.11 mcm4csharp.v1.Data.Resources.License Struct Reference

Properties

- uint [LicenseId](#) [get, set]
- uint [PurchaserId](#) [get, set]
- string [PurchaserName](#) [get, set]
- bool [Validated](#) [get, set]
- bool [Active](#) [get, set]
- uint [StartDate](#) [get, set]
- uint [EndDate](#) [get, set]
- uint [PreviousEndDate](#) [get, set]

5.11.1 Property Documentation

5.11.1.1 Active

```
bool mcm4csharp.v1.Data.Resources.License.Active [get], [set]
```

5.11.1.2 EndDate

```
uint mcm4csharp.v1.Data.Resources.License.EndDate [get], [set]
```

5.11.1.3 LicenseId

```
uint mcm4csharp.v1.Data.Resources.License.LicenseId [get], [set]
```

5.11.1.4 PreviousEndDate

```
uint mcm4csharp.v1.Data.Resources.License.PreviousEndDate [get], [set]
```

5.11.1.5 PurchaserId

```
uint mcm4csharp.v1.Data.Resources.License.PurchaserId [get], [set]
```

5.11.1.6 PurchaserName

```
string mcm4csharp.v1.Data.Resources.License.PurchaserName [get], [set]
```

5.11.1.7 StartDate

```
uint mcm4csharp.v1.Data.Resources.License.StartDate [get], [set]
```

5.11.1.8 Validated

```
bool mcm4csharp.v1.Data.Resources.License.Validated [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Resources/[License.cs](#)

5.12 mcm4csharp.v1.Data.Content.LicenseContent Struct Reference

Properties

- uint [PurchaserId](#) [get, set]
- bool [Permanent](#) [get, set]
- bool [Active](#) [get, set]
- uint [StartDate](#) [get, set]
- uint [EndDate](#) [get, set]

5.12.1 Property Documentation

5.12.1.1 Active

```
bool mcm4csharp.v1.Data.Content.LicenseContent.Active [get], [set]
```

5.12.1.2 EndDate

```
uint mcm4csharp.v1.Data.Content.LicenseContent.EndDate [get], [set]
```

5.12.1.3 Permanent

```
bool mcm4csharp.v1.Data.Content.LicenseContent.Permanent [get], [set]
```

5.12.1.4 PurchaserId

```
uint mcm4csharp.v1.Data.Content.LicenseContent.PurchaserId [get], [set]
```

5.12.1.5 StartDate

```
uint mcm4csharp.v1.Data.Content.LicenseContent.StartDate [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Content/[LicenseContent.cs](#)

5.13 mcm4csharp.v1.Data.Members.Member Struct Reference

Properties

- uint [MemberId](#) [get, set]
- string [Username](#) [get, set]
- uint [JoinDate](#) [get, set]
- uint? [LastActivityDate](#) [get, set]
- bool [Banned](#) [get, set]
- bool [Restricted](#) [get, set]
- bool [Disabled](#) [get, set]
- uint [PostCount](#) [get, set]
- uint [ResourceCount](#) [get, set]
- uint [PurchaseCount](#) [get, set]
- uint [PositiveFeedback](#) [get, set]
- uint [NeutralFeedback](#) [get, set]
- uint [NegativeFeedback](#) [get, set]

5.13.1 Property Documentation

5.13.1.1 Banned

`bool mcm4csharp.v1.Data.Members.Member.Banned [get], [set]`

5.13.1.2 Disabled

`bool mcm4csharp.v1.Data.Members.Member.Disabled [get], [set]`

5.13.1.3 JoinDate

`uint mcm4csharp.v1.Data.Members.Member.JoinDate [get], [set]`

5.13.1.4 LastActivityDate

`uint? mcm4csharp.v1.Data.Members.Member.LastActivityDate [get], [set]`

5.13.1.5 MemberId

`uint mcm4csharp.v1.Data.Members.Member.MemberId [get], [set]`

5.13.1.6 NegativeFeedback

`uint mcm4csharp.v1.Data.Members.Member.NegativeFeedback [get], [set]`

5.13.1.7 NeutralFeedback

`uint mcm4csharp.v1.Data.Members.Member.NeutralFeedback [get], [set]`

5.13.1.8 PositiveFeedback

`uint mcm4csharp.v1.Data.Members.Member.PositiveFeedback [get], [set]`

5.13.1.9 PostCount

`uint mcm4csharp.v1.Data.Members.Member.PostCount [get], [set]`

5.13.1.10 PurchaseCount

`uint mcm4csharp.v1.Data.Members.Member.PurchaseCount [get], [set]`

5.13.1.11 ResourceCount

`uint mcm4csharp.v1.Data.Members.Member.ResourceCount [get], [set]`

5.13.1.12 Restricted

`bool mcm4csharp.v1.Data.Members.Member.Restricted [get], [set]`

5.13.1.13 Username

`string mcm4csharp.v1.Data.Members.Member.Username [get], [set]`

The documentation for this struct was generated from the following file:

- [v1/Data/Members/Member.cs](#)

5.14 mcm4csharp.v1.Data.Content.MessageContent Struct Reference

Properties

- string [Message](#) [get, set]

5.14.1 Property Documentation

5.14.1.1 Message

```
string mcm4csharp.v1.Data.Content.MessageContent.Message [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Content/[MessageContent.cs](#)

5.15 mcm4csharp.v1.Data.Members.ProfilePost Struct Reference

Properties

- uint [ProfilePostId](#) [get, set]
- uint [AuthorId](#) [get, set]
- uint [PostDate](#) [get, set]
- string [Message](#) [get, set]
- uint [CommentCount](#) [get, set]

5.15.1 Property Documentation

5.15.1.1 AuthorId

```
uint mcm4csharp.v1.Data.Members.ProfilePost.AuthorId [get], [set]
```

5.15.1.2 CommentCount

```
uint mcm4csharp.v1.Data.Members.ProfilePost.CommentCount [get], [set]
```

5.15.1.3 Message

```
string mcm4csharp.v1.Data.Members.ProfilePost.Message [get], [set]
```

5.15.1.4 PostDate

```
uint mcm4csharp.v1.Data.Members.ProfilePost.PostDate [get], [set]
```

5.15.1.5 ProfilePostId

```
uint mcm4csharp.v1.Data.Members.ProfilePost.ProfilePostId [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Members/[ProfilePost.cs](#)

5.16 mcm4csharp.v1.Data.Resources.Purchase Struct Reference

Properties

- uint [PurchaseId](#) [get, set]
- uint [PurchaserId](#) [get, set]
- uint [LicenseId](#) [get, set]
- bool [Renewal](#) [get, set]
- string [Status](#) [get, set]
- float [Price](#) [get, set]
- string [Currency](#) [get, set]
- uint [PurchaseDate](#) [get, set]
- uint [ValidationDate](#) [get, set]

5.16.1 Property Documentation

5.16.1.1 Currency

```
string mcm4csharp.v1.Data.Resources.Purchase.Currency [get], [set]
```

5.16.1.2 LicenseId

```
uint mcm4csharp.v1.Data.Resources.Purchase.LicenseId [get], [set]
```

5.16.1.3 Price

```
float mcm4csharp.v1.Data.Resources.Purchase.Price [get], [set]
```

5.16.1.4 PurchaseDate

```
uint mcm4csharp.v1.Data.Resources.Purchase.PurchaseDate [get], [set]
```

5.16.1.5 PurchaseId

```
uint mcm4csharp.v1.Data.Resources.Purchase.PurchaseId [get], [set]
```

5.16.1.6 PurchaserId

```
uint mcm4csharp.v1.Data.Resources.Purchase.PurchaserId [get], [set]
```

5.16.1.7 Renewal

```
bool mcm4csharp.v1.Data.Resources.Purchase.Renewal [get], [set]
```

5.16.1.8 Status

```
string mcm4csharp.v1.Data.Resources.Purchase.Status [get], [set]
```

5.16.1.9 ValidationDate

```
uint mcm4csharp.v1.Data.Resources.Purchase.ValidationDate [get], [set]
```

The documentation for this struct was generated from the following file:

- [v1/Data/Resources/Purchase.cs](#)

5.17 mcm4csharp.v1.Data.Conversations.Reply Struct Reference

Properties

- uint [MessageId](#) [get, set]
- uint [MessageDate](#) [get, set]
- uint [AuthorId](#) [get, set]
- string [Message](#) [get, set]

5.17.1 Property Documentation

5.17.1.1 AuthorId

```
uint mcm4csharp.v1.Data.Conversations.Reply.AuthorId [get], [set]
```

5.17.1.2 Message

```
string mcm4csharp.v1.Data.Conversations.Reply.Message [get], [set]
```

5.17.1.3 MessageDate

```
uint mcm4csharp.v1.Data.Conversations.Reply.MessageDate [get], [set]
```

5.17.1.4 MessageId

```
uint mcm4csharp.v1.Data.Conversations.Reply.MessageId [get], [set]
```

The documentation for this struct was generated from the following file:

- [v1/Data/Conversations/Reply.cs](#)

5.18 mcm4csharp.v1.Data.Threads.Reply Struct Reference

Properties

- uint [ReplyId](#) [get, set]
- uint [AuthorId](#) [get, set]
- uint [PostDate](#) [get, set]
- string [Message](#) [get, set]

5.18.1 Property Documentation

5.18.1.1 AuthorId

```
uint mcm4csharp.v1.Data.Threads.Reply.AuthorId [get], [set]
```

5.18.1.2 Message

```
string mcm4csharp.v1.Data.Threads.Reply.Message [get], [set]
```

5.18.1.3 PostDate

```
uint mcm4csharp.v1.Data.Threads.Reply.PostDate [get], [set]
```

5.18.1.4 ReplyId

```
uint mcm4csharp.v1.Data.Threads.Reply.ReplyId [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Threads/[Reply.cs](#)

5.19 mcm4csharp.v1.Data.Resources.Resource Struct Reference

Properties

- uint [ResourceId](#) [get, set]
- uint [AuthorId](#) [get, set]
- string [Title](#) [get, set]
- string [TagLine](#) [get, set]
- string [Description](#) [get, set]
- uint [ReleaseDate](#) [get, set]
- uint [LastReleaseDate](#) [get, set]
- string [CategoryTitle](#) [get, set]
- uint [CurrentVersionId](#) [get, set]
- float [Price](#) [get, set]
- string [Currency](#) [get, set]
- uint [PurchaseCount](#) [get, set]
- uint [DownloadCount](#) [get, set]
- uint [ReviewCount](#) [get, set]
- float [ReviewAverage](#) [get, set]

5.19.1 Property Documentation

5.19.1.1 AuthorId

`uint mcm4csharp.v1.Data.Resources.Resource.AuthorId [get], [set]`

5.19.1.2 CategoryTitle

`string mcm4csharp.v1.Data.Resources.Resource.CategoryTitle [get], [set]`

5.19.1.3 Currency

`string mcm4csharp.v1.Data.Resources.Resource.Currency [get], [set]`

5.19.1.4 CurrentVersionId

`uint mcm4csharp.v1.Data.Resources.Resource.CurrentVersionId [get], [set]`

5.19.1.5 Description

`string mcm4csharp.v1.Data.Resources.Resource.Description [get], [set]`

5.19.1.6 DownloadCount

`uint mcm4csharp.v1.Data.Resources.Resource.DownloadCount [get], [set]`

5.19.1.7 LastReleaseDate

`uint mcm4csharp.v1.Data.Resources.Resource.LastReleaseDate [get], [set]`

5.19.1.8 Price

`float mcm4csharp.v1.Data.Resources.Resource.Price [get], [set]`

5.19.1.9 PurchaseCount

`uint mcm4csharp.v1.Data.Resources.Resource.PurchaseCount [get], [set]`

5.19.1.10 ReleaseDate

`uint mcm4csharp.v1.Data.Resources.Resource.ReleaseDate [get], [set]`

5.19.1.11 ResourceId

`uint mcm4csharp.v1.Data.Resources.Resource.ResourceId [get], [set]`

5.19.1.12 ReviewAverage

`float mcm4csharp.v1.Data.Resources.Resource.ReviewAverage [get], [set]`

5.19.1.13 ReviewCount

`uint mcm4csharp.v1.Data.Resources.Resource.ReviewCount [get], [set]`

5.19.1.14 TagLine

`string mcm4csharp.v1.Data.Resources.Resource.TagLine [get], [set]`

5.19.1.15 Title

```
string mcm4csharp.v1.Data.Resources.Resource.Title [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Resources/[Resource.cs](#)

5.20 mcm4csharp.v1.Data.Content.ResourceContent Struct Reference

Properties

- string [Title](#) [get, set]
- string [Tagline](#) [get, set]
- string [Description](#) [get, set]

5.20.1 Property Documentation

5.20.1.1 Description

```
string mcm4csharp.v1.Data.Content.ResourceContent.Description [get], [set]
```

5.20.1.2 Tagline

```
string mcm4csharp.v1.Data.Content.ResourceContent.Tagline [get], [set]
```

5.20.1.3 Title

```
string mcm4csharp.v1.Data.Content.ResourceContent.Title [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Content/[ResourceContent.cs](#)

5.21 mcm4csharp.v1.Data.Content.Response< T > Struct Template Reference

Properties

- string [Result](#) [get, set]
- T [Data](#) [get, set]
- [Error](#) [Error](#) [get, set]
- uint [RetryAfterMilliseconds](#) [get, set]

5.21.1 Property Documentation

5.21.1.1 Data

T [mcm4csharp.v1.Data.Content.Response](#)< T >.Data [get], [set]

5.21.1.2 Error

[Error](#) [mcm4csharp.v1.Data.Content.Response](#)< T >.[Error](#) [get], [set]

5.21.1.3 Result

string [mcm4csharp.v1.Data.Content.Response](#)< T >.Result [get], [set]

5.21.1.4 RetryAfterMilliseconds

uint [mcm4csharp.v1.Data.Content.Response](#)< T >.RetryAfterMilliseconds [get], [set]

The documentation for this struct was generated from the following file:

- v1/Data/Content/[Response.cs](#)

5.22 mcm4csharp.v1.Data.Content.ResponseContent Struct Reference

Properties

- string [Response](#) [get, set]

5.22.1 Property Documentation

5.22.1.1 Response

```
string mcm4csharp.v1.Data.Content.ResponseContent.Response [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Content/[ResponseContent.cs](#)

5.23 mcm4csharp.v1.Data.Resources.Review Struct Reference

Properties

- uint [ReviewId](#) [get, set]
- uint [ReviewerId](#) [get, set]
- uint [ReviewDate](#) [get, set]
- uint [Rating](#) [get, set]
- string [Message](#) [get, set]
- string [Response](#) [get, set]

5.23.1 Property Documentation

5.23.1.1 Message

```
string mcm4csharp.v1.Data.Resources.Review.Message [get], [set]
```

5.23.1.2 Rating

```
uint mcm4csharp.v1.Data.Resources.Review.Rating [get], [set]
```

5.23.1.3 Response

```
string mcm4csharp.v1.Data.Resources.Review.Response [get], [set]
```

5.23.1.4 ReviewDate

```
uint mcm4csharp.v1.Data.Resources.Review.ReviewDate [get], [set]
```

5.23.1.5 ReviewerId

```
uint mcm4csharp.v1.Data.Resources.Review.ReviewerId [get], [set]
```

5.23.1.6 ReviewId

```
uint mcm4csharp.v1.Data.Resources.Review.ReviewId [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Resources/[Review.cs](#)

5.24 mcm4csharp.v1.Data.Content.SelfUpdateContent Struct Reference

Properties

- string [CustomTitle](#) [get, set]
- string [AboutMe](#) [get, set]
- string [Signature](#) [get, set]

5.24.1 Property Documentation

5.24.1.1 AboutMe

```
string mcm4csharp.v1.Data.Content.SelfUpdateContent.AboutMe [get], [set]
```

5.24.1.2 CustomTitle

```
string mcm4csharp.v1.Data.Content.SelfUpdateContent.CustomTitle [get], [set]
```


5.24.1.3 Signature

```
string mcm4csharp.v1.Data.Content.SelfUpdateContent.Signature [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Content/[SelfUpdateContent.cs](#)

5.25 mcm4csharp.v1.Data.Content.Sortable Struct Reference

Public Member Functions

- Dictionary< string, string > [ToDict](#) ()

Properties

- string [Sort](#) [get, set]
What field to be sorted on.
- string [Order](#) [get, set]
Order of sorting; "asc" or "desc".
- uint [Page](#) [get, set]
Page number >= 1.

5.25.1 Member Function Documentation

5.25.1.1 ToDict()

```
Dictionary< string, string > mcm4csharp.v1.Data.Content.Sortable.ToDict ( )
```

5.25.2 Property Documentation

5.25.2.1 Order

```
string mcm4csharp.v1.Data.Content.Sortable.Order [get], [set]
```

Order of sorting; "asc" or "desc".

5.25.2.2 Page

```
uint mcm4csharp.v1.Data.Content.Sortable.Page [get], [set]
```

Page number ≥ 1 .

5.25.2.3 Sort

```
string mcm4csharp.v1.Data.Content.Sortable.Sort [get], [set]
```

What field to be sorted on.

The documentation for this struct was generated from the following file:

- [v1/Data/Content/Sortable.cs](#)

5.26 mcm4csharp.v1.Data.Threads.Thread Struct Reference

Properties

- uint [ThreadId](#) [get, set]
- string [ForumName](#) [get, set]
- string [Title](#) [get, set]
- uint [ReplyCount](#) [get, set]
- uint [ViewCount](#) [get, set]
- uint [PostDate](#) [get, set]
- string [ThreadType](#) [get, set]
- bool [ThreadOpen](#) [get, set]
- uint [LastPostDate](#) [get, set]

5.26.1 Property Documentation

5.26.1.1 ForumName

```
string mcm4csharp.v1.Data.Threads.Thread.ForumName [get], [set]
```

5.26.1.2 LastPostDate

```
uint mcm4csharp.v1.Data.Threads.Thread.LastPostDate [get], [set]
```

5.26.1.3 PostDate

`uint mcm4csharp.v1.Data.Threads.Thread.PostDate [get], [set]`

5.26.1.4 ReplyCount

`uint mcm4csharp.v1.Data.Threads.Thread.ReplyCount [get], [set]`

5.26.1.5 ThreadId

`uint mcm4csharp.v1.Data.Threads.Thread.ThreadId [get], [set]`

5.26.1.6 ThreadOpen

`bool mcm4csharp.v1.Data.Threads.Thread.ThreadOpen [get], [set]`

5.26.1.7 ThreadType

`string mcm4csharp.v1.Data.Threads.Thread.ThreadType [get], [set]`

5.26.1.8 Title

`string mcm4csharp.v1.Data.Threads.Thread.Title [get], [set]`

5.26.1.9 ViewCount

`uint mcm4csharp.v1.Data.Threads.Thread.ViewCount [get], [set]`

The documentation for this struct was generated from the following file:

- [v1/Data/Threads/Thread.cs](#)

5.27 mcm4csharp.v1.Data.Resources.Update Struct Reference

Properties

- uint [UpdateId](#) [get, set]
- string [Title](#) [get, set]
- string [Message](#) [get, set]
- uint [UpdateDate](#) [get, set]

5.27.1 Property Documentation

5.27.1.1 Message

```
string mcm4csharp.v1.Data.Resources.Update.Message [get], [set]
```

5.27.1.2 Title

```
string mcm4csharp.v1.Data.Resources.Update.Title [get], [set]
```

5.27.1.3 UpdateDate

```
uint mcm4csharp.v1.Data.Resources.Update.UpdateDate [get], [set]
```

5.27.1.4 UpdateId

```
uint mcm4csharp.v1.Data.Resources.Update.UpdateId [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Resources/[Update.cs](#)

5.28 mcm4csharp.v1.Data.Resources.Version Struct Reference

Properties

- uint [VersionId](#) [get, set]
- uint [UpdateId](#) [get, set]
- string [Name](#) [get, set]
- uint [ReleaseDate](#) [get, set]
- uint [DownloadCount](#) [get, set]

5.28.1 Property Documentation

5.28.1.1 DownloadCount

```
uint mcm4csharp.v1.Data.Resources.Version.DownloadCount [get], [set]
```

5.28.1.2 Name

```
string mcm4csharp.v1.Data.Resources.Version.Name [get], [set]
```

5.28.1.3 ReleaseDate

```
uint mcm4csharp.v1.Data.Resources.Version.ReleaseDate [get], [set]
```

5.28.1.4 UpdateId

```
uint mcm4csharp.v1.Data.Resources.Version.UpdateId [get], [set]
```

5.28.1.5 VersionId

```
uint mcm4csharp.v1.Data.Resources.Version.VersionId [get], [set]
```

The documentation for this struct was generated from the following file:

- v1/Data/Resources/[Version.cs](#)

Chapter 6

File Documentation

6.1 obj/Debug/net6.0/.NETCoreApp,Version=v6.0.AssemblyAttributes.cs File Reference

6.2 obj/Release/net6.0/.NETCoreApp,Version=v6.0.AssemblyAttributes.cs File Reference

6.3 obj/Debug/net6.0/mcm4csharp.AssemblyInfo.cs File Reference

6.4 obj/Release/net6.0/mcm4csharp.AssemblyInfo.cs File Reference

6.5 obj/Debug/net6.0/mcm4csharp.GlobalUsings.g.cs File Reference

6.6 obj/Release/net6.0/mcm4csharp.GlobalUsings.g.cs File Reference

6.7 v1/Client/ApiClient.cs File Reference

Classes

- class [mcm4csharp.v1.Client.ApiClient](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Client](#)

Typedefs

- using `Thread` = `mcm4csharp.v1.Data.Threads.Thread`
- using `Version` = `mcm4csharp.v1.Data.Resources.Version`

6.7.1 Typedef Documentation

6.7.1.1 Thread

```
using Thread = mcm4csharp.v1.Data.Threads.Thread
```

6.7.1.2 Version

```
using Version = mcm4csharp.v1.Data.Resources.Version
```

6.8 v1/Client/Endpoints.cs File Reference

Classes

- class `mcm4csharp.v1.Client.Endpoints`

Namespaces

- namespace `mcm4csharp`
- namespace `mcm4csharp.v1`
- namespace `mcm4csharp.v1.Client`

6.9 v1/Client/TokenType.cs File Reference

Namespaces

- namespace `mcm4csharp`
- namespace `mcm4csharp.v1`
- namespace `mcm4csharp.v1.Client`

Enumerations

- enum `mcm4csharp.v1.Client.TokenType` { `mcm4csharp.v1.Client.Private` = 0 , `mcm4csharp.v1.Client.Shared` = 1 }

6.10 v1/Data/Alerts/Alert.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Alerts.Alert](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Alerts](#)

6.11 v1/Data/Content/ConversationContent.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Content.ConversationContent](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Content](#)

6.12 v1/Data/Content/Error.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Content.Error](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Content](#)

6.13 v1/Data/Content/LicenseContent.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Content.LicenseContent](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Content](#)

6.14 v1/Data/Content/MessageContent.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Content.MessageContent](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Content](#)

6.15 v1/Data/Content/ResourceContent.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Content.ResourceContent](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Content](#)

6.16 v1/Data/Content/Response.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Content.Response< T >](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Content](#)

6.17 v1/Data/Content/ResponseContent.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Content.ResponseContent](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Content](#)

6.18 v1/Data/Content/SelfUpdateContent.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Content.SelfUpdateContent](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Content](#)

6.19 v1/Data/Content/Sortable.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Content.Sortable](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Content](#)

6.20 v1/Data/Conversations/Conversation.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Conversations.Conversation](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Conversations](#)

6.21 v1/Data/Members/Ban.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Members.Ban](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Members](#)

6.22 v1/Data/Members/Member.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Members.Member](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Members](#)

6.23 v1/Data/Members/ProfilePost.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Members.ProfilePost](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Members](#)

6.24 v1/Data/Resources/BasicResource.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Resources.BasicResource](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Resources](#)

6.25 v1/Data/Resources/Download.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Resources.Download](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Resources](#)

6.26 v1/Data/Resources/License.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Resources.License](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Resources](#)

6.27 v1/Data/Resources/Purchase.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Resources.Purchase](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Resources](#)

6.28 v1/Data/Resources/Resource.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Resources.Resource](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Resources](#)

6.29 v1/Data/Resources/Review.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Resources.Review](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Resources](#)

6.30 v1/Data/Resources/Update.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Resources.Update](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Resources](#)

6.31 v1/Data/Resources/Version.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Resources.Version](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Resources](#)

6.32 v1/Data/Threads/BasicThread.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Threads.BasicThread](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Threads](#)

6.33 v1/Data/Conversations/Reply.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Conversations.Reply](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Conversations](#)

6.34 v1/Data/Threads/Reply.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Threads.Reply](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Threads](#)

6.35 v1/Data/Threads/Thread.cs File Reference

Classes

- struct [mcm4csharp.v1.Data.Threads.Thread](#)

Namespaces

- namespace [mcm4csharp](#)
- namespace [mcm4csharp.v1](#)
- namespace [mcm4csharp.v1.Data](#)
- namespace [mcm4csharp.v1.Data.Threads](#)

Index

AboutMe
 mcm4csharp.v1.Data.Content.SelfUpdateContent, [46](#)

Active
 mcm4csharp.v1.Data.Content.LicenseContent, [32](#)
 mcm4csharp.v1.Data.Resources.License, [31](#)

AlertDate
 mcm4csharp.v1.Data.Alerts.Alert, [11](#)

ALERTS
 mcm4csharp.v1.Client.Endpoints, [28](#)

AlertType
 mcm4csharp.v1.Data.Alerts.Alert, [11](#)

ApiClient
 mcm4csharp.v1.Client.ApiClient, [13](#)

ApiClient.cs
 Thread, [54](#)
 Version, [54](#)

AuthorId
 mcm4csharp.v1.Data.Conversations.Reply, [39](#)
 mcm4csharp.v1.Data.Members.ProfilePost, [36](#)
 mcm4csharp.v1.Data.Resources.BasicResource, [22](#)
 mcm4csharp.v1.Data.Resources.Resource, [41](#)
 mcm4csharp.v1.Data.Threads.Reply, [40](#)

Banned
 mcm4csharp.v1.Data.Members.Member, [34](#)

BannedById
 mcm4csharp.v1.Data.Members.Ban, [22](#)

BannedDate
 mcm4csharp.v1.Data.Members.Ban, [22](#)

BaseUri
 mcm4csharp.v1.Client.ApiClient, [21](#)

CategoryTitle
 mcm4csharp.v1.Data.Resources.Resource, [41](#)

CausedMemberId
 mcm4csharp.v1.Data.Alerts.Alert, [11](#)

Code
 mcm4csharp.v1.Data.Content.Error, [30](#)

CommentCount
 mcm4csharp.v1.Data.Members.ProfilePost, [36](#)

ContentId
 mcm4csharp.v1.Data.Alerts.Alert, [11](#)

ContentType
 mcm4csharp.v1.Data.Alerts.Alert, [12](#)

ConversationId
 mcm4csharp.v1.Data.Conversations.Conversation, [25](#)

CONVERSATIONS
 mcm4csharp.v1.Client.Endpoints, [28](#)

CONVERSATIONS_ID
 mcm4csharp.v1.Client.Endpoints, [28](#)

CreationDate
 mcm4csharp.v1.Data.Conversations.Conversation, [25](#)
 mcm4csharp.v1.Data.Threads.BasicThread, [24](#)

CreatorId
 mcm4csharp.v1.Data.Conversations.Conversation, [25](#)

Currency
 mcm4csharp.v1.Data.Resources.BasicResource, [23](#)
 mcm4csharp.v1.Data.Resources.Purchase, [37](#)
 mcm4csharp.v1.Data.Resources.Resource, [41](#)

CurrentVersionId
 mcm4csharp.v1.Data.Resources.Resource, [41](#)

CustomTitle
 mcm4csharp.v1.Data.Content.SelfUpdateContent, [46](#)

Data
 mcm4csharp.v1.Data.Content.Response< T >, [44](#)

DeleteProfilePostAsync
 mcm4csharp.v1.Client.ApiClient, [13](#)

DeleteUpdateAsync
 mcm4csharp.v1.Client.ApiClient, [13](#)

DeleteVersionAsync
 mcm4csharp.v1.Client.ApiClient, [14](#)

Description
 mcm4csharp.v1.Data.Content.ResourceContent, [43](#)
 mcm4csharp.v1.Data.Resources.Resource, [41](#)

Disabled
 mcm4csharp.v1.Data.Members.Member, [34](#)

DownloadCount
 mcm4csharp.v1.Data.Resources.Resource, [41](#)
 mcm4csharp.v1.Data.Resources.Version, [51](#)

DownloadDate
 mcm4csharp.v1.Data.Resources.Download, [27](#)

DownloaderId
 mcm4csharp.v1.Data.Resources.Download, [27](#)

DownloadId
 mcm4csharp.v1.Data.Resources.Download, [27](#)

DOWNLOADS
 mcm4csharp.v1.Client.Endpoints, [28](#)

EndDate
 mcm4csharp.v1.Data.Content.LicenseContent, [33](#)
 mcm4csharp.v1.Data.Resources.License, [31](#)

- Error
 - mcm4csharp.v1.Data.Content.Response< T >, 44
- ForumName
 - mcm4csharp.v1.Data.Threads.Thread, 48
- GetBansAsync
 - mcm4csharp.v1.Client.ApiClient, 14
- GetCollaboratedResourcesAsync
 - mcm4csharp.v1.Client.ApiClient, 14
- GetDownloadsAsync
 - mcm4csharp.v1.Client.ApiClient, 14
- GetDownloadsMemberAsync
 - mcm4csharp.v1.Client.ApiClient, 14
- GetDownloadsVersionAsync
 - mcm4csharp.v1.Client.ApiClient, 14
- GetHealthAsync
 - mcm4csharp.v1.Client.ApiClient, 15
- GetLatestUpdateAsync
 - mcm4csharp.v1.Client.ApiClient, 15
- GetLatestVersionAsync
 - mcm4csharp.v1.Client.ApiClient, 15
- GetOwnedResourcesAsync
 - mcm4csharp.v1.Client.ApiClient, 15
- GetProfilePostAsync
 - mcm4csharp.v1.Client.ApiClient, 15
- GetProfilePostsAsync
 - mcm4csharp.v1.Client.ApiClient, 15
- GetPublicResourcesAsync
 - mcm4csharp.v1.Client.ApiClient, 15
- GetPurchaseAsync
 - mcm4csharp.v1.Client.ApiClient, 16
- GetPurchasesAsync
 - mcm4csharp.v1.Client.ApiClient, 16
- GetResourceAsync
 - mcm4csharp.v1.Client.ApiClient, 16
- GetResourceLicenseAsync
 - mcm4csharp.v1.Client.ApiClient, 16
- GetResourceLicenseMemberAsync
 - mcm4csharp.v1.Client.ApiClient, 16
- GetResourceLicensesAsync
 - mcm4csharp.v1.Client.ApiClient, 16
- GetResourceReviewAsync
 - mcm4csharp.v1.Client.ApiClient, 17
- GetResourceReviewsAsync
 - mcm4csharp.v1.Client.ApiClient, 17
- GetResourceUpdatesAsync
 - mcm4csharp.v1.Client.ApiClient, 17
- GetResourceVersionsAsync
 - mcm4csharp.v1.Client.ApiClient, 17
- GetSelfAsync
 - mcm4csharp.v1.Client.ApiClient, 17
- GetThreadAsync
 - mcm4csharp.v1.Client.ApiClient, 17
- GetThreadRepliesAsync
 - mcm4csharp.v1.Client.ApiClient, 18
- GetThreadsAsync
 - mcm4csharp.v1.Client.ApiClient, 18
- GetUnreadAlertsAsync
 - mcm4csharp.v1.Client.ApiClient, 18
- GetUnreadConversationsAsync
 - mcm4csharp.v1.Client.ApiClient, 18
- GetUnreadRepliesAsync
 - mcm4csharp.v1.Client.ApiClient, 18
- GetUpdateAsync
 - mcm4csharp.v1.Client.ApiClient, 18
- GetUserAsync
 - mcm4csharp.v1.Client.ApiClient, 19
- GetVersionAsync
 - mcm4csharp.v1.Client.ApiClient, 19
- HEALTH
 - mcm4csharp.v1.Client.Endpoints, 29
- IssueLicenseAsync
 - mcm4csharp.v1.Client.ApiClient, 19
- JoinDate
 - mcm4csharp.v1.Data.Members.Member, 34
- LastActivityDate
 - mcm4csharp.v1.Data.Members.Member, 34
- LastMessageDate
 - mcm4csharp.v1.Data.Conversations.Conversation, 25
 - mcm4csharp.v1.Data.Threads.BasicThread, 24
- LastPostDate
 - mcm4csharp.v1.Data.Threads.Thread, 48
- LastReadDate
 - mcm4csharp.v1.Data.Conversations.Conversation, 25
- LastReleaseDate
 - mcm4csharp.v1.Data.Resources.Resource, 41
- LicenseId
 - mcm4csharp.v1.Data.Resources.License, 31
 - mcm4csharp.v1.Data.Resources.Purchase, 37
- LICENSES
 - mcm4csharp.v1.Client.Endpoints, 29
- MarkUnreadAsync
 - mcm4csharp.v1.Client.ApiClient, 19
- mcm4csharp, 7
- mcm4csharp.v1, 7
- mcm4csharp.v1.Client, 7
 - Private, 8
 - Shared, 8
 - TokenType, 7
- mcm4csharp.v1.Client.ApiClient, 12
 - ApiClient, 13
 - BaseUri, 21
 - DeleteProfilePostAsync, 13
 - DeleteUpdateAsync, 13
 - DeleteVersionAsync, 14
 - GetBansAsync, 14
 - GetCollaboratedResourcesAsync, 14
 - GetDownloadsAsync, 14
 - GetDownloadsMemberAsync, 14
 - GetDownloadsVersionAsync, 14

- GetHealthAsync, 15
- GetLatestUpdateAsync, 15
- GetLatestVersionAsync, 15
- GetOwnedResourcesAsync, 15
- GetProfilePostAsync, 15
- GetProfilePostsAsync, 15
- GetPublicResourcesAsync, 15
- GetPurchaseAsync, 16
- GetPurchasesAsync, 16
- GetResourceAsync, 16
- GetResourceLicenseAsync, 16
- GetResourceLicenseMemberAsync, 16
- GetResourceLicensesAsync, 16
- GetResourceReviewAsync, 17
- GetResourceReviewsAsync, 17
- GetResourceUpdatesAsync, 17
- GetResourceVersionsAsync, 17
- GetSelfAsync, 17
- GetThreadAsync, 17
- GetThreadRepliesAsync, 18
- GetThreadsAsync, 18
- GetUnreadAlertsAsync, 18
- GetUnreadConversationsAsync, 18
- GetUnreadRepliesAsync, 18
- GetUpdateAsync, 18
- GetUserAsync, 19
- GetVersionAsync, 19
- IssueLicenseAsync, 19
- MarkUnreadAsync, 19
- ModifyLicenseAsync, 19
- ModifyProfilePostAsync, 20
- ModifySelfAsync, 20
- ReplyThreadAsync, 20
- ReplyUnreadConversationAsync, 20
- RespondReviewAsync, 20
- StartNewConversationAsync, 20
- UpdateResourceAsync, 21
- WaitForTimeout, 21
- mcm4csharp.v1.Client.Endpoints, 28
 - ALERTS, 28
 - CONVERSATIONS, 28
 - CONVERSATIONS_ID, 28
 - DOWNLOADS, 28
 - HEALTH, 29
 - LICENSES, 29
 - MEMBERS, 29
 - PROFILE_POSTS, 29
 - PURCHASES, 29
 - REPLIES, 29
 - RESOURCES, 29
 - REVIEWS, 30
 - UPDATES, 30
 - VERSIONS, 30
- mcm4csharp.v1.Data, 8
- mcm4csharp.v1.Data.Alerts, 8
- mcm4csharp.v1.Data.Alerts.Alert, 11
 - AlertDate, 11
 - AlertType, 11
- CausedMemberId, 11
- ContentId, 11
- ContentType, 12
- mcm4csharp.v1.Data.Content, 8
- mcm4csharp.v1.Data.Content.ConversationContent, 26
 - Message, 26
 - RecipientIds, 26
 - Title, 27
- mcm4csharp.v1.Data.Content.Error, 30
 - Code, 30
 - Message, 30
- mcm4csharp.v1.Data.Content.LicenseContent, 32
 - Active, 32
 - EndDate, 33
 - Permanent, 33
 - PurchaserId, 33
 - StartDate, 33
- mcm4csharp.v1.Data.Content.MessageContent, 35
 - Message, 36
- mcm4csharp.v1.Data.Content.ResourceContent, 43
 - Description, 43
 - Tagline, 43
 - Title, 43
- mcm4csharp.v1.Data.Content.Response< T >, 44
 - Data, 44
 - Error, 44
 - Result, 44
 - RetryAfterMilliseconds, 44
- mcm4csharp.v1.Data.Content.ResponseContent, 44
 - Response, 45
- mcm4csharp.v1.Data.Content.SelfUpdateContent, 46
 - AboutMe, 46
 - CustomTitle, 46
 - Signature, 46
- mcm4csharp.v1.Data.Content.Sortable, 47
 - Order, 47
 - Page, 47
 - Sort, 48
 - ToDict, 47
- mcm4csharp.v1.Data.Conversations, 8
- mcm4csharp.v1.Data.Conversations.Conversation, 25
 - ConversationId, 25
 - CreationDate, 25
 - CreatorId, 25
 - LastMessageDate, 25
 - LastReadDate, 25
 - Open, 25
 - RecipientIds, 26
 - ReplyCount, 26
 - Title, 26
- mcm4csharp.v1.Data.Conversations.Reply, 39
 - AuthorId, 39
 - Message, 39
 - MessageDate, 39
 - MessageId, 39
- mcm4csharp.v1.Data.Members, 9
- mcm4csharp.v1.Data.Members.Ban, 21
 - BannedById, 22

- BannedDate, 22
 - MemberId, 22
 - Reason, 22
 - mcm4csharp.v1.Data.Members.Member, 33
 - Banned, 34
 - Disabled, 34
 - JoinDate, 34
 - LastActivityDate, 34
 - MemberId, 34
 - NegativeFeedback, 34
 - NeutralFeedback, 34
 - PositiveFeedback, 34
 - PostCount, 35
 - PurchaseCount, 35
 - ResourceCount, 35
 - Restricted, 35
 - Username, 35
 - mcm4csharp.v1.Data.Members.ProfilePost, 36
 - AuthorId, 36
 - CommentCount, 36
 - Message, 36
 - PostDate, 36
 - ProfilePostId, 37
 - mcm4csharp.v1.Data.Resources, 9
 - mcm4csharp.v1.Data.Resources.BasicResource, 22
 - AuthorId, 22
 - Currency, 23
 - Price, 23
 - ResourceId, 23
 - TagLine, 23
 - Title, 23
 - mcm4csharp.v1.Data.Resources.Download, 27
 - DownloadDate, 27
 - DownloaderId, 27
 - DownloadId, 27
 - VersionId, 27
 - mcm4csharp.v1.Data.Resources.License, 31
 - Active, 31
 - EndDate, 31
 - LicenseId, 31
 - PreviousEndDate, 31
 - PurchaserId, 32
 - PurchaserName, 32
 - StartDate, 32
 - Validated, 32
 - mcm4csharp.v1.Data.Resources.Purchase, 37
 - Currency, 37
 - LicenseId, 37
 - Price, 37
 - PurchaseDate, 38
 - PurchaseId, 38
 - PurchaserId, 38
 - Renewal, 38
 - Status, 38
 - ValidationDate, 38
 - mcm4csharp.v1.Data.Resources.Resource, 40
 - AuthorId, 41
 - CategoryTitle, 41
 - Currency, 41
 - CurrentVersionId, 41
 - Description, 41
 - DownloadCount, 41
 - LastReleaseDate, 41
 - Price, 41
 - PurchaseCount, 42
 - ReleaseDate, 42
 - ResourceId, 42
 - ReviewAverage, 42
 - ReviewCount, 42
 - TagLine, 42
 - Title, 42
 - mcm4csharp.v1.Data.Resources.Review, 45
 - Message, 45
 - Rating, 45
 - Response, 45
 - ReviewDate, 45
 - ReviewerId, 46
 - ReviewId, 46
 - mcm4csharp.v1.Data.Resources.Update, 50
 - Message, 50
 - Title, 50
 - UpdateDate, 50
 - UpdateId, 50
 - mcm4csharp.v1.Data.Resources.Version, 50
 - DownloadCount, 51
 - Name, 51
 - ReleaseDate, 51
 - UpdateId, 51
 - VersionId, 51
 - mcm4csharp.v1.Data.Threads, 9
 - mcm4csharp.v1.Data.Threads.BasicThread, 23
 - CreationDate, 24
 - LastMessageDate, 24
 - ReplyCount, 24
 - ThreadId, 24
 - Title, 24
 - ViewCount, 24
 - mcm4csharp.v1.Data.Threads.Reply, 39
 - AuthorId, 40
 - Message, 40
 - PostDate, 40
 - ReplyId, 40
 - mcm4csharp.v1.Data.Threads.Thread, 48
 - ForumName, 48
 - LastPostDate, 48
 - PostDate, 48
 - ReplyCount, 49
 - ThreadId, 49
 - ThreadOpen, 49
 - ThreadType, 49
 - Title, 49
 - ViewCount, 49
 - MemberId
 - mcm4csharp.v1.Data.Members.Ban, 22
 - mcm4csharp.v1.Data.Members.Member, 34
- MEMBERS

- mcm4csharp.v1.Client.Endpoints, 29
- Message
 - mcm4csharp.v1.Data.Content.ConversationContent, 26
 - mcm4csharp.v1.Data.Content.Error, 30
 - mcm4csharp.v1.Data.Content.MessageContent, 36
 - mcm4csharp.v1.Data.Conversations.Reply, 39
 - mcm4csharp.v1.Data.Members.ProfilePost, 36
 - mcm4csharp.v1.Data.Resources.Review, 45
 - mcm4csharp.v1.Data.Resources.Update, 50
 - mcm4csharp.v1.Data.Threads.Reply, 40
- MessageDate
 - mcm4csharp.v1.Data.Conversations.Reply, 39
- MessageId
 - mcm4csharp.v1.Data.Conversations.Reply, 39
- ModifyLicenseAsync
 - mcm4csharp.v1.Client.ApiClient, 19
- ModifyProfilePostAsync
 - mcm4csharp.v1.Client.ApiClient, 20
- ModifySelfAsync
 - mcm4csharp.v1.Client.ApiClient, 20
- Name
 - mcm4csharp.v1.Data.Resources.Version, 51
- NegativeFeedback
 - mcm4csharp.v1.Data.Members.Member, 34
- NeutralFeedback
 - mcm4csharp.v1.Data.Members.Member, 34
- obj/Debug/net6.0/.NETCoreApp,Version=v6.0.AssemblyAttributes.cs, 53
- obj/Debug/net6.0/mcm4csharp.AssemblyInfo.cs, 53
- obj/Debug/net6.0/mcm4csharp.GlobalUsings.g.cs, 53
- obj/Release/net6.0/.NETCoreApp,Version=v6.0.AssemblyAttributes.cs, 53
- obj/Release/net6.0/mcm4csharp.AssemblyInfo.cs, 53
- obj/Release/net6.0/mcm4csharp.GlobalUsings.g.cs, 53
- Open
 - mcm4csharp.v1.Data.Conversations.Conversation, 25
- Order
 - mcm4csharp.v1.Data.Content.Sortable, 47
- Page
 - mcm4csharp.v1.Data.Content.Sortable, 47
- Permanent
 - mcm4csharp.v1.Data.Content.LicenseContent, 33
- PositiveFeedback
 - mcm4csharp.v1.Data.Members.Member, 34
- PostCount
 - mcm4csharp.v1.Data.Members.Member, 35
- PostDate
 - mcm4csharp.v1.Data.Members.ProfilePost, 36
 - mcm4csharp.v1.Data.Threads.Reply, 40
 - mcm4csharp.v1.Data.Threads.Thread, 48
- PreviousEndDate
 - mcm4csharp.v1.Data.Resources.License, 31
- Price
 - mcm4csharp.v1.Data.Resources.BasicResource, 23
 - mcm4csharp.v1.Data.Resources.Purchase, 37
 - mcm4csharp.v1.Data.Resources.Resource, 41
- Private
 - mcm4csharp.v1.Client, 8
- PROFILE_POSTS
 - mcm4csharp.v1.Client.Endpoints, 29
- ProfilePostId
 - mcm4csharp.v1.Data.Members.ProfilePost, 37
- PurchaseCount
 - mcm4csharp.v1.Data.Members.Member, 35
 - mcm4csharp.v1.Data.Resources.Resource, 42
- PurchaseDate
 - mcm4csharp.v1.Data.Resources.Purchase, 38
- PurchaseId
 - mcm4csharp.v1.Data.Resources.Purchase, 38
- PurchaserId
 - mcm4csharp.v1.Data.Content.LicenseContent, 33
 - mcm4csharp.v1.Data.Resources.License, 32
 - mcm4csharp.v1.Data.Resources.Purchase, 38
- PurchaserName
 - mcm4csharp.v1.Data.Resources.License, 32
- PURCHASES
 - mcm4csharp.v1.Client.Endpoints, 29
- Rating
 - mcm4csharp.v1.Data.Resources.Review, 45
- Reason
 - mcm4csharp.v1.Data.Members.Ban, 22
- ReleaseDate
 - mcm4csharp.v1.Data.Resources.Resource, 42
 - mcm4csharp.v1.Data.Resources.Version, 51
- Renewal
 - mcm4csharp.v1.Data.Resources.Purchase, 38
- REPLIES
 - mcm4csharp.v1.Client.Endpoints, 29
- ReplyCount
 - mcm4csharp.v1.Data.Conversations.Conversation, 26
 - mcm4csharp.v1.Data.Threads.BasicThread, 24
 - mcm4csharp.v1.Data.Threads.Thread, 49
- ReplyId
 - mcm4csharp.v1.Data.Threads.Reply, 40
- ReplyThreadAsync
 - mcm4csharp.v1.Client.ApiClient, 20
- ReplyUnreadConversationAsync
 - mcm4csharp.v1.Client.ApiClient, 20
- ResourceCount
 - mcm4csharp.v1.Data.Members.Member, 35
- ResourceId
 - mcm4csharp.v1.Data.Resources.BasicResource, 23
 - mcm4csharp.v1.Data.Resources.Resource, 42

RESOURCES

[mcm4csharp.v1.Client.Endpoints](#), 29
[RespondReviewAsync](#)
[mcm4csharp.v1.Client.ApiClient](#), 20
[Response](#)
[mcm4csharp.v1.Data.Content.ResponseContent](#), 45
[mcm4csharp.v1.Data.Resources.Review](#), 45
[Restricted](#)
[mcm4csharp.v1.Data.Members.Member](#), 35
[Result](#)
[mcm4csharp.v1.Data.Content.Response< T >](#), 44
[RetryAfterMilliseconds](#)
[mcm4csharp.v1.Data.Content.Response< T >](#), 44
[ReviewAverage](#)
[mcm4csharp.v1.Data.Resources.Resource](#), 42
[ReviewCount](#)
[mcm4csharp.v1.Data.Resources.Resource](#), 42
[ReviewDate](#)
[mcm4csharp.v1.Data.Resources.Review](#), 45
[ReviewerId](#)
[mcm4csharp.v1.Data.Resources.Review](#), 46
[ReviewId](#)
[mcm4csharp.v1.Data.Resources.Review](#), 46
[REVIEWS](#)
[mcm4csharp.v1.Client.Endpoints](#), 30
[Shared](#)
[mcm4csharp.v1.Client](#), 8
[Signature](#)
[mcm4csharp.v1.Data.Content.SelfUpdateContent](#), 46
[Sort](#)
[mcm4csharp.v1.Data.Content.Sortable](#), 48
[StartDate](#)
[mcm4csharp.v1.Data.Content.LicenseContent](#), 33
[mcm4csharp.v1.Data.Resources.License](#), 32
[StartNewConversationAsync](#)
[mcm4csharp.v1.Client.ApiClient](#), 20
[Status](#)
[mcm4csharp.v1.Data.Resources.Purchase](#), 38
[TagLine](#)
[mcm4csharp.v1.Data.Resources.BasicResource](#), 23
[mcm4csharp.v1.Data.Resources.Resource](#), 42
[Tagline](#)
[mcm4csharp.v1.Data.Content.ResourceContent](#), 43
[Thread](#)
[ApiClient.cs](#), 54
[ThreadId](#)
[mcm4csharp.v1.Data.Threads.BasicThread](#), 24
[mcm4csharp.v1.Data.Threads.Thread](#), 49
[ThreadOpen](#)
[mcm4csharp.v1.Data.Threads.Thread](#), 49
[ThreadType](#)
[mcm4csharp.v1.Data.Threads.Thread](#), 49
[Title](#)

[mcm4csharp.v1.Data.Content.ConversationContent](#), 27
[mcm4csharp.v1.Data.Content.ResourceContent](#), 43
[mcm4csharp.v1.Data.Conversations.Conversation](#), 26
[mcm4csharp.v1.Data.Resources.BasicResource](#), 23
[mcm4csharp.v1.Data.Resources.Resource](#), 42
[mcm4csharp.v1.Data.Resources.Update](#), 50
[mcm4csharp.v1.Data.Threads.BasicThread](#), 24
[mcm4csharp.v1.Data.Threads.Thread](#), 49
[ToDict](#)
[mcm4csharp.v1.Data.Content.Sortable](#), 47
[TokenType](#)
[mcm4csharp.v1.Client](#), 7
[UpdateDate](#)
[mcm4csharp.v1.Data.Resources.Update](#), 50
[UpdateId](#)
[mcm4csharp.v1.Data.Resources.Update](#), 50
[mcm4csharp.v1.Data.Resources.Version](#), 51
[UpdateResourceAsync](#)
[mcm4csharp.v1.Client.ApiClient](#), 21
[UPDATES](#)
[mcm4csharp.v1.Client.Endpoints](#), 30
[Username](#)
[mcm4csharp.v1.Data.Members.Member](#), 35
[v1/Client/ApiClient.cs](#), 53
[v1/Client/Endpoints.cs](#), 54
[v1/Client/TokenType.cs](#), 54
[v1/Data/Alerts/Alert.cs](#), 55
[v1/Data/Content/ConversationContent.cs](#), 55
[v1/Data/Content/Error.cs](#), 55
[v1/Data/Content/LicenseContent.cs](#), 55
[v1/Data/Content/MessageContent.cs](#), 56
[v1/Data/Content/ResourceContent.cs](#), 56
[v1/Data/Content/Response.cs](#), 56
[v1/Data/Content/ResponseContent.cs](#), 57
[v1/Data/Content/SelfUpdateContent.cs](#), 57
[v1/Data/Content/Sortable.cs](#), 57
[v1/Data/Conversations/Conversation.cs](#), 57
[v1/Data/Conversations/Reply.cs](#), 61
[v1/Data/Members/Ban.cs](#), 58
[v1/Data/Members/Member.cs](#), 58
[v1/Data/Members/ProfilePost.cs](#), 58
[v1/Data/Resources/BasicResource.cs](#), 59
[v1/Data/Resources/Download.cs](#), 59
[v1/Data/Resources/License.cs](#), 59
[v1/Data/Resources/Purchase.cs](#), 59
[v1/Data/Resources/Resource.cs](#), 60
[v1/Data/Resources/Review.cs](#), 60
[v1/Data/Resources/Update.cs](#), 60
[v1/Data/Resources/Version.cs](#), 61
[v1/Data/Threads/BasicThread.cs](#), 61
[v1/Data/Threads/Reply.cs](#), 61
[v1/Data/Threads/Thread.cs](#), 62
[Validated](#)

- mcm4csharp.v1.Data.Resources.License, [32](#)
- ValidationDate
 - mcm4csharp.v1.Data.Resources.Purchase, [38](#)
- Version
 - ApiClient.cs, [54](#)
- VersionId
 - mcm4csharp.v1.Data.Resources.Download, [27](#)
 - mcm4csharp.v1.Data.Resources.Version, [51](#)
- VERSIONS
 - mcm4csharp.v1.Client.Endpoints, [30](#)
- ViewCount
 - mcm4csharp.v1.Data.Threads.BasicThread, [24](#)
 - mcm4csharp.v1.Data.Threads.Thread, [49](#)
- WaitForTimeout
 - mcm4csharp.v1.Client.ApiClient, [21](#)