

Intrusion Detection Systems

What is intrusion detection?

 Intrusion detection is the process of monitoring the events occurring in a computer system or network and analyzing them for signs of intrusions, defined as attempts to compromise the confidentiality, integrity, availability, or to bypass the security mechanisms of a computer or

4 4

Intrusions

- DARPA IDS Evaluation Project 1998 attack categories 1:


 - -Remote to Local (R2L)
 - -User to Root (U2R)


1. http://www.ll.mit.edu/mission/communications/cyber/CSTcorpora/ideval/docs/attackDB.html

Some (intended) General characteristics

- [≯]The ability to react in a timely fashion to prevent substantive damage – by automatic or manual intervention. *The ability to identify which is the precursor of more serious
- attacks. [≯]The ability to identify a perpetrator.

- [⋆]The ability to produce evidence.





Type of IDS

Based on Data Collection

- Network based:
 detects attacks by capturing and analyzing network packets
 Host based:
- utilizes information sources, available on the system- operating system audit trails and system logs, for example.
- Advantages and Disadvantages

8 8

Host based IDS (HIDS)

- HIDS runs on the system, it is protecting.
- It has better information about the health of the system- more sources of information.
- HIDS are better at detecting more sophisticated attacks.
- OS dependent.
- For HIDS, reverse the points for advantage/disadvantages of NIDS
- Example: Anti-virus software

11 11

Network based IDS (NIDS)

- *NIDS uses a passive interface to capture network packets for
- NIDS sensors placed around the globe can be configured to report back to a central site, enabling a small team of security experts to support a large enterprise.
- Most network-based IDSs are OS-Independent (in the sense that they can protect systems, running on different OSs.
- Provide better security against DOS attacks(?)

9 9

Measuring the effectiveness

Obviously, not every attack can be detected by an IDS and not every alert by an IDS is an attack!

Actual ↓	Reported	Attack	Not-attack
Attack		True positive (TP)	False negative (FN)
Not- attack (benign)		False positive (FP)	True negative (TN)

Detection rate (DR)= $\frac{TP}{TP+TN}$

Ideally, one would like to have 0 FP and 0 FN

12 12

NIDS disadvantages

- · Cannot scan protocols or content if network traffic is encrypted
- · Intrusion detection becomes more difficult on modern switched networks (difficult to get all the packets to monitor, but getting better!)
- · Current network-based monitoring approaches may not efficiently handle high-speed networks.
- · Most of Network-based systems are based on predefined attack signatures--signatures that will always be a step behind the latest underground exploits (zero-days)

Types of IDS conti...

- Based on Processing
 - Misuse detection (a.k.a. signature/rule based IDS) :
 - analyzes system activity, looking for events or sets of events that match a predefined pattern of events that describe a known attack
 - Very effective in detecting known attacks
 - Not good at detection new attack
 - Anomaly Detection:
 - identifies abnormal unusual behavior (anomalies) on a host or network
 Good at detecting new attacks

 - High rate of false positive
 - Often use statistical properties to learn profile

13


10 1

Current Trend in IDS

- Future research trends seem to be converging towards a model that is hybrid of the anomaly and misuse detection models.
- It is slowly acknowledged that neither of the models can detect all intrusion attempts on their own.

14 ₁₄

Deploying NIDS



15 ₁

Intrusion Prevention System

- IPS = IDS + Firewall
- An IPS offers the ability to identify an intrusion, relevance, impact and proper analysis of an event, and then pass the appropriate information and commands to the firewalls, switches and other network devices to mitigate the event's risk.
- An IPS is the next security layer to be introduced in the system that combines the protection of firewalls with the monitoring ability of an IDS to protect our networks with the analysis necessary to make the proper decisions on the fly.

16 ₁₆