


TMIS Entity Relationship Diagram

Core application models • vector overview • detailed entity dictionary follows



Entity dictionary

Concrete fields inherited from the abstract TimeStampedModel are included. PK = primary key, FK = foreign key, UQ = unique, M2M = many-to-many. Django reverse relations are omitted because they do not create columns.

Platform

User				
Key	Field	Type / target	Required	Database details
PK	id	Auto	No	—
—	password	Char	Yes	max 128
—	last_login	DateTime	No	—
—	is_superuser	Boolean	Yes	default False
UQ	username	Char	Yes	max 150
—	first_name	Char	No	max 150
—	last_name	Char	No	max 150
—	email	Char	No	max 254
—	is_staff	Boolean	Yes	default False
—	is_active	Boolean	Yes	default True
—	date_joined	DateTime	Yes	default now
M2M	groups	M2M	No	—
M2M	user_permissions	M2M	No	—

Identity & CRM

Contact				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
UQ	uuid	UUID	Yes	max 32, default uuid4
—	first_name	Char	Yes	max 100
—	last_name	Char	Yes	max 100
—	email	Char	No	max 254
—	phone_number	Char	No	max 30

Prospect				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
UQ	uuid	UUID	Yes	max 32, default uuid4
FK	owner	FK	No	—
FK, UQ	contact	O2O	No	—
—	preferred_contact_method	Char	No	max 30
—	source	Char	No	max 100
—	status	Char	Yes	max 20, default new
FK	teacher	FK	No	—
FK	course_interest	FK	No	—
—	interest_level	Char	No	max 10
—	notes	Text	No	—
—	is_archived	Boolean	Yes	default False
—	converted_to_student	Boolean	Yes	default False
FK	converted_student	FK	No	—
—	converted_at	DateTime	No	—

Student				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
UQ	uuid	UUID	Yes	max 32, default uuid4
FK	owner	FK	No	—
FK, UQ	prospect	O2O	Yes	—
FK	teacher	FK	No	—
—	date_of_birth	Date	No	—
—	address	Text	No	—
—	city	Char	No	max 100
—	province_state	Char	No	max 100
—	country	Char	No	max 100
—	enrollment_status	Char	Yes	max 20, default pending
—	notes	Text	No	—

Teacher				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK, UQ	user	O2O	No	—
—	first_name	Char	Yes	max 100
—	last_name	Char	Yes	max 100
UQ	email	Char	Yes	max 254
—	phone	Char	No	max 30
—	qualification	Char	No	max 150
—	availability	Text	No	—
—	status	Char	Yes	max 20, default active
M2M	specializations	M2M	No	—

TeacherSpecialization				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
UQ	name	Char	Yes	max 50

Meditator				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK, UQ	student	O2O	Yes	—
—	transitioned_at	DateTime	Yes	default now
—	transition_trigger	Char	Yes	max 50, default intro_and_day20_completed
—	intro_completed_on	Date	No	—
—	day20_completed_on	Date	No	—
—	metadata	JSON	No	default dict

Academics

Course				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
UQ	name	Char	Yes	max 150
—	description	Text	No	—
—	format	Char	Yes	max 20, default in_person
—	duration_weeks	PositiveInteger	No	—
—	standard_fee	Decimal	Yes	10,2, default 0.00
—	status	Char	Yes	max 20, default active

Location				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
UQ	name	Char	Yes	max 150
UQ	code	Slug	No	max 50
—	address_line1	Char	No	max 255
—	address_line2	Char	No	max 255
—	city	Char	No	max 100
—	province_state	Char	No	max 100
—	country	Char	Yes	max 100, default Ghana
—	is_active	Boolean	Yes	default True
—	notes	Text	No	—

CourseSession				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK	owner	FK	No	—
FK	course	FK	Yes	—
FK	teacher	FK	Yes	—
—	session_name	Char	No	max 150
—	start_date	DateTime	Yes	—
—	end_date	DateTime	Yes	—
FK	location	FK	Yes	—
—	delivery_mode	Char	Yes	max 20, default in_person
—	capacity	PositiveInteger	No	—
—	status	Char	Yes	max 20, default scheduled

Enrollment				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK	student	FK	Yes	—
FK	course	FK	Yes	—
FK	session	FK	Yes	—
—	enrollment_date	DateTime	Yes	—
—	status	Char	Yes	max 20, default enrolled
—	fee_amount	Decimal	Yes	10,2, default 0.00
—	number_of_children_under_18	PositiveInteger	Yes	default 0
—	discount_amount	Decimal	Yes	10,2, default 0.00
—	balance_due	Decimal	Yes	10,2, default 0.00
—	notes	Text	No	—

InterviewForm				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK	student	FK	Yes	—
FK	teacher	FK	Yes	—
FK	session	FK	No	—
—	submitted_at	DateTime	Yes	—
—	summary	Text	No	—
—	recommendation	Text	No	—
—	status	Char	Yes	max 20, default draft
—	notes	Text	No	—

Finance

Invoice				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK	owner	FK	No	—
FK, UQ	enrollment	O2O	Yes	—
UQ	invoice_number	Char	Yes	max 50
—	issue_date	Date	Yes	—
—	due_date	Date	No	—
—	subtotal	Decimal	Yes	10,2
—	discount_amount	Decimal	Yes	10,2, default 0.00
—	tax_amount	Decimal	Yes	10,2, default 0.00
—	total_amount	Decimal	Yes	10,2
—	status	Char	Yes	max 20, default draft
—	pdf_file	File	No	max 100
—	notes	Text	No	—

Payment				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK	owner	FK	No	—
FK	invoice	FK	Yes	—
—	payment_date	DateTime	Yes	—
—	amount_paid	Decimal	Yes	10,2
—	payment_method	Char	Yes	max 20
—	reference_number	Char	No	max 100
—	confirmation_status	Char	Yes	max 20, default pending
—	notes	Text	No	—

Disbursement				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK, UQ	enrollment	O2O	Yes	—
FK	teacher	FK	Yes	—
FK	location	FK	Yes	—
—	balance_due_snapshot	Decimal	Yes	10,2
—	teacher_amount	Decimal	Yes	10,2
—	location_amount	Decimal	Yes	10,2
—	ico_amount	Decimal	Yes	10,2
—	disbursement_date	Date	Yes	—
—	status	Char	Yes	max 20, default pending
—	notes	Text	No	—

Engagement & lifecycle

Inquiry				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK	owner	FK	No	—
FK	prospect	FK	No	—
FK	student	FK	No	—
—	inquiry_date	DateTime	Yes	—
—	channel	Char	Yes	max 20, default website
—	subject	Char	No	max 150
—	message	Text	Yes	—
—	status	Char	Yes	max 20, default open
FK	assigned_to	FK	No	—

Communication				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK	owner	FK	No	—
—	recipient_type	Char	Yes	max 20
FK	prospect	FK	No	—
FK	student	FK	No	—
FK	enrollment	FK	No	—
—	channel	Char	Yes	max 10
—	communication_type	Char	Yes	max 30, default general
—	subject	Char	No	max 255
—	body	Text	Yes	—
—	sent_at	DateTime	No	—
—	delivery_status	Char	Yes	max 20, default queued
—	provider_status	Char	No	max 100
—	related_entity_type	Char	No	max 50
—	related_entity_id	PositiveBigInteger	No	—
—	notes	Text	No	—

MeditatorTransitionEvent				
Key	Field	Type / target	Required	Database details
PK	id	BigAuto	No	—
—	created_at	DateTime	No	auto-created
—	updated_at	DateTime	No	auto-updated
FK	student	FK	Yes	—
FK	meditator	FK	Yes	—
—	event_type	Char	Yes	max 30, default transitioned
—	triggered_at	DateTime	Yes	default now
—	transition_trigger	Char	Yes	max 50, default intro_and_day20_completed
—	intro_completed_on	Date	No	—
—	day20_completed_on	Date	No	—
—	metadata	JSON	No	default dict

Relationship catalog

Each row is oriented as source.field → target. For 1:N relationships, the source holds the foreign key and many source rows may point to one target row.

Source field	Target	Kind	Cardinality (source — target)	Optional?
Communication.enrollment	Enrollment	1:N	0..1 — 0..*	Yes
Communication.owner	User	1:N	0..1 — 0..*	Yes
Communication.prospect	Prospect	1:N	0..1 — 0..*	Yes
Communication.student	Student	1:N	0..1 — 0..*	Yes
CourseSession.course	Course	1:N	1 — 0..*	No
CourseSession.location	Location	1:N	1 — 0..*	No
CourseSession.owner	User	1:N	0..1 — 0..*	Yes
CourseSession.teacher	Teacher	1:N	1 — 0..*	No
Disbursement.enrollment	Enrollment	1:1	1 — 0..1	No
Disbursement.location	Location	1:N	1 — 0..*	No
Disbursement.teacher	Teacher	1:N	1 — 0..*	No
Enrollment.course	Course	1:N	1 — 0..*	No
Enrollment.session	CourseSession	1:N	1 — 0..*	No
Enrollment.student	Student	1:N	1 — 0..*	No
Inquiry.assigned_to	User	1:N	0..1 — 0..*	Yes
Inquiry.owner	User	1:N	0..1 — 0..*	Yes
Inquiry.prospect	Prospect	1:N	0..1 — 0..*	Yes
Inquiry.student	Student	1:N	0..1 — 0..*	Yes
InterviewForm.session	CourseSession	1:N	0..1 — 0..*	Yes
InterviewForm.student	Student	1:N	1 — 0..*	No
InterviewForm.teacher	Teacher	1:N	1 — 0..*	No
Invoice.enrollment	Enrollment	1:1	1 — 0..1	No
Invoice.owner	User	1:N	0..1 — 0..*	Yes
Mediator.student	Student	1:1	1 — 0..1	No
MediatorTransitionEvent.mediator	Mediator	1:N	1 — 0..*	No
MediatorTransitionEvent.student	Student	1:N	1 — 0..*	No
Payment.invoice	Invoice	1:N	1 — 0..*	No
Payment.owner	User	1:N	0..1 — 0..*	Yes
Prospect.contact	Contact	1:1	0..1 — 0..1	Yes
Prospect.converted_student	Student	1:N	0..1 — 0..*	Yes
Prospect.course_interest	Course	1:N	0..1 — 0..*	Yes
Prospect.owner	User	1:N	0..1 — 0..*	Yes
Prospect.teacher	Teacher	1:N	0..1 — 0..*	Yes
Student.owner	User	1:N	0..1 — 0..*	Yes

Source field	Target	Kind	Cardinality (source — target)	Optional?
Student.prospect	Prospect	1:1	1 — 0..1	No
Student.teacher	Teacher	1:N	0..1 — 0..*	Yes
Teacher.specializations	TeacherSpecialization	M:N	0..* — 0..*	Yes
Teacher.user	User	1:1	0..1 — 0..1	Yes

Generated 2026-07-22 12:49 UTC from the active Django model registry.