AI-Driven Software Engineering: Practice #09 (Lesson #09)

Apply a small number of useful patterns: refactor the Smart Campus checker with an AI agent and AGENTS.md (revised submission)

Student	Baidildanov Almansur, 24B031671
Class time / day	Thursday, 13:00–16:00
AI tool	Claude Code 2.1.319 (CLI agent), model `claude-opus-5-5` (Claude Opus 5.5). See the note on Bolt below.
Stack	React 18 + TypeScript + Vite + Tailwind (same stack as the Bolt project), tests with Vitest 2.1 + Testing Library
Project (GitHub)	https://github.com/Almansur077/smart-campus-practice-09 (full source, Git history, tests, this report and all evidence). Run with `npm install && npm test`.
Live demo, Practice #09 (published)	https://almansur077.github.io/smart-campus-practice-09/ (GitHub Pages, built from this repository)
Live demo, Practice #08 (before)	https://smart-campus-room-av-cttt.bolt.host (Bolt Publish), used as the “before” reference in Section 7
Date	6 November 2026

Note on the tool (honest scope). The slides use Bolt.new. I used the Claude Code agent for every step instead. Bolt has the same concerns: it is not guaranteed to read `AGENTS.md` by itself, and it has no native skills or hooks. To match the slides, I followed their rules exactly: every prompt is the slide prompt, each step ran in a **fresh agent session** (no memory, no user settings, no MCP), and `AGENTS.md` was only used when the prompt asked the agent to read it. Raw logs of every run are in `evidence/ai_runs/raw_*.jsonl`. The original Bolt export was not in my files any more, so the starting code (`src/App.tsx`) was **restored from the published Bolt build** of Practice #08. Section 7 shows it gives the same 22 UI results as the live demo.

1. Scope and acceptance criteria (unchanged contract)

User story: *As a student, I want to check a room’s availability so I can choose a valid booking time.* One room (B-204), fictional bookings, fixed demo clock `now = 540` (09:00), one booking 600–660. Availability decision only: no login, backend, database or saved bookings. I started from the repaired Practice #08 version, not a new generated app.

AC	Rule	Protected by
AC1	Reject start ≥ end and past requests	U01–U04, U11, D01–D04, R01, R02
AC2	Reject durations > 120 min	U05, U06, D05, R03, R04
AC3	Reject a blocked room	U07, D06, D08, R05
AC4	Reject overlaps; allow touching endpoints	U08–U10, D07, R06, R07
AC5	Do not mutate booking data	U13, D09, R08 (deep-frozen input)

AC	Rule	Protected by
AC6	Clear desktop/mobile feedback	U12, U13 + 22 Chrome checks at 1280 px and 390 px (Section 7)

2. Step 01: ask the agent to inspect, not edit

Prompt 1 (slide text, plus the AC list from slide 12 as context):

> Inspect this Smart Campus room availability project. Do not change files yet. Identify the booking-rule function, UI, fixture data and tests. List at most three maintainability problems with file references. Recommend ZERO, ONE or TWO patterns only if justified. Preserve AC1–AC6 and the existing UI.

The session had **read-only tools** (Read, Glob, Grep), so it could not edit anything. Response summary (full text: `evidence/ai_runs/response_step1_inspect.md`):

Part	Found by the agent
Booking rule	`checkAvailability()` in `src/App.tsx:27–64` (+ `overlaps`, `isWholeMinute`, `formatTime`)
UI	`App` component in `src/App.tsx:98–243`, `validateRequired`, parsing in `handleSubmit`
Fixture	`DEMO_ROOM` in `src/App.tsx:74–78`, copied into state (protects AC5)
Tests	`tests/ui.regression.test.tsx` U01–U13 (my characterization tests, written before any change)

Maintainability problems it listed: **(1)** everything is in one file and the rule is not exported, so it can only be tested through the UI; **(2)** "B-204" is hard-coded and the `blocked` flag is stored twice; **(3)** input checking is split over three places (`parseInt` turns `"660.5"` into `660`). **Patterns recommended: none.** It recommended a plain *Extract Module* refactor and explicitly warned against Strategy and Chain of Responsibility because they could change the check order and the exact messages.

3. Step 02: select one small refactoring

	Decision
Problem chosen (one)	UI and validation are tightly coupled: the pure rule and the fixture live inside the React component file `src/App.tsx`, so AC1–AC5 can only be tested by rendering the whole page, and every UI edit touches the rule file.
Solution	Preferred minimal solution from the slide: **small module boundary**. Extract the pure availability function into `src/domain/availability.ts` and the fixture into `src/data/demoRoom.ts`.
Adapter?	**Skipped.** There is only one booking shape, `{start, end}`. No fixture uses `{startTime, endTime}`, so there is nothing to normalize.

	Decision
Strategy?	**Skipped.** There is only one booking policy. A simple function is better (slide 24).
Not done on purpose	Problems (2) and (3) from Step 01 would change behaviour or add a feature, so they are listed as limitations (Section 10).

Two-sentence rationale: *Problem:* the booking rule was hidden inside the UI component, so it could only be tested through the form and any UI change risked the rule. *Pattern → benefit:* a small module boundary (pure function in `domain/`, fixture in `data/`) lets AC1–AC5 be unit-tested in milliseconds without the DOM, while the UI and its messages stay exactly the same.

Pattern rationale (submission text, 123 words). The Smart Campus checker had one real maintainability problem: the booking rule, its helpers and the demo fixture were written inside the React component file, so AC1–AC5 could only be tested by rendering the whole page, and any UI edit touched the rule. I applied one small pattern, a module boundary in the "functional core, imperative shell" style. The pure `checkAvailability` function and `formatTime` moved to `src/domain/availability.ts`, the fixture moved to `src/data/demoRoom.ts`, and `App.tsx` now handles only state, parsing and rendering. The benefit is 19 fast unit tests on the rule, with no UI change. I rejected Adapter, because there is only one `{start, end}` data shape, and Strategy, because there is only one booking policy. Both would add code without solving anything.

4. Steps 03–04: AGENTS.md and explicit activation

`AGENTS.md` is at the project root (`smart-campus/AGENTS.md`, copy at the top of the submission). It documents purpose, structure, AC1–AC6, engineering rules (at most 2 justified patterns, no Singleton/Factory/hierarchies, keep check order and message text), commands (`npm test`, `npm run typecheck`, `npm run build`) and verification rules.

AGENTS.md (project root)

```
# AGENTS.md: Smart Campus room availability checker

## Project
Smart Campus room availability checker for one room (B-204) with fictional data.
User story: as a student, I want to check a room's availability so that I can choose a valid booking time.
It only decides availability. It never creates or saves a booking.

## Structure
- `src/App.tsx`: React UI only (form state, required-field check, input parsing, rendering).
- `src/domain/availability.ts`: pure booking rule `checkAvailability(room, start, end)` and `formatTime`.
  No React, no I/O, never writes to its inputs.
- `src/data/demoRoom.ts`: demo fixture (now = 540, one booking 600-660, not blocked). Treat as read-only.
- `src/main.tsx`: entry point. `index.html`: Vite page.
- `tests/ui.regression.test.tsx`: UI characterization tests U01-U13 (written before the refactor). Do not change or weaken them.
- `src/domain/availability.test.ts` (D01-D09, F01, X01) and `src/domain/availability.regression.test.ts` (R01-R08):
  unit regression tests for the pure rule.

## Constraints (do not break)
- AC1: reject start >= end and past requests (start <= now).
- AC2: reject durations longer than 120 minutes; exactly 120 is allowed.
- AC3: reject a blocked room.
- AC4: reject overlaps; allow bookings that only touch at endpoints (half-open intervals `[start, end)`).
- AC5: do not mutate booking data; repeated checks give the same answer.
- AC6: keep clear desktop/mobile feedback: same messages, `role="status"` banner, same layout and Tailwind classes.
- No backend, login, database, external API or booking creation.

## Engineering rules
- Prefer pure functions and minimal changes. Change one concern at a time.
- Use at most 2 patterns, and only with a written problem -> pattern -> benefit reason.
  Avoid Singleton, Factory, Chain of Responsibility, class hierarchies or new libraries without a concrete need.
- Adapter only if fixtures really have two data shapes. Strategy only if there are two real policies.
- Keep the order of checks and every user-visible message text exactly the same.
- Do not mutate booking fixtures; keep responsive UI feedback.
- Do not add dependencies or features.

## Commands
- Install: `npm install`
- Tests: `npm test` (Vitest, verbose)
- Type check: `npm run typecheck`
- Build: `npm run build`
- Dev preview: `npm run dev`

## Verification
- Run existing tests before and after every change, and add focused regression tests.
- Never delete or weaken an existing assertion.
- Report changed files, rationale and real test evidence (command, output, pass/fail count).
```

AGENTS.md

Prompt 2 (Step 04, slide text):

> Read the root AGENTS.md before making changes. Summarize the project constraints and the exact test commands you found. Do not edit anything yet. If you cannot read AGENTS.md, tell me and I will paste its content. Do not claim that AGENTS.md was automatically loaded.

Response (full: `evidence/ai_runs/response_step4_activate.md`): the log shows `TOOL CALL: Read AGENTS.md` as the **first action**. The agent wrote *"I read `AGENTS.md` at the repository root with the Read tool"*, so it did **not** claim the file was loaded automatically. It summarized AC1–AC6, the "no backend/login/booking creation" limit and the pattern rules correctly. It listed the exact commands and checked them against `package.json` (`npm test` → `vitest run --reporter=verbose`, `npm run typecheck` → `tsc --noEmit`). It also pointed out that the `preview` script is not documented in AGENTS.md.

5. Step 05: implement one focused change

Prompt (Step 05):

> Read the root AGENTS.md and follow it. Implement one focused change for the problem we identified: […] Extract the pure availability function (and formatTime) into src/domain/availability.ts and the fixture into src/data/demoRoom.ts, keeping the existing function signature, messages, check order, UI markup and behaviour unchanged. Apply a pattern only if it solves this identified design problem. Do not add new features or dependencies. Show the files you plan to edit before making changes, then make the change and run npm test and npm run typecheck.

The agent ran the tests first (13/13), made the change, and ran the tests again. **I reviewed the diff line by line** (`evidence/code_diff_refactor.diff`): the rule, helpers and every message string were moved **unchanged**, and `App.tsx` lost 68 lines and gained 2 import lines. No JSX or Tailwind class changed. I then committed it as one separate commit (`6f94a9b`).

Changed file	Change
`src/domain/availability.ts`	**new**: pure `checkAvailability`, `formatTime`, types, `MAX_MINUTES` (no React, no I/O)
`src/data/demoRoom.ts`	**new**: `DEMO_ROOM` fixture, values unchanged
`src/App.tsx`	rule and fixture removed, 2 imports added. UI, parsing, markup unchanged
`src/domain/availability.test.ts`	**new**: D01–D09, F01, X01 (written by the agent, committed separately as `10b5eb7`)
`src/domain/availability.regression.test.ts`	**new**: R01–R08 (Step 06)
`AGENTS.md`, `package.json`	AGENTS.md added and updated after the refactor; `test` script made verbose
`tests/ui.regression.test.tsx`	**not changed** (`git diff d291275 HEAD -- tests` = 0 lines)

What the agent changed that I did not ask for in that prompt: it also wrote a unit-test file (D01–D09). AGENTS.md does ask for "focused regression tests", so I kept it, but in a separate commit so the refactor commit only contains the move.

6. Step 06: generate and review tests

Prompt (Step 06, slide text): *"Create or update regression tests for: past time, reversed interval, 121-minute duration, blocked room, overlap, touching endpoints and unchanged fixtures. Explain each expected result from AC1–AC6. Do not weaken or delete existing assertions."*

The agent added `R01–R08` in a new file and did not edit any existing test. Each test checks the full result (`available` + exact message):

Test	Case	Expected, from AC
R01	past time 539–560, 0–60; control 541–600	rejected (AC1: start must be after now = 540); 541 allowed
R02	reversed 841–720, 500–400	rejected with the "reversed" message (AC1; reversed check runs before past check)

Test	Case	Expected, from AC
R03	121 min (720–841, 1319–1440); 120 min controls	rejected with “this request is 121 minutes” (AC2); exactly 120 allowed
R04	600–721 (too long and overlapping)	duration message wins (check order kept)
R05	blocked room: free, 120-min and overlapping slots	always “blocked” (AC3)
R06	5 overlap shapes (edge, inside, covering, identical)	rejected (AC4, half-open `[start, end)`)
R07	660–720, 550–600, gap 660–720 between two bookings	allowed (AC4 touching endpoints)
R08	7 cases on a **deep-frozen** fixture, run twice	same answer twice, `DEMO_ROOM` identical afterwards (AC5)

My review: do the tests really catch bugs? The agent itself wrote *“I didn’t check that each one fails when the rule it guards is broken”*. So I did a **mutation check** (`evidence/mutation_check.sh`): I broke one rule at a time, ran the full suite and restored the file.



Mutation check

All 6 injected bugs were caught. One gap the check found: the AI’s R-tests do **not** catch M4 (`start == now` accepted), because R01 tests 539 and 541 but not 540. Only my earlier U02 and the agent’s D02 catch it. This shows why tests generated by AI must still be reviewed by a person.


7. Step 07: run and verify (before vs after)

Tests. Command `npm test` (Vitest), plus `npm run typecheck` and `npm run build`:

Run	Commit	Result
Baseline, before refactor (`01_baseline_before_refactor.txt`)	`d291275`	**13 passed (13)**, typecheck OK
After refactor, UI tests unchanged (`02_after_refactor_ui_tests_unchanged.txt`)	`6f94a9b`	**13 passed (13)**, typecheck OK, build OK
Final full suite (`03_final_full_suite.txt`)	`78651fb`	**3 files, 32 passed (32), 0 failed**, typecheck OK, build OK



Before: 13 tests pass



After: 32 tests pass, typecheck and build OK





UI, before vs after. A headless Chrome script (`evidence/ui_results.json`) filled the real form for 11 cases at **desktop 1280 px** and **mobile 390 px**. It ran them on the **live Practice #08 demo** (before) and on the **published Practice #09 build on GitHub Pages** (after). Each case was submitted twice to check repeatability and that the room info did not change.





```
Terminal: UI before (live Practice 08 Bolt demo) vs after (live Practice 09 GitHub Pages), Chrome desktop 1280px + mobile 390px

desktop U01  SAME stable | UNAVAILABLE | Start must be later than the current time (540 min = 09:00).
desktop U03  SAME stable | UNAVAILABLE | Start must be earlier than end (reversed times are not allowed).
desktop U04  SAME stable | UNAVAILABLE | Start and end must be different times.
desktop U05  SAME stable | UNAVAILABLE | Maximum booking length is 120 minutes; this request is 121 minutes.
desktop U06  SAME stable | AVAILABLE | Room B-204 is available for this time.
desktop U07  SAME stable | UNAVAILABLE | Room B-204 is blocked (demo) and cannot be used.
desktop U08  SAME stable | UNAVAILABLE | Overlaps an existing booking (600–660 min = 10:00–11:00).
desktop U09  SAME stable | AVAILABLE | Room B-204 is available for this time.
desktop U10  SAME stable | AVAILABLE | Room B-204 is available for this time.
desktop U11  SAME stable | UNAVAILABLE | Times must be within the same day: 0 to 1440 minutes.
desktop U12  SAME stable | UNAVAILABLE | Start is required.
mobile U01   SAME stable | UNAVAILABLE | Start must be later than the current time (540 min = 09:00).
mobile U03   SAME stable | UNAVAILABLE | Start must be earlier than end (reversed times are not allowed).
mobile U04   SAME stable | UNAVAILABLE | Start and end must be different times.
mobile U05   SAME stable | UNAVAILABLE | Maximum booking length is 120 minutes; this request is 121 minutes.
mobile U06   SAME stable | AVAILABLE | Room B-204 is available for this time.
mobile U07   SAME stable | UNAVAILABLE | Room B-204 is blocked (demo) and cannot be used.
mobile U08   SAME stable | UNAVAILABLE | Overlaps an existing booking (600–660 min = 10:00–11:00).
mobile U09   SAME stable | AVAILABLE | Room B-204 is available for this time.
mobile U10   SAME stable | AVAILABLE | Room B-204 is available for this time.
mobile U11   SAME stable | UNAVAILABLE | Times must be within the same day: 0 to 1440 minutes.
mobile U12   SAME stable | UNAVAILABLE | Start is required.
ALL BEFORE/AFTER MESSAGES IDENTICAL
```

UI before vs after: 22/22 identical

Result: **22/22 messages identical before and after**, every repeat gave the same answer, and the booking list never changed.

Before (live Practice #08), desktop	After (Practice #09, GitHub Pages), desktop
	
	

Before, mobile (overlap)	After, mobile (overlap)	After, mobile (121 min)	After, mobile (blocked)
			

Terminal: git history and changed files

```
$ git log --oneline --graph
* 9eb90b4 Add README, submission report and evidence; relative base for static hosting
* 6183976 Update AGENTS.md structure after refactor
*   f787f69 Merge Practice #09 refactor (module boundary + regression tests)
|\
| * 78651fb Add Step 6 regression tests R01–R08 (AI-generated, reviewed)
| * 10b5eb7 Add domain tests D01–D09, F01, X01 proposed by the AI agent in Step 5
| * 6f94a9b Refactor: extract pure availability rule and demo fixture from App.tsx (module boundary, no behaviour change)
|/
* e19e2d1 Add AGENTS.md (project rules, AC1–AC6, commands) and verbose test script
* d291275 Add UI characterization tests U01–U13 before refactoring
* d1397b0 Baseline: Smart Campus checker from Practice #08 (source restored from published Bolt build)

$ git diff d291275 HEAD --stat -- src tests   # d291275 = UI tests added, before refactor
 src/App.tsx                                |  70 +------------------
 src/data/demoRoom.ts                       |   8 +++
 src/domain/availability.regression.test.ts | 101 ++++++
```

- **B (AGENTS.md explicitly provided):** *"Read the root AGENTS.md first and follow its constraints. Then suggest a refactoring […]"* Run on commit `e19e2d1`.

Criterion	A: without instructions	B: with AGENTS.md
Scope control	12+ new files (`domain/time.ts`, `timeRange.ts`, `rules.ts`, `ui/useAvailabilityCheck.ts`, components…) and 6 refactor steps	2 new files, exactly the planned boundary
Unnecessary patterns	**6 patterns**: Chain of Responsibility, Strategy, Value Object, Dependency Injection, Container/Presentational, Factory functions	**1 (optional 2)**, each with problem → pattern → benefit; Strategy, Adapter, CoR, Factory, Singleton explicitly rejected with reasons
Behaviour risk	Suggested making the room name data-driven (changes messages) and a new rule list	Explicitly listed what *not* to change (parsing, B-204 text, Tailwind classes)
Test quality	"Add unit tests per rule", no concrete cases	Concrete cases: 120/121, touching endpoints, check order, frozen input
Clarity	Long, many options	Short, one ordered plan with commands

Conclusion. With the constraints supplied explicitly, the agent stayed in scope and avoided pattern over-use. Without them, it proposed a large architecture for a 60-line rule. This is **not proof** that the tool loads AGENTS.md automatically. In B the log shows the agent read the file only because the prompt told it to. Each condition ran once, so part of the difference may be random.

9. Reflection on AI recommendations

- **Did a pattern actually reduce complexity?** The useful change was a **module boundary**, not a GoF pattern. `App.tsx` went from 243 to 177 lines and contains only UI. The rule is now one small pure file with 19 direct unit tests that run in about 5 ms (the 13 UI tests need about 120 ms). Strategy and Adapter would have added code with no benefit, because there is one policy and one data shape.
- **What did the AI change that I did not request?** In Step 05 it also wrote a test file. It was in scope and good, but it was not part of the prompt, so I committed it separately. It did not change any UI, message or existing test.
- **How did AGENTS.md affect the outcome?** It cut the proposed patterns from 6 to 1 and kept the plan inside the agreed boundary. The agents in Step 05/06 used exactly the commands AGENTS.md lists, and they kept the rule "never weaken an existing assertion": no existing test was edited.
- **What evidence proves behaviour was preserved?** (1) The 13 UI tests were written before the refactor and pass unchanged before and after. (2) 22/22 identical UI results against the live Practice #08 demo at desktop and mobile size. (3) 32/32 tests, typecheck and build all pass. (4) The mutation check shows the tests do detect broken rules.
- **Main lesson:** AI output still needs a human to check it. The agent said honestly that it had not checked whether its tests fail, and my mutation check found a real gap (M4). Generated tests are a starting point, not proof.

10. Remaining limitations

- The Practice #09 demo is published on GitHub Pages, not with Bolt's Publish button, because the work was done with Claude Code. It gives the same 22 UI results as the Bolt demo from Practice #08

(Section 7).

- Commit hashes: the author e-mail was set to my university address before pushing, so the history was rewritten once. The hashes in this report and in `evidence/` are the final ones on GitHub.
- `src/App.tsx` was restored from the published Bolt build because the original Bolt export was missing. The UI comparison shows identical behaviour.
- Not fixed on purpose, because fixing would change behaviour: `parseInt` truncates `"660.5"` to `660`; "B-204" is hard-coded in the messages; the fixture's `blocked` field is overridden by the checkbox.
- No real-phone or screen-reader test. Mobile was checked with Chrome emulation at 390×844.

Appendix: files

Path	Content
`AGENTS.md`	Repository instructions (copy of `smart-campus/AGENTS.md`)
repository root	Full project source with Git history (`git log --oneline --graph`); report and evidence are in `submission/`
`evidence/ai_runs/prompt_*.md`, `response_*.md`, `raw_*.jsonl`	All prompts, AI responses and raw agent logs (Steps 01, 04, 05, 06, experiment A/B)
`evidence/test_output/01..05_*.txt`	Real terminal outputs
`evidence/ui_results.json`	44 UI results (2 targets × 2 devices × 11 cases)
`evidence/code_diff_refactor.diff`, `git_log.txt`, `mutation_check.sh`	Diff, history, mutation script
`evidence/screenshots/`	UI and terminal screenshots