



pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers
  - PostgreSQL 16
  - PostgreSQL 17
    - Databases (2)
      - airport\_db
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages (1)
        - Publications
        - Schemas (1)
          - public
            - Aggregates
            - Collations
            - Domains
            - FTS Configurations
            - FTS Dictionaries
            - FTS Parsers
            - FTS Templates
            - Foreign Tables
            - Functions
            - Materialized Views
            - Operators
            - Procedures
            - Sequences
            - Tables (10)
              - airline\_info
              - airport
              - hangar

Query History

airport\_db/postgres@PostgreSQL 17

No limit

```
31 updated_at timestamp NOT NULL DEFAULT now();
32 );
33
34 CREATE TABLE flights (
35     flight_id serial PRIMARY KEY,
36     sch_departure_time timestamp NOT NULL,
37     sch_arrival_time timestamp NOT NULL,
38     departing_airport_id int NOT NULL,
39     arriving_airport_id int NOT NULL,
40     departing_gate varchar(50) NOT NULL,
41     arriving_gate varchar(50) NOT NULL,
42     airline_id int NOT NULL,
43     act_departure_time timestamp NOT NULL,
44     act_arrival_time timestamp NOT NULL,
45     created_at timestamp NOT NULL DEFAULT now(),
46     updated_at timestamp NOT NULL DEFAULT now(),
47     CONSTRAINT fk_departing_airport FOREIGN KEY(departing_airport_id) REFERENCES airport(airport_id),
48     CONSTRAINT fk_arriving_airport FOREIGN KEY(arriving_airport_id) REFERENCES airport(airport_id),
49     CONSTRAINT fk_flights_airline FOREIGN KEY(airline_id) REFERENCES airline_info(airline_id)
50 );
51
52 CREATE TABLE booking (
53     booking_id serial PRIMARY KEY,
54     flight_id int NOT NULL,
55     passenger_id int NOT NULL,
56     booking_platform varchar(50) NOT NULL,
57     created_at timestamp NOT NULL DEFAULT now(),
58     updated_at timestamp NOT NULL DEFAULT now(),
59     status varchar(50) NOT NULL,
60     price decimal(7,2) NOT NULL,
61     CONSTRAINT fk_booking_flight FOREIGN KEY(flight_id) REFERENCES flights(flight_id),
62     CONSTRAINT fk_booking_passenger FOREIGN KEY(passenger_id) REFERENCES passengers(passenger_id)
63 );
```

Total rows: Query complete 00:00:00.075

CRLF Ln 114, Col 17

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers
  - PostgreSQL 16
  - PostgreSQL 17
    - Databases (2)
      - airport\_db
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages (1)
        - Publications
        - Schemas (1)
          - public
            - Aggregates
            - Collations
            - Domains
            - FTS Configurations
            - FTS Dictionaries
            - FTS Parsers
            - FTS Templates
            - Foreign Tables
            - Functions
            - Materialized Views
            - Operators
            - Procedures
            - Sequences
            - Tables (10)
              - airline\_info
              - airport
              - baggage

Query History

```
62      CONSTRAINT fk_booking_passenger FOREIGN KEY(passenger_id) REFERENCES passengers(passenger_id)
63  );
64
65  CREATE TABLE booking_flight (
66    booking_flight_id serial PRIMARY KEY,
67    booking_id int NOT NULL,
68    flight_id int NOT NULL,
69    created_at timestamp NOT NULL DEFAULT now(),
70    updated_at timestamp NOT NULL DEFAULT now(),
71    CONSTRAINT fk_bf_booking FOREIGN KEY(booking_id) REFERENCES booking(booking_id),
72    CONSTRAINT fk_bf_flight FOREIGN KEY(flight_id) REFERENCES flights(flight_id)
73  );
74
75  CREATE TABLE boarding_pass (
76    boarding_pass_id serial PRIMARY KEY,
77    booking_id int NOT NULL,
78    seat varchar(50) NOT NULL,
79    boarding_time timestamp NOT NULL,
80    created_at timestamp NOT NULL DEFAULT now(),
81    updated_at timestamp NOT NULL DEFAULT now(),
82    CONSTRAINT fk_bp_booking FOREIGN KEY(booking_id) REFERENCES booking(booking_id)
83  );
84
85  CREATE TABLE baggage (
86    baggage_id serial PRIMARY KEY,
87    weight_in_kg decimal(4,2) NOT NULL,
88    created_at timestamp NOT NULL DEFAULT now(),
89    updated_at timestamp NOT NULL DEFAULT now(),
90    booking_id int NOT NULL,
91    CONSTRAINT fk_baggage_booking FOREIGN KEY(booking_id) REFERENCES booking(booking_id)
92  );
```

Total rows: Query complete 00:00:00.075 CRLF Ln 114, Col 17



pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline\_info
      - airport
      - baggage
      - baggage\_check
      - boarding\_pass
      - booking
      - booking\_flight
      - flights
      - passengers
      - security\_check
      - Trigger Functions
      - Types
      - Views
- postgres

Query

```
1 SELECT * FROM public.airline_info
2 ORDER BY airline_id ASC
```

Query History

Scratch Pad

Data Output Messages Notifications

airline_id	airline_code	airline_name	airline_country	created_at	updated_at	info
------------	--------------	--------------	-----------------	------------	------------	------

Total rows: 0 Query complete 00:00:00.115

CRLF Ln 1, Col 1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Extensions
- Foreign Data Wrappers
- Languages (1)
- Publications
- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage\_check
      - boarding\_pass
      - booking
      - booking\_flight
      - flights
      - passengers
      - security\_check
    - Trigger Functions

airport\_db/postgres@PostgreSQL 17

Query Query History

```
1 -- 9 ALTER TABLE
2 ALTER TABLE airline_info RENAME TO airline;
3
4 ALTER TABLE booking RENAME COLUMN price TO ticket_price;
5
6 ALTER TABLE flights ALTER COLUMN departing_gate TYPE text;
7
8 ALTER TABLE airline DROP COLUMN info;
```

Scratch Pad

Data Output Messages Notifications

ALTER TABLE

Query returned successfully in 67 msec.

Total rows: Query complete 00:00:00.067 CRLF Ln 8, Col 38



pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Extensions
- Foreign Data Wrappers
- Languages (1)
- Publications
- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - 1.3 Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage\_check
      - boarding\_pass
      - booking
      - booking\_flight
      - flights
      - passengers
      - security\_check
    - Trigger Functions

Query Editor: public.booking/airport\_db/postgres@PostgreSQL 17

Query: 

```
1 SELECT * FROM public.booking
2 ORDER BY booking_id ASC
```

Query History

Scratch Pad

Data Output Messages Notifications

booking_id	flight_id	passenger_id	booking_platform	created_at	updated_at	status	ticket_price
------------	-----------	--------------	------------------	------------	------------	--------	--------------

Total rows: 0 Query complete 00:00:00.100 CRLF Ln 1, Col 1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Extensions
- Foreign Data Wrappers
- Languages (1)
- Publications
- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage\_check
      - boarding\_pass
      - booking
      - booking\_flight
      - flights
      - passengers
      - security\_check
    - Trigger Functions

public.flights/airport\_db/postgres@PostgreSQL 17

Query

```
1 SELECT * FROM public.flights
2 ORDER BY flight_id ASC
```

Query History

Scratch Pad

Data Output Messages Notifications

flight_id	sch_departure_time	sch_arrival_time	departing_airport_id	arriving_airport_id	departing_gate	arriving_gate	airline_id	act_departure_time
-----------	--------------------	------------------	----------------------	---------------------	----------------	---------------	------------	--------------------

Total rows: 0 Query complete 00:00:00.152 CRLF Ln 1, Col 1



pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Extensions
- Foreign Data Wrappers
- Languages (1)
- Publications
- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - 1.3 Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage\_check
      - boarding\_pass
      - booking
      - booking\_flight
      - flights
      - passengers
      - security\_check
    - Trigger Functions

public.airline\_info/... public.booking/air... public.booking/air... public.flights/airp... public.airline/airport\_db/postgres@PostgreSQL 17

Query Query History

```
1 SELECT * FROM public.airline
2 ORDER BY airline_id ASC
```

Scratch Pad

Data Output Messages Notifications

airline_id	airline_code	airline_name	airline_country	created_at	updated_at
------------	--------------	--------------	-----------------	------------	------------

Total rows: 0 Query complete 00:00:00.089 CRLF Ln 1, Col 1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- airport\_db
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages (1)
  - Publications
  - Schemas (1)
    - public
      - Aggregates
      - Collations
      - Domains
      - FTS Configurations
      - FTS Dictionaries
      - FTS Parsers
      - FTS Templates
      - Foreign Tables
      - Functions
      - Materialized Views
      - Operators
      - Procedures
      - Sequences
      - Tables (10)
        - airline
        - airport
        - baggage
        - baggage\_check
        - boarding\_pass
        - booking
        - booking\_flight

public.airline/airport\_db/postgres@PostgreSQL 17

Query Query History

```
1 SELECT * FROM public.airline
2 ORDER BY airline_id ASC
```

Scratch Pad

Data Output Messages Notifications

Showing rows: 1 to 200 Page No: 1 of 1

	airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	IB	Iberia	India	2016-09-28 00:00:00	2020-12-24 00:00:00
2	2	CX	Cathay Pacific	Japan	2013-08-26 00:00:00	2020-01-22 00:00:00
3	3	AZ	Alitalia	France	2017-09-18 00:00:00	2021-03-19 00:00:00
4	4	WN	Southwest Airlines	Italy	2015-08-05 00:00:00	2021-09-04 00:00:00
5	5	AA	American Airlines	USA	2016-08-01 00:00:00	2021-03-09 00:00:00
6	6	SK	SAS Scandinavian	France	2013-10-14 00:00:00	2020-11-08 00:00:00
7	7	LA	LATAM Airlines	Spain	2019-11-02 00:00:00	2021-11-26 00:00:00
8	8	SK	SAS Scandinavian	India	2015-10-03 00:00:00	2020-09-02 00:00:00
9	9	RA	British Airways	Canada	2017-03-19 00:00:00	2020-05-04 00:00:00

Total rows: 200 Query complete 00:00:00.160

CRLF Ln 1, Col 1

Import/Export data - table 'airline' ✕

GeneralOptionsColumns

Import/Export

✓ Import

Export

Filename

C:\Users\Алмас\Downloads\lab2\_.csv 📁

Format

csv ▾

Encoding

Select an item... ▾

On Error

stop ▾

Specifies how to behave when encountering an error converting a columns input value into its data type. An error\_action value of stop means fail the command, while ignore means discard the input row and continue with the next one. The default is stop. The ignore option is applicable only for COPY FROM when the FORMAT is text or csv.

Log Verbosity

default ▾

Specify the amount of messages emitted by a COPY command: default or verbose. If verbose is specified, additional messages are emitted during processing. This is currently used in COPY FROM command when

i?

✕ Close↺ Reset✓ OK

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Extensions
- Foreign Data Wrappers
- Languages (1)
- Publications
- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport**
      - baggage
      - baggage\_check
      - boarding\_pass
      - booking
      - booking\_flight
      - flights
      - passengers
      - security\_check
    - Trigger Functions

airline/airpo... x public.airport/airp... x public.airport/airp... x airport\_db/postgre... x airport\_db/postgres@PostgreSQL 17\* x public.airport/airp... x

airport\_db/postgres@PostgreSQL 17

No limit

Query Query History

```
1 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Port
2 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Oran
3 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Long
4 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Curr
5 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('El P
6 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Zabo
7 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Ambo
8 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('AkuL
9 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Cape
10 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Asek
11 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Reim
12 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Iwam
13 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Arag
14 insert into airport (airport_name, country, state, city, created_at, updated_at) values ('Alto
```

Scratch Pad x

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 116 msec.

Total rows: Query complete 00:00:00.116 CRLF Ln 201, Col 1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Extensions
- Foreign Data Wrappers
- Languages (1)
- Publications
- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - 1.3 Sequences
    - Tables (10)
      - airline
      - airport**
      - baggage
      - baggage\_check
      - boarding\_pass
      - booking
      - booking\_flight
      - flights
      - passengers
      - security\_check
      - Trigger Functions

public.airport/airport\_db/postgres@PostgreSQL 17

Query

```
1 SELECT * FROM public.airport
2 ORDER BY airport_id ASC
```

Scratch Pad

Data Output Messages Notifications

Showing rows: 1 to 200 Page No: 1 of 1

	airport_id [PK] integer	airport_name character varying (50)	country character varying (50)	state character varying (50)	city character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	299	Porto Cheli Airport	France	Blekinge	Karlskrona	2008-06-26 00:00:00	2010-10-19 00:00:00
2	300	Orange Walk Airport	Canada	Alberta	Leduc	2012-01-28 00:00:00	2009-01-20 00:00:00
3	301	Long Beach /Daugherty Field/ Airport	France	Blekinge	Karlshamn	2008-12-15 00:00:00	2007-08-31 00:00:00
4	302	Currillo Airport	India	Alberta	Coaldale	2007-03-10 00:00:00	2007-11-19 00:00:00
5	303	El Petén Airport	Japan	Alberta	Pincher Creek	2002-09-02 00:00:00	2004-01-02 00:00:00
6	304	Zabol Airport	Canada	Blekinge	Karlshamn	2017-06-02 00:00:00	2014-02-13 00:00:00
7	305	Ambobibary Airport	Japan	Alberta	Smoky Lake	2020-08-31 00:00:00	2020-05-14 00:00:00
8	306	Akulivik Airport	Japan	Alberta	Fort Macleod	2009-04-04 00:00:00	2004-11-04 00:00:00

Total rows: 200 Query complete 00:00:00.165 CRLF Ln 1, Col 1

Query

Query History

Scratch Pad x

1

-- 2 task DML

2

INSERT INTO airline (airline\_code, airline\_name, airline\_country)

3

VALUES ('KZ','KazAir','Kazakhstan');

Data Output

Messages

Notifications

INSERT 0 1

Query returned successfully in 97 msec.







Total rows:

Query complete 00:00:00.097

CRLF

Ln 1, Col 14



	airline_id [PK] integer 	airline_code character varying (30) 	airline_name character varying (50) 	airline_country character varying (50) 	created_at timestamp without time zone 	updated_at timestamp without time zone 
193	193	IB	Iberia	France	2011-03-22 00:00:00	2020-04-16 00:00:00
194	194	AC	Air Canada	Italy	2017-11-06 00:00:00	2021-09-10 00:00:00
195	195	SK	SAS Scandinavian	Spain	2020-04-22 00:00:00	2020-08-29 00:00:00
196	196	CX	Cathay Pacific	Australia	2013-10-15 00:00:00	2021-09-24 00:00:00
197	197	LA	LATAM Airlines	Brazil	2020-03-14 00:00:00	2021-02-07 00:00:00
198	198	AZ	Alitalia	Germany	2016-02-22 00:00:00	2020-12-26 00:00:00
199	199	ET	Ethiopian Airlines	France	2013-09-11 00:00:00	2020-11-19 00:00:00
200	200	CX	Cathay Pacific	India	2016-07-01 00:00:00	2020-01-28 00:00:00
201	201	KZ	KazAir	Kazakhstan	2025-09-24 11:10:25.586036	2025-09-24 11:10:25.586036

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Aggregates
- Collations
- Domains
- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
  - airline
  - airport
  - baggage
  - baggage\_check
  - boarding\_pass
  - booking
  - booking\_flight
  - flights
  - passengers
  - security\_check
- Trigger Functions
- Types
- Views
- Subscriptions
- postgres
- Login/Group Roles

Query

```
1 -- 3 task DML
2 UPDATE airline
3 SET airline_country = 'Turkey',
4     updated_at = now()
5 WHERE airline_name = 'KazAir';
```

Query History

Scratch Pad







Data Output Messages Notifications

UPDATE 1

Query returned successfully in 106 msec.

✓ Query returned successfully in 106 msec. ✕

Servers > PostgreSQL 17 > Databases > airport\_db > Schemas > public > Tables > airline 106 CRLF Ln 1, Col 14

	airline_id [PK] integer 	airline_code character varying (30) 	airline_name character varying (50) 	airline_country character varying (50) 	created_at timestamp without time zone 	updated_at timestamp without time zone 
193	193	IB	Iberia	France	2011-03-22 00:00:00	2020-04-16 00:00:00
194	194	AC	Air Canada	Italy	2017-11-06 00:00:00	2021-09-10 00:00:00
195	195	SK	SAS Scandinavian	Spain	2020-04-22 00:00:00	2020-08-29 00:00:00
196	196	CX	Cathay Pacific	Australia	2013-10-15 00:00:00	2021-09-24 00:00:00
197	197	LA	LATAM Airlines	Brazil	2020-03-14 00:00:00	2021-02-07 00:00:00
198	198	AZ	Alitalia	Germany	2016-02-22 00:00:00	2020-12-26 00:00:00
199	199	ET	Ethiopian Airlines	France	2013-09-11 00:00:00	2020-11-19 00:00:00
200	200	CX	Cathay Pacific	India	2016-07-01 00:00:00	2020-01-28 00:00:00
201	201	KZ	KazAir	Turkey	2025-09-24 11:10:25.586036	2025-09-24 11:11:52.225812

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Aggregates
- Collations
- Domains
- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
  - airline
  - airport
  - baggage
  - baggage\_check
  - boarding\_pass
  - booking
  - booking\_flight
  - flights
  - passengers
  - security\_check
- Trigger Functions
- Types
- Views
- Subscriptions
- postgres
- Login/Group Roles
- Tablespaces

airport\_db/postgres@PostgreSQL 17

Query Query History

```
1 -- 4 task DML
2 INSERT INTO airline (airline_code, airline_name, airline_country)
3 VALUES
4 ('AE', 'AirEasy', 'France'),
5 ('FH', 'FlyHigh', 'Brazil'),
6 ('FF', 'FlyFly', 'Poland');
```

Scratch Pad

Data Output Messages Notifications






INSERT 0 3










Query returned successfully in 89 msec.

Total rows: Query complete 00:00:00.089

✓ Query returned successfully in 89 msec. ✕

CRLF Ln 1, Col 14

	airline_id [PK] integer 	airline_code character varying (30) 	airline_name character varying (50) 	airline_country character varying (50) 	created_at timestamp without time zone 	updated_at timestamp without time zone 
196	196	CA	Cathay Pacific	Australia	2013-10-15 00:00:00	2021-09-24 00:00:00
197	197	LA	LATAM Airlines	Brazil	2020-03-14 00:00:00	2021-02-07 00:00:00
198	198	AZ	Alitalia	Germany	2016-02-22 00:00:00	2020-12-26 00:00:00
199	199	ET	Ethiopian Airlines	France	2013-09-11 00:00:00	2020-11-19 00:00:00
200	200	CX	Cathay Pacific	India	2016-07-01 00:00:00	2020-01-28 00:00:00
201	201	KZ	KazAir	Turkey	2025-09-24 11:10:25.586036	2025-09-24 11:11:52.225812
202	202	AE	AirEasy	France	2025-09-24 11:13:06.122076	2025-09-24 11:13:06.122076
203	203	FH	FlyHigh	Brazil	2025-09-24 11:13:06.122076	2025-09-24 11:13:06.122076
204	204	FF	FlyFly	Poland	2025-09-24 11:13:06.122076	2025-09-24 11:13:06.122076

	flight_id  [FK] integer	sch_departure_time  timestamp without time zone	sch_arrival_time  timestamp without time zone	departing_airport_id  integer	arriving_airport_id  integer	departing_gate  text	arriving_gate  character varying (50)	airline_id  integer	act_dep  timestamp
8	8	2025-09-25 15:00:00	2025-09-25 17:45:00	410	315	A8	B9	68	2025-0
9	9	2025-09-25 16:00:00	2024-09-25 18:30:00	322	405	A9	B10	123	2025-0
10	10	2025-09-25 17:00:00	2024-09-25 19:30:00	387	450	A10	B11	7	2025-0
11	11	2025-09-25 18:00:00	2024-09-25 20:45:00	399	420	A11	B12	190	2025-0
12	12	2025-09-25 19:00:00	2025-09-25 21:30:00	333	470	A12	B13	36	2025-0
13	13	2025-09-25 20:00:00	2025-09-25 22:30:00	355	498	A13	B14	54	2025-0
14	14	2025-09-25 21:00:00	2023-09-25 23:45:00	380	440	A14	B15	149	2025-0
15	15	2025-09-25 22:00:00	2024-09-26 00:30:00	399	460	A15	B16	202	2025-0



pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- > Aggregates
- > Collations
- > Domains
- > FTS Configurations
- > FTS Dictionaries
- > FTS Parsers
- > FTS Templates
- > Foreign Tables
- > Functions
- > Materialized Views
- > Operators
- > Procedures
- > Sequences
- > Tables (10)
  - > airline
  - > airport
  - > baggage
  - > baggage\_check
  - > boarding\_pass
  - > booking
  - > booking\_flight
  - > flights
  - > passengers
  - > security\_check
  - > Trigger Functions
  - > Types
  - > Views
- > Subscriptions
- > postgres
- > Login/Group Roles
- > Tablespaces

airline/airpo... × airport\_db/postgre... × public.flights/airp... × airport\_db/postgre... × public.flights/airp... × airport\_db/postgres@PostgreSQL 17\* ×

airport\_db/postgres@PostgreSQL 17

Query Query History

```
1 -- 5 task DML
2 DELETE FROM flights
3 WHERE EXTRACT(YEAR FROM sch_arrival_time) = 2024;
```

Scratch Pad

Data Output Messages Notifications

DELETE 6

Query returned successfully in 108 msec.

Total rows: Query complete 00:00:00.108 CRLF Ln 1, Col 14

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Aggregates
- Collations
- Domains
- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
  - airline
  - airport
  - baggage
  - baggage\_check
  - boarding\_pass
  - booking
  - booking\_flight
  - flights
  - passengers
  - security\_check
  - Trigger Functions
  - Types
  - Views
- Subscriptions
- postgres
- Login/Group Roles
- Tablespaces

public.flights/airport\_db/postgres@PostgreSQL 17

Query

```
1 SELECT * FROM public.flights
2 ORDER BY flight_id ASC
```

Scratch Pad

Data Output Messages Notifications

Showing rows: 1 to 9 Page No: 1 of 1

	flight_id (PK) integer	sch_departure_time timestamp without time zone	sch_arrival_time timestamp without time zone	departing_airport_id integer	arriving_airport_id integer	departing_gate text	arriving_gate character varying (50)	airline_id integer	act_dep timestamp
2	3	2025-09-25 10:00:00	2023-09-25 12:30:00	333	450	A3	B4	142	2025-0
3	5	2025-09-25 12:00:00	2020-09-25 14:45:00	356	420	A5	B6	200	2025-0
4	6	2025-09-25 13:00:00	2025-09-25 15:30:00	378	399	A6	B7	3	2025-0
5	7	2025-09-25 14:00:00	2022-09-25 16:30:00	399	480	A7	B8	111	2025-0
6	8	2025-09-25 15:00:00	2025-09-25 17:45:00	410	315	A8	B9	68	2025-0
7	12	2025-09-25 19:00:00	2025-09-25 21:30:00	333	470	A12	B13	36	2025-0
8	13	2025-09-25 20:00:00	2025-09-25 22:30:00	355	498	A13	B14	54	2025-0
9	14	2025-09-25 21:00:00	2023-09-25 23:45:00	380	440	A14	B15	149	2025-0

Total rows: 9 Query complete 00:00:00.142 CRLF Ln 1, Col 1

	booking_id [PK] integer	flight_id integer	passenger_id integer	booking_platform character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone	status character varying (50)	ticket_price numeric (7,2)
1	1	3	5	Web	2025-09-24 11:37:43.466511	2025-09-24 11:37:43.466511	Confirmed	7500.00
2	2	5	12	Mobile	2025-09-24 11:37:43.466511	2025-09-24 11:37:43.466511	Confirmed	6200.00
3	3	6	8	Agency	2025-09-24 11:37:43.466511	2025-09-24 11:37:43.466511	Pending	8900.00
4	4	7	10	Web	2025-09-24 11:37:43.466511	2025-09-24 11:37:43.466511	Cancelled	5400.00
5	5	8	12	Mobile	2025-09-24 11:37:43.466511	2025-09-24 11:37:43.466511	Confirmed	1000.00
6	6	12	11	Agency	2025-09-24 11:37:43.466511	2025-09-24 11:37:43.466511	Confirmed	7600.00
7	7	13	9	Web	2025-09-24 11:37:43.466511	2025-09-24 11:37:43.466511	Pending	8300.00
8	8	14	6	Mobile	2025-09-24 11:37:43.466511	2025-09-24 11:37:43.466511	Confirmed	9200.00

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- > Aggregates
- > Collations
- > Domains
- > FTS Configurations
- > FTS Dictionaries
- > FTS Parsers
- > FTS Templates
- > Foreign Tables
- > Functions
- > Materialized Views
- > Operators
- > Procedures
- > Sequences
- > Tables (10)
  - > airline
  - > airport
  - > baggage
  - > baggage\_check
  - > boarding\_pass
  - > booking
  - > booking\_flight
  - > flights
  - > passengers
  - > security\_check
  - > Trigger Functions
  - > Types
  - > Views
- > Subscriptions
- > postgres
- > Login/Group Roles
- > Tablespaces

public.booking/airport\_db/postgres@PostgreSQL 17

Query

```
1 SELECT * FROM public.booking
2 ORDER BY booking_id ASC
```

Scratch Pad

Data Output

Showing rows: 1 to 8 Page No: 1 of 1

	booking_id [PK] integer	flight_id integer	passenger_id integer	booking_platform character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone	status character varying (50)	ticket_price numeric (7,2)
1	1	3	5	Web	2025-09-24 11:37:43.466511	2025-09-24 11:43:26.409659	Confirmed	8625.00
2	2	5	12	Mobile	2025-09-24 11:37:43.466511	2025-09-24 11:43:26.409659	Confirmed	7130.00
3	3	6	8	Agency	2025-09-24 11:37:43.466511	2025-09-24 11:43:26.409659	Pending	10235.00
4	4	7	10	Web	2025-09-24 11:37:43.466511	2025-09-24 11:43:26.409659	Cancelled	6210.00
5	5	8	12	Mobile	2025-09-24 11:37:43.466511	2025-09-24 11:43:26.409659	Confirmed	1150.00
6	6	12	11	Agency	2025-09-24 11:37:43.466511	2025-09-24 11:43:26.409659	Confirmed	8740.00
7	7	13	9	Web	2025-09-24 11:37:43.466511	2025-09-24 11:43:26.409659	Pending	9545.00
8	8	14	6	Mobile	2025-09-24 11:37:43.466511	2025-09-24 11:43:26.409659	Confirmed	10580.00

Total rows: 8 Query complete 00:00:00.137 CRLF Ln 1, Col 1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Aggregates
- Collations
- Domains
- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
  - airline
  - airport
  - baggage
  - baggage\_check
  - boarding\_pass
  - booking**
  - booking\_flight
  - flights
  - passengers
  - security\_check
- Trigger Functions
- Types
- Views

Subscriptions

postgres

Login/Group Roles

Tablespaces

airport\_db/postgres@PostgreSQL 17

Query Query History

```
1 -- 6 task DML
2 UPDATE booking
3 SET ticket_price = ROUND(ticket_price * 1.15, 2),
4     updated_at = now();
5
6 -- 7 task DML
7 DELETE FROM booking WHERE ticket_price < 10000;
```

Scratch Pad

Data Output Messages Notifications

DELETE 4

Query returned successfully in 91 msec.

Total rows: Query complete 00:00:00.091

✓ Query returned successfully in 91 msec. ✕

CRLF Ln 7, Col 48

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Aggregates
- Collations
- Domains
- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
  - airline
  - airport
  - baggage
  - baggage\_check
  - boarding\_pass
  - booking
  - booking\_flight
  - flights
  - passengers
  - security\_check
  - Trigger Functions
  - Types
  - Views
  - Subscriptions
- postgres
- Login/Group Roles
- Tablespaces

public.booking/airport\_db/postgres@PostgreSQL 17

Query

```
1 SELECT * FROM public.booking
2 ORDER BY booking_id ASC
```

Query History

Scratch Pad

Data Output

Showing rows: 1 to 4 Page No: 1 of 1

	booking_id [PK] integer	flight_id integer	passenger_id integer	booking_platform character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone	status character varying (50)	ticket_price numeric (7,2)
1	3	6	8	Agency	2025-09-24 11:37:43.466511	2025-09-24 11:44:12.182661	Pending	11770.25
2	6	12	11	Agency	2025-09-24 11:37:43.466511	2025-09-24 11:44:12.182661	Confirmed	10051.00
3	7	13	9	Web	2025-09-24 11:37:43.466511	2025-09-24 11:44:12.182661	Pending	10976.75
4	8	14	6	Mobile	2025-09-24 11:37:43.466511	2025-09-24 11:44:12.182661	Confirmed	12167.00

Successfully run. Total query runtime: 142 msec. 4 rows affected

Total rows: 4 Query complete 00:00:00.142 CRLF Ln 1, Col 1