

Topic 4 - Question Set 4

Question #1

Topic 4

HOTSPOT -

You have a Power BI tenant that hosts the datasets shown in the following table.

Name	Contents	Used to generate
Sales	Sales targets Sales data Employee salary data	Daily performance reports Quarterly reports used to calculate bonuses
Operations	Environmental sensor data	Reports that show average sensor readings over time
Finance	Financial transaction data	Budget planning reports Monthly board reports

You have the following requirements:

The export of reports that contain Personally Identifiable Information (PII) must be prevented.

Data used for financial decisions must be reviewed and approved before use.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The Sales dataset requires a sensitivity label.	☐	☐
The Operations dataset requires a sensitivity label and must be certified.	☐	☐
The Finance dataset requires a sensitivity label and must be certified.	☐	☐

Correct Answer:

Answer Area

Statements	Yes	No
The Sales dataset requires a sensitivity label.	☒	☐
The Operations dataset requires a sensitivity label and must be certified.	☐	☒
The Finance dataset requires a sensitivity label and must be certified.	☒	☐

Reference:

<https://docs.microsoft.com/en-us/power-bi/enterprise/service-security-sensitivity-label-overview>

Question #2

Topic 4

You have a Power BI tenant.

You have reports that use financial datasets and are exported as PDF files.

You need to ensure that the reports are encrypted.

What should you implement?

A. Microsoft Intune policies

B. row-level security (RLS)

C. sensitivity labels

D. dataset certifications

Correct Answer: C

When you create a sensitivity label, you can restrict access to content that the label will be applied to.

When a document or email is encrypted, access to the content is restricted, so that it:

Can be decrypted only by users authorized by the label's encryption settings.

Remains encrypted no matter where it resides, inside or outside your organization, even if the file's renamed.

Incorrect:

Not B: Row-level security (RLS) with Power BI can be used to restrict data access for given users. Filters restrict data access at the row level, and you can define filters within roles.

Current limitations for row-level security:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/encryption-sensitivity-labels>

Community vote distribution

C (100%)

Question #3

Topic 4

You have a Microsoft Excel file on a file server.

You create a Power BI report and import a table from the Excel file.

You publish the report.

You need to ensure that the data refreshes every four hours.

What should you do first?

A. Upload the Excel file to a Power BI workspace.

B. Create a subscription to the report.

C. Deploy an on-premises data gateway.

D. Edit the data source credentials.

Correct Answer: C

You can scheduled refresh for the On-premises data gateway (personal mode) and the On-premises data gateway. You specify refresh options in the following areas of the Power BI service: Gateway connection, Data source credentials, and Scheduled refresh.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/refresh-scheduled-refresh>

Community vote distribution

C (92%)

8%

Question #4

Topic 4

You have a dataset that is used infrequently and refreshes every hour.

You receive a notification that the refresh was disabled due to inactivity.

Which two actions will cause the scheduled refresh schedule to resume? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. Enable query caching for the dataset.

B. Import the dataset to Microsoft Excel.

C. From the Power BI service, open a dashboard that uses the dataset.

D. From the Power BI service, open a report that uses the dataset.

E. From PowerShell, run the get-powerbireport cmdlet.

Correct Answer: CD

After two months of inactivity, scheduled refresh on your dataset is paused. A dataset is considered inactive when no user has visited any dashboard or report built on the dataset. At that time, the dataset owner is sent an email indicating the scheduled refresh is paused. The refresh schedule for the dataset is then displayed as disabled. To resume scheduled refresh, simply revisit any dashboard or report built on the dataset.

Incorrect:

Not E: get-powerbireport retrieves a list of Power BI reports that match the specified search criteria and scope.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/refresh-scheduled-refresh>

Community vote distribution

CD (100%)

Question #5

Topic 4

You have a Power BI workspace that contains a dataset, a report, and a dashboard. The following groups have access:

- External users can access the dashboard.
- Managers can access the dashboard and a manager-specific report.
- Employees can access the dashboard and a row-level security (RLS) constrained report.

You need all users, including the external users, to be able to tag workspace administrators if they identify an issue with the dashboard. The solution must ensure that other users see the issues that were raised.

What should you use?

A. comments

B. chat in Microsoft Teams

C. alerts

D. subscriptions

Correct Answer: A

Add a personal comment or start a conversation about a dashboard or report with your colleagues. The comment feature is just one of the ways a business user can collaborate with others.

Note: Comments can be added to an entire dashboard, to individual visuals on a dashboard, to a report page, to a paginated report, and to individual visuals on a report page. Add a general comment or add a comment targeted at specific colleagues.

Reference:

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-comment>

Community vote distribution

A (100%)

You have a PBIX file that imports several tables from an Azure SQL database.
The data will be migrated to another Azure SQL database.
You need to change the connections in the PBIX file. The solution must minimize administrative effort.
What should you do?

- A. From Power Query Editor, create new queries.
- B. From Power Query Editor, modify the source of each query.
- C. Create a PBIT file, open the file, and change the data sources when prompted.
- D. Modify the Data source settings.

Correct Answer: D

Open the PBIX file with Microsoft Power BI Desktop.
Then choose File -> Options and settings -> Data source settings >Right click data sources and change source.

Note:

Incorrect:

Not C: PBIT is a template file.

The PBIT file keeps your report structure and contains 'DataModelSchema File' instead of "DataModel File". However, If you choose import mode, the PBIX file stores all imported data from data sources and the report structure.

Reference:

<https://windowsreport.com/open-pbix-file/>

Community vote distribution

D (97%)

You have a Power BI workspace that contains several reports.

You need to provide a user with the ability to create a dashboard that will use the visuals from the reports.

What should you do?

- A. Create a row-level security (RLS) role and add the user to the role.
- B. Share the reports with the user.
- C. Grant the Read permission for the datasets to the user.
- D. Add the user as a member of the workspace.
- E. Add the user as a Viewer of the workspace.

Correct Answer: D

To grant access to a new workspace, assign those user groups or individuals to one of the workspace roles: Admin, Member, Contributor, or Viewer.

Workspace roles -

Capability	Admin	Member	Contributor	Viewer
Create, edit, and delete content, such as reports, in the workspace.	✓	✓	✓	
Publish reports to the workspace, delete content.	✓	✓	✓	
Create a report in another workspace based on a dataset in this workspace. ³	✓	✓	✓	
Copy a report. ³	✓	✓	✓	

Reference:

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

Community vote distribution

D (100%)

DRAG DROP -

You have a Power BI workspace that contains a single-page report named Sales.

You need to add all the visuals from Sales to a dashboard. The solution must ensure that additional visuals added to the page are added automatically to the dashboard.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Open **Power BI Desktop**.

Pin the page.

Pin each visual.

Open **powerbi.com**.

Open the **Sales** report.

Create a new report.

>

<

Answer Area

↑

↓

Correct Answer:

Actions

Open **Power BI Desktop**.

Pin each visual.

Create a new report.

>

<

Answer Area

Open **powerbi.com**.

Open the **Sales** report.

Pin the page.

↑

↓

An entire report page can be pinned to a dashboard, which is called pinning a live tile. It's called a live tile because you can interact with the tile on the dashboard.

Unlike with individual visualization tiles, changes made in the report are automatically synced with the dashboard.

Step 2: Open the Sales report -

Step 3: Pin the page.

1. Open a report in Editing view.
2. With no visualizations selected, from the menu bar, select Pin to a dashboard.
3. Pin the tile to an existing dashboard or to a new dashboard. Notice the highlighted text: Pin live page enables changes to reports to appear in the dashboard tile when the page is refreshed.

Preview: Last saved state

Retail Analysis Sample

DISTRICT MONTHLY SALES



Pin to dashboard

Select an existing dashboard or create a new one.

Where would you like to pin to?

☒ Existing dashboard

☐ New dashboard

Retail Analysis Sample ▼

Pin live page enables changes to reports to appear in the dashboard tile when the page is refreshed.

Pin live Cancel

4. Select Pin live. A Success message (near the top right corner) lets you know the page was added, as a tile, to your dashboard.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-pin-live-tile-from-report>

You have a report in Power BI named report1 that is based on a shared dataset.

You need to minimize the risk of data exfiltration for report. The solution must prevent other reports from being affected.

What should you do?

- A. Clear Allow recipients to share your dashboard and Allow users to build new content using the underlying datasets for the dataset.
- B. Apply row-level security (RLS) to the shared dataset.
- C. Select the Allow end users to export both summarized and underlying data from the service or Report Server Export data option for the report.
- D. Select the Don't allow end users to export any data from the service or Report Server Export data option for the report.

Correct Answer: *D*

Besides the various permissions you can set, there are also two different options to disable the export functionality. First of all is the Export data in general and second the Export to Excel as a specific setting. Both have the same setup for permissions

Export Data -

▲

Export data

Enabled for the entire organization

Users in the organization can export data from a tile or visualization. This also controls Analyze in Excel, export to .csv, dataset downloads, and Power BI Service Live Connect features.

Enabled

Apply to:

The entire organization

Specific security groups

Except specific security groups

Apply

Cancel

Reference:

<https://data-marc.com/2020/04/13/power-bi-governance-why-you-should-consider-to-disable-export-to-excel/>

Community vote distribution

D (98%)

In Power BI Desktop, you are creating visualizations in a report based on an imported dataset. You need to allow Power BI users to export the summarized data used to create the visualizations but prevent the users from exporting the underlying data. What should you do?

- A. From the Power BI service, configure the dataset permissions.
- B. From Power BI Desktop, configure the Data Load settings for the current file.
- C. From Power BI Desktop, modify the data source permissions.
- D. From Power BI Desktop, configure the Report settings for the current file.

Correct Answer: A

Dataset permissions in the Power BI service

The table below describes the four levels of permission that control access to datasets in the Power BI service.

* Reshare

Allows user to share the content of the dataset with other users who will get read, reshare, or build permissions for it.

* Read

* Build

* Write

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-datasets-permissions>

Community vote distribution

D (96%)

4%

You have a Power BI report that uses row-level security (RLS).

You need to transfer RLS membership maintenance to an Azure network security team. The solution must NOT provide the Azure network security team with the ability to manage reports, datasets, or dashboards.

What should you do?

- A. Grant the Read and Build permissions for the Power BI datasets to the Azure network security team.
- B. Configure custom instructions for the Request access feature that instructs users to contact the Azure network security team.
- C. Instruct the Azure network security team to create security groups. Configure RLS to use the groups.
- D. Add the Azure network security team as members of the RLS role.

Correct Answer: C

Configure row-level security group membership, Working with members

Add members -

In the Power BI service, you can add a member to the role by typing in the email address or name of the user or security group.

You can use the following groups to set up row level security.

Distribution Group -

Mail-enabled Group -

Security Group -

Incorrect:

Not A: Build permission applies to datasets. When you give users Build permission, they can build new content on your dataset, such as reports, dashboards, pinned tiles from Q&A, paginated reports, and Insights Discovery.

Reference:

<https://docs.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

Community vote distribution

C (100%)

You have four sales regions. Each region has multiple sales managers.

You implement row-level security (RLS) in a data model. You assign the relevant mail-enabled security group to each role.

You have sales reports that enable analysis by region. The sales managers can view the sales records of their region. The sales managers are prevented from viewing records from other regions.

A sales manager changes to a different region.

You need to ensure that the sales manager can see the correct sales data.

What should you do?

- A. Change the Microsoft Power BI license type of the sales manager.
- B. From Microsoft Power BI Desktop, edit the Row-Level Security setting for the reports.
- C. Manage the permissions of the underlying dataset.
- D. Request that the sales manager be added to the correct Azure Active Directory group.

Correct Answer: D

You can use the following groups to set up row level security.

- * Distribution Group
 - * Mail-enabled Group - This group also contains a list of email addresses of members and can also be used to control access to OneDrive and SharePoint.
- The Mail-Enabled Security Group can be created in the Office 365 Admin Portal.
- * Security Group - This is also known as an Active Directory Security Group. This group lives within Active Directory and Azure Active Directory.

Reference:
<https://docs.microsoft.com/en-us/power-bi/enterprise/service-admin-rls> <https://www.fourmoo.com/2020/04/01/power-bi-which-groups-can-be-used-to-set-permissions-in-power-bi/>

Community vote distribution

D (100%)

You have more than 100 published datasets.

Ten of the datasets were verified to meet your corporate quality standards.

You need to ensure that the 10 verified datasets appear at the top of the list of published datasets whenever users search for existing datasets.

What should you do?

- A. Promote the datasets.
- B. Certify the datasets.
- C. Feature the dataset on the home page.
- D. Publish the datasets in an app.

Correct Answer: *B*

Once logged in, you will be presented with a list of datasets that you can access from your various workspaces. This is one reason why having official datasets promoted and certified is recommended, as these will appear at the top of the list, with certified datasets appearing before promoted datasets.

Note: Power BI provides two ways you can endorse your valuable, high-quality content to increase its visibility: promotion and certification.

Promotion: Promotion is a way to highlight content you think is valuable and worthwhile for others to use. It encourages the collaborative use and spread of content within an organization.

Any content owner, as well as any member with write permissions on the workspace where the content is located, can promote the content when they think it's good enough for sharing.

Certification: Certification means that the content meets the organization's quality standards and can be regarded as reliable, authoritative, and ready for use across the organization.

Currently it is possible to endorse

Datasets -

Dataflows -

Reports -

Apps -

If dataset discoverability has been enabled in your organization, endorsed datasets can be made discoverable. When a dataset is discoverable, users who don't have access to it will be able to find it and request access.

Reference:

<https://exceleratorbi.com.au/new-power-bi-reports-golden-dataset/> <https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-endorse-content>

Community vote distribution

B (100%)

DRAG DROP -

You have a Microsoft Power BI workspace.

You need to grant the user capabilities shown in the following table.

User name	Task
User1	Create and publish apps.
User2	Publish reports to the workspace and delete dashboards.

The solution must use the principle of least privilege.

Which user role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all. You may need to drag the split bar.

NOTE: Each correct selection is worth one point.

Select and Place:

Roles

AdminContributor

MemberViewer

Answer Area

User1:

User2:

Roles

AdminContributor

MemberViewer

Correct Answer:

User1: Member

User2: Contributor

Box 1: Member -

Only Admin and Member can publish, unpublish, and change permissions for an app.

Incorrect:

Contributors can update the app associated with the workspace, if the workspace Admin delegates this permission to them. However, they can't publish a new app or change who has permission to it.

Box 2: Contributor -

Admin,Member and Contributor can create, edit, and delete content, such as reports, in the workspace.

Note: Contributor - This role can access and interact with reports and dashboards. Additionally, this role can create, edit, copy, and delete items in a workspace, publish reports, schedule refreshes, and modify gateways.

Incorrect:

Viewer - This role provides read only access to workspace items. Read access does provide report / dashboard consumers the ability to not only view, but also interact with visuals. Interaction does not mean changing a visual.

Reference:

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

<https://www.mssqltips.com/sqlservertip/6487/power-bi-workspace-permissions-and-roles>

Question #15

Topic 4

You create a dashboard by using the Microsoft Power BI Service. The dashboard contains a card visual that shows total sales from the current year.

You grant users access to the dashboard by using the Viewer role on the workspace.

A user wants to receive daily notifications of the number shown on the card visual.

You need to automate the notifications.

What should you do?

- A. Create a subscription.
- B. Create a data alert.
- C. Share the dashboard to the user.
- D. Tag the user in a comment.

Correct Answer: B

Set alerts to notify you when data in your dashboards changes beyond limits you set.

Alerts can only be set on tiles pinned from report visuals, and only on gauges, KPIs, and cards.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts>

Community vote distribution

A (98%)

Question #16

Topic 4

You have a Power BI workspace named Workspace1 that contains a dataset named DS1 and a report named RPT1.

A user wants to create a report by using the data in DS1 and publish the report to another workspace.

You need to provide the user with the appropriate access. The solution must minimize the number of access permissions granted to the user.

What should you do?

A. Add the user as a Viewer of Workspace1.

B. Grant the Build permission for DS1 to the user.

C. Share RPT1 with the user.

D. Add the user as a member of Workspace1.

Correct Answer: B

More granular permissions -

Power BI provides the Build permission as a complement to the existing permissions, Read and Reshare. All users who already had Read permission for datasets via app permissions, sharing, or workspace access at that time also got Build permission for those same datasets. They got Build permission automatically because Read permission already granted them the right to build new content on top of the dataset, by using Analyze in Excel or Export.

With this more granular Build permission, you can choose who can only view the content in the existing report or dashboard and who can create content connected to the underlying datasets.

If your dataset is being used by a report outside the dataset workspace, you can't delete that dataset. Instead, you see an error message.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

Community vote distribution

B (89%)

11%

Question #17

Topic 4

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports.

Solution: You publish an app to the entire organization.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Instead: You create an Azure Active Directory group that contains all the users. You share each selected report and the one dashboard to the group.

Reference:

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-share-dashboards>

Community vote distribution

A (92%)

8%

Question #18

Topic 4

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports.

Solution: You enable included in app for all assets.

Does this meet the goal?

A. Yes

B. No

Correct Answer: *B*

You need to specify the dashboard and the three reports to be included in the app.

Instead: You create an Azure Active Directory group that contains all the users. You share each selected report and the one dashboard to the group.

Note: A published App can provide the required access.

When the dashboards and reports in your workspace are ready, you choose which dashboards and reports you want to publish, then publish them as an app.

In Power BI, you can create official packaged content, then distribute it to a broad audience as an app. You create apps in workspaces, where you can collaborate on Power BI content with your colleagues. Then you can publish the finished app to large groups of people in your organization.

Reference:

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-create-distribute-apps>

Community vote distribution

B (100%)

Question #19

Topic 4

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports.

Solution: You assign all the users the Viewer role to the workspace.

Does this meet the goal?

A. Yes

B. No

Correct Answer: *A*

Instead: You create an Azure Active Directory group that contains all the users. You share each selected report and the one dashboard to the group.

Reference:

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-share-dashboards>

Community vote distribution

B (83%)

A (17%)

Question #20

Topic 4

From Power BI Desktop, you publish a new dataset and report to a Power BI workspace. The dataset has a row-level security (RLS) role named HR. You need to ensure that the HR team members have RLS applied when they view reports based on the dataset. What should you do?

A. From powerbi.com, add users to the HR role for the dataset.

B. From powerbi.com, share the dataset to the HR team members.

C. From Power BI Desktop, change the Row-Level Security settings.

D. From Power BI Desktop, import a table that contains the HR team members.

Correct Answer: A

Working with members -

Add members -

In the Power BI service, you can add a member to the role by typing in the email address or name of the user or security group.

Reference:

<https://docs.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

Community vote distribution

A (97%)

Question #21

Topic 4

You have a Power BI dashboard that monitors the quality of manufacturing processes. The dashboard contains the following elements:

☞ A line chart that shows the number of defective products manufactured by day

☞ A KPI visual that shows the current daily percentage of defective products manufactured

You need to be notified when the daily percentage of defective products manufactured exceeds 3%. What should you create?

A. a subscription

B. an alert

C. a smart narrative visual

D. a Q&A visual

Correct Answer: B

Set alerts in the Power BI service to notify you when data on a dashboard changes above or below limits you set. Alerts can be set on tiles pinned from report visuals or from Power BI Q&A, and only on gauges, KPIs, and cards.

Reference:

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-alerts>

Community vote distribution

B (100%)

<https://www.examttopics.com/exams/microsoft/pl-300/custom-view/>

209/313

You create a report by using Microsoft Power BI Desktop.
The report uses data from a Microsoft SQL Server Analysis Services (SSAS) cube located on your company's internal network.
You plan to publish the report to the Power BI Service.
What should you implement to ensure that users who consume the report from the Power BI Service have the most up-to-date data from the cube?

- A. an OData feed
- B. an On-premises data gateway
- C. a subscription
- D. a scheduled refresh of the dataset

Correct Answer: B

After you install the on-premises data gateway, you need to add data sources that can be used with the gateway. You can work with gateways and SQL Server

Analysis Services (SSAS) data sources that are used either for scheduled refresh or for live connections.

Note: Power BI service is a cloud-based business analytics and data visualization service that enables anyone to visualize and analyze data with greater speed, efficiency, and understanding.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-enterprise-manage-ssas>

Community vote distribution

B (100%)

You have five sales regions. Each region is assigned a single salesperson.

You have an imported dataset that has a dynamic row-level security (RLS) role named Sales. The Sales role filters sales transaction data by salesperson.

Salespeople must see only the data from their region.

You publish the dataset to powerbi.com, set RLS role membership, and distribute the dataset and related reports to the salespeople.

A salesperson reports that she believes she should see more data.

You need to verify what data the salesperson currently sees.

What should you do?


- A. Use the Test as role option to view data as the salesperson's user account.
- B. Use the Test as role option to view data as the Sales role.
- C. Instruct the salesperson to open the report in Microsoft Power BI Desktop.
- D. Filter the data in the reports to match the intended logic in the filter on the sales transaction table.

Correct Answer: B

Validating the role within the Power BI service

You can validate that the role you defined is working correctly in the Power BI service by testing the role.

1. Select More options (...) next to the role.
2. Select Test data as role.



You'll see reports that are available for this role. Dashboards aren't shown in this view. In the page header, the role being applied is shown.

Reference:

<https://docs.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

Community vote distribution

A (100%)

Question #24

Topic 4

You have multiple dashboards.

You need to ensure that when users browse the available dashboards from powerbi.com, they can see which dashboards contain Personally Identifiable Information (PII). The solution must minimize configuration effort and impact on the dashboard design.

What should you use?

A. Microsoft Information Protection sensitivity labels

B. tiles

C. comments

D. Active Directory groups

Correct Answer: A

In the Power BI service, sensitivity labels can be applied to datasets, reports, dashboards, and dataflows.

Sensitivity labels on reports, dashboards, datasets, and dataflows are visible from many places in the Power BI service. Sensitivity labels on reports and dashboards are also visible in the Power BI iOS and Android mobile apps and in embedded visuals. In Desktop, you can see the sensitivity label in the status bar.

Reference:

<https://docs.microsoft.com/en-us/power-bi/enterprise/service-security-sensitivity-label-overview>

Community vote distribution

A (100%)

HOTSPOT -

You have a dataset that has the permissions shown in the following exhibit.

Add user

Links

Direct access

People and groups with access

	Email Address ↑	Permissions
Ben Smith	bensmith@contoso.com	Owner
corp	corp@contoso.com	Read, Reshare, Build ...
finance	finance@contoso.com	Read, Build ...

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Users in the finance group can [answer choice] the dataset.

- assign sensitivity labels to
- use Analyze in Excel with
- delete

Users in the corp group can [answer choice] the dataset.

- grant the Build permission for
- grant the Read permission for
- remove a table from

Correct Answer:

Answer Area

Users in the finance group can [answer choice] the dataset.

- assign sensitivity labels to
- use Analyze in Excel with
- delete

Users in the corp group can [answer choice] the dataset.

- grant the Build permission for
- grant the Read permission for
- remove a table from

Box 1: use Analyze in Excel -

Build permission applies to datasets. When you give users Build permission, they can build new content on your dataset, such as reports, dashboards, pinned tiles from Q&A, paginated reports, and Insights Discovery.

Users also need Build permissions to work with the data outside Power BI:

To export the underlying data.

To build new content on the dataset such as with Analyze in Excel.

To access the data via the XMLA endpoint.

Box 2: grant the Read permission for

The Corp group has read, share and rebuild permissions.

As a property of the Power BI App, you can allow users to share the app and underlying dataset with share permissions.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions> <https://data-marc.com/2021/07/30/transform-a-local-into-a-global-power-bi-solution-request-access-to-content/>

Question #26

Topic 4

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports.

Solution: You create an Azure Active Directory group that contains all the users. You share each selected report and the one dashboard to the group.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Share with more than 100 separate users

At most, you can share with 100 users or groups in a single share action. However, you can give more than 500 users access to an item. Here are some suggestions:


Share multiple times by specifying the users individually.

Share with a user group that contains all the users.

Create the report or dashboard in a workspace, then create an app from the workspace. You can share the app with many more people.

Reference:

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-share-dashboards>



DRAG DROP -

You have a Power BI table named Customer that contains a field named Email Address.

You discover that multiple records contain the same email address.

You need to create a calculated column to identify which records have duplicate email addresses.

How should you complete the DAX expression for the calculated column? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Values

Answer Area

- ALL
- CALCULATE
- COUNTROWS
- EVALUATE
- SUM
- SUMX

```
Count Email =  
VAR Email = [Email Address]  
RETURN  
    (   
        (Customer),  
        (Customer),  
        Customer[Email Address] = Email  
    )
```

Correct Answer:

Values

Answer Area

- ALL
- CALCULATE
- COUNTROWS
- EVALUATE
- SUM
- SUMX

```
Count Email =  
VAR Email = [Email Address]  
RETURN  
    CALCULATE (  
        COUNTROWS (Customer),  
        ALL (Customer),  
        Customer[Email Address] = Email  
    )
```

Question #29

Topic 4

You have a Power BI dataset and a connected report.

You need to ensure that users can analyze data in Microsoft Excel only by connecting directly to the dataset.

You grant the users the Build permission for the dataset.

What should you do next?

A. Certify the dataset used by the report.

B. Change the default visual interaction for the report.

C. For the report, change the Export data setting to None.

D. For the report, change the Export data setting to Summarized data, data with current layout and underlying data.

Correct Answer: C

Community vote distribution

C (74%)

D (26%)

<https://www.examttopics.com/exams/microsoft/pl-300/custom-view/>

216/313

HOTSPOT

-

You have two Power BI workspaces named WorkspaceA and WorkspaceB. WorkspaceA contains two datasets named Sales and HR.

You need to provide a user named User1 with access to the WorkspaceB. The solution must meet the following requirements:

- Create reports that use the HR dataset.
- Publish the reports to WorkspaceB.
- Prevent the ability to modify the HR dataset.
- Prevent the ability to add users to Workspaces.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To access the HR dataset:

Assign User1 the Contributor role for WorkspaceA.
Grant User1 the Build permission for the HR dataset.
Grant User1 read permissions for the HR dataset.
Grant User1 share permissions for the HR dataset.

To publish reports to WorkspaceB:

Assign User1 the Admin role for Workspaces.
Assign User1 the Contributor role for WorkspaceA.
Assign User1 the Contributor role for WorkspaceB.
Assign User1 the Member role for WorkspaceB.

Answer Area

To access the HR dataset:

Assign User1 the Contributor role for WorkspaceA.
Grant User1 the Build permission for the HR dataset.
Grant User1 read permissions for the HR dataset.
Grant User1 share permissions for the HR dataset.

Correct Answer:

To publish reports to WorkspaceB:

Assign User1 the Admin role for Workspaces.
Assign User1 the Contributor role for WorkspaceA.
Assign User1 the Contributor role for WorkspaceB.
Assign User1 the Member role for WorkspaceB.

Question #31

Topic 4

You have a Power BI workspace named BI Data that contains a dataset named BI Finance.

You have the Build permission for the BI Finance dataset, but you do NOT have permissions for the workspace.

You need to connect to BI Finance and create a report.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. From the Power BI service, create a dataflow to the dataset by using DirectQuery.

B. From Power BI Desktop, connect to a Dataverse data source.

C. From the Power BI service, create a new report and select a published dataset.

D. From Power BI Desktop, connect to a shared dataset.

Correct Answer: *CD*

Community vote distribution

CD (100%)

Topic 5 - Testlet 1

Question #1

Topic 5

Introductory Info

Case Study -

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study -

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment and problem statements. If the case study has an

All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview -

Litware, Inc. is an online retailer that uses Power BI.

Litware plans to leverage data from an Azure SQL database that stores data for the company's live e-commerce website.

Litware uses Azure Active Directory (Azure AD) to authenticate users.

Existing Environment. Sales Data

Litware has online sales data that has the SQL schema shown in the following table.

Table name	Column name	Data type
Sales_Region	region_id	Integer
	name	Varchar
Region_Manager	region_id	Integer
	manager_id	Integer
Sales_Manager	sales_manager_id	Integer
	name	Varchar
	username	Varchar
Manager	manager_id	Integer
	name	Varchar
Sales	sales_id	Integer
	sales_date_id	Integer
	sales_amount	Float
	customer_id	Integer
	sales_ship_date_id	Integer
	region_id	Varchar
Date	date_id	Integer
	date	Date
	month	Integer
	week	Integer
	year	Integer
Weekly>Returns	week_id	Integer
	total_returns	Float
	sales_region_id	Varchar
Targets	target_id	Integer
	sales_target	Decimal
	date_id	Integer
	region_id	Integer

In the Date table, the date_id column has a format of yyyyymmdd and the month column has a format of yyyyymm.