Таблица 1.1 – описание запросов API

Метод	Curl (входящие данные)	URL (Строка запроса)	Response body (возвращаемый результат)	Код результата
POST	curl -X POST http://localhost:<port>/api/auth/register -H "Content-Type: application/json" -d '{"lastName":"Сидоров","firstName":"Алексей","middleName":"Игоревич","email":"alex@mail.ru","password":"Client123!"}'	/api/auth/register	{"id":5,"lastName":"Сидоров","firstName":"Алексей","email":"alex@mail.ru","role":"client","status":"active","token":"eyJhbG..."}	200, 400, 409
POST	curl -X POST http://localhost:<port>/api/auth/login -H "Content-Type: application/json" -d '{"email":"ivan@mail.ru","password":"Client123!"}'	/api/auth/login	{"id":2,"lastName":"Иванов","firstName":"Иван","email":"ivan@mail.ru","role":"client","status":"active","token":"eyJhbG..."}	200, 400, 401, 403
GET	curl -X GET http://localhost:<port>/api/me -H "Authorization: Bearer <token>"	/api/me	{"id":2,"lastName":"Иванов","firstName":"Иван","middleName":"...","email":"ivan@mail.ru","role":"client","status":"active","avatarUrl":null}	200, 401
PUT	curl -X PUT http://localhost:<port>/api/me -H "Authorization: Bearer <token>" -H "Content-Type: application/json" -d '{"lastName":"Иванов","firstName":"Иван","middleName":"Иванович","avatarUrl":"https://example.com/avatar.png"}'	/api/me	{"id":2,"lastName":"Иванов","firstName":"Иван","middleName":"Иванович","email":"ivan@mail.ru","role":"client","status":"active"}	200, 400, 401
POST	curl -X POST http://localhost:<port>/api/me/password -H "Authorization: Bearer <token>" -H "Content-Type: application/json" -d '{"currentPassword":"Client123!","newPassword":"NewPass456!"}'	/api/me/password	{"message":"Пароль изменён"}	200, 400, 401
GET	curl -X GET http://localhost:<port>/api/categories	/api/categories	[{"id":1,"code":"processors","name":"Процессоры","isRequired":true,"characteristics":[...]}]	200
GET	curl -X GET "http://localhost:<port>/api/components?categoryId=1&sort=price_asc&page=1&pageSize=24	/api/components?categoryId=1&sort=price_asc&page=1&pageSize=24	{"items":[{"id":1,"name":"...","manufacturer":"AMD","model":"...","price":17990,"specs":{"socket":"AM5"}}],"total":10,"page":1,"pageSize":24}	200
GET	curl -X GET http://localhost:<port>/api/components/1	/api/components/{id}	{"id":1,"name":"...","manufacturer":"AMD","model":"...","price":17990,"specs":{"socket":"AM5"}}	200, 404
GET	curl -X GET "http://localhost:<port>/api/manufacturers?categoryId=1	/api/manufacturers?categoryId=1	["AMD","Intel"]	200
GET	curl -X GET http://localhost:<port>/api/builds -H "Authorization: Bearer <token>"	/api/builds	[{"id":1,"name":"Игровой бюджетный","totalPrice":65000,"isComplete":true,"isCompatible":true,"isPublic":true,...}]	200, 401
GET	curl -X GET http://localhost:<port>/api/builds/1 -H "Authorization: Bearer <token>"	/api/builds/{id}	{"id":1,"name":"Игровой бюджетный","components":[...],"totalPrice":65000,"isComplete":true,"isCompatible":true,...}	200, 401, 404
GET	curl -X GET http://localhost:<port>/api/builds/shared/<guid>	/api/builds/shared/{token}	{"id":1,"name":"Игровой бюджетный","components":[...],"isPublic":true,...}	200, 404
GET	curl -X GET http://localhost:<port>/api/builds/1/share -H "Authorization: Bearer <token>"	/api/builds/{id}/share	{"token":"<guid>","url":"http://localhost:<port>/api/builds/shared/<guid>"}	200, 401, 404
GET	curl -X GET http://localhost:<port>/api/builds/1/compatibility -H "Authorization: Bearer <token>"	/api/builds/{id}/compatibility	{"isCompatible":true,"errors":[],"warnings":[]}	200, 401, 404
GET	curl -X GET http://localhost:<port>/api/builds/1/recommendations -H "Authorization: Bearer <token>"	/api/builds/{id}/recommendations	[{"componentId":12,"reason":"Лучшее соответствие по производительности и цене"}]	200, 401, 404
GET	curl -X GET http://localhost:<port>/api/builds/1/report -H "Authorization: Bearer <token>"	/api/builds/{id}/report	{"buildId":1,"name":"Игровой бюджетный","totalPrice":65000,"components":[...],"compatibility":{...}}	200, 401, 404
GET	curl -X GET http://localhost:<port>/api/builds/1/report/text -H "Authorization: Bearer <token>"	/api/builds/{id}/report/text	Текстовый отчёт о сборке ПК	200, 401, 404
POST	curl -X POST http://localhost:<port>/api/builds -H "Authorization: Bearer <token>" -H "Content-Type: application/json" -d '{"name":"Мой первый ПК"}'	/api/builds	{"id":9,"name":"Мой первый ПК","totalPrice":0,"isComplete":false,"isCompatible":true,...}	201, 400, 401
POST	curl -X POST http://localhost:<port>/api/builds/auto -H "Authorization: Bearer <token>" -H "Content-Type: application/json" -d '{"name":"Автосборка для игр","budget":90000,"purpose":"gaming"}'	/api/builds/auto	{"build":{...},"message":"Сборка создана автоматически"}	201, 400, 401, 422
PUT	curl -X PUT http://localhost:<port>/api/builds/1 -H "Authorization: Bearer <token>" -H "Content-Type: application/json" -d '{"name":"Игровой ПК"}'	/api/builds/{id}	{"id":1,"name":"Игровой ПК",...}	200, 400, 401, 404
DELETE	curl -X DELETE http://localhost:<port>/api/builds/1 -H "Authorization: Bearer <token>"	/api/builds/{id}	{"message":"Сборка удалена"}	200, 401, 404, 409
POST	curl -X POST http://localhost:<port>/api/builds/1/components -H "Authorization: Bearer <token>" -H "Content-Type: application/json" -d '{"componentId":5}'	/api/builds/{id}/components	{"id":1,"components":[...],"isCompatible":true,...}	200, 401, 404, 422
PUT	curl -X PUT http://localhost:<port>/api/builds/1/components/1 -H "Authorization: Bearer <token>" -H "Content-Type: application/json" -d '{"componentId":12}'	/api/builds/{id}/components/{categoryId}	{"id":1,"components":[...],"isCompatible":true,...}	200, 401, 404, 422

Продолжение таблицы 1.1

1	2	3	4	5
POST	curl -X POST http://localhost:<port>/api/builds/1/check -H "Authorization: Bearer <token>" -H "Content-Type: application/json" -d '{"componentId":12}'	/api/builds/{id}/check	{"isCompatible":true,"errors":[],"warnings":[]}	200, 400, 401, 404, 422
DELETE	curl -X DELETE http://localhost:<port>/api/builds/1/components/8 -H "Authorization: Bearer <token>"	/api/builds/{id}/components/{categoryId}	{"id":1,"components":[...],"isComplete":false,...}	200, 401, 404
POST	curl -X POST http://localhost:<port>/api/builds/1/copy -H "Authorization: Bearer <token>"	/api/builds/{id}/copy	{"id":10,"name":"Копия: Игровой бюджетный",...}	201, 401, 404
POST	curl -X POST http://localhost:<port>/api/builds/1/publish -H "Authorization: Bearer <token>" -H "Content-Type: application/json" -d '{"comment":"Тихий игровой ПК"}'	/api/builds/{id}/publish	{"id":1,"isPublic":true,...}	200, 401, 404, 422
POST	curl -X POST http://localhost:<port>/api/builds/1/unpublish -H "Authorization: Bearer <token>"	/api/builds/{id}/unpublish	{"id":1,"isPublic":false,...}	200, 401, 404
GET	curl -X GET "http://localhost:<port>/api/gallery?sort=likes&page=1&pageSize=12	/api/gallery?sort=likes&page=1&pageSize=12	{"items":[{"buildId":4,"name":"Топовый игровой","likesCount":...,"totalPrice":...}],...}	200
POST	curl -X POST http://localhost:<port>/api/gallery/4/like -H "Authorization: Bearer <token>"	/api/gallery/{buildId}/like	{"message":"Лайк добавлен"}	200, 401, 404, 422
DELETE	curl -X DELETE http://localhost:<port>/api/gallery/4/like -H "Authorization: Bearer <token>"	/api/gallery/{buildId}/like	{"message":"Лайк удалён"}	200, 401, 404
GET	curl -X GET http://localhost:<port>/api/favorites -H "Authorization: Bearer <token>"	/api/favorites	[{"id":4,"name":"Топовый игровой",...}]	200, 401
POST	curl -X POST http://localhost:<port>/api/favorites/4 -H "Authorization: Bearer <token>"	/api/favorites/{buildId}	{"message":"Сборка добавлена в избранное"}	200, 401, 404, 422
DELETE	curl -X DELETE http://localhost:<port>/api/favorites/4 -H "Authorization: Bearer <token>"	/api/favorites/{buildId}	{"message":"Сборка удалена из избранного"}	200, 401, 404
GET	curl -X GET "http://localhost:<port>/api/news?page=1&pageSize=10	/api/news?page=1&pageSize=10	{"items":[{"id":1,"title":"Новое поступление","body":"...","createdAt":"2026-10-10T12:00:00Z","isPublished":true}],...}	200
GET	curl -X GET "http://localhost:<port>/api/admin/news?page=1&pageSize=20" -H "Authorization: Bearer <admin_token>"	/api/admin/news?page=1&pageSize=20	{"items":[{"id":1,"title":"Новое поступление","body":"...","isPublished":true}],...}	200, 401, 403
POST	curl -X POST http://localhost:<port>/api/admin/news -H "Authorization: Bearer <admin_token>" -H "Content-Type: application/json" -d '{"title":"Новое поступление","body":"В каталог добавлены новые видеокарты.","isPublished":true}'	/api/admin/news	{"id":2,"title":"Новое поступление","body":"В каталог добавлены новые видеокарты.","isPublished":true}	201, 400, 401, 403
PUT	curl -X PUT http://localhost:<port>/api/admin/news/1 -H "Authorization: Bearer <admin_token>" -H "Content-Type: application/json" -d '{"title":"Обновление","body":"Текст","isPublished":true}'	/api/admin/news/{id}	{"id":1,"title":"Обновление","body":"Текст","isPublished":true}	200, 400, 401, 403, 404
DELETE	curl -X DELETE http://localhost:<port>/api/admin/news/1 -H "Authorization: Bearer <admin_token>"	/api/admin/news/{id}	{"message":"Новость удалена"}	200, 401, 403, 404
GET	curl -X GET "http://localhost:<port>/api/admin/users?status=active&page=1&pageSize=20" -H "Authorization: Bearer <admin_token>"	/api/admin/users?status=active&page=1&pageSize=20	{"items":[{"id":1,"email":"admin@mail.ru","role":"admin","status":"active"},...],"total":3,...}	200, 401, 403
GET	curl -X GET http://localhost:<port>/api/admin/users/2 -H "Authorization: Bearer <admin_token>"	/api/admin/users/{id}	{"id":2,"email":"ivan@mail.ru","role":"client","status":"active",...}	200, 401, 403, 404
POST	curl -X POST http://localhost:<port>/api/admin/users/2/block -H "Authorization: Bearer <admin_token>"	/api/admin/users/{id}/block	{"id":2,"status":"blocked",...}	200, 401, 403, 404, 422
POST	curl -X POST http://localhost:<port>/api/admin/users/2/unblock -H "Authorization: Bearer <admin_token>"	/api/admin/users/{id}/unblock	{"id":2,"status":"active",...}	200, 401, 403, 404
POST	curl -X POST http://localhost:<port>/api/admin/components -H "Authorization: Bearer <admin_token>" -H "Content-Type: application/json" -d '{"categoryId":1,"name":"AMD Ryzen 5 8500G","manufacturer":"AMD","model":"Ryzen 5 8500G","price":17990,"specs":{"socket":"AM5","tdp_w":"65"}}'	/api/admin/components	{"id":20,"categoryId":1,"name":"AMD Ryzen 5 8500G","manufacturer":"AMD","model":"Ryzen 5 8500G","price":17990,"specs":{"socket":"AM5","tdp_w":"65"}}	201, 400, 401, 403

Продолжение таблицы 1.1

1	2	3	4	5
PUT	curl -X PUT http://localhost:<port>/api/admin/components/20 -H "Authorization: Bearer <admin_token>" -H "Content-Type: application/json" -d '{"categoryId":1,"name":"AMD Ryzen 5 8500G OEM","manufacturer":"AMD","model":"Ryzen 5 8500G","price":17990,"specs":{"socket":"AM5","tdp_w":"65"}}'	/api/admin/components/{id}	{"id":20,"name":"AMD Ryzen 5 8500G OEM",...}	200, 400, 401, 403, 404
DELETE	curl -X DELETE http://localhost:<port>/api/admin/components/20 -H "Authorization: Bearer <admin_token>"	/api/admin/components/{id}	{"message":"Компонент деактивирован"}	200, 401, 403, 404
POST	curl -X POST http://localhost:<port>/api/admin/components/20/restore -H "Authorization: Bearer <admin_token>"	/api/admin/components/{id}/restore	{"message":"Компонент восстановлен"}	200, 401, 403, 404
GET	curl -X GET http://localhost:<port>/api/admin/catalog/export -H "Authorization: Bearer <admin_token>"	/api/admin/catalog/export	JSON-файл каталога (application/json)	200, 401, 403
POST	curl -X POST http://localhost:<port>/api/admin/catalog/import -H "Authorization: Bearer <admin_token>" -F "file=@catalog.json"	/api/admin/catalog/import	{"imported":1,"updated":0,"errors":[]}	200, 400, 401, 403
POST	curl -X POST http://localhost:<port>/api/admin/catalog/import/json -H "Authorization: Bearer <admin_token>" -H "Content-Type: application/json" -d '[{"category":"processors","name":"AMD Ryzen 5 8500G","manufacturer":"AMD","model":"Ryzen 5 8500G","price":17990,"specs":{"socket":"AM5","tdp_w":"65"}}]'	/api/admin/catalog/import/json	{"imported":1,"updated":0,"errors":[]}	200, 400, 401, 403
GET	curl -X GET "http://localhost:<port>/api/admin/publications?status=published&page=1&pageSize=20" -H "Authorization: Bearer <admin_token>"	/api/admin/publications?status=published&page=1&pageSize=20	{"items":[{"buildId":1,"name":"Игровой бюджетный","status":"published",...}],...}	200, 400, 401, 403
POST	curl -X POST http://localhost:<port>/api/admin/publications/1/hide -H "Authorization: Bearer <admin_token>"	/api/admin/publications/{buildId}/hide	{"message":"Публикация скрыта"}	200, 401, 403, 404
POST	curl -X POST http://localhost:<port>/api/admin/publications/1/show -H "Authorization: Bearer <admin_token>"	/api/admin/publications/{buildId}/show	{"message":"Публикация опубликована"}	200, 401, 403, 404
DELETE	curl -X DELETE http://localhost:<port>/api/admin/publications/1 -H "Authorization: Bearer <admin_token>"	/api/admin/publications/{buildId}	{"message":"Публикация удалена"}	200, 401, 403, 404
GET	curl -X GET http://localhost:<port>/api/admin/stats -H "Authorization: Bearer <admin_token>"	/api/admin/stats	{"usersTotal":3,"clientsActive":2,"clientsBlocked":0,"componentsActive":...,"buildsTotal":...,"buildsAuto":...,"buildsManual":...,"likes":...,"favorites":...}	200, 401, 403
GET	curl -X GET "http://localhost:<port>/api/admin/logs?action=login&page=1&pageSize=20" -H "Authorization: Bearer <admin_token>"	/api/admin/logs?action=login&page=1&pageSize=20	{"items":[{"id":1,"action":"login","userId":2,"createdAt":"2026-10-10T12:00:00Z","details":"..."}],...}	200, 401, 403