


# SQL PROJECT ON PIZZA SALES REPORT





**IN THIS PROJECT  
I HAVE SOLVED  
VARIOUS QUERIES  
RELATED TO PIZZA  
SALES REPORT**

# DATABASE SCHEMA



01

Retrieve the total number of orders placed.

```
use pizzahut;  
SELECT  
    COUNT(order_id) AS total_orders  
FROM
```

Result Grid	
	total_orders
▶	21350

02

Calculate the total revenue generated from pizza sales.

```
SELECT  
    ROUND(SUM(order_details.quantity * pizzas.price),  
        2) AS total_sales  
  
FROM  
    order_details  
    JOIN  
    pizzas ON pizzas.pizza_id = order_details.pizza_id;
```

Result Grid	
	total_sales
▶	817860.05

03

Identify the highest-priced pizza.

```
SELECT  
    pizza_types.name, pizzas.price  
FROM  
    pizzas  
        JOIN  
    pizza_types ON pizzas.pizza_type_id = pizza_types.pizza_type_id  
ORDER BY pizzas.price DESC  
LIMIT 1;
```

Result Grid | Filter Rows:

	name	price
▶	The Greek Pizza	35.95

04

Identify the most common pizza size ordered.

```
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order count DESC;
```

Result Grid

size	order_count
L	18526
M	15385
S	14137
XL	544
XXL	28

05

List the top 5 most ordered pizza types along with their quantities.

```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

	name	quantity
▶	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371

06

Join the necessary tables to find the total quantity of each pizza category ordered.

```
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

	category	quantity
▶	Classic	14888
	Supreme	11987
	Veggie	11649
	Chicken	11050

07

Determine the distribution of orders by hour of the day.

```
SELECT  
    HOUR(order_time) AS hour, COUNT(order_id) AS order_count  
FROM  
    orders  
GROUP BY HOUR(order_time);
```

hour	order_count
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28
10	8
9	1

08

Join relevant tables to find the category-wise distribution of pizzas.

```
SELECT  
    category, COUNT(name)  
FROM  
    pizza_types  
GROUP BY category;
```

Result Grid | Filter Row

	category	count(name)
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9

09

Group the orders by date and calculate the average number of pizzas ordered per day.

```
SELECT
    AVG(quantity) AS avg_pizza
FROM
    (SELECT
        orders.order_date, SUM(order_details.quantity) AS quantity
    FROM
        orders
    JOIN order_details ON orders.order_id = order_details.order_details_id
    GROUP BY orders.order_date) AS order_quantity;
```

Result Grid	
	avg_pizza
→	60.7709

10

Determine the top 3 most ordered pizza types based on revenue.

```
SELECT  
    pizza_types.name,  
    SUM(order_details.quantity * pizzas.price) AS revenue  
FROM  
    pizza_types  
        JOIN  
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id  
        JOIN  
    order_details ON order_details.pizza_id = pizzas.pizza_id  
GROUP BY pizza_types.name  
ORDER BY revenue DESC  
LIMIT 3;
```

Result Grid | Filter Rows:

	name	revenue
▶	The Thai Chicken Pizza	43434.25
▶	The Barbecue Chicken Pizza	42768
▶	The California Chicken Pizza	41409.5

Calculate the percentage contribution of each pizza type to total revenue.

```
SELECT
    pizza_types.category,
    ROUND((SUM(order_details.quantity * pizzas.price) / (SELECT
        ROUND(SUM(order_details.quantity * pizzas.price),
        2) AS total_sales
    )
    FROM
        order_details
        JOIN
            pizzas ON pizzas.pizza_id = order_details.pizza_id)) * 100,
    2) AS revenue
FROM
    pizza_types
    JOIN
        pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
    JOIN
        order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```

Result Grid

category	revenue
Classic	26.91
Supreme	25.46
Chicken	23.96
Veggie	23.68

Analyze the cumulative revenue generated over time.

```
SELECT order_date, sum(revenue) over (ORDER BY order_date) as cum_revenue from
(select orders.order_date ,
sum(order_details.quantity * pizzas.price) as revenue
from order_details join pizzas
on order_details.pizza_id = pizzas.pizza_id
join orders on orders.order_id = order_details.order_id
group by orders.order_date) as sales;
```

order_date	cum_revenue
2015-01-01	2713.8500000000004
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7
2015-01-08	19399.05
2015-01-09	21526.4
2015-01-10	23990.35000000002
2015-01-11	25862.65
2015-01-12	27781.7
2015-01-13	29831.30000000003
2015-01-14	32358.70000000004
2015-01-15	34343.50000000001
2015-01-16	36937.65000000001
2015-01-17	39001.75000000001

Determine the top 3 most ordered pizza types based on revenue for each pizza category.

```
select name , revenue from
(select category, name, revenue, rank() over (partition by category order by revenue desc ) as rn from
(select pizza_types.category, pizza_types.name,
sum((order_details.quantity)* pizzas.price) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category, pizza_types.name) as a) as b
where rn<=3;
```

Result Grid		Filter Rows:
	name	revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5
	The Classic Deluxe Pizza	38180.5
	The Hawaiian Pizza	32273.25
	The Pepperoni Pizza	30161.75
	The Spicy Italian Pizza	34831.25
	The Italian Supreme Pizza	33476.75
	The Sicilian Pizza	30940.5
	The Four Cheese Pizza	32265.70000000065
	The Mexicana Pizza	26780.75
	The Five Cheese Pizza	26066.5



# THANK YOU

THANK YOU FOR YOUR TIME AND  
ATTENTION. I HOPE YOU FOUND THE  
PRESENTATION INFORMATIVE AND  
ENGAGING.