

STEEL PIPE

- 3/4" – 6" in stock, other sizes available upon request
- coated and uncoated pipe
- A-106/A-53B

COUPLINGS



Coupling Ell



2-Nut Coupling

MALLEABLE CAST IRON



Tee



Reducer Coupling

- available for plastic to plastic, plastic to steel, and steel to steel connections
- sizes from 1/2. CTS through 2. IPS

MAXI-GRIP EZ COUPLING



- easy to use mechanical coupling
- joins any combination of steel, cast iron, or plastic pipe
- available in sizes 1 1/4" to 12"

VALVES

RELUBE METER STOPS



559 FLAT HEAD VALVE



- iron or galvanized iron body, brass plug or ball styles
- tamper proof
- available in sizes 1/2" – 2"

560 FLAT HEAD VALVE WITH LOCKWING



6276 FLAT HEAD INSULATED VALVE WITH LOCKWING



BRASS



- for the 2 pound natural gas system
- forged brass fittings, valves and accessories
- easy to install
- rubber hose assemblies - any length
- stainless steel gas appliance connectors
- sizes 1/2" to 7/8"
- all CGA certified



TEES



**SERVICE TEE
WELD X WELD**



**SERVICE TEE
WELD X COMPRESSION**



**SERVICE SADDLE TEE
FOR STEEL MAIN**



**TRANSITION FITTING
PUNCH TEE**

ADAPTERS



SERVICE HEAD ADAPTER

- for use on new or existing risers
- ideal for service line insertion projects
- fast, economical
- no fusion needed

ADAPTER COUPLING



- for joining copper tubing and X-tube to steel pipe
- insulating or conductive type compression outlets
- sizes 1/4" through 1 1/8"

METER BARS



UNION OUTLET



**UNION OUTLET WITH
SWIVEL**



RIGID OUTLET



- Used with straight or offset swivels and swivel nuts to support the gas meter
- 1" or 3/4" inlet, outlet and swivel tapings with either 6" or 6 1/2" centers
- union tailpiece is non-insulated (standard) or insulated on request
- heavy I-Beam cast iron construction (black, painted or galvanized finish)
- numerous configurations available

METER SWIVELS



- Available in all sizes
- Insulated or non-insulated
- Interchangeable with standard connections
- Insulation is UV resistant, has high dielectric strength and is bonded to the metal by a weatherproof adhesive

METER NUTS, PLUGS AND GASKETS

- **Meter Swivel Nut** – to connect straight and/or offset swivel gas fittings
- Precision machined malleable iron
- Black or galvanized



- **Meter Swivel Nut Plug** -- to prevent the unintentional flow of gas from meter sets that have no meters attached



- made of malleable iron
- **Gasket** -- to seal malleable iron swivels to the gas meter
- rubber gasket is resistant to the effects of natural and manufactured gases

REPAIR CLAMPS

STANDARD REPAIR CLAMP

- nickel chromium stainless steel band
- oil and flame resistant gasket
- malleable iron lugs
- available in sizes 1/2" through 8"



FULL CIRCLE CLAMP

- stainless steel cover plate
- oil and flame resistant gasket
- available in sizes 1/2" through 8"



INSERTS



- for use with compression fittings on polyethylene pipe and tubing
- for pipe sizes 1/2" CTS, and 1/2" IPS through 2" IPS



SEALANTS

TEFLON TAPE

- creates a positive seal on threaded metal pipe joints
- easy to apply -- no mess, no waste
- very visible
- indefinite shelf life
- 260. per roll in 1/2., 3/4., or 1. widths
- can be used in water, petroleum, and most chemical applications

MASTERS METALLIC

- pipe thread sealing compound for metal or plastic pipe
- protects against rust and corrosion
- useful as a frictionless packing lubricant without electrolytic pitting
- prevents leaks through gasketed connections
- ULC approved

V2 MULTI-PURPOSE THREAD SEALANT

- soft setting, non-petroleum based thread sealant where immediate pressurization is required
- water resistant, non-staining, low odour
- contains teflon and natural filler for tighter joint make-up

- can be used with potable water
- environmentally friendly
- ULC approved

MISCELLANEOUS ITEMS



PRESSURE REGULATORS

- spring-loaded regulators provide economical pressure reducing control in residential, commercial and industrial applications
- easy to maintain or inspect critical parts without removing the body from the line
- adjustable union ring connection and vent positioning for easy installation in awkward positions or limited spaces

PETE'S PLUG

- permanently installed plug allows for quick pressure or temperature readings without the need for gauge cocks and thermometer wells
- available in various pipe thread sizes, lengths and materials
- can be operated under a wide range of pressures and temperatures
- stainless steel gauge adapters are available

BARREL LOCK AND KEY



STEEL FITTINGS

- tamper resistant
- cannot be opened using old style keys
- various key combinations are offered
- keys and locks are color coded



POP-TOP WEATHER CAP

- protects vertical discharge stacks from entry of rain, snow, dirt, insects etc.
- lid automatically recluses
- self-locking set screw attaches cap to pipe
- aluminium casting with steel fastener