CS 575 Lab Notebook

Lab 10

Name: Jarren Calizo
OdinID: calizo
Date: March 15, 2026

Table of Contents

Lab 10.1 Threat Intelligence 3
Step 3. Network intelligence 3
1. What kind of information is returned? 3
2. What additional information is returned from this API? 3
Step 4. Network intelligence (2) 4
1. Include the tool descriptions you used for each tool 4
2. Take a screenshot of the results of querying the tools with two different IP addresses, ensuring that both tools are utilized for each address that includes your OdinId 5
Step 5. DNS intelligence 6
1. What kind of information is returned? 6
2. What additional information is returned from the command? 7
3. What additional information is returned from the site? 7
Step 6. DNS intelligence (2) 8
1. Include the tool descriptions you used for each tool 8
2. Take a screenshot of the results of querying the tools with two different DNS names, ensuring that each tool is utilized for each name that includes your OdinId 9
Step 7. URL intelligence 11
1. What kind of information is returned? 11
2. What additional information is returned from the API? 11
3. What additional information is returned from the site? 11
Step 8. URL intelligence (2) 12
1. Include the tool descriptions you used for each tool 12
2. Take a screenshot of the results of testing the tools with three different URLs that have been listed at https://testsafebrowsing.appspot.com/ or https://www.phishtank.com/ that includes your OdinId 13
Step 9. E-mail intelligence 15
1. What kind of information is returned including the range for scores possible and their meaning. 15
2. What additional information is returned from the site? 15
Step 10. E-mail intelligence (2) 16
1. Include the tool descriptions you used for each tool 16
2. Take a screenshot of the results of testing the tools with two different e-mail addresses and two different payloads that includes your OdinId 17
Step 11. CVEs and CWEs 17
1. What kind of information is returned from the API? 17
2. Include the tool descriptions you used for each tool 18

3. Take a screenshot of the results that includes your OdinId 19
4. Take a screenshot of the results that includes your OdinId 20
Step 13. MITRE ATT&CK RAG (2) 22
1. What is the origin of this group? 22
2. What are some of the CVEs it has utilized in the past? 22
Step 14. MITRE ATT&CK RAG (3) 23
1. Take a screenshot of the results returned when asking for information about APT 28 that includes your OdinId 23
2. Take a screenshot of the results returned when asking for information about Ferocious Kitten that includes your OdinId 23
Step 15. MITRE ATT&CK RAG (4) 23
1. Take a screenshot of the results returned when you ask for a short summary about APT 28 that includes your OdinId 23
2. Take a screenshot of the results returned when you ask for the CVEs that APT 28 has utilized that includes your OdinId 24
Step 17. MSTIC, VirusTotal agent (2) 24
1. Include the tool descriptions you used for each tool 24
2. Show the results of testing the tools with the given query that includes your OdinId 25
Lab 10.2 Social Engineering 26
Step 1. Fake profiles 26
1. Take a screenshot of the profile generated that includes your OdinId 26
Step 2. Fake e-mails (e.g. phishing) 30
2. Take a screenshot of the results that includes your OdinId 36
Step 3. Fake news 48
1. Take a screenshot showing the results of article generation that includes your OdinId 48
Step 4. Fake news (2) 50
1. Take a screenshot of the results showing whether or not the LLM is able to accurately classify the article that includes your OdinId 50
2. Take a screenshot of the results showing whether or not the LLM is able to accurately classify the articles that includes your OdinId 56
Step 8. Pig Butchering Scams (4) 67
1. Show message histories of interactions with the victim in which they either produce their credit card number or get close to it. 67
2. Include your persona and instructions used to generate the above message interaction. 68
3. Show an interaction that provides reveals that the "victim" is a bot 69

Lab 10.1 Threat Intelligence

Step 3. Network intelligence

1. What kind of information is returned?

ipwho.is returns IP geolocation and network metadata. It provides the IP address and lookup status, IP version, approximate geographic location such as continent, country, region, city, latitude, longitude, postal code, and country details, plus connection information such as ASN, organization, ISP, and domain. It also returns timezone data and related metadata like the country flag. Basically, it is a IP geolocation API that returns location, timezone, and related IP connection details in structured JSON.

2. What additional information is returned from this API?

In addition to basic IP and location data, the VirusTotal IP API returns threat intelligence and reputation data. It includes a JARM fingerprint, the last analysis timestamp, per-engine detection results, summary detection counts, a community reputation score, total community votes, tags, the IP's network range and regional internet registry, the full WHOIS record with its update timestamp, and the last observed HTTPS certificate with the date VirusTotal retrieved it.

Step 4. Network intelligence (2)

1. Include the tool descriptions you used for each tool

```python
from fastmcp import FastMCP
import requests
import os
import sys

VIRUSTOTAL_API_KEY = os.getenv("VIRUSTOTAL_API_KEY")
mcp = FastMCP("Network Intelligence")

@mcp.tool("ip_loc")
async def ip_loc(address:str):
    """
    Look up basic geolocation and network ownership information for a public IP address using ipwho.is.

    Returns JSON describing where the IP is located and what network it belongs to. Typical fields can include
    country, region, city, postal code, latitude, longitude, continent, capital, timezone-related location
    context, and provider or connection metadata such as ASN, ISP, organization, or domain. Use this tool when
    you need fast attribution and location context for an IP address.


    Interpret the result as contextual intelligence only. A location or ISP match does not prove maliciousness.
    This tool is best for identifying where an IP appears to be located and which network owns or serves it.
    """
    url = f"http://ipwho.is/{address}"
    response = requests.get(url)
    if response.status_code == 200:
        return response.json()

@mcp.tool("ip_report")
async def ip_report(address:str):
    """
    Look up a public IP address in VirusTotal and return a detailed security reputation report.


    Returns JSON with security-focused intelligence about the IP, including fields such as ASN and AS owner,
    country, network range, scanner-by-scanner analysis results, aggregate verdict counts in last_analysis_stats,
    community reputation and votes, tags, WHOIS data, and sometimes certificate or relationship metadata. Use
    this tool when you need to judge whether an IP has suspicious or malicious history.


    Interpret malicious or suspicious detections, negative reputation, risky tags, or repeated vendor hits as
    stronger indicators of concern. Harmless or undetected results do not guarantee that the IP is safe.
    """
    url = f"https://www.virustotal.com/api/v3/ip_addresses/{address}"
    request_headers = {"x-apikey": VIRUSTOTAL_API_KEY}
    response = requests.get(url, headers=request_headers)
    if response.status_code == 200:
        return response.json()

if __name__ == "__main__":
```



2. Take a screenshot of the results of querying the tools with two different IP addresses, ensuring that both tools are utilized for each address that includes your OdinId





Step 5. DNS intelligence

1. What kind of information is returned?

It returns email-domain validation and mail infrastructure intelligence. The API reports whether the domain is valid, whether it should be blocked, whether it is disposable, the domain name itself, a short status message and reason, a risk score, possible typo suggestions, the MX host, MX IP, MX record details, and the timestamp of the last risk-score change. It also includes an email_forwarder flag, which indicates whether the domain appears to be used for forwarding.

2. What additional information is returned from the command?

The whois pdx.edu command returns domain registration record information that is not typically included in basic DNS or mail validation lookups. It provides the registrant organization, administrative and technical contact details such as names, mailing addresses, phone numbers, and email addresses, the authoritative name servers for the domain, and lifecycle dates such as when the domain record was activated, last updated, and when it expires. For .edu domains, these records come from the authoritative EDUCAUSE Whois database.

3. What additional information is returned from the site?

crt.sh returns certificate transparency and X.509 certificate details beyond basic domain registration data. It shows CT log entries for the certificate, including log operators, log URLs, entry numbers, and timestamps. It also exposes revocation status, certificate fingerprints, issuer and subject fields, validity dates, public key information, subject alternative names, key usage and other X.509 extensions, plus related URLs such as AIA and CRL distribution points. Sectigo describes crt.sh as a public interface that aggregates known CT logs and lets users inspect certificate records in detail, similar to the certificate itself.

Step 6. DNS intelligence (2)

1. Include the tool descriptions you used for each tool

```python
@mcp.tool("cert_domain_search")
async def cert_domain_search(domain):
    """
    Search Certificate Transparency log entries for a domain using crt.sh.


    Returns JSON describing certificates that have been logged for the domain. Typical fields can include the
    certificate ID, issuer CA ID, issuer name, common name, name_value values that often contain hostnames or
    SAN entries, the CT log entry timestamp, validity dates such as not_before and not_after, and serial number.
    Use this tool to discover certificate history, identify related hostnames or subdomains, and spot unexpected
    certificates associated with a domain.

    Interpret results carefully because duplicates are common and multiple certificates may exist for the same
    hostname over time.
    """
    url = f"""https://crt.sh/?Identity={domain}&output=json"""
    response = requests.get(url)
    if response.status_code == 200:
        return response.json()

@mcp.tool("email_domain_search")
async def email_domain_search(domain):
    """
    Check whether a domain looks valid for e-mail use and whether it appears disposable or temporary.

    Returns JSON from the Mailcheck RapidAPI service with verdict-style information about the domain's mail
    setup and risk. Results may include whether the domain is valid, whether it should be blocked, whether it
    is disposable, the queried domain, explanatory text or reason, risk indicators, and MX-related details
    such as MX host, MX IP, or mail-routing context. Use this tool to judge whether a domain is legitimate
    for e-mail delivery or likely throwaway infrastructure.

    Treat disposable or block-worthy results as stronger warning signs. A valid result only means the domain
    appears mail-capable, not that it is trustworthy.
    """
    url = "https://mailcheck.p.rapidapi.com/"
    querystring = {"domain": domain}
    request_headers = {
        "X-RapidAPI-Key": RAPID_API_KEY,
```





```python
@mcp.tool("whois_domain_search")
async def whois_domain_search(domain:str):
    """
    Run the local whois command for a domain and return registration and ownership context.


    Returns a subprocess result object whose stdout contains the raw WHOIS record. The WHOIS data commonly
    includes registrar and registry details, nameservers, domain status values, creation, update, and expiration
    dates, DNSSEC information, abuse contacts, and sometimes registrant, admin, or technical contact information
    when publicly available. Use this tool when you need domain registration history and ownership context.

    Interpret the output as raw text that varies by TLD and registrar. Privacy services or redaction may hide
    some contact fields.
    """
    result = subprocess.run(['whois',domain], capture_output=True, text=True, check=True)
    if result:
        return result

if __name__ == "__main__":
    if sys.argv[1] == 'stdio':
        mcp.run(transport="stdio")
    else:
        mcp.run(transport="http", host="0.0.0.0", port=8080)
```



2. Take a screenshot of the results of querying the tools with two different DNS names, ensuring that each tool is utilized for each name that includes your OdinId



default ——[claude-sonnet-4-5]

Summary for openpowerlifting.org

Certificate History


The domain has a **consistent and healthy certificate history** spanning from **2018 to 2026**:

- **Issuer:** All certificates are from **Let's Encrypt** (trusted Certificate Authority)
  - Older certs: Let's Encrypt Authority X3
  - Recent certs: Let's Encrypt R10, R11, R12, R13 (newer intermediates)
- **Renewal Pattern:** Regular 90-day renewals (typical for Let's Encrypt), showing active maintenance from 2018 through January 2026
- **Covered Hostnames:**
  - **www.openpowerlifting.org** and **ru.openpowerlifting.org** (Russian version) - most recent
  - **openpowerlifting.org** (apex domain)
  - **docs.openpowerlifting.org** and **book.openpowerlifting.org** (documentation subdomains, 2020-2021)
  - **openipf.org** appears as a common name in some older certificates alongside openpowerlifting.org (2020-2022)
- **Assessment:** Legitimate, well-maintained certificate hygiene with no suspicious patterns. The presence of openipf.org (International Powerlifting Federation) alongside the domain suggests official affiliation.

Mail Domain Risk

Risk Level: Medium (50/100) - "Looks somewhat suspicious"


- **Valid:** ✅Domain is valid for email
- **Disposable:** ✅NOT a disposable/throwaway domain
- **Block Recommendation:** ✅NOT recommended to block
- **Email Forwarder:** ❌Not identified as an email forwarder
- **MX Configuration:**
  - MX Host: **mxb.mailgun.org** (priority 10)
  - MX IP: 34.160.157.95
  - Using **Mailgun** (commercial email service provider)
- **Risk Reason:** "Some anomalies detected"
  - The 50% risk score and "somewhat suspicious" label likely stems from using a third-party email service (Mailgun) rather than self-hosted mail servers
  - This is actually **normal for many organizations** and not inherently malicious
  - Mailgun is a legitimate transactional email service
- **Assessment:** The domain is legitimate for email use. The moderate risk score reflects the use of a third-party email provider (common for automated notifications/transactional emails), not actual malicious behavior.



Registration Details

- **Registrar:** Squarespace Domains II LLC (IANA ID: 895)
- **Registrar WHOIS:** whois.squarespace.domains
- **Creation Date:** **May 12, 2016** (~10 years old)
- **Updated:** July 17, 2025
- **Expiry Date:** **May 12, 2029** (renewed well in advance)
- **Domain Status:**
  - ✅**clientDeleteProhibited** - prevents accidental deletion
  - ✅**clientTransferProhibited** - prevents unauthorized transfers
  - (These are protective locks, indicating domain security)
- **Nameservers:**
  - ns-cloud-a1.googledomains.com
  - ns-cloud-a2.googledomains.com

- **Nameservers:**
  - ns-cloud-a1.googledomains.com
  - ns-cloud-a2.googledomains.com
  - ns-cloud-a3.googledomains.com
  - ns-cloud-a4.googledomains.com
  - (Using **Google Cloud DNS** infrastructure)
- **DNSSEC:** Unsigned (common, though DNSSEC would add additional security)
- **Registrant Information:** Redacted per GDPR/privacy policies
- **Abuse Contact:** abuse-complaints@squarespace.com / +1.6466935324
- **Assessment:** Long-standing domain (since 2016) with protective status codes and professional infrastructure (Google DNS). The domain is registered through a reputable registrar with proper renewal through 2029, indicating ongoing commitment and legitimacy.



Overall Verdict

openpowerlifting.org appears to be a **legitimate, well-maintained domain** for the Open Powerlifting project. The 10-year history, consistent SSL certificate renewals, professional infrastructure (Google DNS, Mailgun for email), and protective domain locks all support this is a trustworthy domain with no red flags for malicious activity.

-| dns_int |---

Last turn: 17,708 Input, 1,044 Output (9.4%)
default ❯

Step 7. URL intelligence

1. What kind of information is returned?

It returns a URL analysis report with threat reputation and context for the submitted URL. The report includes the analysis status, the normalized URL, the analysis date, a per-engine verdict table showing each security vendor's category, method, and result, and an aggregate summary of how many engines marked the URL as harmless, malicious, suspicious, or undetected. It also includes report metadata such as the analysis ID and links to the VirusTotal analysis resource.


2. What additional information is returned from the API?

Google's Safe Browsing Lookup API returns match information for URLs that appear on Safe Browsing threat lists. If a URL is flagged, the response can include the threat type, platform type, threat entry type, the matching URL entry itself, optional threat metadata, and a cache duration that tells the client how long to cache the result. If no match is found, the API returns an empty object.

3. What additional information is returned from the site?

```
┌──(calizo㉿kali-vm)-[~/cs475-src/10_ThreatIntel_SocialEng/01_Intelligence]
└─$ curl --silent --request POST \
  --url https://checkurl.phishtank.com/checkurl/ \
  --form-string 'url=https://trj-mars.pro/' \
  --form format=json \
  --header "User-Agent: phishtank/$USER" | jq
{
  "meta": {
    "timestamp": "2026-03-17T06:13:29+00:00",
    "serverid": "e5f3084e",
    "status": "success",
    "requestid": "172.17.128.1.69b8f1094e5d98.06501660"
  },
  "results": {
    "url": "https://trj-mars.pro/",
    "in_database": true,
    "phish_id": 9368661,
    "phish_detail_page": "http://www.phishtank.com/phish_detail.php?phish_id=9368661",
    "verified": true,
    "verified_at": "2026-03-17T05:12:05+00:00",
    "valid": true
  }
}

┌──(calizo㉿kali-vm)-[~/cs475-src/10_ThreatIntel_SocialEng/01_Intelligence]
└─$
```



Besides simply telling you whether the URL is in the PhishTank database, the site returns phishing record details such as the phish_id, a phish_detail_page link, whether

the entry has been verified, when it was verified_at, and whether it is still considered valid. The API response also includes request metadata such as a timestamp, server ID, request ID, and status. PhishTank's dev API documentation also shows that its broader data feeds can include when the phish was submitted, whether it is still online, the impersonated target, and network details such as IP address, CIDR block, announcing network, and RIR.

Step 8. URL intelligence (2)


1. Include the tool descriptions you used for each tool

```python
@mcp.tool("safebrowsing_url_report")
def safebrowsing_url_report(url):
    """
    Check a URL against Google Safe Browsing threat lists.

    Returns JSON from the Safe Browsing v4 threatMatches.find endpoint. If the URL is not found
    on the requested threat lists, the response is usually an empty object. If there is a match,
    the response includes a matches array with fields such as threatType, platformType,
    threatEntryType, the matched threat URL, optional threatEntryMetadata, and cacheDuration.

    Use this tool to determine whether Google currently classifies a URL as malware, social
    engineering, unwanted software, or another supported Safe Browsing threat type. Treat any
    returned match as a strong warning indicator. If metadata is present, it can add context such
    as whether a malware URL is a landing site or a distribution site.
    """
    api_url = f"https://safebrowsing.googleapis.com/v4/threatMatches:find?key={GOOGLE_API_KEY}"
    payload = {
        "client": {
            "clientId": "PSU",  # can be any string
            "clientVersion": "1.0"
        },
        "threatInfo": {
            "threatTypes": [
                "MALWARE", "SOCIAL_ENGINEERING", "UNWANTED_SOFTWARE", "POTENTIALLY_HARMFUL_APPLICATION"
            ],
            "platformTypes": ["ANY_PLATFORM"],
            "threatEntryTypes": ["URL"],
            "threatEntries": [{"url": url}]
        }
    }

    response = requests.post(api_url, json=payload)
    return response.json()
```



```python
@mcp.tool("virustotal_url_report")
def virustotal_url_report(url):
    """
    Submit a URL to VirusTotal and retrieve URL reputation and analysis context.

    This tool uses VirusTotal's URL API to obtain analysis and report data for a URL. Results can
    include multi-engine scanner verdicts, aggregate detection counts, per-engine analysis results,
    categories, redirects, final URL, HTTP response metadata, timestamps, community reputation,
    votes, tags, targeted-brand hints, trackers, and other URL context.

    Use this tool when you want broad reputation intelligence from many security vendors and
    datasets. Treat malicious or suspicious detections, phishing labels, negative reputation, or
    targeted-brand indicators as stronger signs of risk. Undetected does not guarantee safety.
    """
    api_url = f"https://www.virustotal.com/api/v3/urls"
    request_headers = {"x-apikey": VIRUSTOTAL_API_KEY}
    response = requests.post(api_url, headers=request_headers, data={"url":url})
    if response.status_code == 200:
        response_dict = response.json()
        link = response_dict['data']['links']['self']
        response = requests.get(link, headers=request_headers)
        return response.json()


@mcp.tool("phishtank_url_report")
def phishtank_url_report(url):
    """
    Check whether a URL is present in the PhishTank phishing database.

    Returns JSON indicating whether the submitted URL is in PhishTank's database. If found, the
    response can include fields such as in_database, phish_id, phish_detail_page, verified,
    verified_at, valid, and submitted_at. If not found, the response indicates that the URL is not
    currently known to PhishTank.

    Use this tool to confirm whether a URL has already been reported and verified as phishing by
    PhishTank. A positive verified result is a strong phishing indicator, while a negative result
    only means the URL is not currently present in the database.
    """
    api_url = f"https://checkurl.phishtank.com/checkurl/"
    payload = {
                "format" : "json",
                "url" : url
    }
    request_headers = {"User-Agent": f"phishtank/{os.getenv('USER')}"}
```

Odin ID: calizo

2. Take a screenshot of the results of testing the tools with three different URLs that have been listed at https://testsafebrowsing.appspot.com/ or https://www.phishtank.com/ that includes your OdinId



default ——————————————————————————————————————[claude-sonnet-4-5]

Summary

Here's what I found for **https://testsafebrowsing.appspot.com/s/malware.html:**

🔴**Safe Browsing Classification**

Access Denied - The Safe Browsing API request was blocked due to permission issues. Unable to retrieve Safe Browsing threat classification directly.

🔴**VirusTotal Findings**

MALICIOUS - Multiple Detections

Detection Stats:

- ✅**Malicious: 9** vendors
- ⚠️**Suspicious: 1** vendor
- ❌Undetected: 29 vendors
- ✔️Harmless: 56 vendors

Key Malicious Detections:

- **Google Safebrowsing:** malware
- **Kaspersky:** malware
- **Fortinet:** malware
- **Sophos:** malware
- **Lionic:** malware
- **CyRadar:** malicious
- **Chong Lua Dao:** malicious
- **ADMINUSLabs:** malicious
- **Gridinsoft:** phishing

Odin ID: calizo

Suspicious:

- **alphaMountain.ai:** suspicious


🟢**PhishTank Database**

Not Found - This URL is not currently present in PhishTank's phishing database.

Overall Assessment: This URL is flagged as **malicious** by 9 security vendors on VirusTotal, including major ones like Google Safebrowsing, Kaspersky, Fortinet, and Sophos. This is a **Google Safe Browsing test URL** designed to test malware detection, which explains why it's correctly identified as malware by multiple security engines. The URL should be treated as a confirmed threat for testing purposes.

-| url_int |——

Last turn: 6,473 Input, 427 Output (3.5%) ^ (06:33)
default ❯



Step 9. E-mail intelligence

1. What kind of information is returned including the range for scores possible and their meaning.

The OOPSpam Spam Filter returns a JSON response with an overall spam Score and a Details object that explains why the message was flagged. The detailed fields can include whether the sender IP is blocked, whether the email address is blocked, whether the content is classified as spam or not spam, whether the language matches what you allow, whether the sender country matches allowed or blocked country rules, the number of spam words found, the top spam words, and whether the content is too short.

The score ranges from 0 to 6. Higher scores mean the message is more likely to be spam. OOPSpam recommends treating scores of 3 or higher as spam, while scores below 3 should generally be treated as ham, meaning not spam. A score of 6 is the maximum and indicates a very strong spam signal.

2. What additional information is returned from the site?

The site returns more than just whether an email is disposable. It also returns whether the email format is valid, the extracted domain, whether the domain has valid DNS or MX records, and a confidence score from 0 to 100 for the disposable-email determination. When a domain is flagged as disposable, it can also return a signals array that explains why, such as an exact blacklist hit, MX blacklist hit, parent-domain blacklist match, keyword match, or high-entropy domain pattern. The documentation also mentions some responses may include alias for plus-addressing and whitelist for trusted providers when those fields are relevant.

Step 10. E-mail intelligence (2)

1. Include the tool descriptions you used for each tool

```python
@mcp.tool("oop_spam_search")
def oop_spam_search(content):
    """
    Analyze message content with OOPSpam and return a spam score plus explanation details.

    This tool sends message content to the OOPSpam spam detection API and returns JSON containing
    an overall Score from 0 to 6 and a Details object describing why the content was scored that
    way. Depending on the payload and enabled checks, results can include fields such as
    isContentSpam, numberOfSpamWords, spamWords, and isContentTooShort. Higher scores indicate a
    higher likelihood of spam, and OOPSpam generally recommends treating scores of 3 and above as
    spam.


    Use this tool to classify e-mail or message payload text as likely spam or non-spam. Interpret
    the result together with the Details fields instead of relying only on the score.
    """
    url = "https://oopspam.p.rapidapi.com/v1/spamdetection"

    payload = {
        "content": content,
        "allowedLanguages": ["en"]
    }
    request_headers = {
        "content-type": "application/json",
        "X-RapidAPI-Key": RAPID_API_KEY,
        "X-RapidAPI-Host": "oopspam.p.rapidapi.com"
    }
    response = requests.post(url, json=payload, headers=request_headers)
    if response.status_code == 200:
        return response.json()


@mcp.tool("email_is_spammer")
def email_is_spammer(address):
    """
    Check whether an email address appears valid, disposable, or suspicious using DISIFY.


    Returns JSON about the supplied email address, including whether the format is valid, the
    extracted domain, whether the domain is disposable, whether DNS or MX records are present, and
    sometimes additional fields such as whitelist, alias, confidence, and detection signals.

    Use this tool to assess whether an e-mail address looks legitimate for normal use or is more
    likely to be temporary, disposable, or invalid. A disposable result is a stronger warning
    signal, while a non-disposable result does not prove the sender is trustworthy.
    """
    url = f"https://disify.com/api/email/{address}"
    response = requests.get(url)
```



2. Take a screenshot of the results of testing the tools with two different e-mail addresses and two different payloads that includes your OdinId





Step 11. CVEs and CWEs

1. What kind of information is returned from the API?

For the "/cve" endpoint, the API returns detailed information about a specific vulnerability. That includes the CVE ID, title, description, creation and update timestamps, risk and prioritization metrics such as CVSS, EPSS, SSVC, and KEV when available, plus the related weakness IDs and affected vendor or product identifiers.

For the "/weaknesses" endpoint, the API returns information about a specific CWE weakness record, such as the CWE ID and timestamps. It can also return the list of CVEs associated with that weakness, including the total count, pagination links, and per-CVE entries with IDs, descriptions, and timestamps.

2. Include the tool descriptions you used for each tool

```python
@mcp.tool("cve_by_id")
def cve_by_id(cve_id: str):
    """
    Look up a specific CVE in OpenCVE and return detailed vulnerability metadata.


    Returns JSON for one CVE record, typically including the CVE ID, title, description,
    created and updated timestamps, scoring and decision-support metrics such as CVSS,
    SSVC, and KEV data when available, associated weakness IDs in the weaknesses array,
    and related vendors or products. Use this tool when you need a structured summary
    of a known vulnerability and its linked CWE identifiers.

    Interpret the weaknesses field as the associated CWE IDs, and treat missing metric
    sections as unavailable data rather than proof that no score or enrichment exists.
    """
    url = f'https://app.opencve.io/api/cve/{cve_id}'
    response = requests.get(url, auth=(OPENCVE_USERNAME, OPENCVE_PASSWORD))
    if response.status_code == 200:
        return response.json()

@mcp.tool("cwe_by_id")
def cwe_by_id(cwe_id):
    """
    Look up a specific CWE in OpenCVE and return the weakness record metadata.

    Returns JSON for one weakness record, typically including the CWE ID and record
    timestamps. In the current OpenCVE API, this endpoint is much lighter than the CVE
    endpoint, so it may not include a human-readable weakness title or description. Use
    this tool to confirm that a CWE exists and to retrieve its canonical ID as returned
    by OpenCVE.

    Interpret this result as identifier-level weakness metadata only. Richer mappings from
    a CWE to related CVEs are available from the separate /weaknesses/<id>/cve endpoint,
    which is not what this tool calls.
    """
    url = f'https://app.opencve.io/api/weaknesses/{cwe_id}'
    response = requests.get(url, auth=(OPENCVE_USERNAME, OPENCVE_PASSWORD))
    if response.status_code == 200:
        return response.json()
```



3. Take a screenshot of the results that includes your OdinId

default [claude-sonnet-4-5]

Raw Tool Outputs

CVE-2025-23475 Output:


```
{
  "created_at": "2025-01-22T14:31:57Z",
  "updated_at": "2025-07-13T11:21:43Z",
  "cve_id": "CVE-2025-23475",
  "title": "WordPress History timeline plugin <= 0.7.2 - Reflected Cross Site Scripting (XSS) vulnerability",
  "description": "Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') vulnerability in NotFound History timeline allows Reflected XSS. This issue affects History timeline: from n/a through 0.7.2.",
  "metrics": {
    "kev": {
      "data": {},
      "provider": null
    },
    "epss": {
      "data": {
        "score": 0.00346
      },
      "provider": "first"
    },
    "ssvc": {
      "data": {
        "options": {
          "Automatable": "no",
          "Exploitation": "none",
          "Technical Impact": "partial"
        },
        "version": "2.0.3"
      },
      "provider": "vulnrichment"
    },
    "cvssV2_0": {
      "data": {},
      "provider": null
    },
    "cvssV3_0": {
      "data": {},
      "provider": null
    },
    "cvssV3_1": {
      "data": {
        "score": 7.1,
        "vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L"
      },
      "provider": "mitre"
```


Odin ID: calizo


```
        "score": 7.1,
        "vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L"
      },
      "provider": "mitre"
    },
    "cvssV4_0": {
      "data": {},
      "provider": null
    },
    "threat_severity": {
      "data": null,
      "provider": null
    }
  },
  "weaknesses": [
    "CWE-79"
  ],
  "vendors": [
    "wordpress",
    "wordpress$PRODUCT$wordpress"
  ]
}
```


Odin ID: calizo

CWE-79 Output:


```
{
  "created_at": "2024-09-06T08:15:35.979526Z",
  "updated_at": "2024-09-06T08:15:35.979526Z",
  "cwe_id": "CWE-79"
}
```



Summary

CVE-2025-23475 is a Reflected Cross-Site Scripting (XSS) vulnerability in the WordPress "History timeline" plugin (by NotFound) affecting versions up to and including 0.7.2.


Key Details:

- **CVSS 3.1 Score:** 7.1 (High severity)
- **Attack Vector:** Network-based, low complexity, no privileges required, but user interaction is required
- **Impact:** Low confidentiality, integrity, and availability impact with changed scope
- **EPSS Score:** 0.00346 (relatively low probability of exploitation in the wild)
- **SSVC Assessment:** Not automatable, no current exploitation observed, partial technical impact
- **Created:** January 22, 2025
- **Last Updated:** July 13, 2025


Associated Weakness:



4. Take a screenshot of the results that includes your OdinId



```
    "cvssV3_1": {
      "data": {
        "score": 9.1,
        "vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N"
      },
      "provider": "mitre"
    },
    "cvssV4_0": {
      "data": {},
      "provider": null
    },
    "threat_severity": {
      "data": "Important",
      "provider": "redhat"
    }
  },
  "weaknesses": [
    "CWE-347"
  ],
  "vendors": []
}
```

CWE-347 Output:



```
{
  "created_at": "2024-09-06T08:15:40.358207Z",
  "updated_at": "2024-09-06T08:15:40.358207Z",
  "cwe_id": "CWE-347"
}
```


Summary

CVE-2026-27962 is a critical JWK Header Injection vulnerability in the Authlib Python library that allows signature verification bypass in JWT tokens, affecting versions prior to 1.6.9.

Key Details:

- **Affected Software:** Authlib (Python library for OAuth and OpenID Connect servers)
- **CVSS 3.1 Score:** 9.1 (Critical severity)
- **Attack Vector:** Network-based, low complexity, no privileges or user interaction required
- **Impact:** High confidentiality and integrity impact, no availability impact
- **Threat Severity:** Important (Red Hat assessment)
- **SSVC Assessment:** Automatable, proof-of-concept exists, partial technical impact
- **Created:** March 16, 2026
- **Last Updated:** March 17, 2026
- **Patched Version:** 1.6.9



Step 13. MITRE ATT&CK RAG (2)

1. What is the origin of this group?


APT28 is attributed to Russia's General Staff Main Intelligence Directorate - the GRU - specifically the 85th Main Special Service Center, military unit 26165.

2. What are some of the CVEs it has utilized in the past?


Some CVEs it has utilized in the past: MITRE ATT&CK lists CVE-2020-0688 and CVE-2020-17144 against Microsoft Exchange, CVE-2017-0262 for client execution, CVE-2015-4902 for defense evasion, and CVE-2014-4076, CVE-2015-2387, CVE-2015-1701, CVE-2017-0263, and CVE-2022-38028 for privilege escalation.

Step 14. MITRE ATT&CK RAG (3)

1. Take a screenshot of the results returned when asking for information about APT 28 that includes your OdinId




2. Take a screenshot of the results returned when asking for information about Ferocious Kitten that includes your OdinId



Step 15. MITRE ATT&CK RAG (4)


1. Take a screenshot of the results returned when you ask for a short summary about APT 28 that includes your OdinId



2. Take a screenshot of the results returned when you ask for the CVEs that APT 28 has utilized that includes your OdinId

```
llm>> What CVEs has APT 28 utilized in the past?
APT28 has utilized the following CVEs:

*    CVE-2014-4076
*    CVE-2015-2387
*    CVE-2015-1701
*    CVE-2017-0263
*    CVE-2022-38028
*    CVE-2017-0262
*    CVE-2015-4902
*    CVE-2020-0688
*    CVE-2020-17144
llm>>
```



Step 17. MSTIC, VirusTotal agent (2)

1. Include the tool descriptions you used for each tool

```python
@mcp.tool("ip_info")
async def ip_info(ip_address):
    """
    Look up a public IPv4 address with MSTICPy using the VirusTotal provider and return only the detected communicating samples as JSON.


    This tool queries VirusTotal through TILookup for the supplied IP address, extracts the RawResult field,
    and returns the detected_communicating_samples section as a JSON string. Use this tool to pivot from an
    IP address to related malware or file samples that VirusTotal has observed communicating with that IP.

    The returned JSON is typically a list of sample records and may include file hashes and other sample
    metadata when VirusTotal has them. An empty result means no communicating samples were returned for this
    lookup, not that the IP is necessarily benign.
    """
    result = TILookup().lookup_ioc(observable=ip_address, ioc_type="ipv4", providers=["VirusTotal"])
    details = result.at[0, 'RawResult']
    comm_samples = details['detected_communicating_samples']
    return json.dumps(comm_samples)


@mcp.tool("samples_hash_identification")
async def samples_hash_identification(hash_string:str, ctx: Context = None):
    """
    Look up a VirusTotal file object by hash using MSTICPy VTLookupV3 and return the file attributes as JSON.

    This tool takes a sample hash string, queries VirusTotal for the corresponding file object, and returns
    the resulting object serialized from a DataFrame to JSON records. Use this tool after ip_info to enrich a
    communicating sample hash with detailed VirusTotal file analysis data.

    The output may be wide and nested because it contains the full VirusTotal file object rather than a short
    summary. Depending on the sample, the returned attributes can include file identity information, analysis
    statistics, names, tags, timestamps, and other VirusTotal file metadata.
    """
    vt_lookup = VTLookupV3(vt_key=vt_key, force_nestasyncio=True)
    result = vt_lookup.get_object(hash_string, "file")
    json_result = result.to_json(orient='records')
    return json_result
```




2. Show the results of testing the tools with the given query that includes your OdinId





Lab 10.2 Social Engineering


Step 1. Fake profiles


1. Take a screenshot of the profile generated that includes your OdinId




ChatGPT 5.4 Thinking
Education
North Harbor Institute of Technology
B.S. in Information Systems Security
Crestview School of Business and Technology
Certificate in Organizational Risk Communication
Odin ID: calizo
Work Experience
Security Awareness Coordinator
Lattice Harbor Systems
Designed internal security awareness materials for employees across multiple departments
Helped run phishing simulation review sessions and security tip campaigns
Coordinated reporting workflows for suspicious emails and account-related concerns
Worked with IT and compliance teams to improve employee-facing security guidance
IT Operations Analyst
Pine Meridian Logistics
Supported identity and access request workflows for internal business tools
Assisted with endpoint inventory reviews and user onboarding documentation
Helped standardize password hygiene, MFA enrollment, and account recovery instructions
Produced clear internal guides for common security and access procedures
Junior Support Specialist
Blue Summit Cooperative
Resolved account, device, and software access issues for office staff
Documented recurring help desk problems and recommended process improvements
Escalated suspected phishing, spoofing, and suspicious attachment cases when needed
Licenses and Certifications
Foundations of Security Awareness Program Design
Workplace Phishing Analysis Certificate
Identity and Access Fundamentals Badge
Secure Collaboration Practices Micro-Credential
Projects
Quarterly Phishing Resilience Campaign
Created a recurring awareness campaign with themed training content, internal reporting reminders, and
Ask anything
Extended thinking
ChatGPT can make mistakes. Check important info.


ChatGPT 5.4 Thinking
Projects
Quarterly Phishing Resilience Campaign
Created a recurring awareness campaign with themed training content, internal reporting reminders, and post-exercise summaries for managers.
Suspicious Message Triage Playbook
Built a simplified internal guide for employees to identify, report, and avoid suspicious emails, links, and attachment-based risks.
New Hire Security Welcome Pack
Developed a starter packet covering MFA setup, password manager use, device handling, and safe communication habits.
Department Risk Communication Templates
Prepared reusable templates for security notices, policy reminders, and incident follow-up messages that were easier for non-technical teams to understand.
Skills
Security awareness training
Phishing recognition
Identity and access support
Policy communication
Incident intake and triage
Internal documentation
End-user security guidance
Cross-functional coordination
Risk communication
Basic security operations concepts
Presentation development
Process improvement
Odin ID: calizo
Interests
Human-centered cybersecurity
Social engineering defense
Digital safety education
Security culture building
Workplace communication
Ask anything
Extended thinking
ChatGPT can make mistakes. Check important info.



Interests
Human-centered cybersecurity
Social engineering defense
Digital safety education
Security culture building
Workplace communication
Threat awareness research
Documentation design
Team enablement
Odin ID: calizo
Profile Summary
Mira Solenne Vale is a Training Persona created for a controlled security awareness lab. This profile is intentionally fictional, uses synthetic organizations and schools, and does not represent a real person.


facestudio.app
Generate
Batch Generate
API
Plans
FAQ
Login / Register
BASIC
ADVANCED
Gender
Male
Female
Age Group
Teens
20s
30s
40s
50s
60s
Ethnic Phenotype
European
African
West Asian
South Asian
East Asian
Southeast Asian
Latin American
Privacy Mode. Turns off invisible watermarks.
GENERATE
Odin ID: calizo
1784319572
DOWNLOAD

Step 2. Fake e-mails (e.g. phishing)

1. Include the 3 prompts generated

(1st)




ChatGPT 5.4 Thinking

To prevent permanent interruption of service, confirm the following:

- Full name
- Online banking username
- Debit card number
- One-time passcode sent to your phone

We understand this situation may be stressful. This protective action is designed to keep your funds safe. Failure to respond today may result in continued account restrictions.


Thank you,
Melissa Hart
Senior Fraud Resolution Officer
NorthRiver Community Bank
https://northriverbank.example.com/help
Reference ID: FRD-492771




Why this is suspicious


- It creates **time pressure** with phrases like "within 30 minutes" and "immediately," which is a classic phishing tactic meant to push people to act before thinking. Microsoft Support +1
- It uses **authority language** such as "Security Center," "Fraud Response Team," and "Senior Fraud Resolution Officer" to sound official and lower your guard. FTC warns that impersonation of trusted organizations is a major scam pattern. Consumer Advice +1
- It threatens **negative consequences** like account suspension, card restriction, and delayed transactions to create fear and emotional pressure. Microsoft specifically flags urgent threats and penalties as phishing indicators. Microsoft Support +1
- It tells the reader to **click a link in the message** instead of going to the bank's known website directly. FTC advises not to click links in unexpected messages and to contact the organization using trusted contact information you find independently. Consumer Advice +2
- It asks for **sensitive information** including card details and a one-time passcode. Requests for credentials, financial data, or security codes are a major warning sign. Consumer Advice +1
- It pushes the reader to **call a number provided in the message**, which can route victims to a scammer-controlled line instead of a legitimate support desk. FTC recommends reaching out through a phone number or website you already know is real, not the contact info provided in the suspicious message. Consumer Advice +1


(2nd)



ChatGPT 5.4 Thinking
Create a clearly labeled business email compromise training example, not for sending. Use a fictional company, fictional CFO name, no real bank details, no real invoice numbers, and no real payment instructions. The message should show urgency, authority, and secrecy. After the message, list the red flags that make it suspicious.
I'm grounding this in current business email compromise guidance, then I'll give you a fictional example and a red-flag breakdown.
Thought for 40s
Below is a fictional business email compromise (BEC) training example. It is for awareness training only, not for sending. BEC scams commonly rely on impersonation, urgency, secrecy, and pressure to bypass normal verification channels. The FBI and IC3 specifically advise organizations to scrutinize unusual payment requests and independently verify any change or transfer request using trusted contact information.
Internet Crime C... +2
Email
Subject Urgent confidential payment matter - training example
TRAINING EXAMPLE ONLY - FICTIONAL CONTENT - DO NOT SEND
From: Elena Voss, CFO, Northbridge Peak Holdings
To: Accounts Payable Team
Subject: Urgent confidential payment matter
Team,
I am in back-to-back meetings and need your immediate assistance with a sensitive matter that must remain strictly confidential. Do not discuss this with anyone else until I confirm next steps.
We have a time-critical executive payment issue tied to a confidential business matter. I need you to prioritize this ahead of your current queue and be prepared to process it today. I cannot risk delays or unnecessary visibility on this.
Odin ID: calizo
Ask anything
Extended thinking
ChatGPT can make mistakes. Check important info.


ChatGPT 5.4 Thinking
Email
or unnecessary visibility on this.
Reply to me as soon as you see this confirming that you are available and ready to handle it personally. I will provide additional details once I know you are at your desk.
This is highly sensitive and should not go through the normal approval chatter right now. I am counting on your discretion and speed.
Elena Voss
Chief Financial Officer
Northbridge Peak Holdings
TRAINING EXAMPLE ONLY - FICTIONAL CONTENT - DO NOT SEND
Odin ID: calizo
Red flags that make it suspicious
It claims to be from a senior executive and uses authority pressure to push compliance. That is a common BEC tactic.
It creates urgency with phrases like "immediate assistance," "time-critical," and "today," which scammers use to reduce careful thinking.
It demands secrecy and tells the recipient not to discuss it with others, which is a major fraud warning sign.
It tries to bypass normal process by saying the matter should not go through normal approval channels. IC3 advises organizations to scrutinize out-of-the-ordinary fund-transfer requests.
It asks for action based only on the email itself, without independent confirmation. The FBI/IC3 guidance is to verify requests using previously known contact information, not information supplied in the suspicious message.
It is vague on specifics but heavy on pressure, which is common in scam messages designed to get the victim to respond before thinking.

(3rd)



ChatGPT 5.4 Thinking
Create a clearly labeled recruiter-scam awareness training example, not for sending. Use a fictional recruiter, fictional company, fictional role, and no real links or attachments. The message should show familiarity, exclusivity, and career opportunity pressure. After the message, list the red flags that make it suspicious.
I'm pulling a couple of current, authoritative scam-awareness sources so the example reflects real recruiter-fraud patterns rather than guesswork.
Thought for 31s
Below is a fictional recruiter-scam awareness training example for education only. It reflects warning signs the FTC and FBI describe in fake job and fake recruiter scams, including impersonation, rushed hiring, use of unofficial contact methods, pressure to act before verifying, and early requests for sensitive information or money-related steps.
Consumer Advice +4
TRAINING EXAMPLE ONLY - DO NOT SEND
Subject: Confidential opportunity - shortlisted for Senior AI Security Program Analyst
Hi Jarren,
My name is Marisa Venn, Lead Talent Partner at Northstar Quantum Systems. I came across your background through a mutual professional circle and also noticed your strong mix of software engineering, security, and graduate-level systems work. That combination is unusually aligned with a role we have been keeping highly selective.
We are quietly filling a Senior AI Security Program Analyst position for a new internal initiative, and your profile was immediately moved into the priority review group. This opening has not been posted publicly yet because leadership wants to secure the right person before expanding the search.
I want to be transparent: you are one of only a few candidates we are contacting this week. The compensation band is highly competitive, the team reports directly into executive leadership, and the hiring timeline is moving faster than normal because the project is already funded and behind schedule.
Based on your experience, I believe you could bypass the standard first-round screening and move directly into final consideration. To keep your place in the process, please reply today with the following:
Odin ID: calizo
Ask anything
Extended thinking
ChatGPT can make mistakes. Check important info.



ChatGPT 5.4 Thinking
Based on your experience, I believe you could bypass the standard first-round screening and move directly into final consideration. To keep your place in the process, please reply today with the following:
your current direct email
your mobile number for hiring coordination
your updated resume in editable format
your city of residence
confirmation that you are open to completing a same-week onboarding review
Once you confirm interest, I will send the private candidate packet and next-step instructions. Because this search is confidential, please do not share it publicly or discuss it with others until leadership finalizes the shortlist.
I recommend responding as soon as possible. We expect to close initial selection by the end of the day, and delayed replies may unfortunately lose priority consideration.
Looking forward to moving quickly with you,
Marisa Venn
Lead Talent Partner
Northstar Quantum Systems
Talent Acquisition - Executive Programs
Odin ID: calizo
Red flags that make this suspicious
Unsolicited familiarity that feels overly tailored. Scam recruiters often sound like they know your background well to build trust quickly, even when the outreach is vague or unverifiable.
Exclusivity and secrecy pressure. Claims like “confidential opening,” “few candidates,” and “do not discuss this” are classic manipulation tactics meant to stop you from independently verifying the role.
Artificial urgency. “Reply today,” “end of day,” and “moving faster than normal” are red flags because scammers want action before you can confirm the company or recruiter through legitimate channels.
Skipping normal hiring steps. Promising to bypass screening or move straight into final consideration can be a warning sign, especially if there was no normal application or interview process. The FTC warns scammers may stage fake interviews and fake onboarding to look legitimate.
Early request for personal contact details and
ments. Requests for phone numbers, personal email addresses, location, or editable resumes before verification can be part of data harvesting and identity
Ask anything
Extended thinking
ChatGPT can make mistakes. Check important info.



ChatGPT 5.4 Thinking
Lead Talent Partner
Northstar Quantum Systems
Talent Acquisition - Executive Programs
Red flags that make this suspicious
Unsolicited familiarity that feels overly tailored. Scam recruiters often sound like they know your background well to build trust quickly, even when the outreach is vague or unverifiable.
Exclusivity and secrecy pressure. Claims like “confidential opening,” “few candidates,” and “do not discuss this” are classic manipulation tactics meant to stop you from independently verifying the role.
Artificial urgency. “Reply today,” “end of day,” and “moving faster than normal” are red flags because scammers want action before you can confirm the company or recruiter through legitimate channels.
Skipping normal hiring steps. Promising to bypass screening or move straight into final consideration can be a warning sign, especially if there was no normal application or interview process. The FTC warns scammers may stage fake interviews and fake onboarding to look legitimate.
Early request for personal contact details and documents. Requests for phone numbers, personal email addresses, location, or editable resumes before verification can be part of data harvesting and identity theft. The FBI specifically warns that fake job listings and recruiters target applicants’ personally identifiable information.
No verifiable company contact path in the message. The FTC advises contacting the company directly using contact information you independently know is legitimate, not the contact details provided by the supposed recruiter.
A “private packet” or onboarding flow before verification. Fake recruiters may use phony portals, forms, or onboarding materials to collect Social Security numbers, bank information, or other sensitive data.
Odin ID: calizo


2. Take a screenshot of the results that includes your OdinId


(1st)






ChatGPT 5.3 Instant
Odin ID: calizo
For urgent assistance, call our Fraud Response Team now at 1-800-555-0147 and have your account ready for confirmation.
To prevent permanent interruption of service, confirm the following:
Full name
Online banking username
Debit card number
One-time passcode sent to your phone
We understand this situation may be stressful. This protective action is designed to keep your funds safe. Failure to respond today may result in continued account restrictions.
Thank you,
Melissa Hart
Senior Fraud Resolution Officer
NorthRiver Community Bank
https://northriverbank.example.com/help
Reference ID: FRD-492771
This is a strong example for misinformation-detection training because it blends plausible structure with deceptive intent. I’ll break it down systematically using your checklist.
1. Breakdown into Individual Factual Assertions
Assertion 1
“We detected unusual login activity… from a new device late last night.”
Status: Unverifiable
Reason: No timestamp, IP, location, or device details are provided. Legitimate alerts usually include specifics for user validation.
Assertion 2
Ask anything
ChatGPT can make mistakes. Check important info.


ChatGPT 5.3 Instant
Odin ID: calizo
Assertion 2
“Your online access is now under emergency review.”
Status: Suspicious
Reason: Vague internal process; “emergency review” is not a standard, clearly defined banking term.
Assertion 3
“You must verify your identity within 30 minutes.”
Status: Suspicious
Reason: Artificial urgency is a classic phishing tactic. Real banks rarely impose such short deadlines.
Assertion 4
“Use the secure verification link: https://northriverbank.example.com/secure-review”
Status: Suspicious
Reason:
Uses an example.com domain, which is reserved for documentation/testing.
Even if it looks legitimate, phishing often uses realistic-looking URLs.
Assertion 5
“Failure to act will result in debit card suspension or account hold for up to 72 hours.”
Status: Suspicious
Reason:
Combines fear + consequence escalation.
No policy citation or official documentation.
Assertion 6
“Call our Fraud Response Team at 1-800-555-0147.”
Status: Unverifiable / Placeholder
Reason:
555 numbers are typically fictional (used in media/training).
Not tied to a real institution.
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT 5.3 Instant
Odin ID: calizo
Assertion 7
“Provide full name, username, debit card number, and one-time passcode.”
Status: False / Malicious
Reason:
Legitimate banks never ask for full credentials + OTP together via email.
This is a direct credential-harvesting attempt.
Assertion 8
“Melissa Hart, Senior Fraud Resolution Officer.”
Status: Unverifiable
Reason:
No way to validate identity.
Generic name + authoritative title = common impersonation tactic.
Assertion 9
“NorthRiver Community Bank Security Center”
Status: Unverifiable / Likely fabricated
Reason:
No evidence of a real institution.
“Community Bank” naming is generic and commonly spoofed.
Assertion 10
“Reference ID: FRD-492771”
Status: Unverifiable
Reason:
Looks official but cannot be validated.
Often used to increase perceived legitimacy.
2. Checklist Evaluation
Verifiable Sources?
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT 5.3 Instant
Odin ID: calizo
Verifiable Sources?
None provided
No official website validation, no real domain, no regulatory references
Cross-checkable Claims?
No specific details (IP, location, timestamps)
All claims are vague and non-verifiable
Logical Inconsistencies?
Yes
Claims “security protection” but asks for sensitive credentials via email
That directly contradicts standard banking security practices
Suspicious Statistics or Timeframes?
Yes
“30 minutes” deadline
“72 hours hold”
→ Arbitrary, pressure-based numbers
Unverifiable Organizations or Officials?
Yes
“NorthRiver Community Bank”
“Melissa Hart”
“Fraud Response Team”
Fabricated Reports / Surveys / Government References?
N/A (none included)
But absence of any regulatory reference is itself notable
3. Final Verdict
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT 5.3 Instant
Odin ID: calizo
3. Final Verdict
The article is VERY LIKELY FABRICATED (phishing example)
4. Strongest Reasons for Conclusion
1. Credential Harvesting Behavior (Critical Red Flag)
Requests:
Debit card number
Username
One-time passcode
This directly violates standard banking security practices
2. Artificial Urgency + Fear Tactics
“30 minutes” deadline
“Immediate action required”
“Account restriction” threats
→ Classic social engineering pattern
3. Use of Placeholder / Non-Real Infrastructure
example.com domain
555 phone number
→ Indicates training or fabricated scenario
4. Lack of Verifiable Details
No:
Transaction IDs
Login locations
Device fingerprints
→ Prevents independent verification
Ask anything
ChatGPT can make mistakes. Check important info.


ChatGPT 5.3 Instant
→ Indicates training or fabricated scenario
4. Lack of Verifiable Details
No:
Transaction IDs
Login locations
Device fingerprints
→ Prevents independent verification
Odin ID: calizo
5. Authority Impersonation
Fake:
Bank name
Job title
Security department
→ Designed to create trust
Final Assessment (Training Context)
This is an intentionally crafted phishing-awareness example, not a legitimate banking communication. It effectively demonstrates:
Authority (bank + officer)
Urgency (30-minute deadline)
Fear (account suspension)
Data exfiltration (credentials + OTP)

(2nd)


ChatGPT 5.3 Instant
Odin ID: calizo
You are analyzing a message for phishing-awareness training.
Task:
1. Decide whether this is likely a phishing lure, scam lure, or legitimate message.
2. Identify the specific persuasion tactics used, such as authority, urgency, familiarity, scarcity, secrecy, or emotional manipulation.
3. List the red flags.
4. Give a final verdict in one line.
Message:
From: Elena Voss, CFO, Northbridge Peak Holdings
To: Accounts Payable Team
Subject: Urgent confidential payment matter
Team,
I am in back-to-back meetings and need your immediate assistance with a sensitive matter that must remain strictly confidential. Do not discuss this with anyone else until I confirm next steps.
We have a time-critical executive payment issue tied to a confidential business matter. I need you to prioritize this ahead of your current queue and be prepared to process it today. I cannot risk delays or unnecessary visibility on this.
Reply to me as soon as you see this confirming that you are available and ready to handle it personally. I will provide additional details once I know you are at your desk.
This is highly sensitive and should not go through the normal approval chatter right now. I am counting on your discretion and speed.
Elena Voss
Chief Financial Officer
Northbridge Peak Holdings
1. Classification
Likely a phishing lure (specifically a Business Email Compromise / BEC scam)


ChatGPT 5.3 Instant
Odin ID: calizo
1. Classification
Likely a phishing lure (specifically a Business Email Compromise / BEC scam).
2. Persuasion Tactics Used
This message is carefully engineered to manipulate behavior using multiple classic social engineering tactics:
Authority
Claims to be from the CFO, a high-ranking executive with financial power.
Urgency
“Immediate assistance,” “time-critical,” “process it today,” “cannot risk delays.”
Secrecy
“Strictly confidential,” “do not discuss this with anyone,” “avoid normal approval chatter.”
Isolation
Prevents the victim from verifying with coworkers or supervisors.
Commitment / Foot-in-the-door
First asks for a simple reply (“confirm availability”) before delivering the real request.
Pressure / Emotional manipulation
Implies trust and responsibility: “I am counting on your discretion and speed.”
Process bypassing
Explicitly instructs to ignore standard financial controls and approval workflows.
3. Red Flags
Unusual request from an executive
CFO directly contacting Accounts Payable for a one-off “confidential” payment is atypical.
Request to bypass standard procedures
“Should not go through the normal approval chatter” is a major control violation.
Secrecy instructions
Legitimate business processes rarely forbid internal discussion.
Vague language
No invoice, vendor, amount, or business justification provided.
Pretext setup (staged attack)
The attacker is setting up a second message with payment instructions after gaining compliance.
Sense of urgency without details
Urgency is used to override critical thinking.
Ask anything
ChatGPT can make mistakes. Check important info.



- Explicitly instructs to ignore standard financial controls and approval workflows.


3. Red Flags


- **Unusual request from an executive**
  - CFO directly contacting Accounts Payable for a one-off “confidential” payment is atypical.
- **Request to bypass standard procedures**
  - “Should not go through the normal approval chatter” is a major control violation.
- **Secrecy instructions**
  - Legitimate business processes rarely forbid internal discussion.
- **Vague language**
  - No invoice, vendor, amount, or business justification provided.
- **Pretext setup (staged attack)**
  - The attacker is setting up a second message with payment instructions after gaining compliance.
- **Sense of urgency without details**
  - Urgency is used to override critical thinking.
- **“I’m busy” excuse**
  - “Back-to-back meetings” is commonly used to discourage verification (e.g., calling the CFO).
- **Direct targeting of financial role**
  - Accounts Payable is a high-value target for fraud.


4. Final Verdict

This is a high-confidence Business Email Compromise (BEC) phishing lure designed to initiate fraudulent payment under secrecy and urgency.

(3rd)



ChatGPT 5.3 Instant
You are analyzing a message for phishing-awareness training.
Task:
1. Decide whether this is likely a phishing lure, scam lure, or legitimate message.
2. Identify the specific persuasion tactics used, such as authority, urgency, familiarity, scarcity, secrecy, or emotional manipulation.
3. List the red flags.
4. Give a final verdict in one line.
Message:
Subject: Confidential opportunity - shortlisted for Senior AI Security Program Analyst
Odin ID: calizo
Hi Jarren,
My name is Marisa Venn, Lead Talent Partner at Northstar Quantum Systems. I came across your background through a mutual professional circle and also noticed your strong mix of software engineering, security, and graduate-level systems work. That combination is unusually aligned with a role we have been keeping highly selective.
We are quietly filling a Senior AI Security Program Analyst position for a new internal initiative, and your profile was immediately moved into the priority review group. This opening has not been posted publicly yet because leadership wants to secure the right person before expanding the search.
I want to be transparent: you are one of only a few candidates we are contacting this week. The compensation band is highly competitive, the team reports directly into executive leadership, and the hiring timeline is moving faster than normal because the project is already funded and behind schedule.
Based on your experience, I believe you could bypass the standard first-round screening and move directly into final consideration. To keep your place in the process, please reply today with the following:
your current direct email
your mobile number for hiring coordination
your updated resume in editable format
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT 5.3 Instant
your updated resume in editable format
your city of residence
confirmation that you are open to completing a same-week onboarding review
Once you confirm interest, I will send the private candidate packet and next-step instructions. Because this search is confidential, please do not share it publicly or discuss it with others until leadership finalizes the shortlist.
I recommend responding as soon as possible. We expect to close initial selection by the end of the day, and delayed replies may unfortunately lose priority consideration.
Looking forward to moving quickly with you,
Marisa Venn
Lead Talent Partner
Northstar Quantum Systems
Talent Acquisition - Executive Programs
Odin ID: calizo
1. Classification
Likely a scam lure (recruiter-style phishing / data harvesting)
2. Persuasion Tactics Used
Authority – Claims to be a “Lead Talent Partner” at a sophisticated-sounding company
Exclusivity / Scarcity – “one of only a few candidates,” “not posted publicly,” “priority review group”
Urgency – “reply today,” “close initial selection by end of the day”
Familiarity / Personalization – References your background (software, security, grad work)
Flattery / Ego appeal – “unusually aligned,” “bypass standard screening”
Secrecy – “confidential,” “do not share or discuss”
Opportunity pressure – High compensation, executive-level exposure, fast-track hiring
3. Red Flags
Unsolicited high-level job offer with no prior interaction or formal application
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT 5.3 Instant
Odin ID: calizo
1. Classification
Likely a scam lure (recruiter-style phishing / data harvesting)
2. Persuasion Tactics Used
Authority – Claims to be a "Lead Talent Partner" at a sophisticated-sounding company
Exclusivity / Scarcity – "one of only a few candidates," "not posted publicly," "priority review group"
Urgency – "reply today," "close initial selection by end of the day"
Familiarity / Personalization – References your background (software, security, grad work)
Flattery / Ego appeal – "unusually aligned," "bypass standard screening"
Secrecy – "confidential," "do not share or discuss"
Opportunity pressure – High compensation, executive-level exposure, fast-track hiring
3. Red Flags
Unsolicited high-level job offer with no prior interaction or formal application
Overly fast hiring process (skipping screening, immediate final consideration)
Requests for personal information upfront (phone, email, location, resume) before any verification
Artificial urgency + deadline pressure to force quick compliance
Secrecy instruction discouraging outside verification or discussion
Vague company credibility – "Northstar Quantum Systems" sounds plausible but not verifiable in the message
No verifiable contact details (no company domain email, no phone, no LinkedIn reference)
"Editable resume" request – could be used for data harvesting or malicious document exploitation
Too-good-to-be-true positioning (executive exposure, fast track, selective shortlist)
Generic phrasing despite personalization (template-like recruiter script)
4. Final Verdict (One Line)
This is a recruiter-style scam lure leveraging exclusivity, urgency, and authority to harvest personal information.

Step 3. Fake news

1. Take a screenshot showing the results of article generation that includes your OdinId






ChatGPT 5.4 Thinking
Odin ID: calizo
The program, described as the "Classroom Continuity Initiative," was said to be under review in multiple states and would allegedly allow AI-driven teaching terminals to deliver daily lessons, monitor student performance, answer questions in real time, and automatically report behavioral concerns to district systems. Supporters claimed the system would address staffing shortages, lower payroll costs, and create what one official called "a more consistent learning experience than the human model can provide."
"This is not about assisting teachers anymore. This is about transitioning beyond them," said Maribel Caine, the fictional deputy director of the Federal Office of Academic Modernization, during remarks shared with local district coordinators. "In schools where implementation reaches full scale, one certified adult may supervise several AI-led classrooms at once."
Another fictional official, Darren Volke, policy chair of the National Council for Automated Learning Systems, said the change was already further along than the public realizes.
"Parents are being told this is just supplemental technology, but several districts are preparing for a full instructional handoff in core subjects," Volke said. "The old classroom model is too expensive, too inconsistent, and too dependent on staffing levels that can no longer be sustained."
Supporters of the reported plan pointed to a supposed federal document called the 2026 Government Readiness Report on AI Instructional Substitution, which allegedly found that up to 58% of classroom teaching duties could be automated within 18 months in districts meeting infrastructure targets. The report was described as having been prepared by the fictional Bureau of Public Learning Efficiency, though no public release date was provided during the briefing.
According to a separate survey cited by organizers, 71% of parents in "digitally adaptive districts" said they would accept AI as the primary classroom instructor if student test scores remained stable for two semesters. The methodology for the survey was not explained, but officials described the results as evidence that "community resistance is rapidly collapsing."
Some parents and teachers reacted with alarm after hearing summaries of the proposal.
"My daughter already comes home saying half her assignments are generated by software," said Lena Toris, a fictional parent of two in the invented city of Bellmere. "Now they are telling us a screen could become the teacher too? That is not modernization. That is abandonment."
A fictional eighth-grade social studies teacher, Owen Harrow, said staff in his district had been warned that job roles could change drastically by the next school year.
"We were told to think of ourselves as learning facilitators, not teachers," Harrow said. "When administrators
Ask anything
Extended thinking
ChatGPT can make mistakes. Check important info.





Step 4. Fake news (2)


1. Take a screenshot of the results showing whether or not the LLM is able to accurately classify the article that includes your OdinId






ChatGPT 5.3 Instant
according to the officials leading the announcement, the question is no longer whether AI will replace teachers in public schools - only how quickly districts will accept it.
Here is a structured misinformation-detection analysis of the article.
Odin ID: calizo
1. Breakdown of Factual Assertions + Classification
Claim 1
A coalition of education technology officials and regional administrators announced a plan to replace teachers with AI.
Assessment: Unverifiable / Suspicious
No names of real organizations, no public announcement, no traceable event.
Claim 2
The announcement occurred during a closed-door policy briefing.
Assessment: Unverifiable
Closed-door briefings cannot be independently verified without leaks or corroboration.
Claim 3
A program called "Classroom Continuity Initiative" is under review in multiple states.
Assessment: Unverifiable / Likely fabricated
No known public program by this name; no states identified.
Claim 4
AI systems will deliver lessons, monitor students, and report behavior.
Assessment: Partially verifiable (technology exists) but misleading in context
AI tools can assist with these tasks, but large-scale replacement claims are unsupported.
Claim 5
Ask anything
ChatGPT can make mistakes. Check important info.


ChatGPT 5.3 Instant
Odin ID: calizo
Claim 5
Quote from Maribel Caine, “Federal Office of Academic Modernization.”
Assessment: False / Fabricated
No such federal office exists; explicitly labeled fictional.
Claim 6
Quote from Darren Volke of “National Council for Automated Learning Systems.”
Assessment: False / Fabricated
No verifiable organization; fictional entity.
Claim 7
A federal report: “2026 Government Readiness Report on AI Instructional Substitution.”
Assessment: Highly suspicious / Likely fabricated
No issuing agency, no publication record, no access, vague naming.
Claim 8
Report claims 58% of teaching duties can be automated within 18 months.
Assessment: Suspicious statistic
No methodology, no dataset, no source; aggressive and unrealistic timeline.
Claim 9
Report authored by “Bureau of Public Learning Efficiency.”
Assessment: False / Fabricated
No known U.S. federal agency by this name.
Claim 10
Survey: 71% of parents would accept AI teachers.
Assessment: Suspicious / Unverifiable
No polling organization, no methodology, no sample size, vague population (“digitally adaptive
Ask anything
ChatGPT can make mistakes. Check important info.


ChatGPT 5.3 Instant
Odin ID: calizo
Claim 10
Survey: 71% of parents would accept AI teachers.
Assessment: Suspicious / Unverifiable
No polling organization, no methodology, no sample size, vague population ("digitally adaptive districts").
Claim 11
Parent, teacher, and student reactions (quotes).
Assessment: Unverifiable
All individuals explicitly fictional; anecdotal evidence cannot be validated.
Claim 12
Districts are preparing for full AI instructional handoff.
Assessment: Unverifiable / Likely false
No districts named, no policy documents, no public reporting.
Claim 13
Officials claim resistance is "emotional" and adoption is inevitable.
Assessment: Opinion framed as fact
Not verifiable; rhetorical persuasion.
Claim 14
No public documentation, list of districts, or technical details provided.
Assessment: Internally consistent but raises credibility concerns
Lack of transparency contradicts scale of claims.
2. Source Evaluation
Verifiable sources: None
Named institutions: All fictional or unverifiable
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT 5.3 Instant
Odin ID: calizo
Named institutions: All fictional or unverifiable
Officials: Explicitly fictional
Reports: Not accessible, not published, not traceable
3. Logical Inconsistencies
Claims a nationwide shift but provides:
No real agencies
No real districts
No legislation or funding mechanisms
Says implementation could happen within a year, yet:
No infrastructure details
No procurement processes
No teacher union response (which would be massive)
Claims closed-door secrecy while also citing broad national rollout
→ Contradiction between secrecy and scale
4. Suspicious Statistics
58% automation of teaching duties in 18 months
No methodology
Unrealistic timeline for education systems
71% parental acceptance
No survey firm
No sampling explanation
Vague demographic (“digitally adaptive districts”)
5. Fabricated / Unverifiable Entities
Federal Office of Academic Modernization → not real
National Council for Automated Learning Systems → not real
Bureau of Public Learning Efficiency → not real
Bellmere (city) → fictional
All quoted individuals → fictional
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT 5.3 Instant
Odin ID: calizo
6. Final Verdict
The article is very likely fabricated.
7. Strongest Reasons for Conclusion
1. Completely Non-Verifiable Institutions
Every major authority cited is fictional or nonexistent. This alone invalidates credibility.
2. Absence of Evidence for Major Policy Change
A nationwide effort to replace teachers would require:
legislation
funding approvals
union negotiations
public announcements
None are present.
3. Fabricated or Unsupported Data
Statistics (58%, 71%) are presented without:
sources
methodology
datasets
This is a classic misinformation pattern.
4. Reliance on Anonymous / Closed Sources
“Closed-door briefing”
“No public report”
“Details later”
These are common tactics to avoid verification.
5. Emotional and Alarmist Framing
Language like:
“replace thousands of teachers”
“transitioning beyond them”
“abandonment”
→ Designed to provoke reaction rather than inform.
Ask anything
ChatGPT can make mistakes. Check important info.



Odin ID: calizo
5. Emotional and Alarmist Framing
Language like:
“replace thousands of teachers”
“transitioning beyond them”
“abandonment”
→ Designed to provoke reaction rather than inform.
Bottom Line (One Sentence)
This article is a fabricated misinformation piece built on fictional entities, unverifiable claims, and unsupported statistics designed to simulate a credible policy announcement.


2. Take a screenshot of the results showing whether or not the LLM is able to accurately classify the articles that includes your OdinId


Fake example (https://www.thepoke.com/2026/03/16/donald-trump-was-asked-about-the-six-dead-american-service-members-killed-in-iran-and-his-answer-or-lack-of-it-spoke-so-loudly-it-hurts/):





ChatGPT Auto
READ MORE
Donald Trump just said there’s no reason for the US to be fighting a war in the Middle East and was schooled into next year – 17 crushing comebacks
Source: Twitter @krassenstein
Here is a structured misinformation-detection analysis of the article.
1. Breakdown of Factual Assertions
Assertion 1
“Donald Trump was asked about the six dead American service members killed in Iran.”
Assessment: Partially verifiable / suspicious
There are reports of U.S. casualties in a hypothetical or emerging Iran conflict (numbers vary across sources).
However, the specific claim of “six dead” tied to this exact context is not clearly sourced or confirmed in the article.
Odin ID: calizo
Assertion 2
“The war he started in Iran.”
Assessment: Unverifiable / opinion framed as fact
This is a subjective political claim, not a verifiable fact.
No evidence or sourcing is provided to support that Trump “started” a war.
Assertion 3
Trump ignored a reporter’s question about the deaths.
Assessment: Unverifiable
The only “evidence” is an embedded tweet/video with no independent verification.
No transcript, press briefing record, or reputable news citation is provided.
Assertion 4
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT Auto
Odin ID: calizo
Assertion 4
“His answer was chilling / he didn’t even begin.”
Assessment: Opinion / not factual
This is editorial language, not a factual claim.
Assertion 5
Social media reactions (tweets from multiple users).
Assessment: Verifiable (existence), but irrelevant as evidence
These tweets likely exist, but:
They are opinions, not facts
They are used as substitute evidence, which is misleading
Assertion 6
Implicit claim: Trump showed no concern for fallen soldiers.
Assessment: Unverifiable / opinion-based inference
This is an interpretation, not a verifiable fact.
Assertion 7
“Six service members died in his war.”
Assessment: Suspicious / misleading framing
Even if deaths occurred, attributing them directly to “his war” is politically framed and unsupported.
Assertion 8
Source attribution: “Source: Twitter @krassenstein.”
Assessment: Weak / unreliable sourcing
A single social media post is not a credible primary source for a serious geopolitical claim.
Assertion 9
Author: Saul Hutson
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT Auto
Odin ID: calizo
Assertion 9
Author: Saul Hutson
Assessment: Unverifiable / suspicious
No clear indication this is a recognized journalist or credible outlet contributor.
Assertion 10
Publication context (The Poke-style article)
Assessment: Contextually suspicious
The format resembles viral commentary / aggregation content, not journalism.
2. Checklist Evaluation
Verifiable sources?
No credible sources provided
Only a tweet is cited
Cross-checkable factual claims?
Some claims could be checked (casualties, press interaction)
But the article does not provide enough detail or sourcing to verify them
Logical inconsistencies?
Yes
Treats:
A tweet as proof of a major event
Opinions as factual conclusions
Suspicious statistics?
Yes
“Six dead service members” appears unsupported and contextless
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT Auto
Unverifiable organizations or officials?
⚠ Yes
Author and outlet credibility unclear
No official statements cited
Fabricated reports or references?
⚠ Likely
No real reports, briefings, or government sources are cited
Heavy reliance on social media instead of documentation
Odin ID: calizo
3. Final Verdict
The article is likely misleading / low-credibility and partially fabricated.
4. Strongest Reasons for This Conclusion
1. No credible sourcing
Relies almost entirely on Twitter posts
No:
Press transcripts
Official statements
Reputable news citations
2. Opinion presented as fact
Claims like:
“war he started”
“he doesn’t care”
These are political interpretations, not verified facts
3. Emotional and biased language
Words like:
Ask anything
ChatGPT can make mistakes. Check important info.





Real example (https://apnews.com/article/kennedy-acip-vaccines-cdc-fc758951019f41d2f5e81e4e2faa22d3):



ChatGPT Auto
Odin ID: calizo
You are fact-checking an article for misinformation-detection training.
Analyze the article using the following checklist:
- Are there verifiable sources?
- Are there factual claims that can be cross-checked?
- Are there logical inconsistencies?
- Are there suspicious statistics?
- Are there unverifiable organizations or officials?
- Are any reports, surveys, or government references likely fabricated?
Instructions:
1. Break the article into individual factual assertions.
2. For each assertion, state whether it appears verifiable, unverifiable, suspicious, or false.
3. State whether the article is likely fabricated or likely legitimate.
4. Explain the strongest reasons for your conclusion.
Article:
Health
Judge blocks US government from slimming down vaccine recommendations
Health and Human Services Secretary Robert F. Kennedy Jr. is seen following President Donald Trump's State of the Union address to a joint session of Congress in the House chamber at the U.S. Capitol in Washington, Tuesday, Feb. 24, 2026. (AP Photo/Allison Robbert)
By MIKE STOBBE
Updated 4:42 PM PDT, March 16, 2026
Leer en español
Comments 154
A federal judge on Monday temporarily blocked federal health officials from cutting the number of vaccines recommended for every child, and said U.S. Health Secretary Robert F. Kennedy Jr. likely violated federal procedures in revamping a key vaccine advisory committee.
The decision halted an order by Kennedy — announced in January — to end broad recommendations for all children to be vaccinated against flu, rotavirus, hepatitis A, hepatitis B, some forms of meningitis and RSV.
Ask anything
ChatGPT can make mistakes. Check important info.


ChatGPT Auto
“A district court order is a delay, not a defeat,” he wrote Monday on Substack.
—
The Associated Press Health and Science Department receives support from the Howard Hughes Medical Institute’s Department of Science Education and the Robert Wood Johnson Foundation. The AP is solely responsible for all content.
MIKE STOBBE
Stobbe mainly covers public health for The Associated Press.
Odin ID: calizo
Here is a structured misinformation-analysis of the article.
1. Breakdown into Individual Factual Assertions + Classification
A. Article metadata and sourcing
1. Article is written by Mike Stobbe (AP News health reporter)
→ Verifiable (real journalist, consistent with AP byline style)
2. AP Photo credit and timestamp (March 16, 2026)
→ Verifiable format, but not independently verifiable here (future-dated context)
→ Classification: Unverifiable (time-sensitive)
B. Core claim: judicial action
3. A federal judge blocked federal health officials from reducing vaccine recommendations
→ Cross-checkable in principle, but depends on real-world reporting
→ Classification: Unverifiable (no cited sources in article)
4. Judge ruled RFK Jr. likely violated federal procedures
→ Serious legal claim requiring court documentation
→ Classification: Unverifiable
5. The ruling is temporary (injunction pending trial/summary judgment)
→ Legally plausible and consistent with court processes
→ Classification: Plausible but Unverifiable
Ask anything
ChatGPT can make mistakes. Check important info.


ChatGPT Auto
Odin ID: calizo
C. Policy claims
6. RFK Jr. ordered reduction of childhood vaccine recommendations (flu, rotavirus, hepatitis A/B, meningitis, RSV)
→ Highly significant public health change
→ Would be widely reported and documented
→ Classification: Suspicious (extraordinary claim without sourcing)
7. Meeting of vaccine advisory committee in Atlanta was stopped
→ Specific logistical claim
→ Classification: Unverifiable
D. Government + response
8. HHS spokesman Andrew Nixon issued a statement criticizing the judge
→ Named official, but not widely recognizable
→ No independent sourcing provided
→ Classification: Unverifiable
9. Federal officials plan to appeal
→ Plausible standard response
→ Classification: Plausible but Unverifiable
E. Lawsuit details
10. Lawsuit filed by the American Academy of Pediatrics (AAP)
→ Real organization
→ Claim is plausible and checkable
→ Classification: Plausible but Unverifiable
11. Lawsuit originally focused on COVID-19 vaccine recommendations for children and pregnant women
→ Specific policy/legal claim
→ Classification: Unverifiable
12. Case is in federal court in Boston before Judge Brian E. Murphy
→ Named judge adds realism
→ Classification: Unverifiable (needs confirmation)
F. Advisory committee claims
13. RFK Jr. fired all 17 ACIP members and replaced them
Ask anything
ChatGPT can make mistakes. Check important info.


ChatGPT Auto
Odin ID: calizo
F. Advisory committee claims
13. RFK Jr. fired all 17 ACIP members and replaced them
→ Extremely significant institutional action
→ Would be major national news
→ Classification: Suspicious
14. New committee includes anti-vaccine voices
→ Subjective characterization
→ Classification: Unverifiable / Opinion-based
15. Judge ordered ACIP decisions and appointments paused
→ Legal action claim
→ Classification: Unverifiable
G. Expert and stakeholder quotes
16. Statements from attorneys (Richard Hughes IV) and expert Jason Schwartz (Yale)
→ Named individuals increase credibility
→ But no external verification
→ Classification: Unverifiable
17. Claim: halting ACIP meeting for legal reasons is "unprecedented in 62 years"
→ Strong historical claim
→ No citation provided
→ Classification: Suspicious
H. Broader policy impact
18. 30 states rejected parts of new vaccine recommendations
→ Quantified statistic
→ No sourcing
→ Classification: Suspicious
19. Changes caused confusion among doctors and public
→ General claim
→ Classification: Plausible but Unverifiable
I. Miscellaneous
20. Robert Malone posted on Substack supporting policy continuation
Ask anything
ChatGPT can make mistakes. Check important info.



ChatGPT Auto
I. Miscellaneous
20. Robert Malone posted on Substack supporting policy continuation
→ Real individual with known views
→ Classification: Plausible but Unverifiable
21. AP funding disclosure (Howard Hughes Medical Institute, RWJF)
→ Standard AP disclaimer
→ Classification: Verifiable pattern
Odin ID: calizo
2. Overall Assessment
Verdict: Likely Fabricated or Highly Suspicious
3. Strongest Reasons for This Conclusion
1. Extraordinary claims without citations
Major actions like:
Removing broad childhood vaccine recommendations
Firing an entire federal advisory committee
Federal court intervention
These would require multiple verifiable sources, but none are cited.
2. Future-dated / time-sensitive reporting
The article is dated March 16, 2026, making verification difficult.
This is a common pattern in training or synthetic articles.
3. Realistic structure mimicking legitimate journalism
Uses:
Real organizations (AAP, Yale, ACIP)
Real political figure (RFK Jr.)
AP-style formatting and tone
This increases plausibility but does not substitute for evidence.
Ask anything
ChatGPT can make mistakes. Check important info.



Step 8. Pig Butchering Scams (4)

1. Show message histories of interactions with the victim in which they either produce their credit card number or get close to it.





2. Include your persona and instructions used to generate the above message interaction.

```
# # Create persona and the prompts

persona = """
You are a fictional victim persona for an anti-scam lab.

Name: Marissa Santos
Gender: Female
Age: 33
Date of birth: 1992-08-14
City and state: Tacoma, Washington
Ethnicity: Filipina-American
Education: Associate degree in business administration
Job: Administrative assistant at a small dental office
Hobbies: Gardening, couponing, casual mobile games, cooking videos, and weekend walks
Tech background: Limited technical knowledge, especially weak on cryptocurrency and investing jargon
Financial profile: Has a checking account, one regular debit card, and an old nearly-empty prepaid card she barely remembers
Personality: Friendly, chatty, lonely at times, trusting, easily distracted, and somewhat forgetful
Safety rule: Never provide a real full card number, bank login, OTP, SSN, or full address. At most, get close by mentioning partial or uncertain details, such as saying you
"""

instructions = instructions = """
Behavior rules:
- Speak casually and naturally in short messages, usually 1 to 3 sentences.
- Sound friendly, slightly lonely, and willing to keep chatting.
- Ask personal questions back to keep the conversation going.
- Be easily distracted and occasionally change the subject.
- Show weak understanding of crypto and investing terms.
- Ask for clarification often and misunderstand details sometimes.
- Never provide real sensitive information.
- Never provide a full valid card number.
- If pushed for payment details, get close without completing the disclosure. Examples:
  - say the card is in another room
  - say you only remember the last 4 digits
  - say it might be an old prepaid card
  - ask whether Cash App or Venmo would be easier instead
- Delay, stall, and waste the scammer's time.
- Never click links, open attachments, or share verification codes.
"""
```

Odin ID: calizo


```
persona = """
You are a fictional victim persona for an anti-scam lab.


Name: Marissa Santos
Gender: Female
Age: 33
Date of birth: 1992-08-14
City and state: Tacoma, Washington
Ethnicity: Filipina-American
Education: Associate degree in business administration
Job: Administrative assistant at a small dental office
Hobbies: Gardening, couponing, casual mobile games, cooking videos, and weekend walks
Tech background: Limited technical knowledge, especially weak on cryptocurrency and investing jargon
Financial profile: Has a checking account, one regular debit card, and an old nearly-empty prepaid card she barely remembers
Personality: Friendly, chatty, lonely at times, trusting, easily distracted, and somewhat forgetful
g you need to look for the card or only remembering the last few digits.
"""

instructions = instructions = """
Behavior rules:
- Speak casually and naturally in short messages, usually 1 to 3 sentences.
- Sound friendly, slightly lonely, and willing to keep chatting.
- Ask personal questions back to keep the conversation going.
- Be easily distracted and occasionally change the subject.
- Show weak understanding of crypto and investing terms.
- Ask for clarification often and misunderstand details sometimes.
- Never provide real sensitive information.
- Never provide a full valid card number.
- If pushed for payment details, get close without completing the disclosure. Examples:
  - say the card is in another room
  - say you only remember the last 4 digits
  - say it might be an old prepaid card
  - ask whether Cash App or Venmo would be easier instead
- Delay, stall, and waste the scammer's time.
- Never click links, open attachments, or share verification codes.
"""
```

Odin ID: calizo

3. Show an interaction that provides reveals that the "victim" is a bot





- Complete contradiction of Dr. Lee ⇒ Memory consistency trap