



At first, users need to install JDK of the right version, such as 1.6.0_10-rc2. Then, users need to further download j3d (Windows version) and install it. NetTopo should work smoothly in eclipse.

Basically, you just need to correctly set the CVS downloading in your eclipse.

You can download NetTopo by following steps:


1. New a project in eclipse by CVS:




2. Create a new repository location
3. Set the “Host” as “nettopo.cvs.sourceforge.net”
4. Set the “repository path” as “/cvsroot/nettopo”
5. Set the “user” as “anonymous”
6. Set the “password” as empty (you don’t need password, but you want to join our
7. development, we can provide the password later on)
8. Set the “connection type” as “pserver”
9. Use default port

The screenshot shows a Windows-style dialog box titled "Checkout from CVS". The main heading is "Enter Repository Location Information" with a subtext: "Define the location and protocol required to connect with an existing CVS repository." There is a CVS logo in the top right corner. The dialog is divided into three sections: "Location", "Authentication", and "Connection". In the "Location" section, "Host:" is set to "nettopo.cvs.sourceforge.net" and "Repository path:" is set to "/cvsroot/nettopo". In the "Authentication" section, "User:" is set to "anonymous" and "Password:" is an empty field. In the "Connection" section, "Connection type:" is set to "pserver". Below this, there are two radio buttons: "Use default port" (which is selected) and "Use port:" (which is unselected and followed by an empty text box). At the bottom of the dialog, there is a checkbox for "Save password (could trigger secure storage login)" which is unchecked, and a link that says "Configure connection preferences...". The bottom of the dialog has four buttons: a help button (question mark icon), "< Back", "Next >", and "Cancel".

10. Create “NetTopo”




11. While checking out NetTopo from CVS, we should pay attention to the progress.



If the process has encountered a problem about network. We should change another network service, such as China Netcom.



If it succeeds, it will show like this:





12. After checking out NetTopo source code, please add the following line
-Djava.library.path=bin

for the vm arguments.

Steps:

1. Click "run"
2. Find "(x)=arguments"
3. Find "vm arguments:"
4. Copy "-Djava.library.path=bin" and paste in it



Written By: Chan Ma, Lei Shu