

Challenge 1 - Twisted Text (Easy)

jeudi 16 avril 2026 00:06

```
hacker@reverse-engineering-twisted-text-easy:/challenges$ ./babyrev-level-3-0
###
### Welcome to ./babyrev-level-3-0!
###

This license verifier software will allow you to read the flag. However, before you can do so, you must verify t
hat you
are licensed to read flag files! This program consumes a license key over stdin. Each program may perform entire
ly
different operations on that input! You must figure out (by reverse engineering this program) what that license
key is.
Providing the correct license key will net you the flag!

Ready to receive your license key!
```

```
Ready to receive your license key!
alice
Initial input:
61 6c 69 63 65

This challenge is now mangling your input using the 'reverse' mangler.

This mangled your input, resulting in:
65 63 69 6c 61

The mangling is done! The resulting bytes will be used for the final comparison.


Final result of mangling input:
65 63 69 6c 61

Expected result:
70 6e 75 77 66

Checking the received license key!

Wrong! No flag for you!
```

Avec IDA en analysant bien le code on peut voir une variable qui se nomme "Expected_Result" :



On voit qu'elle contient la valeur pnwuf.

En insérant cette valeur dans le programme on se rend compte que c'est le bon input mais à l'envers. Or le programme attend l'input à l'envers :

```
Providing the correct license key will net you the flag!

Ready to receive your license key!
pnwuf
Initial input:
70 6e 75 77 66

This challenge is now mangling your input using the 'reverse' mangler.

This mangled your input, resulting in:
66 77 75 6e 70

The mangling is done! The resulting bytes will be used for the final comparison.

Final result of mangling input:
66 77 75 6e 70

Expected result:
70 6e 75 77 66

Checking the received license key!

Wrong! No flag for you!
```

Donc si on met l'input à l'envers (fwunp) on obtient le flag :

```
Providing the correct license key will net you the flag!

Ready to receive your license key!
fwunp
Initial input:
66 77 75 6e 70

This challenge is now mangling your input using the 'reverse' mangler.

This mangled your input, resulting in:
70 6e 75 77 66

The mangling is done! The resulting bytes will be used for the final comparison.

Final result of mangling input:
70 6e 75 77 66

Expected result:
70 6e 75 77 66

Checking the received license key!

You win! Here is your flag: 🏁
```

Flag:

