
# Curso de Auth con NodeJS






#### Nicolas Molina

Google Developer Expert Dev and Teacher at Platzi @nicobytes

#### The Clean Architecture



### Proyecto



Order: Most recent -



\$ 35,00 Round shelf



\$120,00 Retro refrigerator



\$ 35,00 Round shelf



\$ 120,00 Retro refrigerator



\$ 35,00 Round shelf













## Autenticación & Autorización







### Proyecto



Order: Most recent -



\$ 35,00 Round shelf



\$120,00 Retro refrigerator



\$ 35,00 Round shelf



\$ 120,00 Retro refrigerator



\$ 35,00 Round shelf













# Middleware de de verificación


```
if (req.headers['api'] === '123') {
  next();
} else {
  next(boom.unauthorized());
}
```

# Implementando hashing para usuarios

# Implementando login con passport

### ¿Qué es JWT?







Backend Backend 1 Backend Client

## Firmar y verificar Token

## Generar JWT en el servicio

## Protección de rutas

## Control de roles

# Obteniendo órdenes del perfil

### Manejo de Auth desde el Cliente

```
"user": {
  "id": 4,
  "email": "superadmin@mail.com",
  "role": "admin",
  "createdAt": "2021-08-31T16:26:06"
"token": "...."
```

#### Client Session (Browser)

- Un estado de login.
- Cookies o LocalStorage.
- Enviar en el header.
- Refresh token.
- Validar permisos.


```
"user": {
  "id": 4,
  "email": "superadmin@mail.com",
  "role": "admin",
  "createdAt": "2021-08-31T16:26:06"
"token": "...."
```

# Envío de correos con Node Mail


### Implementado en Servicio

### Crear link de recuperación

## Validar cambio de contraseña



Back to log in




#### Email has been sent!


Please check your inbox for instructions on how to reset the password



Logii

Didn't receive the email? Resend





#### Deployment Heroku