

Cucumber Report

Jun 2, 2024, 4:31:24 PM

Start : Jun 02, 4:31:19.760 PM

End : Jun 02, 4:31:22.597 PM

Duration : 2.837 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 5
SKIPPED - 0

PASSED - 0
FAILED - 10
SKIPPED - 0


PASSED - 0
FAILED - 0
SKIPPED - 35




| Feature | | Scenario | | | | Step | | | |
|--|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Verify List View</u> | 1.491 s | 3 | 0 | 3 | 0 | 12 | 0 | 0 | 12 |
| <u>Verify Drag and Drop</u> | 0.184 s | 1 | 0 | 1 | 0 | 4 | 0 | 0 | 4 |
| <u>Verify Homepage</u> | 0.356 s | 2 | 0 | 2 | 0 | 4 | 0 | 0 | 4 |
| <u>Verify List View</u> | 0.166 s | 1 | 0 | 1 | 0 | 3 | 0 | 0 | 3 |
| <u>Verify Pull down to refresh functionality</u> | 0.589 s | 3 | 0 | 3 | 0 | 12 | 0 | 0 | 12 |

| # | Feature Name | Scenario Name |
|----|--|---|
| 1 | <u>Verify List View</u> | <u>Verify that user is able to perform action on all arc menu</u> |
| 2 | | <u>Verify that user is able to perform action on all arc menu</u> |
| 3 | | <u>Verify that user is able to perform action on all arc menu</u> |
| 4 | <u>Verify Drag and Drop</u> | <u>Verify that user is able to scroll till spetic country</u> |
| 5 | <u>Verify Homepage</u> | <u>Verify that user is able to see Welcome Message on HomePage</u> |
| 6 | | <u>Verify the options present under OPTIONS</u> |
| 7 | <u>Verify List View</u> | <u>Verify that user is able to scroll till spetic country</u> |
| 8 | <u>Verify Pull down to refresh functionality</u> | <u>Verify that user is able to refresh and new item added to list if he perform pull down gesture</u> |
| 9 | | <u>Verify that user is able to refresh and new item added to list if he perform pull down gesture</u> |
| 10 | | <u>Verify that user is able to refresh and new item added to list if he perform pull down gesture</u> |

| TAG | Scenario | | | | Feature | | | |
|----------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @Regression | 5 | 0 | 5 | 0 | 3 | 0 | 3 | 0 |
| @ArcMenu | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |
| @DragAndDrop | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Smoke | 5 | 0 | 5 | 0 | 2 | 0 | 2 | 0 |
| @Home | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @PullToRefresh | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Verify List View</u> | 3 | 0 | 3 | 0 | 1.491 s |
| 2 | <u>Verify Drag and Drop</u> | 1 | 0 | 1 | 0 | 0.184 s |
| 3 | <u>Verify Homepage</u> | 2 | 0 | 2 | 0 | 0.356 s |
| 4 | <u>Verify List View</u> | 1 | 0 | 1 | 0 | 0.166 s |
| 5 | <u>Verify Pull down to refresh functionality</u> | 3 | 0 | 3 | 0 | 0.589 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---|----------|
| 1 | <u>Verify List View</u> | <u>Verify that user is able to perform action on all arc menu</u> | 4 | 0 | 0 | 4 | 1.068 s |
| 2 | | <u>Verify that user is able to perform action on all arc menu</u> | 4 | 0 | 0 | 4 | 0.173 s |
| 3 | | <u>Verify that user is able to perform action on all arc menu</u> | 4 | 0 | 0 | 4 | 0.195 s |
| 4 | <u>Verify Drag and Drop</u> | <u>Verify that user is able to scroll till spefic country</u> | 4 | 0 | 0 | 4 | 0.184 s |
| 5 | <u>Verify Homepage</u> | <u>Verify that user is able to see Welcome Message on HomePage</u> | 2 | 0 | 0 | 2 | 0.176 s |
| 6 | | <u>Verify the options present under OPTIONS</u> | 2 | 0 | 0 | 2 | 0.166 s |
| 7 | <u>Verify List View</u> | <u>Verify that user is able to scroll till spefic country</u> | 3 | 0 | 0 | 3 | 0.166 s |
| 8 | <u>Verify Pull down to refresh functionality</u> | <u>Verify that user is able to refresh and new item added to list if he perform pull down gesture</u> | 4 | 0 | 0 | 4 | 0.177 s |
| 9 | | <u>Verify that user is able to refresh and new item added to list if he perform pull down gesture</u> | 4 | 0 | 0 | 4 | 0.190 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|---|---|---|---|---|----------|
| 10 | | <u>Verify that user is able to refresh and new item added to list if he perform pull down gesture</u> | 4 | 0 | 0 | 4 | 0.203 s |

Verify List View

| | | | | | |
|--------------------------------------|---------------------------|--|---|--|---|
| FAILED | DURATION - 1.491 s | Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0 |  | Steps Total - 12 Pass - 0 Fail - 0 Skip - 12 |  |
| / 4:31:19.760 PM // 4:31:21.251 PM / | | | | | |
| | | | | | |



Verify that user is able to perform action on all arc menu

| | | | | |
|--------------------------------------|---------------------------|--|--|---|
| FAILED | DURATION - 1.068 s |  | Steps Total - 4 Pass - 0 Fail - 0 Skip - 4 |  |
| / 4:31:19.771 PM // 4:31:20.839 PM / | | | | |
| Verify List View | | | | |
| @Regression @ArcMenu | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| | <p>BEFORE - nagp.hooks.Hooks.Before(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error getting device platform version. Original error: Error executing adbExec. Original error: 'Command 'C:\Users\lalokpandey02\AppData\Local\Android\Sdk\platform-tools\adb.exe -P 5037 -s emulator-5554 shell getprop ro.build.version.release' exited with code 1'; Command output: adb.exe: device unauthorized. This adb server's \$ADB_VENDOR_KEYS is not set Try 'adb kill-server' if that seems wrong. Otherwise check for a confirmation dialog on your device. Host info: host: 'IN-BXWVDK3', ip: '192.168.1.104' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {app: C:\Users\lalokpandey02\workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0 1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}}]] Capabilities {app: C:\Users\lalokpandey02\workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0 1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> | FAILED | 1.028 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at nagp.Base.TestBase.ExecuteDriver(TestBase.java:54) at nagp.hooks.Hooks.Before(Hooks.java:60) </pre> | | |
| 1 | Given user is on Arc Menu Screen | SKIPPED | 0.001 s |
| 2 | When user click on Arc Menu button | SKIPPED | 0.001 s |
| 3 | And user click on Android icon and then click on "Twitter" | SKIPPED | 0.000 s |
| 4 | Then user should see text "Twitter" | SKIPPED | 0.001 s |
| | AFTER - nagp.hooks.Hooks.After(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at nagp.Utills.ScreenshotUtil.captureScreenshot(ScreenshotUtil.java:16) at nagp.hooks.Hooks.After(Hooks.java:76) </pre> | FAILED | 0.005 s |



Verify that user is able to perform action on all arc menu

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.173 s</div> | | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div> | <div></div> |
| <div>/ 4:31:20.872 PM // 4:31:21.045 PM /</div> | | | | |
| <div>Verify List View</div> | | | | |
| <div>@Regression @ArcMenu</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - nagp.hooks.Hooks.Before(io.cucumber.java.Scenario) | FAILED | 0.156 s |
| | <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error getting device platform version. Original error: Error executing adbExec. Original error: 'Command 'C:\Users\alokpandey02\AppData\Local\Android\Sdk\platform-tools\adb.exe -P 5037 -s emulator-5554 shell getprop ro.build.version.release' exited with code 1'; Command output: adb.exe: device unauthorized. This adb server's \$ADB_VENDOR_KEYS is not set Try 'adb kill-server' if that seems wrong. Otherwise check for a confirmation dialog on your device. Host info: host: 'IN-BXWVVK3', ip: '192.168.1.104' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}, capabilities=[{appium:autoAcceptAlerts=true, platformName=ANDROID, appium:appWaitActivity=com.boopathy.raja.tutorial.Splash, appium:appWaitPackage=com.boopathy.raja.tutorial, appium:app=C:\Users\alokpandey02\workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0 1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}]] Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at nagp.Base.TestBase.ExecuteDriver(TestBase.java:54) at nagp.hooks.Hooks.Before(Hooks.java:60)</p> | | |
| 1 | Given user is on Arc Menu Screen | SKIPPED | 0.000 s |
| 2 | When user click on Arc Menu button | SKIPPED | 0.002 s |
| 3 | And user click on Android icon and then click on "Camera" | SKIPPED | 0.000 s |
| 4 | Then user should see text "Camera" | SKIPPED | 0.001 s |
| | AFTER - nagp.hooks.Hooks.After(io.cucumber.java.Scenario) | FAILED | 0.003 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | because "ts" is null at nagp.Utills.ScreenshotUtil.captureScreenshot(ScreenshotUtil.java:16) at nagp.hooks.Hooks.After(Hooks.java:76) | | |

Verify that user is able to perform action on all arc menu

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.195 s</div> | |  | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div> |  |
| / 4:31:21.056 PM // 4:31:21.251 PM / | | | | |
| Verify List View | | | | |
| @Regression @ArcMenu | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| | BEFORE - nagp.hooks.Hooks.Before(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error getting device platform version. Original error: Error executing adbExec. Original error: 'Command 'C:\Users\alokpandey02\AppData\Local\Android\Sdk\platform-tools\adb.exe -P 5037 -s emulator-5554 shell getprop ro.build.version.release' exited with code 1'; Command output: adb.exe: device unauthorized. This adb server's \$ADB_VENDOR_KEYS is not set Try 'adb kill-server' if that seems wrong. Otherwise check for a confirmation dialog on your device. Host info: host: 'IN-BXWVDK3', ip: '192.168.1.104' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}, capabilities=[{appium:autoAcceptAlerts=true, platformName=ANDROID, appium:appWaitActivity=com.boopathy.raja.tutorial.Splash, appium:appWaitPackage=com.boopathy.raja.tutorial, appium:app=C:\Users\alokpandey02\workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0 1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}]] Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96) | FAILED | 0.181 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at nagp.Base.TestBase.ExecuteDriver(TestBase.java:54) at nagp.hooks.Hooks.Before(Hooks.java:60) | | |
| 1 | Given user is on Arc Menu Screen | SKIPPED | 0.000 s |
| 2 | When user click on Arc Menu button | SKIPPED | 0.001 s |
| 3 | And user click on Android icon and then click on "Air" | SKIPPED | 0.001 s |
| 4 | Then user should see text "Air" | SKIPPED | 0.001 s |
| | AFTER - nagp.hooks.Hooks.After(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at nagp.Utls.ScreenshotUtil.captureScreenshot(ScreenshotUtil.java:16) at nagp.hooks.Hooks.After(Hooks.java:76) | FAILED | 0.003 s |

Verify Drag and Drop

| | | | | | |
|--------------------------------------|--------------------|-----------|--|-----------|--|
| FAILED | DURATION - 0.184 s | Scenarios | | Steps | |
| / 4:31:21.266 PM // 4:31:21.450 PM / | | Total - 1 | | Total - 4 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 4 | |



Verify that user is able to scroll till specfic country

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.184 s</div> | | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div> | <div></div> |
| / 4:31:21.266 PM // 4:31:21.450 PM / | | | | |
| Verify Drag and Drop | | | | |
| @Regression @DragAndDrop | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| | BEFORE - nagp.hooks.Hooks.Before(io.cucumber.java.Scenario) <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error getting device platform version. Original error: Error executing adbExec. Original error: 'Command 'C:\Users\lalokpandey02\AppData\Local\Android\Sdk\platform-tools\adb.exe -P 5037 -s emulator-5554 shell getprop ro.build.version.release' exited with code 1'; Command output: adb.exe: device unauthorized. This adb server's \$ADB_VENDOR_KEYS is not set Try 'adb kill-server' if that seems wrong. Otherwise check for a confirmation dialog on your device. Host info: host: 'IN-BXWVDK3', ip: '192.168.1.104' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {app: C:\Users\lalokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}, capabilities=[{appium:autoAcceptAlerts=true, platformName=ANDROID, appium:appWaitActivity=com.boopathy.raja.tutorial.Splash, appium:appWaitPackage=com.boopathy.raja.tutorial, appium:app=C:\Users\lalokpandey02\eclipse-workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0 1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}]] Capabilities {app: C:\Users\lalokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102)</p> | FAILED | 0.175 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at nagp.Base.TestBase.ExecuteDriver(TestBase.java:54) at nagp.hooks.Hooks.Before(Hooks.java:60) | | |
| 1 | Given user is on drag and drop screen | SKIPPED | 0.001 s |
| 2 | When user click on Sample DragDrop | SKIPPED | 0.000 s |
| 3 | Then user should able to drag and drop | SKIPPED | 0.001 s |
| 4 | And user should see drag element as focused after drag and drop | SKIPPED | 0.000 s |
| | AFTER - nagp.hooks.Hooks.After(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at nagp.Utls.ScreenshotUtil.captureScreenshot(ScreenshotUtil.java:16) at nagp.hooks.Hooks.After(Hooks.java:76) | FAILED | 0.003 s |

Verify Homepage

| | | | | | |
|--------------------------------------|--------------------|--|---|--|---|
| FAILED | DURATION - 0.356 s | Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0 |  | Steps Total - 4 Pass - 0 Fail - 0 Skip - 4 |  |
| / 4:31:21.466 PM // 4:31:21.822 PM / | | | | | |
| | | | | | |



Verify that user is able to see Welcome Message on HomePage

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.176 s |  | Steps Total - 2 Pass - 0 Fail - 0 Skip - 2 |  |
| / 4:31:21.467 PM // 4:31:21.643 PM / | | | | |
| Verify Homepage | | | | |
| @Smoke @Home | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - nagp.hooks.Hooks.Before(io.cucumber.java.Scenario) | FAILED | 0.168 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <p>error occurred while processing the command. Original error: Error getting device platform version. Original error: Error executing adbExec. Original error: 'Command 'C:\Users\alokpandey02\AppData\Local\Android\Sdk\platform-tools\adb.exe -P 5037 -s emulator-5554 shell getprop ro.build.version.release' exited with code 1'; Command output: adb.exe: device unauthorized. This adb server's \$ADB_VENDOR_KEYS is not set Try 'adb kill-server' if that seems wrong. Otherwise check for a confirmation dialog on your device. Host info: host: 'IN-BXWVDK3', ip: '192.168.1.104' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}, capabilities=[{appium:autoAcceptAlerts=true, platformName=ANDROID, appium:appWaitActivity=com.boopathy.raja.tutorial.Splash, appium:appWaitPackage=com.boopathy.raja.tutorial, appium:app=C:\Users\alokpandey02\clipse-workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0 1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}]] Capabilities {app: C:\Users\alokpandey02\clipse..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at nagp.Base.TestBase.ExecuteDriver(TestBase.java:54) at nagp.hooks.Hooks.Before(Hooks.java:60)</p> | | |
| 1 | When application is launched | SKIPPED | 0.000 s |
| 2 | Then i should see the welcome message "Welcome!" | SKIPPED | 0.000 s |
| | <p>AFTER - nagp.hooks.Hooks.After(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null</p> <p>at nagp.Utils.ScreenshotUtil.captureScreenshot(ScreenshotUtil.java:16) at nagp.hooks.Hooks.After(Hooks.java:76)</p> | FAILED | 0.003 s |

Verify the options present under OPTIONS

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.166 s</div> | |  | <div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div> |  |
| / 4:31:21.656 PM // 4:31:21.822 PM / | | | | |
| Verify Homepage | | | | |
| @Smoke @Home | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| | BEFORE - nagp.hooks.Hooks.Before(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error getting device platform version. Original error: Error executing adbExec. Original error: 'Command 'C:\Users\alokpandey02\AppData\Local\Android\Sdk\platform-tools\adb.exe -P 5037 -s emulator-5554 shell getprop ro.build.version.release' exited with code 1'; Command output: adb.exe: device unauthorized. This adb server's \$ADB_VENDOR_KEYS is not set Try 'adb kill-server' if that seems wrong. Otherwise check for a confirmation dialog on your device. Host info: host: 'IN-BXWVDK3', ip: '192.168.1.104' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}, capabilities=[{appium:autoAcceptAlerts=true, platformName=ANDROID, appium:appWaitActivity=com.boopathy.raja.tutorial.Splash, appium:appWaitPackage=com.boopathy.raja.tutorial, appium:app=C:\Users\alokpandey02\clipse-workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0 1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}]] Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) | FAILED | 0.159 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at nagp.Base.TestBase.ExecuteDriver(TestBase.java:54) at nagp.hooks.Hooks.Before(Hooks.java:60) | | |
| 1 | When i click on OPTIONS | SKIPPED | 0.001 s |
| 2 | Then i should see the following options | SKIPPED | 0.000 s |
| | <div>SourceCode</div> <div>Rate App</div> <div>Exit</div> | | |
| | AFTER - nagp.hooks.Hooks.After(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at nagp.Utls.ScreenshotUtil.captureScreenshot(ScreenshotUtil.java:16) at nagp.hooks.Hooks.After(Hooks.java:76) | FAILED | 0.003 s |

Verify List View

| | | | | | |
|--------------------------------------|--------------------|-----------|--|-----------|--|
| FAILED | DURATION - 0.166 s | Scenarios | | Steps | |
| / 4:31:21.835 PM // 4:31:22.001 PM / | | Total - 1 | | Total - 3 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 3 | |



Verify that user is able to scroll till specic country

| | | | | |
|--------------------------------------|--------------------|--|-----------|---|
| FAILED | DURATION - 0.166 s |  | Steps |  |
| / 4:31:21.835 PM // 4:31:22.001 PM / | | | Total - 3 | |
| Verify List View | | | Pass - 0 | |
| @Regression | | | Fail - 0 | |
| | | | Skip - 3 | |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <p>BEFORE - nagp.hooks.Hooks.Before(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error getting device platform version. Original error: Error executing adbExec. Original error: 'Command 'C:\Users\alokpandey02\AppData\Local\Android\Sdk\platform-tools\adb.exe -P 5037 -s emulator-5554 shell getprop ro.build.version.release' exited with code 1'; Command output: adb.exe: device unauthorized. This adb server's \$ADB_VENDOR_KEYS is not set Try 'adb kill-server' if that seems wrong. Otherwise check for a confirmation dialog on your device. Host info: host: 'IN-BXWVVK3', ip: '192.168.1.104' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}, capabilities=[{appium:autoAcceptAlerts=true, platformName=ANDROID, appium:appWaitActivity=com.boopathy.raja.tutorial.Splash, appium:appWaitPackage=com.boopathy.raja.tutorial, appium:app=C:\Users\alokpandey02\workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0 1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}]] Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at nagp.Base.TestBase.ExecuteDriver(TestBase.java:54) at nagp.hooks.Hooks.Before(Hooks.java:60)</p> | FAILED | 0.159 s |
| 1 | Given user is on List View screen | SKIPPED | 0.000 s |
| 2 | When user click on quick scrollbar | SKIPPED | 0.000 s |
| 3 | Then user should see his "Zambia" country on scroll | SKIPPED | 0.000 s |
| | <p>AFTER - nagp.hooks.Hooks.After(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at nagp.Utills.ScreenshotUtil.captureScreenshot(ScreenshotUtil.java:16)</p> | FAILED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at nagp.hooks.Hooks.After(Hooks.java:76) | | |

Verify Pull down to refresh functionality

| | | | | | |
|--------------------------------------|--------------------|-----------|---|------------|---|
| FAILED | DURATION - 0.589 s | Scenarios | | Steps | |
| / 4:31:22.008 PM // 4:31:22.597 PM / | | Total - 3 |  | Total - 12 |  |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 3 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 12 | |

Verify that user is able to refresh and new item added to list if he perform pull down gesture

| | | | | |
|---|--------------------|--|-----------|---|
| FAILED | DURATION - 0.177 s |  | Steps |  |
| / 4:31:22.009 PM // 4:31:22.186 PM / | | | Total - 4 | |
| Verify Pull down to refresh functionality | | | Pass - 0 | |
| @Smoke @PullToRefresh | | | Fail - 0 | |
| | | | Skip - 4 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| | BEFORE - nagp.hooks.Hooks.Before(io.cucumber.java.Scenario) | FAILED | 0.171 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error getting device platform version. Original error: Error executing adbExec. Original error: 'Command 'C:\Users\lalokpandey02\AppData\Local\Android\Sdk\platform-tools\adb.exe -P 5037 -s emulator-5554 shell getprop ro.build.version.release' exited with code 1'; Command output: adb.exe: device unauthorized. This adb server's \$ADB_VENDOR_KEYS is not set Try 'adb kill-server' if that seems wrong. Otherwise check for a confirmation dialog on your device. Host info: host: 'IN-BXWVVK3', ip: '192.168.1.104' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {app: C:\Users\lalokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}, capabilities=[{appium:autoAcceptAlerts=true, platformName=ANDROID, appium:appWaitActivity=com.boopathy.raja.tutorial.Splash, appium:appWaitPackage=com.boopathy.raja.tutorial, appium:app=C:\Users\lalokpandey02\eclipse-workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0 1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}]] Capabilities {app: C:\Users\lalokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | platformVersion: 8.0} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at nagp.Base.TestBase.ExecuteDriver(TestBase.java:54) at nagp.hooks.Hooks.Before(Hooks.java:60) | | |
| 1 | Given user is on pull to refresh screen | SKIPPED | 0.000 s |
| 2 | When user click on Pull to Refresh button | SKIPPED | 0.000 s |
| 3 | And user perform swipe down gesture | SKIPPED | 0.000 s |
| 4 | Then user should able to see new item with name "NEW ITEM ADDED" in the list | SKIPPED | 0.000 s |
| | AFTER - nagp.hooks.Hooks.After(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at nagp.Utls.ScreenshotUtil.captureScreenshot(ScreenshotUtil.java:16) at nagp.hooks.Hooks.After(Hooks.java:76) | FAILED | 0.002 s |



Verify that user is able to refresh and new item added to list if he perform pull down gesture

| | | | |
|--|--|--|--|
| FAILED DURATION - 0.190 s / 4:31:22.196 PM // 4:31:22.386 PM / Verify Pull down to refresh functionality @Smoke @PullToRefresh | | Steps Total - 4 Pass - 0 Fail - 0 Skip - 4 | |
|--|--|--|--|

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - nagp.hooks.Hooks.Before(io.cucumber.java.Scenario) | FAILED | 0.182 s |
| | <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error getting device platform version. Original error: Error executing adbExec. Original error: 'Command 'C:\Users\alokpandey02\AppData\Local\Android\Sdk\platform-tools\adb.exe -P 5037 -s emulator-5554 shell getprop ro.build.version.release' exited with code 1'; Command output: adb.exe: device unauthorized. This adb server's \$ADB_VENDOR_KEYS is not set Try 'adb kill-server' if that seems wrong. Otherwise check for a confirmation dialog on your device. Host info: host: 'IN-BXWVVK3', ip: '192.168.1.104' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}, capabilities=[{appium:autoAcceptAlerts=true, platformName=ANDROID, appium:appWaitActivity=com.boopathy.raja.tutorial.Splash, appium:appWaitPackage=com.boopathy.raja.tutorial, appium:app=C:\Users\alokpandey02\eclipse-workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0 1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}]] Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at nagp.Base.TestBase.ExecuteDriver(TestBase.java:54) at nagp.hooks.Hooks.Before(Hooks.java:60)</p> | | |
| 1 | Given user is on pull to refresh screen | SKIPPED | 0.000 s |
| 2 | When user click on Pull to Refresh button | SKIPPED | 0.000 s |
| 3 | And user perform swipe down gesture | SKIPPED | 0.000 s |
| 4 | Then user should able to see new item with name "NEW ITEM ADDED" in the list | SKIPPED | 0.000 s |
| | AFTER - nagp.hooks.Hooks.After(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | because "ts" is null at nagp.Utills.ScreenshotUtil.captureScreenshot(ScreenshotUtil.java:16) at nagp.hooks.Hooks.After(Hooks.java:76) | | |

Verify that user is able to refresh and new item added to list if he perform pull down gesture

| | | | | |
|---|---------------------------|--|--|---|
| FAILED | DURATION - 0.203 s |  | Steps Total - 4 Pass - 0 Fail - 0 Skip - 4 |  |
| / 4:31:22.394 PM // 4:31:22.597 PM / | | | | |
| Verify Pull down to refresh functionality | | | | |
| @Smoke @PullToRefresh | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| | <p>BEFORE - nagp.hooks.Hooks.Before(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error getting device platform version. Original error: Error executing adbExec. Original error: 'Command 'C:\Users\alokpandey02\AppData\Local\Android\Sdk\platform-tools\adb.exe -P 5037 -s emulator-5554 shell getprop ro.build.version.release' exited with code 1'; Command output: adb.exe: device unauthorized. This adb server's \$ADB_VENDOR_KEYS is not set Try 'adb kill-server' if that seems wrong. Otherwise check for a confirmation dialog on your device. Host info: host: 'IN-BXWVDK3', ip: '192.168.1.104' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}, capabilities=[{appium:autoAcceptAlerts=true, platformName=ANDROID, appium:appWaitActivity=com.boopathy.raja.tutorial.Splash, appium:appWaitPackage=com.boopathy.raja.tutorial, appium:app=C:\Users\alokpandey02\workspace\NAGPAppiumAssignment\src\test\resources\Android_UI_Design-1.0.1.apk, appium:platformVersion=8.0, appium:newCommandTimeout=300, appium:deviceName=Android, appium:automationName=UiAutomator2}]] Capabilities {app: C:\Users\alokpandey02\clip..., appWaitActivity: com.boopathy.raja.tutorial..., appWaitPackage: com.boopathy.raja.tutorial, autoAcceptAlerts: true, automationName: UiAutomator2, deviceName: Android, newCommandTimeout: 300, platformName: ANDROID, platformVersion: 8.0}</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96)</p> | FAILED | 0.196 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at nagp.Base.TestBase.ExecuteDriver(TestBase.java:54) at nagp.hooks.Hooks.Before(Hooks.java:60) | | |
| 1 | Given user is on pull to refresh screen | SKIPPED | 0.001 s |
| 2 | When user click on Pull to Refresh button | SKIPPED | 0.000 s |
| 3 | And user perform swipe down gesture | SKIPPED | 0.000 s |
| 4 | Then user should able to see new item with name "NEW ITEM ADDED" in the list | SKIPPED | 0.000 s |
| | AFTER - nagp.hooks.Hooks.After(io.cucumber.java.Scenario) | FAILED | 0.003 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at nagp.Utls.ScreenshotUtil.captureScreenshot(ScreenshotUtil.java:16) at nagp.hooks.Hooks.After(Hooks.java:76) | | |