

# 1. Goal and Overall Workflow

The goal is to make QuickSathi discoverable and indexable by Google. The website is a React + Vite single-page application (SPA) using React Router and deployed on Vercel.

| Step | Action                                      |
|------|---------------------------------------------|
| 1    | Make the SEO-related code changes           |
| 2    | Deploy the updated project to Vercel        |
| 3    | Verify robots.txt                           |
| 4    | Verify sitemap.xml                          |
| 5    | Add the website to Google Search Console    |
| 6    | Verify ownership                            |
| 7    | Submit the sitemap                          |
| 8    | Request indexing for important public pages |
| 9    | Wait for Google to crawl and index the site |
| 10   | Monitor indexing and search performance     |

**Important:** Google indexing and Google ranking are different. The steps below help Google discover and understand the website. Ranking for competitive searches depends on content quality, relevance, competition, authority, links, and other signals.

## 2. Expected Project Structure

The existing project already contains **public**, **src**, **index.html**, **vercel.json**, and Vite configuration. Add the new files shown below.

```
project/
├── public/
│   ├── logo.png
│   ├── robots.txt      ← ADD
│   └── sitemap.xml     ← ADD
├── src/
│   ├── components/
│   │   └── SEO.jsx      ← OPTIONAL / recommended later
│   ├── pages/
│   │   ├── Home.jsx
│   │   ├── About.jsx
│   │   ├── Services.jsx
│   │   └── ...
│   ├── App.jsx
│   └── main.jsx
├── index.html          ← MODIFY
├── package.json
├── vercel.json         ← keep current configuration unless needed
└── vite.config.js
```

## 3. Modify index.html

Update the HTML head with a clear title, description, indexing instruction, canonical URL, and Open Graph metadata. This provides useful metadata for the homepage and for social sharing.

```

<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />

    <link rel="icon" type="image/png" href="/logo.png" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <meta name="theme-color" content="#0b4fd8" />

    <!-- Primary SEO -->
    <title>QuickSathi - Trusted Local Services at Your Doorstep</title>

    <meta
      name="description"
      content="QuickSathi connects you with trusted local professionals for home services, repairs, cleaning, weddings, car re
    />

    <meta name="robots" content="index, follow" />

    <link rel="canonical" href="https://www.quicksathi.com/" />

    <!-- Open Graph / Social Sharing -->
    <meta
      property="og:title"
      content="QuickSathi - Trusted Local Services at Your Doorstep"
    />

    <meta
      property="og:description"
      content="Find trusted local professionals for home services, repairs, weddings, car rentals, CCTV services and more."
    />

    <meta property="og:url" content="https://www.quicksathi.com/" />
    <meta property="og:type" content="website" />
    <meta property="og:site_name" content="QuickSathi" />

    <!-- Existing Google Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />

    <link
      href="https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght@0,400;0,600;0,700;1,400&family=Lora:ital,wght@
      rel="stylesheet"
    />
  </head>

  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.jsx"></script>
  </body>
</html>

```

Do not add multiple conflicting canonical tags. For now, the canonical above represents the homepage.

## 4. Add public/robots.txt

Create a new file at **public/robots.txt**. Files in Vite's public directory are served from the root of the deployed website.

```

User-agent: *
Allow: /

```

Sitemap: <https://www.quicksathi.com/sitemap.xml>

After deployment, the file should be accessible at: <https://www.quicksathi.com/robots.txt>.

## 5. Add public/sitemap.xml

Create **public/sitemap.xml**. Include important public pages that you want Google to discover. Do not include private account, payment, provider dashboard, or admin pages.

```
<?xml version="1.0" encoding="UTF-8"?>

<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">

  <url>
    <loc>https://www.quicksathi.com/</loc>
  </url>

  <url>
    <loc>https://www.quicksathi.com/services</loc>
  </url>

  <url>
    <loc>https://www.quicksathi.com/about</loc>
  </url>

  <url>
    <loc>https://www.quicksathi.com/contact</loc>
  </url>

  <url>
    <loc>https://www.quicksathi.com/services/weddings</loc>
  </url>

  <url>
    <loc>https://www.quicksathi.com/services/car-rentals</loc>
  </url>

  <url>
    <loc>https://www.quicksathi.com/services/cctv</loc>
  </url>

</urlset>
```

## Do not include these in the sitemap

```
/login
/payment
/my-bookings
/provider/dashboard
/admin
/admin/services
/admin/users
```

## 6. Check vercel.json

The current Vercel configuration supports React Router URLs by rewriting non-API routes to index.html. The current configuration can remain as it is.

```
{
  "rewrites": [
    {
      "source": "/((?!api/.*).*)",
      "destination": "/index.html"
    }
  ],
  "headers": [
    {
      "source": "/assets/(.*)",
      "headers": [
        {
          "key": "Cache-Control",
          "value": "public, max-age=31536000, immutable"
        }
      ]
    },
    {
      "source": "/index.html",
      "headers": [
        {
          "key": "Cache-Control",
          "value": "public, max-age=0, must-revalidate"
        }
      ]
    }
  ],
}
```

```

{
  "source": "/(.*)",
  "headers": [
    {
      "key": "X-Content-Type-Options",
      "value": "nosniff"
    },
    {
      "key": "X-Frame-Options",
      "value": "DENY"
    }
  ]
}
]
}
}

```

No basic SEO-related change is required in this file based on the current configuration.

## 7. Recommended: Unique SEO Metadata Per Public Page

A React SPA can otherwise reuse the same document title and description across many routes. For better page-specific metadata, add a small SEO component using react-helmet-async.

### 7.1 Install the package

```
npm install react-helmet-async
```

### 7.2 Create src/components/SEO.jsx

```

import { Helmet } from "react-helmet-async";

function SEO({ title, description, canonical }) {
  return (
    <Helmet>
      <title>{title}</title>

      <meta
        name="description"
        content={description}
      />

      <meta
        name="robots"
        content="index, follow"
      />

      {canonical && (
        <link rel="canonical" href={canonical} />
      )}
    </Helmet>
  );
}

export default SEO;

```

### 7.3 Wrap the app with HelmetProvider

In **src/App.jsx**, import the provider:

```
import { HelmetProvider } from "react-helmet-async";
```

Then wrap the application:

```

function App() {
  return (
    <HelmetProvider>
      <AuthProvider>
        <LocationProvider>
          <BrowserRouter>
            <ScrollToTop />

            <Suspense fallback={<PageLoader />}>
              <Routes>

```

```

        {/* Existing routes */}
      </Routes>
    </Suspense>
  </BrowserRouter>
</LocationProvider>
</AuthProvider>
</HelmetProvider>
);
}

```

```
export default App;
```

## 7.4 Example usage in Home.jsx

```
import SEO from "../components/SEO";
```

```

function Home() {
  return (
    <>
      <SEO
        title="QuickSathi - Trusted Local Services at Your Doorstep"
        description="Find trusted local professionals for home services, repairs, cleaning, weddings, car rentals, CCTV insta
        canonical="https://www.quicksathi.com/"
      />

      {/* Existing Home page content */}
    </>
  );
}

```

```
export default Home;
```

### Suggested public page titles:

- Home: QuickSathi - Trusted Local Services at Your Doorstep
- Services: Local Services - QuickSathi
- Wedding page: Wedding Services - QuickSathi
- Car rentals: Car Rental Services - QuickSathi
- CCTV: CCTV Installation Services - QuickSathi
- About: About QuickSathi
- Contact: Contact QuickSathi

## 8. Deploy the Changes to Vercel

After adding the files and modifying the code:

1. Run the application locally and confirm it builds without errors.
2. Commit and push the changes to the connected Git repository, or deploy through the existing Vercel workflow.
3. Wait for the Vercel deployment to complete successfully.
4. Open the production website and verify that the latest version is live.

### Useful local checks

```

npm install
npm run build

```

If the project builds successfully, deploy using the team's normal Git/Vercel workflow.

## 9. Verify the Deployment

After deployment, open the following URLs manually:

```

https://www.quicksathi.com/
https://www.quicksathi.com/robots.txt
https://www.quicksathi.com/sitemap.xml

```

Expected result:

- Homepage loads correctly.

- robots.txt displays plain text, not the React application.
- sitemap.xml displays valid XML containing the public URLs.
- Important routes such as /services and /about load when opened directly.

## 10. Add QuickSathi to Google Search Console

Open Google Search Console and sign in with the Google account that should manage the website.

**Recommended property type:** Domain

Enter:

quicksathi.com

Domain verification generally requires adding a DNS TXT record. This covers the domain and its subdomains.

### Alternative: URL Prefix property

If DNS verification is not convenient, add:

https://www.quicksathi.com/

Follow the verification method provided by Google. The exact verification token is generated individually and must not be copied from another website.

## 11. Verify Ownership

For DNS verification, Google provides a TXT record similar to the following:

google-site-verification=xxxxxxxxxxxxxxxxxxxxxxxx

Add the exact value provided by Google to the DNS provider that manages the quicksathi.com domain. Save the DNS record, then return to Search Console and click **Verify**.

DNS changes can take some time to become visible. Do not replace the placeholder above with a random value; always use the value generated in your own Search Console account.

## 12. Submit the Sitemap

After the property is verified:

1. Open the QuickSathi property in Google Search Console.
2. Go to **Indexing** → **Sitemaps**.
3. Enter the sitemap path:

sitemap.xml

For the www property, this corresponds to:

https://www.quicksathi.com/sitemap.xml

Click **Submit**. Check that Search Console reports the sitemap as successfully processed. If it reports an error, inspect the URL in a browser and correct malformed XML or inaccessible URLs.

## 13. Request Indexing for Important Pages

Use the URL Inspection tool in Search Console. Inspect the production URL, not localhost and not a Vercel preview URL.

Start with these public pages:

<https://www.quicksathi.com/>  
<https://www.quicksathi.com/services>  
<https://www.quicksathi.com/about>  
<https://www.quicksathi.com/contact>  
<https://www.quicksathi.com/services/weddings>  
<https://www.quicksathi.com/services/car-rentals>  
<https://www.quicksathi.com/services/cctv>

For each important page:

1. Paste the exact URL into URL Inspection.
2. Review the indexing status.
3. If appropriate, choose **Request Indexing**.
4. Wait for Google's processing.

Do not waste indexing requests on login, admin, payment, booking-history, or other private/user-specific pages.

## 14. Monitor Indexing

After Google processes the website, periodically check:

`site:quicksathi.com`

This can provide a rough indication of which pages are appearing in Google's index. The more authoritative source for indexing status is Google Search Console.

Inside Search Console, monitor:

- Page indexing status
- Crawling or indexing errors
- Submitted sitemap status
- Search queries and impressions
- Clicks from Google Search
- Pages receiving impressions

## 15. Important SEO Checks for a New Website

1. Every important public page should have useful, unique content.
2. The homepage should contain a clear H1 describing QuickSathi and its service purpose.
3. Navigation should link to important public pages so crawlers and users can discover them.
4. Avoid empty pages, duplicate page titles, and duplicate descriptions.
5. Do not expose sensitive admin or user-specific content as indexable public pages.
6. Keep the canonical URL consistent with the preferred domain version.
7. Update the sitemap when important public routes are added.
8. Ensure the production site uses HTTPS.
9. Test direct navigation to each public route.

## 16. Final Handover Checklist

- Modify index.html with homepage SEO metadata
- Create public/robots.txt
- Create public/sitemap.xml
- Optionally add react-helmet-async for unique metadata per public page

- Run npm run build successfully
- Deploy the latest version to Vercel
- Open /robots.txt and verify it returns the robots file
- Open /sitemap.xml and verify the XML
- Add quicksathi.com to Google Search Console
- Verify ownership
- Submit sitemap.xml
- Use URL Inspection for the homepage and important public pages
- Request indexing where needed
- Monitor Page Indexing and Performance reports

## 17. Final Summary

For a newly created website, it is normal for Google Search results to take time. The correct process is to make the site crawlable, provide a sitemap, verify ownership in Google Search Console, submit the sitemap, request indexing for important URLs, and then monitor the indexing reports.

### **The deployment checklist is:**

Make code changes → Deploy to Vercel → Check robots.txt → Check sitemap.xml → Add to Google Search Console → Verify ownership → Submit sitemap → Request indexing → Wait for crawling/indexing → Monitor search performance