

humans\_M\_combined\_post.csv\_run\_11\_20250529\_144437

May 29, 2025

/Users/navehr/Dropbox/naveh/weizmann/uri\_alon/aging/code\_3

Loading file from: /Users/navehr/Dropbox/naveh/weizmann/uri\_alon/aging/code\_3/bayesian02/posterior\_csvs\_bayesian01/HUMANS/humans\_M\_combined\_post.csv

Binning samples: 0%|  
| 0/5 [00:00<?, ?it/s]

Binning samples: 100%|  
| 5/5 [00:00<00:00,  
128.42it/s]

Processing samples: 0%|  
| 0/399939 [00:00<?, ?it/s]

Processing samples: 19%|  
| 74941/399939 [00:00<00:00, 749387.49it/s]

Processing samples:  
39%|  
| 155620/399939 [00:00<00:00, 783148.20it/s]

Processing samples: 59%|  
| 237685/399939 [00:00<00:00, 800261.16it/s]

Processing samples: 80%|  
| 320972/399939 [00:00<00:00,  
813131.06it/s]

Processing samples: 100%|  
| 399939/399939 [00:00<00:00,  
809015.31it/s]

Averaging log-probabilities: 0%|  
| 0/3246 [00:00<?, ?it/s]

```

Averaging log-probabilities: 100%|

| 3246/3246 [00:00<00:00,
433713.83it/s]

Processing unique samples for set 0: 0%|
| 0/3246 [00:00<?, ?it/s]

Processing unique samples for set 0: 100%|

| 3246/3246 [00:00<00:00,
543544.83it/s]

Binning samples: 0%|
| 0/5 [00:00<?, ?it/s]

Binning samples: 100%|

| 5/5 [00:00<00:00,
142.01it/s]

Processing samples: 0%|
| 0/399650 [00:00<?, ?it/s]

Processing samples: 19%|
| 76133/399650 [00:00<00:00, 761307.13it/s]

Processing samples:
39%|
| 155311/399650 [00:00<00:00, 779219.45it/s]

Processing samples: 59%|

| 234328/399650 [00:00<00:00, 784208.87it/s]

Processing samples: 79%|

| 316124/399650 [00:00<00:00,
797526.74it/s]

Processing samples: 100%|

| 399232/399650 [00:00<00:00,
809620.80it/s]

Processing samples: 100%|

| 399650/399650 [00:00<00:00,
797634.48it/s]

```

Averaging log-probabilities: 0%|  
| 0/2741 [00:00<?, ?it/s]  
Averaging log-probabilities: 100%|  
| 2741/2741 [00:00<00:00,  
430567.67it/s]

Processing unique samples for set 1: 0%|  
| 0/2741 [00:00<?, ?it/s]  
Processing unique samples for set 1: 100%|  
| 2741/2741 [00:00<00:00,  
558140.95it/s]

Binning samples: 0%|  
| 0/5 [00:00<?, ?it/s]  
Binning samples: 100%|  
| 5/5 [00:00<00:00,  
43.11it/s]

Binning samples: 100%|  
| 5/5 [00:00<00:00,  
42.95it/s]

Processing samples: 0%|  
| 0/1198282 [00:00<?, ?it/s]  
Processing samples: 6%|  
| 75325/1198282 [00:00<00:01, 753238.15it/s]  
Processing samples: 13%|  
| 154733/1198282 [00:00<00:01, 777257.60it/s]  
Processing samples: 20%|  
| 235984/1198282 [00:00<00:01, 793350.50it/s]  
Processing samples: 27%|  
| 317655/1198282 [00:00<00:01, 802569.03it/s]  
Processing samples:  
33%|  
| 398723/1198282 [00:00<00:00, 805485.15it/s]

```

Processing samples:
40%|
| 479272/1198282 [00:00<00:00, 795295.97it/s]

Processing samples: 47%|

| 560927/1198282 [00:00<00:00, 802177.13it/s]

Processing samples: 54%|

| 643214/1198282 [00:00<00:00, 808720.93it/s]

Processing samples: 60%|

| 724951/1198282 [00:00<00:00, 811406.85it/s]

Processing samples: 67%|

| 807792/1198282 [00:01<00:00, 816633.82it/s]

Processing samples: 74%|

| 890838/1198282 [00:01<00:00, 820851.95it/s]

Processing samples: 81%|

| 974593/1198282 [00:01<00:00,
825922.00it/s]

Processing samples: 88%|

| 1058185/1198282 [00:01<00:00,
828940.92it/s]

Processing samples: 95%|

| 1142277/1198282 [00:01<00:00,
832554.00it/s]

Processing samples: 100%|

| 1198282/1198282 [00:01<00:00,
814876.83it/s]

Averaging log-probabilities: 0%|
| 0/8608 [00:00<?, ?it/s]

Averaging log-probabilities: 100%|

| 8608/8608 [00:00<00:00,
426919.34it/s]

```

```

Processing unique samples for set 2: 0%|
| 0/8608 [00:00<?, ?it/s]

Processing unique samples for set 2: 100%|
| 8608/8608 [00:00<00:00,
519714.54it/s]

```

Reading Humans\_M

## 1 # 1. Density coner plot






A sample is 1 parameter set scanned. For the corner plot below, the quantiles (represented by the solid lines) are 0.16,0.5,0.84 of the samples. Dots represent individual samples (outside the line surrounding 0.84 of the samples) The parameter search is performed in the transformed space of  $x_c/\eta$ ,  $\beta/\eta$ ,  $x_c^2/\epsilon$ ,  $x_c$  but we also show the regular parameters

## 2 2. Heat map corner plot of raw samples

This plot shows all the raw sample points and their lnprobability

## 3 3. Posterior distributions of parameters

1d marginalizations of posterior distributions. we use a grid of size nbins=100-150



2D marginalizations of posterior distributions

```
Creating corner plot: 0%|
| 0/5 [00:00<?, ?it/s]

Creating corner plot:
40%|
| 2/5 [00:00<00:00, 5.10it/s]

Creating corner plot: 60%|

| 3/5 [00:01<00:00, 2.28it/s]

Creating corner plot: 80%|

| 4/5 [00:03<00:01,
1.18s/it]


Creating corner plot: 100%|

| 5/5 [00:08<00:00,
2.42s/it]

Creating corner plot: 100%|

| 5/5 [00:08<00:00,
1.67s/it]
```

2D Marginalized Posterior



Rescaling the samples TIME by 365

## 4. Table of results

mode is the marginalized mode, max\_likwlihood is the sample with highest likelihood mode\_overall is the 4D posterior mode

|              | mean    | std             | mode \  |
|--------------|---------|-----------------|---------|
| xc/eta       | 8.315   | [2.751, 2.067]  | 7.45    |
| beta/eta     | 104.338 | [2.843, 2.767]  | 105.032 |
| xc^2/epsilon | 1.712   | [0.572, 0.429]  | 1.562   |
| xc           | 36.064  | [22.03, 13.676] | 37.622  |



|  |            |                          |            |
|--|------------|--------------------------|------------|
| ExtH   | 7.176      | [0.381, 0.362]           | 6.964      |
| eta  | 3.811      | [1.156, 0.887]           | 4.965      |
| beta   | 408.641    | [112.523, 88.229]        | 384.549    |
| epsilon  | 524.819    | [426.539, 235.301]       | 1064.08    |
| sqrt(xc/eta)                                       | 2.725      | [0.287, 0.26]            | 2.729      |
| s= eta <sup>0.5</sup> *xc <sup>1.5</sup> /epsilon  | 0.569      | [0.0538, 0.0491]         | 0.571      |
| beta*xc/epsilon                                    | 22.06      | [0.867, 0.834]           | 21.652     |
| eta*xc/epsilon                                     | 0.21       | [0.00549, 0.00535]       | 0.206      |
| Fx=beta <sup>2</sup> /eta*xc                       | 1457.727   | [430.243, 332.196]       | 1429.882   |
| Dx =beta*epsilon/eta*xc <sup>2</sup>               | 66.753     | [16.688, 13.351]         | 64.862     |
| Pk=beta*k/epsilon                                  | 0.405      | [0.196, 0.132]           | 0.302      |
| Fk=beta <sup>2</sup> /eta*k                        | 80440.816  | [21453.7, 16936.663]     | 79368.538  |
| Dk =beta*epsilon/eta*k <sup>2</sup>                | 298516.988 | [353351.652, 161813.998] | 523849.586 |
| Fk <sup>2</sup> /Dk=beta <sup>3</sup> /eta*epsilon | 25250.566  | [12972.108, 8569.601]    | 32685.107  |
| epsilon/beta <sup>2</sup>                          | 0.00312    | [0.0009, 0.000698]       | 0.00304    |
| k/beta   | 0.00115    | [0.000339, 0.000261]     | 0.0013     |
| k <sup>2</sup> /epsilon                            | 0.000423   | [0.000351, 0.000192]     | 0.000235   |
| best fit_MedianLifetime                            | 74.18      | 0.51                     | 74.18      |
| best fit_MaxLifetime                               | 105.2      | 0                        | 105.2      |
| data_MedianLifetime                                | 73.0       | 0.5                      | 73.0       |
| data_MaxLifetime                                   | 106.0      | 0                        | 106.0      |

|  | percentile_16 \                        |
|--|--|
| xc/eta   | [7.229, 7.677]                         |
| beta/eta   | [104.517, 105.55]                      |
| xc <sup>2</sup> /epsilon                           | [1.516, 1.608]                         |
| xc   | [36.287, 39.006]                       |
| ExtH   | [6.949, 6.979]                         |
| eta  | [4.794, 5.141]                         |
| beta   | [371.863, 397.668]                     |
| epsilon  | [858.741, 1142.909]                    |
| sqrt(xc/eta)                                       | [2.689, 2.771]                         |
| s= eta <sup>0.5</sup> *xc <sup>1.5</sup> /epsilon  | [0.563, 0.58]                          |
| beta*xc/epsilon                                    | [21.363, 21.944]                       |
| eta*xc/epsilon                                     | [0.204, 0.208]                         |
| Fx=beta <sup>2</sup> /eta*xc                       | [1377.455, 1484.304]                   |
| Dx =beta*epsilon/eta*xc <sup>2</sup>               | [62.779, 67.013]                       |
| Pk=beta*k/epsilon                                  | [0.261, 0.318]                         |
| Fk=beta <sup>2</sup> /eta*k                        | [76781.151, 82043.115]                 |
| Dk =beta*epsilon/eta*k <sup>2</sup>                | [488904.401, 561292.532]               |
| Fk <sup>2</sup> /Dk=beta <sup>3</sup> /eta*epsilon | [31152.913, 34292.659]                 |
| epsilon/beta <sup>2</sup>                          | [0.00291, 0.00317]                     |
| k/beta   | [0.00126, 0.00144]                     |
| k <sup>2</sup> /epsilon                            | [0.000189, 0.000252]                   |
| best fit_MedianLifetime                            | [73.69000000000001, 74.69000000000001] |
| best fit_MaxLifetime                               | [105.2, 105.2]                         |
| data_MedianLifetime                                | [72.51, 73.5]                          |

|                            |  |
|----------------------------|--|
| data_MaxLifetime           | [106.0, 106.0]                         |
|                            | percentile_50 \                        |
| xc/eta                     | [6.806, 8.154]                         |
| beta/eta                   | [103.494, 106.592]                     |
| xc^2/epsilon               | [1.516, 1.706]                         |
| xc                         | [33.758, 41.928]                       |
| ExtH                       | [6.949, 7.01]                          |
| eta                        | [4.17, 5.513]                          |
| beta                       | [347.733, 454.774]                     |
| epsilon                    | [559.291, 1318.519]                    |
| sqrt(xc/eta)               | [2.609, 2.855]                         |
| s= eta^0.5*xc^1.5/epsilon  | [0.546, 0.597]                         |
| beta*xc/epsilon            | [20.798, 21.944]                       |
| eta*xc/epsilon             | [0.204, 0.213]                         |
| Fx=beta^2/eta*xc           | [1278.298, 1599.441]                   |
| Dx =beta*epsilon/eta*xc^2  | [58.813, 71.532]                       |
| Pk=beta*k/epsilon          | [0.236, 0.387]                         |
| Fk=beta^2/eta*k            | [67248.031, 87665.692]                 |
| Dk =beta*epsilon/eta*k^2   | [425851.939, 644398.59]                |
| Fk^2/Dk=beta^3/eta*epsilon | [28300.633, 37748.846]                 |
| epsilon/beta^2             | [0.00291, 0.00346]                     |
| k/beta                     | [0.00103, 0.00144]                     |
| k^2/epsilon                | [0.000189, 0.000515]                   |
| best fit_MedianLifetime    | [73.69000000000001, 74.69000000000001] |
| best fit_MaxLifetime       | [105.2, 105.2]                         |
| data_MedianLifetime        | [72.51, 73.5]                          |
| data_MaxLifetime           | [106.0, 106.0]                         |
|                            | percentile_95 \                        |
| xc/eta                     | [6.034, 14.018]                        |
| beta/eta                   | [99.503, 106.592]                      |
| xc^2/epsilon               | [1.43, 2.897]                          |
| xc                         | [20.358, 60.173]                       |
| ExtH                       | [6.889, 7.04]                          |
| eta                        | [3.154, 5.912]                         |
| beta                       | [325.168, 636.037]                     |
| epsilon                    | [237.241, 1521.112]                    |
| sqrt(xc/eta)               | [2.456, 3.525]                         |
| s= eta^0.5*xc^1.5/epsilon  | [0.515, 0.653]                         |
| beta*xc/epsilon            | [20.248, 23.153]                       |
| eta*xc/epsilon             | [0.2, 0.217]                           |
| Fx=beta^2/eta*xc           | [757.731, 1857.2]                      |
| Dx =beta*epsilon/eta*xc^2  | [37.246, 76.356]                       |
| Pk=beta*k/epsilon          | [0.159, 0.52]                          |
| Fk=beta^2/eta*k            | [62934.973, 122114.515]                |
| Dk =beta*epsilon/eta*k^2   | [122905.345, 849347.117]               |

|  |  |
|--|--|
| Fk <sup>2</sup> /Dk=beta <sup>3</sup> /eta*epsilon | [14450.357, 45741.32]                  |
| epsilon/beta <sup>2</sup>                          | [0.00225, 0.00448]                     |
| k/beta   | [0.00084, 0.00154]                     |
| k <sup>2</sup> /epsilon                            | [0.000164, 0.00105]                    |
| best fit_MedianLifetime                            | [73.69000000000001, 74.69000000000001] |
| best fit_MaxLifetime                               | [105.2, 105.2]                         |
| data_MedianLifetime                                | [72.51, 73.5]                          |
| data_MaxLifetime                                   | [106.0, 106.0]                         |

|  | max_likelihood | mode_overall |
|--|----------------|--------------|
| xc/eta   | 6.607          | 7.45         |
| beta/eta   | 106.418        | 106.07       |
| xc <sup>2</sup> /epsilon                           | 1.343          | 1.562        |
| xc   | 35.589         | 22.688       |
| ExtH   | 7.802          | 6.994        |
| eta  | 5.387          | 3.045        |
| beta   | 573.253        | 336.261      |
| epsilon  | 942.903        | 339.138      |
| sqrt(xc/eta)                                       | 2.57           | 2.729        |
| s= eta <sup>0.5</sup> *xc <sup>1.5</sup> /epsilon  | 0.523          | 0.571        |
| beta*xc/epsilon                                    | 21.637         | 22.24        |
| eta*xc/epsilon                                     | 0.203          | 0.21         |
| Fx=beta <sup>2</sup> /eta*xc                       | 1714.166       | 1540.797     |
| Dx =beta*epsilon/eta*xc <sup>2</sup>               | 79.225         | 69.236       |
| Pk=beta*k/epsilon                                  | 0.304          | 0.495        |
| Fk=beta <sup>2</sup> /eta*k                        | 122009.265     | 69514.169    |
| Dk =beta*epsilon/eta*k <sup>2</sup>                | 401368.673     | 151188.496   |
| Fk <sup>2</sup> /Dk=beta <sup>3</sup> /eta*epsilon | 37088.746      | 32685.107    |
| epsilon/beta <sup>2</sup>                          | 0.00287        | 0.00304      |
| k/beta   | 0.000872       | 0.00149      |
| k <sup>2</sup> /epsilon                            | 0.000265       | 0.000736     |
| best fit_MedianLifetime                            | 74.18          | NaN          |
| best fit_MaxLifetime                               | 105.2          | NaN          |
| data_MedianLifetime                                | 73.0           | NaN          |
| data_MaxLifetime                                   | 106.0          | NaN          |

## 5 5. Fits of simulations to data

best params is the sample with highest likelihood. mode trans is the 4D posterior mode in the transformed space of  $x_c/\eta$ ,  $\beta/\eta$ ,  $x_c^2/\epsilon$ ,  $x_c$