

PLAYBOOK | OPERATIONS

Document Organization Playbook

Where every SonaMation document lives - SOWs, proposals, architecture, WRDs, JEPs, QA outputs - and how to keep it that way.

For everyone at SonaMation | Version 1.0

The three rules

- | | |
|---------------------------------------|--|
| 1 One home per document | Every document lives in exactly one place: its client's Shared Drive folder. |
| 2 Link, don't copy | Slack, ClickUp, HubSpot and apps point to the Drive file - they never hold their own copy. |
| 3 Not in Drive = doesn't exist | A decision, SOW or test result counts only once it's filed in the right folder. |

Contents

1. Why this playbook exists	3
The problem The fix, in one sentence	
2. What lives where	4
How the tools connect	
3. Shared Drive setup	5
Create three Shared Drives Permission roles, briefly Sharing with clients	
4. Engagement folder template	6
What goes in each folder Creating the folders	
5. Naming convention	8
Document type codes Status words - use only these Examples Versioning rules Optional: Drive labels	
6. START HERE index & decision log	10
The START HERE index The decision log	
7. Rules for each tool	12
Slack ClickUp HubSpot Replit apps and GitHub ArchitectureScope	
8. The engagement lifecycle	14
9. Governance	15
Roles Cadence Security basics	
10. Rollout plan	16
Migrating existing documents	
11. Checklists & cheat sheet	17
New engagement checklist Close-out checklist Quarterly audit checklist Cheat sheet (one page)	

CHAPTER 1

Why this playbook exists

Our documents are spread across ClickUp, Slack, Google Drive, Replit apps and people's laptops. This playbook gives each one a single home.

The problem

- **Nobody knows which version is current.** The SOW in a Slack thread, the one attached to a ClickUp task and the one in someone's Drive may all differ.
- **Things disappear when people leave.** Files in a personal My Drive belong to that person, not to SonaMation.
- **Decisions get lost.** A scope decision made in a Slack thread is invisible three months later, when the client disputes it.
- **Onboarding someone to a project takes hours** of asking 'where is the...?'.

The fix, in one sentence

Each type of information has exactly one home; every other tool links to it.

Finished and working documents live in **Google Shared Drives**, in a standard folder per client engagement. ClickUp tracks the work, Slack carries the conversation, HubSpot anchors the deal - and all three link to the Drive folder instead of holding their own copies.

Chapters 3 to 6 describe the structure; chapters 7 to 9 describe the habits that keep it working; chapter 10 is the rollout plan; chapter 11 has printable checklists and a one-page cheat sheet.


CHAPTER 2

What lives where

One job per tool. When in doubt: documents go to Drive, everything else links to Drive.

Tool	Its job (system of record for...)	Never store here
Google Shared Drives	Every document: proposals, SOWs, WRDs, JEPs, architecture, audits, QA/UAT results, hand-off docs, decision logs	Task status, chat
HubSpot	The client and the deal - the anchor ID for each engagement. Holds the link to the Drive folder.	Files (link to Drive instead)
ClickUp	Tasks: who does what, by when, and status	Attachments - they become copies nobody updates
Slack	Conversation and quick questions	Decisions and final documents
GitHub	Source code for Replit apps and internal tools	Client documents
Replit	Running apps and prototypes	The only copy of code or outputs
Password manager	Credentials, API keys, client logins	-

How the tools connect



Information flows from the deal to one folder; the tools where people work only link back to it.

The test

Ask: "If this tool disappeared tomorrow, would we lose a document?" For Slack, ClickUp and Replit the answer must be **no**.

CHAPTER 3

Shared Drive setup

Done once by a Google Workspace admin. Shared Drives belong to SonaMation, not to individuals - files stay when people leave.

Create three Shared Drives

Shared Drive	Contains	Who has access
SonaMation - Clients	One folder per client, one subfolder per engagement (chapter 4)	Delivery and sales team: Content manager. Leadership: Manager.
SonaMation - Templates	Master proposal/SOW, WRD, JEP, test case, START HERE and decision-log templates; the Proposal Builder .json template; the engagement folder template	Everyone: Viewer. 1-2 owners: Manager.
SonaMation - Internal Ops	Pricing, rate cards, sales playbooks, internal policies, this playbook	Staff only. Never shared outside SonaMation.

Permission roles, briefly

Shared Drive role	Can	Give it to
Manager	Everything, including membership and drive settings	1-2 people per drive
Content manager	Add, edit, move and delete files	People delivering the work
Contributor	Add and edit, but not move or delete	Contractors, if needed
Commenter / Viewer	Comment or view only	Everyone else who needs to see

Sharing with clients

- **Never share a whole client or engagement folder with the client.** It holds internal pricing, notes and drafts.
- Share only the engagement's **90_Client_Shared** folder, and only with named people - not 'anyone with the link'.
- If your Workspace settings don't let you share a single folder inside a Shared Drive externally, share individual files from 90_Client_Shared, or create a separate small Shared Drive per client portal (e.g. 'Client Portal - Acme').
- Turn off external sharing entirely on **Internal Ops** in the drive's settings.

CHAPTER 4

Engagement folder template

Every engagement gets the same folders, numbered in delivery order - so anyone can find anything in any client's folder.

```
SonaMation - Clients/
+-- Acme Corp/                                <- client folder = HubSpot company name
+-- _START HERE - Acme Corp                    <- index doc (chapter 6)
+-- 2026-10 Sales Hub Implementation/          <- one per engagement: YYYY-MM + name
+-- 00_Admin
+-- 01_Sales
+-- 02_Discovery
+-- 03_Architecture
+-- 04_Build
+-- 05_QA_UAT
+-- 06_Handoff
+-- 07_Decisions
+-- 90_Client_Shared
+-- 99_Archive
```

What goes in each folder

Folder	What goes in it	Produced by
00_Admin	Contacts, access register (never passwords), meeting notes	PM
01_Sales	Proposal, SOW (draft and SIGNED), pricing, change requests and their approvals	Sales / Proposal & SOW Builder
02_Discovery	Written Requirements Document, Joint Evaluation Plan, portal audit, property audit	ArchitectureScope modules 2, 2B, 6, 7
03_Architecture	Architecture blueprint, diagrams (.drawio, .png), data dictionary, ERD	ArchitectureScope modules 1, 5
04_Build	Configuration log, integration specs, field maps, import files	Delivery team
05_QA_UAT	Test Case Document, QA results, UAT results and sign-off	ArchitectureScope module 8
06_Handoff	Documentation pack, executive report, training	ArchitectureScope modules 3, 4
07_Decisions	The decision log (one living doc per engagement)	Everyone
90_Client_Shared	Only what the client should see: signed SOW, deliverables, training material	PM
99_Archive	Superseded versions - kept, but out of the way	Anyone

Why numbers?

Numbers keep folders in the order the work happens, instead of alphabetical order, and leave room: 90+ is reserved for sharing and archive. Never rename or remove the standard folders; add subfolders inside them if needed.

Creating the folders

Keep one empty copy of this structure in **SonaMation - Templates** and copy it for each new engagement. Doing it by hand works to start with; automate it as soon as you can (below), because hand-built folders drift.

Automation option: Google Apps Script

This script creates the client folder (if needed), the engagement folder and all subfolders, and returns the link. Run it from Apps Script, or trigger it from Zapier/Make when a HubSpot deal reaches a chosen stage, then write the returned link into the deal's Drive folder property (chapter 7).

```
const CLIENTS_DRIVE_ID = 'PASTE_THE_CLIENTS_SHARED_DRIVE_ID';
const SUBFOLDERS = ['00_Admin', '01_Sales', '02_Discovery', '03_Architecture',
  '04_Build', '05_QA_UAT', '06_Handoff', '07_Decisions',
  '90_Client_Shared', '99_Archive'];

function createEngagement(client, engagement) { // ('Acme Corp', '2026-10 Sales Hub')
  const root = DriveApp.getFolderById(CLIENTS_DRIVE_ID);
  const clientFolder = getOrCreate(root, client);
  const eng = getOrCreate(clientFolder, engagement);
  SUBFOLDERS.forEach(name => getOrCreate(eng, name));
  return eng.getUrl();
}

function getOrCreate(parent, name) {
  const found = parent.getFoldersByName(name);
  return found.hasNext() ? found.next() : parent.createFolder(name);
}
```

CHAPTER 5

Naming convention

A name should tell you what the file is, whose it is, which version, and whether it's final - without opening it.

```
YYYY-MM-DD_Client_DOCTYPE_vN_STATUS.ext
```

Part	Rule	Example
YYYY-MM-DD	Date of this version. Sorts correctly.	2026-09-25
Client	Short client name, no spaces	Acme
DOCTYPE	A code from the list below	SOW
vN	Version number; increase when sent to someone	v2
STATUS	One of the status words below	SIGNED

Document type codes

Code	Document	Code	Document
PROP	Proposal	TCD	Test Case Document
SOW	Statement of Work	UAT	UAT results / sign-off
CR	Change request	DOCS	Documentation pack
WRD	Written Requirements Doc.	EXEC	Executive report
JEP	Joint Evaluation Plan	TRAIN	Training material
AUDIT	Portal / property audit	MTG	Meeting notes
ARCH	Architecture blueprint	DEC	Decision log
DIAG	Architecture diagram	SPEC	Integration / build spec

Status words - use only these

Status	Means
DRAFT	Work in progress; not sent to anyone outside the team
SENT	Sent to the client for review

Status	Means
SIGNED	Signed by both parties (SOWs, change requests, UAT sign-offs)
FINAL	Approved and complete; no further changes expected
SUPERSEDED	Replaced by a newer version; lives in 99_Archive

Examples

Good	Why not this
2026-09-25_Acme_SOW_v2_SIGNED.pdf	SOW final FINAL (2).pdf
2026-09-18_Acme_WRD_v1_FINAL.docx	Requirements doc - Jane edits.docx
2026-10-02_Acme_UAT_v1_DRAFT.xlsx	Copy of Test Cases.xlsx
2026-11-14_Acme_CR-03_v1_SIGNED.pdf	change request new.pdf

Versioning rules

- **Google Docs/Sheets keep their own version history** - don't make copies to create versions. Rename the file's version and status when you send it.
- **Exported files (PDF, .docx) get a new version number** each time they go to someone outside the team.
- **Only one current version sits in the working folder.** When a new one replaces it, rename the old one's status to SUPERSEDED and move it to 99_Archive.
- **Signed documents are never edited.** Changes to a signed SOW happen through a change request (CR-01, CR-02...).

Optional: Drive labels

If your Google Workspace plan includes **Drive labels**, create three: **Client**, **Doc type** (the codes in chapter 5) and **Status**. Labels make cross-client searches possible - 'every SIGNED SOW from 2026' - which folders alone can't do. If your plan doesn't include them, the naming convention above covers most of the same need.

CHAPTER 6

START HERE index & decision log

Two living documents per client that turn a folder into something anyone can pick up.

The START HERE index

One Google Sheet (or Doc) at the top of each client folder, named **_START HERE - Client** (the underscore keeps it at the top). It links to everything - including what can't live in Drive: the ClickUp list, the Slack channel, Replit apps, the HubSpot portal. It's the one link people need to know.

Item	Link	Owner	Status	Updated
Signed SOW	Drive file	AE	SIGNED	2026-09-25
WRD	Drive file	Architect	FINAL	2026-09-18
Architecture blueprint + diagram	Drive folder	Architect	FINAL	2026-10-08
Test cases / UAT	Drive file	QA lead	DRAFT	2026-11-02
Decision log	Drive file	PM	living	-
ClickUp list	ClickUp URL	PM	active	-
Slack channel	#client-acme	PM	active	-
Replit app	App URL + GitHub repo	Developer	live	-
HubSpot portal / deal	Portal ID, deal URL	AE	-	-

Keep a blank copy in **SonaMation - Templates**. Pin it in the client's Slack channel, add it to the ClickUp list, and store its link on the HubSpot company record.

The decision log

One Google Doc or Sheet per engagement in **07_Decisions**. Anything decided - in a meeting, a call or a Slack thread - gets one row, with a link back to where it was discussed. This is what you point to when a client later asks 'when did we agree that?'.

Rule of thumb

If someone could reasonably ask "who agreed to that?" later, it goes in the decision log - the same day.

#	Date	Decision	Decided by	Source	Scope / cost impact
D-01	2026-10-03	Renewals use a separate pipeline, not a deal type	J. Doe (client), architect	Slack thread link	None
D-02	2026-10-10	Historical email migration excluded	J. Doe (client)	Meeting notes link	Out of scope; CR-01 if needed

CHAPTER 7

Rules for each tool

Short, specific habits. Consistency matters more than any single rule.

Slack

- One channel per client: **#client-acme**. Internal-only discussion: **#int-acme** (never invite the client).
- Pin the **START HERE** link and add it as a channel bookmark on day one.
- Share documents as **Drive links**, never as uploaded files.
- When a thread reaches a decision, whoever made it adds a row to the decision log and replies in the thread with the log link.

ClickUp

- Name the Space/Folder/List exactly like the Drive folders: **Acme Corp > 2026-10 Sales Hub Implementation**.
- Add a custom field **Drive folder** to the list, and link documents in task descriptions - **no attachments**.
- A task that produces a document is done only when the document is filed in the right Drive folder with the right name.

HubSpot

- Create two URL properties: **Drive folder** on the deal and **START HERE** on the company. Anyone in sales can then reach the documents from the CRM.
- Use the HubSpot company name as the Drive client folder name, so the two always match.
- Optionally, use a deal stage (e.g. 'Proposal') to trigger folder creation automatically (chapter 4).

Replit apps and GitHub

- **Code lives in GitHub**; Replit runs it. Connect each Repl to a GitHub repository so the code isn't only in Replit.
- Each repo's README links to the client's START HERE and says what the app does and who owns it.
- Anything an app **produces** for a client (exports, reports) is saved to the engagement's Drive folder, not left in Replit.
- List every app, with its URL and repo, in the client's START HERE index.

ArchitectureScope

ArchitectureScope's **Project Library** currently saves to the computer running the app - one more silo. Two ways to connect it to Drive:

Option 1 - available today, no code change

1. Install **Google Drive for Desktop**; Shared Drives then appear as a folder on your computer (typically **G:\Shared drives\...** on Windows).
2. Create a folder **_ArchitectureScope Library** in the Clients Shared Drive.
3. Set the environment variable **PROJECT_LIBRARY_DIR** to that folder's path, and restart the app. Every 'Save to Project Library' now lands in Drive, organized as Client / Document type / timestamped file.
4. Use the **exact client folder name** as the project name in ArchitectureScope.
5. Treat that library as a staging area: when a document is final, rename it with the naming convention and move it to the engagement's numbered folder.

Option 2 - later, a direct Drive integration

A future ArchitectureScope change could upload each export straight into the right numbered folder (SOW to 01_Sales, WRD/JEP to 02_Discovery, test cases to 05_QA_UAT), apply the naming convention automatically, and update the START HERE index.

CHAPTER 8

The engagement lifecycle

What gets filed where, at each stage, and who's responsible.

Stage	What happens	Filed in	Owner
Deal created	Client folder + engagement folder created (by script or template); links added to HubSpot; START HERE created	Client root	AE
Discovery	WRD and JEP written; portal audit run	02_Discovery	AE / Architect
Proposal	Proposal/SOW built in ArchitectureScope; each version sent is saved as SENT	01_Sales	AE
Signed	Signed SOW saved as SIGNED; copy to 90_Client_Shared; ClickUp list and Slack channel created and linked	01_Sales, 90_	AE -> PM
Kickoff	Meeting notes, access register, decision log started	00_Admin, 07_	PM
Architecture	Blueprint, diagram, data dictionary	03_Architecture	Architect
Build	Config log, specs, field maps; decisions logged as they happen	04_Build, 07_	Delivery team
Change request	CR written, priced, signed	01_Sales	PM / AE
QA & UAT	Test Case Document; UAT sign-off saved as SIGNED	05_QA_UAT	QA lead
Hand-off	Documentation pack, executive report, training; client copies to 90_Client_Shared	06_Handoff, 90_	Architect / PM
Close-out	Close-out checklist (chapter 11) completed; START HERE statuses final	-	PM

CHAPTER 9

Governance

Organization decays unless someone owns it. Keep ownership small and specific.

Roles

Role	Responsible for
Drive admin (1 person)	Shared Drive settings and membership, templates, the folder-creation automation, the quarterly audit
Folder owner (per client, usually the PM)	Keeping that client's START HERE current, filing and archiving, sharing with the client, running close-out
Everyone	Filing their own documents correctly, logging decisions, linking instead of attaching

Cadence

When	What	Who
Every milestone	Check START HERE is current; archive superseded files	Folder owner
End of engagement	Close-out checklist	Folder owner
Quarterly	Audit: stray files at top level, external sharing, inactive clients to archive	Drive admin
When someone leaves	Remove access; check their My Drive and Slack/ClickUp uploads for client documents and move them in	Drive admin + manager

Security basics

- **No credentials in Drive, Slack or ClickUp** - ever. Use the password manager; the access register only records who has access to what.
- Share with named people, not 'anyone with the link'.
- Review external sharing on each client at close-out, and remove client access once the engagement ends (unless ongoing support continues).

CHAPTER 10

Rollout plan

Four weeks from today's scattered state to the new structure. Move active work first; don't try to migrate everything.

Week	Goal	Steps
1	Set up	Create the three Shared Drives and permissions. Build the templates: engagement folder, START HERE, decision log. Share this playbook. Add the Drive folder and START HERE properties in HubSpot.
2	Pilot	Apply the structure to 1-2 active clients. Collect friction points and adjust the templates once, before scaling.
3	Migrate active clients	Every active engagement gets its folder, START HERE, Slack pin and ClickUp field. Move documents in from the sources below.
4	Automate and enforce	Turn on automatic folder creation. Point ArchitectureScope's library at Drive. From now on, new work only goes into the new structure.

Migrating existing documents

Scope: **active engagements** plus **signed SOWs and change requests from the last 12 months**. Everything older goes into one read-only **_Legacy import** folder per client, unsorted - it's there if needed, but nobody spends time organizing it.

Source	How to find what's there
Personal My Drives	Each person searches their Drive for each client name and moves (not copies) the files into the client's folder. Moving usually keeps existing links working; copying creates duplicates.
Slack	Search 'in:#client-name' and open the Files tab of each client channel. Download, file in Drive, and reply in the thread with the Drive link.
ClickUp	Look through attachments on the client's tasks. File them in Drive and replace each attachment with a link.
Replit	Connect each app to GitHub; move any client exports to Drive; list the app in START HERE.
ArchitectureScope	Open the Project Library; download each client's latest documents and file them with the naming convention.

Don't aim for perfect

The goal of the migration is that current work is findable. A messy **_Legacy import** folder is fine; a second parallel system is not.

CHAPTER 11

Checklists & cheat sheet

Print these, or copy them into ClickUp task templates.

New engagement checklist

- ☐ Client folder exists, named exactly as the HubSpot company.
- ☐ Engagement folder created from the template: **YYYY-MM Engagement name**, all standard subfolders present.
- ☐ **_START HERE - Client** created from the template and filled in.
- ☐ Drive folder and START HERE links saved on the HubSpot deal and company.
- ☐ Slack channel **#client-name** created; START HERE pinned and bookmarked.
- ☐ ClickUp list named to match; **Drive folder** field filled.
- ☐ Decision log created in 07_Decisions.
- ☐ Client access granted only to 90_Client_Shared.

Close-out checklist

- ☐ Signed SOW, all signed change requests and UAT sign-off are in place and named SIGNED.
- ☐ Final deliverables are FINAL, and copies are in 90_Client_Shared.
- ☐ All superseded versions moved to 99_Archive.
- ☐ Every link in START HERE works, and every status is final.
- ☐ Decision log complete.
- ☐ No client documents left only in Slack, ClickUp attachments, Replit or personal drives.
- ☐ External sharing reviewed; client access removed if the engagement is over.
- ☐ Replit apps: code in GitHub, README links to START HERE.

Quarterly audit checklist

- ☐ No loose files at the top of the Clients drive or client folders (except START HERE).
- ☐ No 'anyone with the link' sharing on client documents.
- ☐ Every active HubSpot deal has a Drive folder link.
- ☐ Finished engagements are closed out; inactive clients reviewed for archiving.
- ☐ Templates are up to date (proposal template, rate card, standard terms).

Cheat sheet - where does it go?

I have...	It goes to...
A proposal, SOW or change request	01_Sales, named e.g. 2026-09-25_Acme_SOW_v2_SENT.pdf
A WRD, JEP or audit	02_Discovery
An architecture blueprint or diagram	03_Architecture
A build spec, field map or import file	04_Build
Test cases or UAT results	05_QA_UAT
Documentation or training for the client	06_Handoff (+ a copy in 90_Client_Shared)
A decision from a call or Slack thread	A new row in the decision log (07_Decisions), same day
Meeting notes or contacts	00_Admin
An older version of something	99_Archive, status SUPERSEDED
A password or API key	The password manager - never Drive, Slack or ClickUp
Code	GitHub (Replit runs it)
A file someone sent in Slack	File it in Drive; reply in the thread with the Drive link

Naming	
Pattern	YYYY-MM-DD_Client_DOCTYPE_vN_STATUS.ext
Status words	DRAFT, SENT, SIGNED, FINAL, SUPERSEDED
Doc types	PROP, SOW, CR, WRD, JEP, AUDIT, ARCH, DIAG, SPEC, TCD, UAT, DOCS, EXEC, TRAIN, MTG, DEC

Can't find something?

Open the client's **_START HERE**. If it isn't linked there, ask the folder owner - and once found, add it to the index so the next person doesn't have to ask.