Rotaract Club of Xiamen University Malaysia | Rotary Club of Kuala Lumpur Dynamics | Rotary Club of Tun Razak Exchange

SDC Hackathon

Technical Tools Declaration

Hosted by Xiamen University Malaysia (XMUM) AI Club

Submission Deadline: 25 October 2026

Instructions: Declare every API, cloud service, AI tool, dataset, model, and sponsor resource your team used to build the project. Complete every section; where a category does not apply, tick "No" or write "None" – do not leave it blank. Submit as a single PDF document named "SDC2026_TeamName_TechDeclaration.pdf" together with your project submission. Undeclared third-party resources discovered at judging may affect your score or eligibility.

Instagram: @sdc_xmumhack ***Email:*** sdc.xmumhack@gmail.com

1. Team & Project Overview

Draft for team review. This document distinguishes implemented features from optional services. Confirm the accounts used, licensing and judge access before signing.

Field	Response
Team Name	Chill Chill
Project / Solution Name	KerjayaKu - AI Career Exploration and Learning Companion
Name (Leader)	Edixon Teo Zan Wei
Email & Phone (Leader)	edixontzw@gmail.com | 010 880 9196
University Affiliation(s)	Taylor's University
Live Prototype URL	https://xmum-hackfinal.replit.app/ (team-provided; judge access not independently verified)
Code Repository URL	https://github.com/Aloysius8895/xmumHack - confirm repository visibility or grant judges access.
Submission Deadline	25 October 2026 shown on the supplied cover; confirm any separate declaration deadline.

2. Architecture & Technology Stack

2.1 System Architecture Overview

The learner explores a Three.js/Vite game in the browser. A Node.js API handles their skill profile, career target, roadmap, learning logs and pet progress. It calls DeepSeek for skill extraction, job analysis, planning and mentor replies, then checks the output before applying the game rules.

Telegram messages reach a separate Python FastAPI service, either directly or through n8n. The service classifies each message, asks for confirmation when needed and sends accepted learning reports to the game API. Replies return through Telegram. Expert conversations use public-source perspective cards and do not award progress. n8n supports scheduling and summaries. The Node.js 24+ collector adds LinkedIn/Ricebowl samples, FDE and refresh controls; RunPod is an optional game AI provider.

Development stores game data in JSON and chatbot data in SQLite. An optional AWS design connects API Gateway and Lambda to private Aurora PostgreSQL through the Data API; its deployment has not been verified here. Replit hosts the game/API configuration, while the chatbot runs separately. Keys stay on the server. The demonstration uses one game save, so it does not provide independent authenticated accounts. See Appendix A for the diagram.

185 words / maximum 200

2.2 Languages, Frameworks & Libraries

Name & Version	Purpose in Project	License
JavaScript / Node.js; HTML; Stylus/CSS	Browser and game server; UI styling. Node runtime version: confirm deployed environment.	Runtime/tool-specific licenses
Python; FastAPI >=0.110; Uvicorn >=0.29	Chatbot, webhooks and asset scripts. Exact deployed Python versions: confirm.	Python PSF; FastAPI MIT; Uvicorn BSD-3-Clause
Three.js 0.183.2; Rapier 0.17.3	3D rendering and physics	MIT; Apache-2.0
Vite 7.2.4; Stylus 0.64.0	Build tooling and styles	MIT
GSAP 3.12.5; Howler 2.2.4	Animation and audio	GSAP package terms; Howler MIT. Verify distribution terms.
Anthropic SDK 0.135.0; pdf-parse 2.4.5	Server-side model adapter; PDF text extraction	MIT; Apache-2.0
SQLite; HTTPX >=0.27; python-dotenv >=1.0,<2	Chatbot persistence, HTTP requests and environment configuration	SQLite public domain; HTTPX BSD-3-Clause; python-dotenv BSD-3-Clause
Blender/Python; glTF Transform 4.x	Asset construction, animation and optimization	Blender GPL; glTF Transform MIT. Asset rights remain separate.

3. APIs & Cloud Services

3.1 External APIs

API & Provider	Purpose / observed status	Access Tier
DeepSeek API	Default configuration for game/chatbot AI. RunPod is also supported for the game; actual deployed provider/model must be confirmed.	Account-based API usage; paid or credits: CONFIRM
Telegram Bot API	Companion replies, callbacks and expert mode. Repository identifies @KerjayaKu_bot; live availability not checked.	Bot API; no sponsor provision verified
JSearch through RapidAPI / OpenWeb Ninja	Collector supports JSearch. The repository records one successful connection check; account tier and current usage still need confirmation.	Plan / free quota / paid: CONFIRM
Meta WhatsApp Cloud API	Optional implemented channel. README says account verification is pending; not claimed as active.	Account and messaging terms; tier CONFIRM if used
RunPod/vLLM; Anthropic / OpenAI APIs; Bedrock; AWS DeepSeek worker	Alternative provider paths are implemented, including RunPod/OpenAI-compatible chat completions. Confirm any actual use and deployed model.	Not confirmed in use; account/provider terms

3.2 Cloud Platforms & Deployment

Service & Provider	Purpose / status	Plan / Region
Replit	Deployment configuration for game/API and separate Python chatbot. Final URLs and accessibility require confirmation.	Replit confirmed by team; account plan, region and sponsor-pro vided credits remain to be confirmed
AWS API Gateway + Lambda + Aurora PostgreSQL / Data API	Optional authenticated persistence and compute architecture. Repository guide explicitly says deployment was not verified.	Not established as deployed; region CONFIRM if used
AWS Secrets Manager; S3; CloudWatch / X-Ray	Optional server credentials, migration objects, logs and tracing in the infrastructure templates.	Not established as deployed; region CONFIRM if used
n8n self-hosted or n8n Cloud	Workflow definitions are present; actual instance and enabled workflows require confirmation.	CONFIRM self-hosted/ Cloud, plan and hosting region
GitHub	Source repository and revision history	CONFIRM repository access; no hosting region selected by this draft

4. AI Tools, Models & Datasets

4.1 AI Models Used in the Solution

Model & Version	Source / Provider	Usage	License / Terms
deepseek-flash (default configuration identifier)	DeepSeek official API	Pretrained API inference; no team fine-tuning or training. Confirm actual deployment identifier and availability.	Provider API/model terms; no weights redistributed
RunPod-hosted model; Claude, OpenAI, Bedrock and deepseek_direct alternatives	Supported adapters; actual use unconfirmed	Not declared active by code presence alone. Team must add any model actually used, including earlier experiments.	Provider-specific terms; version/account CONFIRM
Karpathy / Rosling perspective cards	Local public-source summaries, not separate models	Prompt context for mentor/expert responses; explicitly not the real people.	Original source rights retained; no endorsement

4.2 Datasets

Dataset / Source	Type	License / Terms	Personal data?
Career catalogue and skill descriptions, including FDE; server/careers.js and skill-details.js	Team-curated reference data; confirm authorship	Repository license / underlying sources; verify origin	No in catalogue
Demo profiles, job descriptions, learning reports and automated test fixtures	Synthetic testing/evaluation; use fabricated demo records	Team-generated fixtures; confirm provenance	No if kept synthetic
User CVs, profiles, chat messages and learning logs	Private/user-supplied, if uploaded	User permission and provider terms; no training rights assumed	Yes, potentially sensitive
JSearch weekly job samples via RapidAPI	Third-party API data; conditional on workflow execution	JSearch/RapidAPI and source terms; no unrestricted redistribution assumed	May contain names/contact data in source responses; do not publish raw responses
Expert research and perspective cards; GamePlat/expert/	Public-source reference summaries; not a training dataset	Source rights remain; research URLs retained; Nuwa method MIT	Public names/biographical references: Yes; no private records
Market/trends fallback values and test activity	Synthetic/reference application data	Team to confirm provenance; label demonstration data	No

No custom training or fine-tuning is documented. Source rights apply to public reference material and collected advertisements.

4.2 Datasets - Additional Sources

Additional collection tools: Node.js 24+ and built-in SQLite; Playwright 1.62.1 (Apache-2.0); Python/pandas (BSD-3-Clause) and Beautiful Soup (MIT). Exact installed Python package versions still need confirmation. The crawler runs as a separate service. RunPod is an optional compute/inference service; plan, region and actual use are not confirmed.

Resource / source	Use and status	Rights / personal data
LinkedIn and Ricebowl advertisements; historical Indeed search-index records	Public-source samples and collector observations. Repository evidence records 476 advertisements from LinkedIn and Ricebowl in one published local run; Indeed was unavailable in that run. These are not national totals.	Platform/source terms apply. Source pages may include identifiable contacts; review before publishing raw material.
DOSM historical statistics; Techmap / jobdatafeeds.com Malaysia statistics	Historical context from GamePlat/data/historical/2026-04_onwards/. Sources have different coverage and must not be added together or treated as career-specific totals.	Original publisher terms apply; public aggregates normally contain no individual user records.
Deterministic career-history mock values	Frontend fills missing past career-history cells. Internal mock metadata exists, but the current interface does not display a mock label. Excluded from measured outcomes.	Synthetic; no personal data. A visible label or removal is required before presenting these cells as evidence.

Latest repository evidence: GamePlat/verification/crawler-integration/live-results.json records a real local published LinkedIn/Ricebowl run with 476 advertisements; it does not establish that the public Replit deployment runs the collector. The 25 October branch audit records passed automated and desktop/mobile checks, but this documentation update did not rerun the full suite. Source references: https://www.linkedin.com/jobs/ ; https://www.ricebowl.my/ ; https://malaysia.indeed.com/ ; https://jobdatafeeds.com/data/countries/my ; DOSM release links are retained in the repository historical source manifest.

4.3 AI-Assisted Development Tools

Yes. Codex has helped with the repository and these submission drafts. Each member still needs to confirm the other AI tools they used, their versions and how much of the project they helped create.

Tool & Version	Used For	Extent of Use
OpenAI Codex; exact model/version not recorded for declaration	Repository inspection, coding/maintenance assistance, local setup and preparation of these submission drafts	CONFIRM project-wide extent; major is a proposed classification, not verified
Replit AI / Agent	Replit import/deployment artifacts exist; whether its AI tools were used needs team confirmation	CONFIRM; do not infer AI use from hosting alone
Nuwa distillation skill / method	Public-source expert perspective research and prompt cards in the repository	Method evidenced; assistant/model and extent CONFIRM
Other chat, completion, image or 3D generation tools	CONFIRM with every member; no use inferred merely from available plugins	CONFIRM or explicitly None after review

Review, Testing & Responsibility

We treat AI output as a draft that needs checking. The repository includes unit tests, workflow tests, provider mocks and production-build commands. Before submission, the team must review generated code, prompts, licenses and source references, run the relevant checks on the final revision, and test the deployed game and Telegram flow with synthetic data. This document was checked against the source; it does not claim a fresh full test run or live API verification. The team leader remains responsible for the final submission.

83 words / maximum 100

5. Sponsor-Provided Resources

CONFIRM Yes or No. All five members have completed the mandatory workshops, as confirmed by the team. Official sponsor provision and credits still require confirmation. Neither box has been selected on the team's behalf.

Sponsor	Resource	How It Was Used
Replit platform confirmed; official sponsor provision CONFIRM	Replit hosting platform; sponsor credits or benefits CONFIRM	Hosts the team-provided prototype at https://xmum-hackfinal.replit.app/. Confirm whether the account or credits were supplied by an official SDC sponsor.

Essential or Replaceable?

We have confirmed Replit as the hosting platform, but not whether an official sponsor supplied the account or credits. Model calls, game rules and storage adapters are separate, so changing an API or host would require configuration and integration work rather than a complete rewrite. We would still need to check behaviour, data handling and cost. Before submission, name any sponsor-supplied resource and explain its actual role. If none was used, mark this section Not applicable instead of treating an unused alternative as essential.

84 words / maximum 100

6. Security, Privacy & Responsible Use

6.1 Data Handling & Privacy

KerjayaKu can process CV text or images, job advertisements, skill profiles, learning logs and Telegram conversations or identifiers. Relevant content goes to the configured AI provider, and Telegram processes messages on its platform. The demo should use synthetic records and one authorized player.

Game data is stored in JSON and chatbot data in SQLite unless AWS persistence is configured. Keys stay server-side. Integration routes use bearer tokens, webhook secrets, allowlists and duplicate-message checks. The optional AWS design specifies encrypted private database storage; local files do not provide production multi-user access controls.

The repository does not establish a complete deletion schedule or guarantee provider retention periods. Data remains until operator cleanup or configured limits apply. Confirm retention rules, remove pilot data after review and obtain consent before processing real CVs. Each provider's data policy also needs checking.

136 words / maximum 150

6.2 Known Limitations & Risks

AI can misread a CV, invent a requirement, give biased advice or mistake casual chat for a learning report. Output checks, bounded game rules and confirmation prompts help, but cannot eliminate these errors. Expert perspectives are labelled as AI interpretations. Pet progress records reported learning, not proven competence.

Job-market samples are incomplete. Some missing career-history cells are filled with deterministic mock values without a visible mock label; these are not measured statistics. APIs can fail or reach their quotas; the configured provider reports failures rather than silently switching. Because the game has one save, Telegram must be restricted to one authorized player.

WhatsApp verification, cloud deployment, model availability and external integrations still need confirmation. Gameplay requires WebGL2/WebGPU. We make no job-placement, accessibility, security-certification or environmental-impact claim. A production release would need stronger identity controls, clear retention/deletion rules and user testing.

140 words / maximum 150

7. Compliance & Readiness Checklist

Checklist item	Status before signature
All used APIs, cloud services, AI tools, models and datasets declared.	PENDING: team must confirm actual accounts, earlier experiments and all member tools.
Third-party licenses followed and required attribution provided.	PENDING: review bundled assets, GSAP terms, public-source material and dependency notices. Upstream MIT notice is present.
No credentials exposed in repository, prototype or document.	This draft contains no credentials. Repository history and deployed bundle have NOT been certified secret-free; team audit required.
Development GenAI use disclosed and reviewed.	Codex and known method use disclosed. Complete tool history and team review PENDING.
Sponsor resources declared in Section 5.	PENDING: sponsor use confirmation.
Judges can access prototype and code through Section 1 links.	Team-provided URL: https://xmum-hackfinal.replit.app/. Judge access and repository permissions still need verification.
All fields complete within word limits.	Narrative answers meet limits. Final certification PENDING until all CONFIRM fields are resolved.

8. Declaration

By submitting this document, the team leader confirms that the information provided is complete and accurate to the best of the team's knowledge, and that every API, cloud service, AI tool, dataset, model, and sponsor resource used in the project has been declared.

Field	Response
Signature	TO BE SIGNED BY TEAM LEADER after final verification
Date	TO BE ENTERED on the actual signing date

Appendix A. System Block Diagram

Web browser -> Three.js interface -> Node.js API -> DeepSeek API
Node.js API -> game JSON OR optional AWS persistence
Telegram -> direct Python webhook OR n8n bridge -> FastAPI chatbot
FastAPI chatbot -> game integration API + DeepSeek + SQLite
Collector -> public/browser sources or JSearch -> sampled ads -> game market API
n8n daily summary -> chatbot -> accepted reports -> game digest API
Optional AWS -> API Gateway -> Lambda -> Aurora via Data API
Optional supporting AWS -> Secrets Manager / S3 / CloudWatch / X-Ray

Public deployment, sponsor access and external execution require confirmation. Replit configuration exists; AWS templates are not evidence of a live stack.

Appendix B. Upstream Attribution & Provenance

Game foundation: Bruno Simon, folio-2025, https://github.com/brunosimon/folio-2025. MIT code license is retained at GamePlat/game/license.md. The root repository also contains an Apache-2.0 license; that does not erase upstream third-party rights. Confirm licenses for audio, textures, fonts, character assets and any imported 3D resources individually.

Public expert reference cards: GamePlat/expert/andrej-karpathy-perspective/ and hans-rosling-perspective/. Research URLs are included in each references/research directory. Nuwa method notice: copyright 2026 Huashu, MIT. Public availability alone does not make the underlying writing freely licensed.

Machine-readable JavaScript dependency inventory and Python requirements accompany this draft. UNSPECIFIED means the lockfile does not state a license and must be checked; it does not mean no license is required.

Appendix C. Direct JavaScript Dependency Inventory

Package	Locked Version	License in lockfile
@anthropic-ai/sdk	0.135.0	MIT
@dimforge/rapier3d	0.17.3	Apache-2.0
@gltf-transform/cli	4.1.4	MIT
@gltf-transform/core	4.2.1	MIT
@gltf-transform/extensions	4.2.1	MIT
@gltf-transform/functions	4.2.1	MIT
@tweakpane/plugin-camerakit	0.3.0	UNSPECIFIED - verify package notice
@tweakpane/plugin-essentials	0.2.1	UNSPECIFIED - verify package notice
@vitejs/plugin-basic-ssl	2.1.0	MIT
camera-controls	3.1.2	MIT
dotenv	17.2.3	BSD-2-Clause
emoji-regex	10.4.0	MIT
glob	13.0.0	BlueOak-1.0.0
gsap	3.12.5	UNSPECIFIED - verify package notice
howler	2.2.4	UNSPECIFIED - verify package notice
msgpack-lite	0.1.26	MIT
normalize-wheel	1.0.1	UNSPECIFIED - verify package notice
pdf-parse	2.4.5	Apache-2.0
seedrandom	3.0.5	MIT
sharp	0.34.5	Apache-2.0
stats-gl	3.6.0	MIT
stylus	0.64.0	MIT
three	0.183.2	MIT
tweakpane	4.0.5	UNSPECIFIED - verify package notice
uuid	11.1.0	MIT

Package	Locked Version	License in lockfile
vite	7.2.4	MIT
vite-plugin-node-polyfills	0.24.0	MIT
vite-plugin-restart	2.0.0	MIT
vite-plugin-top-level-await	1.6.0	MIT
vite-plugin-wasm	3.5.0	MIT

Declared dependencies can include optional/development tools; presence is not proof every package executes in the prototype. Use the accompanying full lockfile inventory for transitive dependencies. Exact deployed Python versions, n8n/Blender versions and runtime versions must be recorded by the team. Python requirements use ranges, not a complete version lock. n8n has its own sustainable-use/enterprise terms; verify the chosen deployment license.