

MATH 3210-001 PSet 6 Specification

Instructor: Alp Uzman

Subject to Change; Last Updated: 2025-02-21 08:26:24-07:00

1 Background

This problem is devoted entirely to differential calculus. Some problems concentrate on the algebraic aspects of differentiation, while others investigate the relationship between differentiability, and mean and intermediate value properties.

Notation for Higher Derivatives and Iterates For a real valued function f defined on an interval and for a nonnegative integer n , $f^n = f \circ f \circ \dots \circ f$ stands for the n -fold composition of f with itself (aka its n -th **iterate**). Note that this notation does not mean that f^n is the function whose value at an input x is the n -th power of the value of f at x . In contrast, $f^{(n)} = \frac{d^n f}{dx^n}$ stands for the n -th derivative of the function. In particular f^0 is the identity transformation and $f^{(0)}$ is f itself.

2 What to Submit

Submit your detailed solutions to each of the problems below. While the prompts may seem lengthy, the additional text is intended to guide

you by providing context and helpful details.

When tackling statements in MATH 3210, follow these four steps (in no particular order):

1. **Assess the truth of the statement:** Determine, either exactly or probabilistically, whether the statement is true.
2. **Build a case:** Come up with examples or begin drafting a proof to identify potential issues or areas where the argument may break down.
3. **Construct a proof:** Provide a formal argument to support your conclusion.
4. **Perturb the statement:** Experiment with logical variations of the statement. Can you prove a stronger/weaker result, or find alternative proofs?

In this problem set, and in later problem sets as well as exams, your work must address the third step (aka constructing a proof). While work regarding the remaining three items likely will help you write a formal proof, understand the material as well as identify connections between different concepts, you do not need to turn in generalizations or multiple proofs of the same statement, nor do you need to provide examples or counterexamples (unless you are specifically asked to). However, demonstrating these steps can contribute to partial credit when appropriate.

Statements in problems will typically be presented in neutral language. For example, a problem may simply state "P" (for P a well-defined statement) rather than "Show that P" or "Prove that P is false". Your task is to determine the truth of the statement and provide a formal proof or refutation.

If a statement is false, it is highly recommended to propose a corrected version of the statement and prove this corrected version. This process, part of "perturbing the statement", will enhance your mathematical **error detection and correction skills**.

Unless explicitly stated otherwise, all problems require proofs. If you provide an example, you must also prove that the example satisfies the necessary conditions. If you make a calculation, you must prove that your calculation is correct. If an object is claimed to be a well-defined function (and in particular sequence) you need not prove this claim. However if an object is claimed to be a well-defined function and fails to be one really, a proof of this failure is required.

Make sure that each solution is properly enumerated and organized. Start the solution to each problem on a new page, and consider using headings or subheadings to structure your work clearly. This will not only aid in your thought process but also ensure that no part of your solution is overlooked during grading.

1. Let $\lambda, \rho \in [-\infty, \infty]$, $\lambda < \rho$, $I =]\lambda, \rho[$ and $q \in \mathbb{Z}_{\geq 0}$. Then a differentiable function $f : I \rightarrow \mathbb{R}$ is a **polynomial function** of **degree** q iff the $(q + 1)$ -st derivative of f is the function that is constantly zero.
2. Let $\lambda, \rho \in [-\infty, \infty]$, $\lambda < \rho$, $I =]\lambda, \rho[$. If $f : I \rightarrow \mathbb{R}$ is a differentiable function such that for any $x \in I$: $f'(x) = \frac{1}{x}$, then f can not be written as **the ratio of two polynomial functions**.
3. Let $f : \mathbb{R} \rightarrow \mathbb{R}$ be a differentiable function define

$$J : \mathbb{Z}_{\geq 0} \times \mathbb{R} \rightarrow \mathbb{R}, (n, x) \mapsto \frac{d(f^n)}{dx}(x),$$

so that $J(n, x)$ is the first derivative of the n -fold composition of f with itself. Then J satisfies the following identity:

$$\forall n, m \in \mathbb{Z}_{\geq 0}, \forall x \in \mathbb{R} : J(n + m, x) = J(n, f^m(x)) J(m, x).$$

4. Let $\lambda, \rho \in [-\infty, \infty]$, $\lambda < \rho$, $I =]\lambda, \rho[$ and $f : I \rightarrow \mathbb{R}$. Then if f is a differentiable function, then for any $x_* \in I$, there are $\alpha, \beta \in I$ such that

$$\alpha < x_* < \beta, \quad f'(x_*) = \frac{f(\beta) - f(\alpha)}{\beta - \alpha}.$$

5. Let $\lambda, \rho \in [-\infty, \infty]$, $\lambda < \rho$, $I =]\lambda, \rho[$, and $f : I \rightarrow \mathbb{R}$ be a function. Then

- (a) If f is differentiable, then $f' : I \rightarrow \mathbb{R}$ is continuous.
- (b) If f is differentiable, then $f' : I \rightarrow \mathbb{R}$ takes any value between any two values it takes (More formally, for any two $\alpha, \beta \in I$ with $\alpha < \beta$ and for any η strictly between $f'(\alpha)$ and $f'(\beta)$, there is an x_* strictly between α and β such that $f'(x_*) = \eta$).
- (c) If f is differentiable and for any $x \in I : f'(x) \neq 0$, then either for any $x \in I : f'(x) > 0$ xor for any $x \in I : f'(x) < 0$.
- (d) If f takes any value between any two values it takes, then it has an **antiderivative**.

6. Define $f : \mathbb{R} \rightarrow \mathbb{R}$ by $x \mapsto \begin{cases} \exp(-1/x^2) & , \text{ if } x \neq 0 \\ 0 & , \text{ if } x = 0 \end{cases}$. Then

- (a) For any $n \in \mathbb{Z}_{\geq 1}$, $f(x) = o_{x \rightarrow 0}(x^n)$.
- (b) f is differentiable at $x = 0$ and $f'(0) = 0$.
- (c) For any $n \in \mathbb{Z}_{\geq 0}$, there is a polynomial function P_n of degree $3n$ such that the n -th derivative of f satisfies the formula

$$\forall x \in \mathbb{R} \setminus \{0\} : f^{(n)}(x) = P_n(1/x) f(x).$$

(d) For any $n \in \mathbb{Z}_{\geq 0}$, $f^{(n)}(0)$ exists and is zero.

(e) $f \in C^\infty(\mathbb{R}; \mathbb{R})$ (aka, f is **infinitely differentiable**).

3 Generative AI and Computer Algebra Systems Regulations

This section applies if you decide to use either a **generative AI tool** or a **computer algebra system** for this problem set. If not, you may skip this section.

3.1 Providing Logs

If you use such tools, you are required to provide logs of your interactions. Here are some ways to submit them:

- If the tool generates a URL for the interaction (e.g. **ChatGPT**), list such URLs in the appropriate section of the form you will be filling as part of your submission.
- For tools without direct URL generation, use an appropriate external service to archive the session. An example of such a tool that might work is the **Wayback Machine**, see the **documentation** for the "Save Page Now" feature.
- If the tool allows PDF export of the interaction (e.g., Microsoft's Copilot), attach these PDFs to your Gradescope submission.

It is your responsibility to ensure that an archiving method is available for the tool you choose to use. If none of the archiving methods

works, then that service is prohibited. If you use a service under the assumption that archiving is available, but it turns out not to be, you must report this in the submission form. Future assignments will be monitored accordingly.

3.2 Chat Guidelines; Prompt Engineering

For chatbot use, follow these guidelines:

- During the chat you may copy and paste parts of this specification document, as well as parts of the textbook or other sources.
- Directly asking the tool for complete problem solutions is prohibited.
- You are required to start any chat with a prompt that ideally would structure the chatbot's responses to you. This practice, known as **prompt engineering**, is your responsibility, and the staff will evaluate the reasonableness of your attempts. When in doubt, check with the course staff to ensure your guardrails prompt is appropriate.

Here are some guides regarding prompt engineering:

- <https://platform.openai.com/docs/guides/prompt-engineering>
- <https://developers.google.com/machine-learning/resources/prompt-eng>
- <https://www.ibm.com/topics/prompt-engineering>
- <https://aws.amazon.com/what-is/prompt-engineering/>

4 How to Submit

- **Step 1 of 2:** Submit the form at the following URL:

<https://forms.gle/PmedPmrqtdnksDkGA>.

You will receive a zero for this assignment if you skip this step, even if you submit your work on Gradescope on time.

- **Step 2 of 2:** Submit your work on Gradescope at the following URL:

<https://www.gradescope.com/courses/934441/assignments/5503415>,

see the Gradescope [documentation](#) for instructions.

5 When to Submit

This problem set is due on February 28, 2025 at 11:59 PM.

As per the course's syllabus, late submissions, up to 24 hours after this deadline, will be accepted with a 10% penalty. Submissions more than 24 hours late will not be accepted unless you contact the course staff with a valid excuse before the 24-hour extension expires.