

MATH 3220-002 PSet 11

Specification

Instructor: Alp Uzman

Subject to Change; Last Updated: 2025-11-27 16:03:53-07:00

1 Background

In this problem set we transition from the synthetic approach to the differential and integral calculus approach to differential forms. The first problem still is within the synthetic framework; there we take an important differential 2-form on $\mathbb{R}^{2n}$, and apply the pullback operation induced by a linear transformation. The next problem builds your intuition for differential 1-forms on low dimensional spaces, in a way that is fully compatible with the differential calculus perspective. Finally the last problem really focuses on the integration of differential 1-forms; after applying the pullback operation there, the integrals in this problem reduce to signed Riemann integrals as covered in MATH 3210. After all, if t is the independent variable parameterizing $\mathbb{R}$, any differential 1-form on $\mathbb{R}$ is of the form $f dt$ for some function $f : \mathbb{R} \rightarrow \mathbb{R}$.

2 What to Submit

Submit your detailed solutions to each of the problems below. While the prompts may seem lengthy, the additional text is intended to guide

you by providing context and helpful details. The **hyperlinks** too are meant to serve as optional additional context; chasing and studying them are by no means necessary to solve the problems. Indeed this problem set is designed so that, broadly speaking, the lectures are sufficient to complete it.

When tackling statements in MATH 3220, follow these four steps (in no particular order):

1. **Assess the truth of the statement:** Determine, either exactly or probabilistically, whether the statement is true.
2. **Build a case:** Come up with examples or begin drafting a proof to identify potential issues or areas where the argument may break down.
3. **Construct a proof:** Provide a formal argument to support your conclusion.
4. **Perturb the statement:** Experiment with logical variations of the statement. Can you prove a stronger/weaker result, or find alternative proofs?

In this problem set, and in later problem sets as well as exams, your work must address the third step (aka constructing a proof). While work regarding the remaining three items likely will help you write a formal proof, understand the material as well as identify connections between different concepts, you do not need to turn in generalizations or multiple proofs of the same statement, nor do you need to provide examples or counterexamples (unless you are specifically asked to). However, demonstrating these steps can contribute to partial credit when appropriate.

Statements in problems will typically be presented in neutral language. For example, a problem may simply state "P" (for P a well-

defined statement) rather than "Show that P" or "Prove that P is false". Your task is to determine the truth of the statement and provide a formal proof or refutation.

If a statement is false, it is highly recommended to propose a corrected version of the statement and prove this corrected version. This process, part of "perturbing the statement", will enhance your mathematical **error detection and correction skills**.

Unless explicitly stated otherwise, all problems require proofs. If you provide an example (say as proof to a given existential statement), you must also prove that the example satisfies the necessary conditions.

Some problems may be (variants of) theorems or exercises from the textbook; it's up to you to locate them (if need be)!

Make sure that each solution is properly enumerated and organized. Start the solution to each problem on a new page, and consider using headings or subheadings to structure your work clearly. This will not only aid in your thought process but also ensure that no part of your solution is overlooked during grading.

1. Let $M = \mathbb{R}^{2n}$ and consider the following C^∞ differential 2-form on M :

$$\omega = \sum_{i=1}^n dx_i \wedge dy_i.$$

- (a) ω is exact.
- (b) ω is closed.
- (c) There is a $\phi \in C^\infty(M; \mathbb{R})$ such that

$$\underbrace{\omega \wedge \omega \wedge \cdots \wedge \omega}_{n \text{ many}} = \exp(\phi) dx_1 \wedge dy_1 \wedge \cdots \wedge dx_n \wedge dy_n.$$

(d) For any linear diffeomorphism $A : M \rightarrow M$, $A^*(\omega) = \omega$ iff

$$A^T J A = J,$$

where

$$J = \begin{pmatrix} J_0 & 0 & \cdots & 0 \\ 0 & J_0 & \cdots & 0 \\ 0 & \vdots & \ddots & 0 \\ 0 & 0 & \cdots & J_0 \end{pmatrix}, \quad J_0 = \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix}.$$

(e) For any linear diffeomorphism $A : M \rightarrow M$, $A^*(\omega) = \omega$ iff $\det(A) = 1$.

2. **There is nothing to prove in this problem.** Represent visually each of the following differential forms. Your visual representations may vary from **impressionistic** to **metaphysical**. Ultimately, your visualizations should be so that they are useful to you personally as **intuition pumps**.

(a) $\alpha = dz + xdy$ on $M = \mathbb{R}^3$.

(b) $\alpha = dz + x_1 dy_1 + x_2 dy_2$ on $M = \mathbb{R}^5$.

(c) $\alpha = \frac{dx}{x} + \frac{dy}{y}$ on $M = \{(x, y) \in \mathbb{R}^2 | xy \neq 0\}$.

(d) $\alpha = (\cos r)dz + (r \sin r)d\theta$ on $M = \mathbb{R}^3$.

(e) $\alpha = df$, where $f = x^2 + xy + y^2$, on $M = \mathbb{R}^2$.

3. **There is nothing to prove in this problem.** Consider the following $\omega \in C^\infty\text{-Form}^1(\mathbb{R}^3)$, $\gamma \in C^\infty(\mathbb{R}; \mathbb{R}^3)$ and $\alpha, \beta \in \mathbb{R}$:

I: $\omega = xdx + ydy$, $\gamma : t \mapsto (t^2, t^3, 0)$, $\alpha = 0$, $\beta = 1$.

II: $\omega = xdx + ydy$, $\gamma : t \mapsto ((1-t)^2, (1-t)^3, 0)$, $\alpha = 0$, $\beta = 1$.

III: $\omega = xzdx - x^2dz$, $\gamma : t \mapsto (\cos t, 0, \sin t)$, $\alpha = 0$, $\beta = \pi/2$.

IV: $\omega = xzdx - x^2dz$, $\gamma : t \mapsto (\cos(\pi t), 0, \sin(\pi t))$, $\alpha = 0$, $\beta = 1/2$.

V: $\omega = x^2dx + y^2dy + dz$, $\gamma : t \mapsto (\cos(2\pi t), \sin(2\pi t), t - t^2)$, $\alpha = 1$, $\beta = 0$.

VI: $\omega = \sin zdx + \cos zdy + y^2dz$, $\gamma : t \mapsto (\cos t, \sin t, t)$, $\alpha = 2\pi$, $\beta = 0$.

For each $(\omega, \gamma, \alpha, \beta)$, perform the following tasks:

- For $I_{\alpha, \beta}$ the compact interval with endpoints α and β , sketch the C^∞ 1-cell $\gamma(I_{\alpha, \beta})$ as a subset of $\mathbb{R}^3$.
- Compute the function $f_{\omega, \gamma} \in C^\infty(\mathbb{R}; \mathbb{R})$ such that $\gamma^*(\omega) = f_{\omega, \gamma} dt$ as differential 1-forms on $\mathbb{R}$.
- Compute the signed Riemann integral $\int_\alpha^\beta f_{\omega, \gamma}(t) dt$.

3 Generative AI and Computer Algebra Systems Regulations

This section applies if you decide to use either a **generative AI tool** or a **computer algebra system** for this problem set. If not, you may skip this section.

3.1 Submission Requirements: Interaction Logs

If you use such tools, you must submit a complete log of your interactions. This is a mandatory part of your submission.

You can fulfill this requirement by either:

- **Listing the URLs** for your interactions in the appropriate field of the submission form, or
- **Attaching PDFs** containing the full interaction history to your Gradescope submission.

How to Obtain Logs You can generate the necessary logs using one of the following methods:

- **Shared Links:** Some AI tools (e.g., [ChatGPT](#)) can generate a unique, shareable URL for a conversation.
- **Web Archives:** Use a service like the [Wayback Machine](#) (see their ["Save Page Now" documentation](#)) to create a permanent, timestamped archive of your chat. There are also third-party browser extensions that are designed to extract chat logs from generative tools.
- **Screenshots:** Manually take screenshots of the entire interaction and compile them into a single PDF file. You can use your operating system's built-in tools or a third-party application.

3.2 Chat Guidelines and Prompt Engineering

When using chatbots, you must adhere to the following guidelines:

- **Permitted:** You may copy and paste text from this problem set, the textbook, or other course materials into the chat to provide context.
- **Prohibited:** You may not directly ask for a complete solution to a problem.
- **Required:** You must begin your conversation with a "guardrails" prompt designed to structure the AI's responses. This practice is known as **prompt engineering**, and it is your responsibility you design an appropriate guardrails prompt. The staff will evaluate the reasonableness of your attempts based on the logs you submit.

Here are some guides regarding prompt engineering:

- <https://platform.openai.com/docs/guides/prompt-engineering>
- <https://developers.google.com/machine-learning/resources/prompt-eng>
- <https://www.ibm.com/topics/prompt-engineering>
- <https://aws.amazon.com/what-is/prompt-engineering/>

When in doubt, check with the course staff to ensure your approach is appropriate.

4 How to Submit

- **Step 1 of 2:** Submit the form at the following URL:

<https://forms.gle/fT9KU8M4EZTDwwFt5>.

You will receive a zero for this assignment if you skip this step, even if you submit your work on Gradescope on time.

- **Step 2 of 2:** Submit your work on Gradescope at the following URL:

[https://www.gradescope.com/courses/1073533/assignments/6451774,](https://www.gradescope.com/courses/1073533/assignments/6451774)

see the Gradescope [documentation](#) for instructions.

You will receive a zero for this assignment if you submit your work on Gradescope under the wrong assignment, even if you submit your work on time.

5 When to Submit

~~This problem set is due on November 28, 2025 at 11:59 PM.~~

This problem set is due on November 30, 2025 at 11:59 PM.

As per the course's syllabus, late submissions, up to 24 hours after this deadline, will be accepted with a 10% penalty. Submissions more than 24 hours late will not be accepted unless you contact the course staff with a valid excuse before the 24-hour extension expires.