Location Tracker Semi-Structured Interview Protocol

February 2026

1 Introduction

The purpose of a semi-structured interview is to gather additional information from the user that may not have been captured by geolocation or diary entries. This information will be used to supplement the study data and to investigate any relationship between participation (as measured by questionnaire) and the geolocation based summary measures collected from the participant's smartphone.

The session will provide an opportunity to discuss the participant's experience of the app, their perception of participating in the study and to reiterate how their data will be used. The WHODAS2.0 and GCPLA-r questionnaires will be conducted during this session before participants are discharged from the study.

1.1 Study Feedback

The participant will be asked to provide feedback on the study, including:

- Do you feel your participation and activity over the data collection period was typical for you?
- In your own words, what was your overall experience of participating in the study? You may include positive and negative aspects of the study, as well as any suggestions for improvement in your answer.
- What was your experience/perception of having the types of locations you visited during this period recorded during this study?
  - Would you change how the study was explained to you?
  - How do you feel about the study now?
  - Do you have any other comments or questions about the data collected during this study, or what is done with it?
- What is your understanding of the data you have provided and how it will be used.
- Consider a set of entires, how did you acheive the activites contained in the entries? What was your aim? And did you participate with another person?

2 Participation questionnaire content

The semi-structured interview is the opportunity to ask participants questions from each of the questionnaires used to measure participation (The rationale for inclusion of each measure is included):

1. **WHODAS 2.0** - Full alignment with ICF and accepted measure of participation in a range of demographics. (ONLY MEASURE APPLICABLE TO ALL PARTICIPANTS). However, many questions from some domains are not conceptually measurable using geolocation metrics. Nonetheless, there may be correlations between scores in these domains and geolocation derived measures which should be explored to understand the limitations of the approach.

2. **GCPLA-r** - Tangible activities (swimming, shopping gp visits etc.) and short form, so easily administered. - Reasonably, this measure should align very tightly with geolocation derived metrics of participation

3 Forms

The responses to participation questions will be recorded within supabase. The pdf version of the questionnaires and their contents are included below for easy reference.

3.1 Structured Interview Responses

The following table lists the structured interview questions from the Study Feedback section (Introduction). Use the right-hand column to record responses; the PDF form fields in that column can be filled digitally.

Participant device ID:

Question	Response
Do you feel your participation and activity over the data collection period was typical for you?	
In your own words, what was your overall experience of participating in the study? You may include positive and negative aspects of the study, as well as any suggestions for improvement in your answer.	
What was your experience/perception of having the types of locations you visited during this period recorded during this study?	
Would you change how the study was explained to you?	

Continued on next page

Continued from previous page

Question	**Response**
How do you feel about the study now?	
Do you have any other comments or questions about the data collected during this study, or what is done with it?	
What is your understanding of the data you have provided and how it will be used?	
Consider a set of entries, how did you achieve the activities contained in the entries? What was your aim? And did you participate with another person?	

The APA is offering a number of "emerging measures" for further research and clinical evaluation. These patient assessment measures were developed to be administered at the initial patient interview and to monitor treatment progress. They should be used in research and evaluation as potentially useful tools to enhance clinical decision-making and not as the sole basis for making a clinical diagnosis. Instructions, scoring information, and interpretation guidelines are provided; further background information can be found in DSM-5. The APA requests that clinicians and researchers provide further data on the instruments' usefulness in characterizing patient status and improving patient care at http://www.dsm5.org/Pages/Feedback-Form.aspx.

Measure: WHODAS 2.0 (World Health Organization Disability Assessment Schedule 2.0): 36-item version, self-administered

© World Health Organization, 2012. Measuring health and disability: manual for WHO Disability Assessment Schedule (WHODAS 2.0), World Health Organization, 2010, Geneva.

Rights granted: The World Health Organization has granted the Publisher permission for the reproduction of this instrument. This material can be reproduced without permission by clinicians for use with their own patients. Any other use, including electronic use, requires written permission from WHO.

Rights holder: World Health Organization (WHO)

To request permission for any other use beyond what is stipulated above, contact: World Health Organization (WHO)

WHODAS 2.0

World Health Organization Disability Assessment Schedule 2.0

36-item version, self-administered

Patient Name: _____ **Age:** _____ **Sex:** ❑ Male ❑ Female **Date:**_____

This questionnaire asks about difficulties due to health/mental health conditions. Health conditions include **diseases or illnesses, other health problems that may be short or long lasting, injuries, mental or emotional problems, and problems with alcohol or drugs.** Think back over the **past 30 days** and answer these questions thinking about how much difficulty you had doing the following activities. For each question, please circle only **one** response.

							Clinician Use Only		
Numeric scores assigned to each of the items:		1	2	3	4	5	Raw Item Score	Raw Domain Score	Average Domain Score
In the last 30 days, how much difficulty did you have in:									
Understanding and communicating									
D1.1	Concentrating on doing something for ten minutes?	None	Mild	Moderate	Severe	Extreme or cannot do		____ 30	____ 5
D1.2	Remembering to do important things?	None	Mild	Moderate	Severe	Extreme or cannot do			
D1.3	Analyzing and finding solutions to problems in day-to-day life?	None	Mild	Moderate	Severe	Extreme or cannot do			
D1.4	Learning a new task, for example, learning how to get to a new place?	None	Mild	Moderate	Severe	Extreme or cannot do			
D1.5	Generally understanding what people say?	None	Mild	Moderate	Severe	Extreme or cannot do			
D1.6	Starting and maintaining a conversation?	None	Mild	Moderate	Severe	Extreme or cannot do			
Getting around									
D2.1	Standing for long periods, such as 30 minutes?	None	Mild	Moderate	Severe	Extreme or cannot do		____ 25	____ 5
D2.2	Standing up from sitting down?	None	Mild	Moderate	Severe	Extreme or cannot do			
D2.3	Moving around inside your home?	None	Mild	Moderate	Severe	Extreme or cannot do			
D2.4	Getting out of your home?	None	Mild	Moderate	Severe	Extreme or cannot do			
D2.5	Walking a long distance, such as a kilometer (or equivalent)?	None	Mild	Moderate	Severe	Extreme or cannot do			
Self-care									
D3.1	Washing your whole body?	None	Mild	Moderate	Severe	Extreme or cannot do		____ 20	____ 5
D3.2	Getting dressed?	None	Mild	Moderate	Severe	Extreme or cannot do			
D3.3	Eating?	None	Mild	Moderate	Severe	Extreme or cannot do			
D3.4	Staying by yourself for a few days?	None	Mild	Moderate	Severe	Extreme or cannot do			
Getting along with people									
D4.1	Dealing with people you do not know?	None	Mild	Moderate	Severe	Extreme or cannot do		____ 25	____ 5
D4.2	Maintaining a friendship?	None	Mild	Moderate	Severe	Extreme or cannot do			
D4.3	Getting along with people who are close to you?	None	Mild	Moderate	Severe	Extreme or cannot do			
D4.4	Making new friends?	None	Mild	Moderate	Severe	Extreme or cannot do			
D4.5	Sexual activities?	None	Mild	Moderate	Severe	Extreme or cannot do			

							Clinician Use Only		
Numeric scores assigned to each of the items:		1	2	3	4	5	Raw Item Score	Raw Domain Score	Average Domain Score
In the last 30 days, how much difficulty did you have in:									
Life activities—Household									
D5.1	Taking care of your household responsibilities?	None	Mild	Moderate	Severe	Extreme or cannot do		20	5
D5.2	Doing most important household tasks well?	None	Mild	Moderate	Severe	Extreme or cannot do			
D5.3	Getting all of the household work done that you needed to do?	None	Mild	Moderate	Severe	Extreme or cannot do			
D5.4	Getting your household work done as quickly as needed?	None	Mild	Moderate	Severe	Extreme or cannot do			
Life activities—School/Work									
If you work (paid, non-paid, self-employed) or go to school, complete questions D5.5–D5.8, below. Otherwise, skip to D6.1.									
Because of your health condition, in the past 30 days, how much difficulty did you have in:									
D5.5	Your day-to-day work/school?	None	Mild	Moderate	Severe	Extreme or cannot do		20	5
D5.6	Doing your most important work/school tasks well?	None	Mild	Moderate	Severe	Extreme or cannot do			
D5.7	Getting all of the work done that you need to do?	None	Mild	Moderate	Severe	Extreme or cannot do			
D5.8	Getting your work done as quickly as needed?	None	Mild	Moderate	Severe	Extreme or cannot do			
Participation in society									
In the past 30 days:									
D6.1	How much of a problem did you have in joining in community activities (for example, festivities, religious, or other activities) in the same way as anyone else can?	None	Mild	Moderate	Severe	Extreme or cannot do		40	5
D6.2	How much of a problem did you have because of barriers or hindrances around you?	None	Mild	Moderate	Severe	Extreme or cannot do			
D6.3	How much of a problem did you have living with dignity because of the attitudes and actions of others?	None	Mild	Moderate	Severe	Extreme or cannot do			
D6.4	How much time did you spend on your health condition or its consequences?	None	Some	Moderate	A Lot	Extreme or cannot do			
D6.5	How much have you been emotionally affected by your health condition?	None	Mild	Moderate	Severe	Extreme or cannot do			
D6.6	How much has your health been a drain on the financial resources of you or your family?	None	Mild	Moderate	Severe	Extreme or cannot do			
D6.7	How much of a problem did your family have because of your health problems?	None	Mild	Moderate	Severe	Extreme or cannot do			
D6.8	How much of a problem did you have in doing things by yourself for relaxation or pleasure?	None	Mild	Moderate	Severe	Extreme or cannot do			
						General Disability Score (Total):		180	5

© World Health Organization, 2012. All rights reserved. Measuring health and disability: manual for WHO Disability Assessment Schedule (WHODAS 2.0), World Health Organization, 2010, Geneva.

The World Health Organization has granted the Publisher permission for the reproduction of this instrument. This material can be reproduced without permission by clinicians for use with their own patients. Any other use, including electronic use, requires written permission from WHO.

WHODAS 2.0

World Health Organization Disability Assessment Schedule 2.0

36-item version, self-administered

The adult self-administered version of the World Health Organization Disability Assessment Schedule 2.0 (WHODAS 2.0) is a 36-item measure that assesses disability in adults age 18 years and older. It assesses disability across six domains, including understanding and communicating, getting around, self-care, getting along with people, life activities (i.e., household, work, and/or school activities), and participation in society. If the adult individual is of impaired capacity and unable to complete the form (e.g., a patient with dementia), a knowledgeable informant may complete the proxy-administered version of the measure, which is available at www.psychiatry.org/dsm5. Each item on the self-administered version of the WHODAS 2.0 asks the individual to rate how much difficulty he or she has had in specific areas of functioning during the past 30 days.

WHODAS 2.0 Scoring Instructions Provided by World Health Organization

WHODAS 2.0 Summary Scores: There are two basic options for computing the summary scores for the WHODAS 2.0 36-item full version.

Simple: The scores assigned to each of the items—"none" (1), "mild" (2), "moderate" (3), "severe" (4), and "extreme" (5)—are summed. This method is referred to as simple scoring because the scores from each of the items are simply added up without recoding or collapsing of response categories; thus, there is no weighting of individual items. This approach is practical to use as a hand-scoring approach, and may be the method of choice in busy clinical settings or in paper-and-pencil interview situations. As a result, the simple sum of the scores of the items across all domains constitutes a statistic that is sufficient to describe the degree of functional limitations.

Complex: The more complex method of scoring is called "item-response-theory" (IRT)–based scoring. It takes into account multiple levels of difficulty for each WHODAS 2.0 item. It takes the coding for each item response as "none," "mild," "moderate," "severe," and "extreme" separately, and then uses a computer to determine the summary score by differentially weighting the items and the levels of severity. The computer program is available from the WHO Web site. The scoring has three steps:

- Step 1—Summing of recoded item scores within each domain.
- Step 2—Summing of all six domain scores.
- Step 3—Converting the summary score into a metric ranging from 0 to 100 (where 0 = no disability; 100 = full disability).

WHODAS 2.0 Domain Scores: WHODAS 2.0 produces domain-specific scores for six different functioning domains: cognition, mobility, self-care, getting along, life activities (household and work/school) and participation.

WHODAS 2.0 Population Norms: For the population norms for IRT-based scoring of the WHODAS 2.0 and for the population distribution of IRT-based scores for WHODAS 2.0, please see http://www.who.int/classifications/icf/Pop_norms_distrib_IRT_scores.pdf

Additional Scoring and Interpretation Guidance for DSM-5 Users

The clinician is asked to review the individual's response on each item on the measure during the clinical interview and to indicate the self-reported score for each item in the section provided for "Clinician Use Only." However, if the clinician determines that the score on an item should be different based on the clinical interview and other information available, he or she may indicate a corrected score in the raw item score box. Based on findings from the DSM-5 Field Trials in adult patient samples across six sites in the United States and one in Canada, DSM-5 recommends calculation and use of average scores for each domain and for general disability. The **average scores** are comparable to the WHODAS 5-point scale, which allows the clinician to think of the individual's disability in terms of none (1), mild (2), moderate (3), severe (4), or extreme (5). The average domain and general disability scores were found to be reliable, easy to use, and clinically useful to the clinicians in the DSM-5 Field Trials. The **average domain score** is calculated by dividing the raw domain score by the number of items in the domain (e.g.,

if all the items within the “understanding and communicating” domain are rated as being moderate then the average domain score would be 18/6 = 3, indicating moderate disability). The **average general disability score** is calculated by dividing the raw overall score by number of items in the measure (i.e., 36). The individual should be encouraged to complete all of the items on the WHODAS 2.0. If no response is given on 10 or more items of the measure (i.e., more than 25% of the 36 total items), calculation of the simple and average general disability scores may not be helpful. If 10 or more of the total items on the measure are missing but the items for some of the domains are 75%–100% complete, the simple or average domain scores may be used for those domains.

Frequency of Use

To track change in the individual’s level of disability over time, the measure may be completed at regular intervals as clinically indicated, depending on the stability of the individual’s symptoms and treatment status. Consistently high scores on a particular domain may indicate significant and problematic areas for the individual that might warrant further assessment and intervention.

The Guernsey Community Participation and Leisure Assessment – Revised

Baker, Taylor-Roberts & Jones (2020)

Please indicate, by a tick in the appropriate box, the frequency with which the focal person does the following activities. See definitions. Upon completion summate the scores on each item and record in the scoring box

ACTIVITY	Never	Less than every 3 months	At least every 3 months	Monthly or more frequently	Weekly or more frequently	Daily or more frequently
	0	1	2	3	4	5
Enrichment						
Attend museum/art gallery						
Attend live performing arts						
Holiday or daytrip						
Active Leisure						
Swimming						
Participate in Sport						
Exercise/Areobics class						
Participate performing arts/music						
Social Engagement						
Social networking via the internet						
Browse internet						
Spend time with family						
Indoor leisure						
Play games with others						
Look at books/magazines						
Social Leisure						
Social club/society						
Disco/nightclub						
Go to a friends house						
Health						
Hosptial						
Doctor (GP)						
Dentist						
Retail						
High Street store						
Supermarket/large retail outlet						
Local shop/post office						
Restaurant/café						

Name of Focal Person:
Date:
Who is completing this form:

Subscale	Score
Enrichment	
Active Leisure	
Social Engagement	
Indoor Leisure	
Social Leisure	
Health	
Retail	
Total	

© Tizard Centre

Enrichment	
Attend museum/art gallery	To attend by choice a display of objects for historic, cultural, scientific or artistic interest
Attend live performing arts	To visit by choice a public site to actively watch an organised music/ drama/ comedy performance.
Holiday or daytrip	To experience an extended period of recreation away from home.
Active Leisure	
Swimming	To swim in a pool or the sea.
Participate in Sport	To actively participate in a team game or competitive activity either indoors or outdoors. Not including swimming.
Exercise/Aerobics class	To actively participate by choice in an organised exercise session involving physical exercise to sustain health or improve fitness.
Participate performing arts/music	To actively participate in a music/ drama/ live comedy either for recreational or educational purposes.
Social Engagement	
Social networking via the internet	To purposefully use the internet for socialising, e.g. Facebook, Twitter, Instagram or dating websites
Browse internet	To purposefully use the internet to shop/ research topics/ access services/ look at images or videos. Not including social networking.
Spend time with family	To spend time with family members.
Indoor leisure	
Play games with others	To actively participate in a game with formal rules, including online gaming. Not including sport or informal ball games.
Look at books/magazines	To actively spend time looking at books or magazines.
Social Leisure	
Social club/society	To attend by choice a venue used for a formal association/gathering of people with similar interests.
Nightclub	To attend by choice a public or organised event at a site used to dance/listen to recorded music (not including live concerts).
Go to a friend's house	To go to the home of a person liked by the individual who is not a relative or current paid staff.
Health	
Hospital	To visit a hospital either as a patient or visitor.
Doctor (GP)	A medical doctor working in the community.
Dentist	A dentist or hygienist in the community.
Retail	
High Street store	To go by choice to a department store or other shops in a town centre or shopping complex.
Supermarket/large retail outlet	To go by choice to a large retail outlet (e.g. out of town store, garden centre) or a large store selling household goods and groceries.
Local shop/post office	To go by choice to a local shop or post office