

App Flow Document

Take Your Trip (tytluxe.in) — Complete Screen-by-Screen Specification

Version: 1.0 (Draft) **Owner:** [Your name], UX Strategist **Companion docs:** Take-Your-Trip-PRD.md, Take-Your-Trip-TRD.md **Purpose:** This document specifies every screen, action, navigation path, and state (success/error/empty/loading) required to build the site without ambiguity. It is written to be implementable directly — if a coding agent needs to infer behavior not stated here, that is a gap to flag, not fill in silently.

0. Document Conventions

- **Route** = the URL path (Laravel route naming implied, e.g., `hotels.show`).
 - **Auth state** = `Guest`, `Customer (logged in)`, `Agent`, `Admin`. If unmarked, the screen is accessible to all.
 - **Primary CTA** = the main button on the screen; always described with its exact label, destination, and what happens on click.
 - Every screen has an explicit **Empty State**, **Loading State**, **Error State(s)**, and **Success State** section. If a section says "N/A," that means it was considered and does not apply — not that it was skipped.
 - Buttons are described as: **Label** → *on click* → *result*.
 - Form fields are listed with: field name, type, required/optional, validation rule, error message text.
 - "Toast" = a temporary dismissible notification (top-right or bottom-center, per design system).
-

1. Site Map / Information Architecture

```
/ (Home)
├─ /about
├─ /contact
├─ /offers
├─ /hotels
│   ├─ /hotels/search-results?...
│   └─ /hotels/{slug} (Hotel Detail)
│       └─ /hotels/{slug}/book (Booking flow: Room select → Guest
details → Payment → Confirmation)
├─ /flights
│   ├─ /flights/search-results?...
│   └─ /flights/{id}/book (Booking flow: Fare review → Traveler
details → Payment → Confirmation)
├─ /cruises
│   └─ /cruises/{slug} (Detail → Enquiry form)
├─ /staycations
│   └─ /staycations/{slug} (Detail → Enquiry form)
├─ /packages
│   └─ /packages/{slug} (Detail → Enquiry form)
├─ /enquiry (generic enquiry, also embedded contextually on every listing
page)
├─ /login
├─ /register
├─ /forgot-password
├─ /reset-password/{token}
├─ /account (Customer, requires login)
│   ├─ /account/bookings
│   ├─ /account/bookings/{id}
│   ├─ /account/enquiries
│   ├─ /account/enquiries/{id}
│   └─ /account/profile
├─ /booking/{ref}/confirmation (post-payment landing, works for guest
via signed URL)
├─ /404, /500, /maintenance
└─ /admin (Filament – Admin/Agent, requires login)
    ├─ /admin/hotels
    ├─ /admin/flights (bookings only – no catalog CRUD; see §12)
    ├─ /admin/cruises
    ├─ /admin/staycations
    ├─ /admin/packages
    ├─ /admin/offers
    └─ /admin/enquiries
```

```
|— /admin/bookings
|— /admin/payments
|— /admin/users (customers, read-only + role mgmt for agents/admins)
|— /admin/settings
```

2. Global Elements (present on every public page unless noted)

2.1 Header / Navigation Bar

Elements (left to right): Logo (links to `/`) · Nav links: Home, Hotels, Flights, Cruises, Staycation, Offers, Contact Us · Right side: Call Now button (`tel:` link), WhatsApp button (`https://wa.me/...`), Login/Account icon.

Button behaviors:

- **Logo** → click → navigates to `/`.
- **Nav links** → click → navigates to respective listing page; active link gets `.active` style based on current route.
- **Call Now** → click → triggers native dialer on mobile (`tel:9875073788`); on desktop, shows a small popover with the number (no dial action possible).
- **WhatsApp** → click → opens `https://wa.me/9875073788` in a new tab, with a **generic pre-filled message** ("Hi, I'd like help planning a trip") when not on a listing page; a **contextual message** (see §5.3) when triggered from a listing page.
- **Login/Account icon** (Guest) → click → navigates to `/login`.
- **Login/Account icon** (Customer, logged in) → click → opens dropdown: "My Account," "My Bookings," "My Enquiries," "Logout." Each navigates accordingly; Logout triggers session destroy + redirect to `/` with toast "You've been logged out."
- **Mobile:** nav collapses into a hamburger menu (Bootstrap 5 offcanvas); Call/WhatsApp remain visible as sticky bottom bar on mobile for all public pages (per PRD's "24/7 Support" positioning).

2.2 Footer

Elements: Company (About, Contact, Terms, Privacy) · Quick Links (Hotels, Flights, Cruises, Staycation, Offers) · Support (Help Center, Cancellation Policy, Travel Guide, FAQs) · Newsletter signup (email field + Subscribe button) · Social icons · WhatsApp deep link · Copyright line.

Button behaviors:

- **Subscribe** → click → validates email format client-side → on valid, AJAX POST to `/newsletter/subscribe` → success: field clears, inline message "Thanks! You're subscribed." (green, auto-dismiss 4s) → error (invalid email): inline red text "Enter a

valid email address" under field, no submission → error (already subscribed): inline message "You're already subscribed" (not treated as a failure).

- **Footer nav links** → standard navigation, same as header.

2.3 Sticky WhatsApp Floating Button (mobile + desktop)

Bottom-right circular WhatsApp icon, present on all public pages. Click → opens WhatsApp with contextual message if on a listing/detail page, generic message otherwise (same logic as §2.1 WhatsApp button).

2.4 Toast / Notification System

Used globally for form submission results, login/logout confirmations, cart-like actions.

Success = green with checkmark icon, auto-dismiss after 5s or manual close (×). Error = red with alert icon, does not auto-dismiss, requires manual close or is replaced by the next event.

2.5 Loading Indicators

- **Full-page navigation:** standard browser navigation (no custom loader needed since it's server-rendered Blade).
- **AJAX actions (search filters, form submits, TripJack live search):** inline spinner replaces the button label (e.g., "Search" → spinner icon + "Searching...") and the button is disabled during the request to prevent double-submit.
- **TripJack search specifically:** because live API calls can take several seconds, show a skeleton-loading state in the results area (3–5 grey placeholder cards) rather than a blank page, per §5.2/§6.2.

3. Home Page (🏠)

Auth state: Public.

3.1 Layout & Elements

1. Hero section: Headline ("Experience Travel the Right Way"), subheadline, two CTAs: **Explore Hotels**, **Explore Cruises**; Call/WhatsApp line.
2. Trust bar: 4 value props (Zero Hidden Fees, 24/7 Support, Best Fare Guarantee, Flexible Changes) — static content, no interaction.
3. Quick vertical nav: Hotels / Cruises cards (icons + labels).
4. Hotel Collections section: 4 category cards (Beach Resorts, City Luxury Hotels, Honeymoon Stays, Family Friendly) + **View All Hotels** button.
5. Cruise Experiences section: 3 category cards (Scenic Getaways, Luxury Cruises, International Cruises) + **View All Cruises** button.
6. Limited Time Offers teaser: shows up to 3 currently-active offers (pulled from `offers` table where `is_active` and within `valid_from`/`valid_to`) + **Explore Offers** button.

7. Testimonials carousel (existing 3 + any admin-added ones).
8. Final CTA band: "Ready to Plan Your Next Trip?" + **Get In Touch** button + Call/WhatsApp line.

3.2 Button Behaviors

- **Explore Hotels** → navigates to `/hotels`.
- **Explore Cruises** → navigates to `/cruises`.
- **Category cards** (e.g., "Beach Resorts") → navigates to `/hotels?category=beach-resorts` (pre-applies filter).
- **View All Hotels / View All Cruises** → navigates to `/hotels` or `/cruises` with no filter.
- **Explore Offers** → navigates to `/offers`.
- **Get In Touch** → navigates to `/contact`.

3.3 Empty State

If zero active offers exist, the "Limited Time Offers" section is hidden entirely (not shown with placeholder text) — do not render an empty section on the homepage.

3.4 Error State

If a data query fails (e.g., DB unreachable for testimonials/offers), that specific section is silently omitted; the rest of the static-content homepage still renders. Log the error server-side; do not show a broken-section error to the user on the homepage specifically (it's a marketing entry point — never show a scary error here).

4. About / Contact Pages

4.1 About (`/about`)

Static content page (mission, story, team if applicable). No forms. Single CTA: **Get In Touch** → `/contact`.

4.2 Contact (`/contact`)

Elements: Contact form (Name*, Email*, Phone*, Message*, Subject dropdown [General/Hotels/Flights/Cruises/Staycation/Packages]), office address/map embed (Google Maps, see TRD §6.3), Call/WhatsApp direct links.

Form validation:

Field	Rule	Error message
Name	required, min 2 chars	"Please enter your name"
Email	required, valid email format	"Enter a valid email address"
Phone	required, 10 digits (India), numeric	"Enter a valid 10-digit phone number"
Message	required, min 10 chars	"Please add a short message (min 10 characters)"
Subject	required, select one	"Please select a topic"

Button: Send Message → click → client-side validation runs first (inline errors under each invalid field, red border) → if valid, disable button + show spinner ("Sending...") → AJAX POST to `/contact` → creates an `enquiries` record with `vertical = general`, `source = web`.

Success state: Form replaced with confirmation panel: "Thanks, [Name]! We've received your message and will get back to you within 24 hours." + WhatsApp fallback line ("Need it faster? Message us on WhatsApp").

Error state:

- Network/server error: red banner above form: "Something went wrong. Please try again or WhatsApp us directly." Form data is preserved (not cleared) so the user doesn't retype.
- Validation errors: as above, inline, no submission occurs.

Empty state: N/A (form-only page).

5. Hotels

5.1 Hotel Listing / Search Page (`/hotels`)

Auth state: Public.

Elements:

- Search bar (sticky at top): Destination (autocomplete, backed by cached TripJack city list + curated destination table), Check-in date, Check-out date, Rooms & Guests selector (adults/children/rooms stepper), **Search** button.
- Filter sidebar (desktop) / filter drawer (mobile): Category (Beach Resort, City Luxury, Honeymoon, Family Friendly), Price range slider, Star rating checkboxes, Source toggle (all / curated-only — optional).
- Sort dropdown: Price (low-high, high-low), Popularity, Rating.
- Results grid: hotel cards (image, name, star rating, location, category badge, price-from, **View Details** button).

- Pagination or "Load More" button at bottom.

Button behaviors:

- **Search** → click → validates dates (check-out must be after check-in; both required) → if invalid: inline error under date fields ("Check-out date must be after check-in date") → if valid: navigates to `/hotels/search-results?destination=...&checkin=...&checkout=...&adults=...&children=...&rooms=...`.
- **Rooms & Guests stepper** (+/-) → increments/decrements in-place, no page reload; min 1 room/1 adult, max configurable (e.g., 6 rooms) enforced by disabling the "+" button at max.
- **Filter checkboxes/sliders** → on change, re-run search via AJAX (debounced 400ms) → updates result grid + result count without full page reload; also updates URL query params (so filtered view is shareable/bookmarkable).
- **Sort dropdown** → on change → re-sorts results via AJAX, same pattern as filters.
- **View Details** (on card) → navigates to `/hotels/{slug}`.
- **Load More / pagination** → click → appends next page of results (AJAX) or navigates to `?page=N`.

Loading state: While search is in-flight (TripJack call for live listings + DB query for curated listings merged), show skeleton cards (see §2.5). Timeout at 12s → fall back to Error State below.

Empty state: No results match filters/search → show illustration + message: "No hotels found for these dates/filters. Try adjusting your search." + **Clear Filters** button (resets filters, keeps destination/dates) + **Talk to an Agent** button (opens WhatsApp with contextual message: destination + dates).

Error states:

- TripJack API timeout/failure: show curated (manual/DB-only) listings if any exist for that destination, with a small notice: "Live availability is temporarily unavailable — showing our curated picks. Contact us for real-time pricing." If zero curated listings also exist, show full error state: "We couldn't load hotels right now. Please try again or contact us." + **Retry** button + WhatsApp CTA.
- Invalid/malformed query params (e.g., checkout before checkin via manual URL edit): redirect to `/hotels` (no filters) with toast: "Please choose valid travel dates."

5.2 Hotel Search Results (`/hotels/search-results`)

Same layout/behavior as §5.1's results grid, but always driven by a submitted search (destination+dates present in URL). Includes a **Modify Search** bar at top (collapsed version of the search bar, expandable) so users can adjust without going back to `/hotels`.

Loading/Empty/Error states: identical logic to §5.1.

5.3 Hotel Detail Page (`/hotels/{slug}`)

Elements:

- Image gallery (carousel/lightbox).
- Title, star rating, category badge, address line + **View on Map** (expands embedded Google Map using stored lat/lng — TRD §6.3).
- Description, amenities list (icons + labels).
- Room types table/cards: room name, occupancy, price-per-night, cancellation policy tag (Free Cancellation / Non-Refundable), **Select Room** button per room type.
- Reviews/testimonials section (if any tagged to this hotel; otherwise hidden).
- Sticky sidebar (desktop) / sticky bottom bar (mobile): price-from, **Book Now** button, **Enquire Instead** link, WhatsApp button (contextual: "Hi, I'm interested in [Hotel Name] for [dates if known]").

Button behaviors:

- **View on Map** → expands/opens Google Map embed inline (no navigation).
- **Select Room** → if dates already chosen (came from search results with dates in session): proceeds directly to `/hotels/{slug}/book?room_id=...`. If no dates yet (direct-landed on detail page without searching first): opens an inline date/guest picker modal first, then proceeds to booking flow on submit.
- **Book Now** (sidebar) → scrolls to the room types section (in-page anchor), does not navigate away.
- **Enquire Instead** → opens the shared enquiry form (see §11) pre-filled with `vertical=hotel`, `reference_id={hotel.id}`, hotel name shown as context, without requiring the user to commit to specific room/dates — this is the fallback for users who want a human quote rather than instant booking.
- **WhatsApp (contextual)** → opens WhatsApp with message pre-filled: `"Hi, I'm interested in {Hotel Name}"` (+ dates/guests if already selected in session).

Empty state: N/A (a detail page for a non-existent/inactive hotel returns 404, see §14).

Error state: If TripJack live pricing fetch for this specific hotel fails (for TripJack-sourced hotels) but static content (description/images) is cached/stored: show static content with room pricing area replaced by: "Live pricing temporarily unavailable" + **Check Availability via WhatsApp** button (contextual). Do not show a blank/broken price area.

5.4 Hotel Booking Flow (`/hotels/{slug}/book`)

Multi-step flow. Steps shown as a progress indicator: **1. Room & Dates → 2. Guest Details → 3. Payment → 4. Confirmation.**

Auth state: Guest allowed (guest checkout per TRD §5), Customer optional — if logged in, guest detail fields pre-fill from profile.

Step 1: Room & Dates (confirm/adjust selection)

- Shows selected room type, dates, price breakdown (per-night × nights + taxes/fees — "Zero Hidden Fees" means all fees itemized here, not hidden).
- **Change Dates/Room** link → returns to hotel detail page room selection.
- **Continue** button → proceeds to Step 2. Disabled until a valid room+date combo is confirmed as still available (re-validated against TripJack at this step, since availability can change between browsing and booking).
 - If no longer available: inline error banner: "Sorry, this room is no longer available at this price. Please choose another option." + returns user to room list on the detail page.

Step 2: Guest Details

- Fields: Lead guest Name*, Email*, Phone*, Number of guests per room (auto-filled from search, editable), Special requests (optional textarea), Terms & Conditions checkbox* ("I agree to the Terms & Conditions and Cancellation Policy" with links).
- Validation: same pattern as Contact form (§4.2) for name/email/phone; T&C checkbox required — error "You must accept the terms to continue" if unchecked on submit.
- **Back** button → returns to Step 1, preserves entered data.
- **Continue to Payment** → click → validates fields inline → on valid: creates a `bookings` record with `status = pending_payment`, calls TripJack "hold" API (per TRD §6.1) → on hold success: proceeds to Step 3 → on hold failure (e.g., inventory just sold out): error banner "This room was just booked by someone else. Please choose another." + returns to hotel detail page.

Step 3: Payment

- Order summary (read-only recap of room/dates/guest/price).
- **Pay Now** button → click → disables button, spinner "Processing..." → Laravel creates Razorpay order server-side → opens Razorpay Checkout.js modal (per TRD §6.2).
- Within Razorpay modal: user completes payment (Razorpay's own UI — out of this app's direct control, but the return behavior is ours to define below).
- **On Razorpay success callback (client-side):** show interim state "Confirming your booking..." (spinner) — do **not** mark booking confirmed yet; this is purely a UI holding state while the server-side webhook (source of truth, TRD §6.2) processes.
- **Server-side (webhook-driven):** on verified payment, Laravel calls TripJack "confirm booking," updates `bookings.status = confirmed`, sends confirmation email + triggers WhatsApp/SMS notification if configured → redirects/polls to Step 4.
- Polling mechanism: client polls `/booking/{ref}/status` every 3s (max 60s) after Razorpay success callback, until status flips to `confirmed` or `failed_needs_review`.

Error states at Step 3:

- Razorpay modal closed/cancelled by user before payment: return to Step 3 unchanged, booking stays `pending_payment`, banner: "Payment was not completed. You can try again below." + **Pay Now** button re-enabled.
- Payment fails (declined card, etc.) — Razorpay reports failure: banner: "Payment failed: [reason if available from Razorpay]. Please try again or use a different payment method." Booking stays `pending_payment`.
- Payment succeeds but TripJack confirm fails (edge case, TRD §6.1): booking set to `status = failed_needs_review`; user sees: "Your payment was successful, but we're finalizing your booking with the hotel. Our team will confirm within 2 hours and email you — no further action needed." + a support/WhatsApp link. Internally, this triggers an urgent admin alert (TRD §8, monitoring requirement).
- Polling times out (60s, no webhook received): show: "This is taking longer than expected. Your payment may still be processing — we'll email your confirmation shortly. Contact us if you don't hear back within 30 minutes." (Does not imply failure — avoids double-payment attempts.)

Step 4: Confirmation (`/booking/{ref}/confirmation`)

- Success icon, "Booking Confirmed!" headline, booking reference number, hotel/room/dates/guest recap, itemized price paid, **Download Invoice/Voucher** button (PDF), **View in My Account** button (if logged in) or "Create an account to manage this booking" prompt (if guest — pre-fills email from booking).
- Email sent automatically to guest email with the same details + voucher attached.

Navigation exits from confirmation: Home, My Account (if applicable), or "Book another trip" → `/hotels`.

6. Flights

6.1 Flight Search Page (`/flights`)

Elements: Trip type toggle (One-way / Round-trip / Multi-city), From/To fields (airport autocomplete, swap icon between them), Departure date (+ Return date if round-trip), Passengers & Class selector (adults/children/infants, Economy/Business), **Search Flights** button.

Button behaviors:

- **Swap (⇌) icon** → swaps From/To values in place, no navigation.
- **Trip type toggle** → switching to Multi-city dynamically adds additional From/To/Date row sets (up to a configurable max, e.g., 5 legs) with **Add Another Flight** / remove (×) controls per row.
- **Search Flights** → validates all required fields (From ≠ To, dates not in past, return date after departure date if round-trip) → on valid: navigates to `/flights/search-`

`results?...)` → on invalid: inline errors matching the specific field (e.g., "Origin and destination cannot be the same").

6.2 Flight Search Results (`/flights/search-results`)

Elements: Modify Search bar (collapsed, expandable) · Filter sidebar (stops: non-stop/1-stop/2+, airline checkboxes, price range, departure time bands) · Sort (Cheapest, Fastest, Departure time) · Results list: flight cards (airline logo/name, departure–arrival times, duration, stops, price, **Select** button).

Behaviors: same filter/sort/loading/skeleton pattern as Hotels §5.1–5.2, driven live by TripJack flight search.

Empty state: "No flights found for this route/date. Try adjusting your dates or contact us for other options." + **Modify Search** + WhatsApp CTA (contextual with route+dates).

Error state: TripJack flight search failure → since flights have no curated fallback catalog (per TRD §4.2 design decision — flights aren't persisted), show full error state directly: "We couldn't fetch live flights right now. Please try again or let us find options for you." + **Retry** + **Request a Quote** button (opens enquiry form, `vertical=flight`, pre-filled route/dates) + WhatsApp CTA.

6.3 Flight Booking Flow (`/flights/{id}/book`)

Steps: **1. Fare Review** → **2. Traveler Details** → **3. Payment** → **4. Confirmation**. Same interaction pattern, error handling, and payment/webhook logic as Hotel Booking Flow (§5.4), adapted for flight-specific fields:

- Step 2 collects per-passenger details (Name as on ID, DOB, gender, passport info if international) instead of a single lead guest, since airlines require full passenger manifests.
- Step 1 re-validates fare is still available/price hasn't changed (airline fares can reprice between search and booking) — if price changed: banner "The fare has changed from ₹X to ₹Y. Please review and continue or search again." with explicit **Accept New Price & Continue** / **Search Again** buttons — never silently charge a different amount than what was shown.
- Steps 3 and 4 identical logic to §5.4 (Razorpay + TripJack confirm + webhook + polling + confirmation page), substituting "hotel" context for "flight" (PNR instead of booking voucher, e-ticket instead of hotel voucher).

7. Cruises (`/cruises`, `/cruises/{slug}`)

Model: Curated/manual listings only (no TripJack), per TRD §4.2 — so no live "search" with dates/availability; this is a browse-and-enquire flow.

7.1 Listing Page (`/cruises`)

Elements: Category filter chips (Scenic Getaways, Luxury Cruises, International Cruises — matches existing site categories), sort (price, duration), grid of cruise cards (image, title, cruise line, duration, price-from, **View Details** button).

Behaviors: Category chips filter client-side or via query param (no AJAX search needed since it's a small curated catalog — simple page filter is sufficient, unlike Hotels/Flights).

Empty state: If a category filter yields zero cruises: "No cruises in this category yet. Explore all cruises or ask us to find one for you." + **View All Cruises** + WhatsApp CTA.

Error state: DB query failure → generic page-level error component: "Something went wrong loading cruises. Please refresh or contact us." + **Retry** button.

7.2 Cruise Detail Page (`/cruises/{slug}`)

Elements: Image gallery, title, cruise line, duration, itinerary (day-by-day port list), cabin type options (description only, no live pricing/availability — manually maintained by admin), price-from, description, **Enquire Now** button (primary CTA — no "Book Now" since cruises are enquiry-only per PRD/TRD), WhatsApp contextual button.

Button behavior:

- **Enquire Now** → opens shared enquiry form (§11) pre-filled (`vertical=cruise`), (`reference_id={cruise.id}`), cruise name + optional cabin type dropdown (populated from this cruise's cabin options) shown as context fields.

Empty/Error states: Non-existent/inactive cruise → 404 (§14). Data load failure for a specific cruise (rare, since it's simple curated content) → generic error component with **Retry**.

8. Staycations (`/staycations`, `/staycations/{slug}`)

Same pattern as Cruises §7 (curated/manual, enquire-only): listing page with filter chips (by duration/budget/amenity), detail page with amenities list + **Enquire Now** (pre-filled (`vertical=staycation`)). Identical empty/error/loading state logic to §7.

9. Packages (`/packages`, `/packages/{slug}`)

Same pattern as Cruises §7, with detail page additionally showing an **Inclusions breakdown** (flight/hotel/meals/activities as a checklist, per PRD §4.5) before the **Enquire Now** CTA (`vertical=package`). Identical empty/error/loading state logic to §7.

10. Offers (`/offers`)

Elements: Grid/list of active offer cards (title, description, discount value/type, "Valid till [date]" countdown or static date, **Explore** [`applies-to vertical`] button, or **Enquire Now** if the offer isn't tied to a specific vertical's browsable listing).

Behaviors:

- **Explore** [`vertical`] → navigates to that vertical's listing page with the offer's discount context passed via query param (e.g., `?offer=SUMMER25`) so it can be auto-applied/displayed at booking/enquiry time.
- Offers past their `valid_to` date are automatically excluded from this query (handled by the scheduled job in TRD §3.4/§7.3 that flips `is_active` — but the query should also filter on date directly as a safeguard even if the flag hasn't run yet).

Empty state: Zero active offers: "No active offers right now — check back soon, or explore our hotels and cruises directly." + links to Hotels/Cruises. (Not an error — offers rotating to zero temporarily is expected.)

Error state: DB query failure → generic error component, **Retry**.

11. Shared Enquiry Form (embedded component, used across §5.3, §7.2, §8, §9, §4.2, and standalone at `/enquiry`)

Fields:

Field	Type	Required	Validation	Error message
Name	text	Yes	min 2 chars	"Please enter your name"
Phone	tel	Yes	10-digit numeric	"Enter a valid 10-digit phone number"
Email	email	Yes	valid format	"Enter a valid email address"
Travel Date (from)	date	No	must be today or future if provided	"Travel date can't be in the past"
Travel Date (to)	date	No	must be after "from" if provided	"End date must be after start date"
Pax (adults)	number stepper	No, defaults to 1	min 1	N/A
Pax (children)	number stepper	No, defaults to 0	min 0	N/A
Notes	textarea	No	max 500 chars	"Notes must be under 500 characters"
Context fields (hidden, auto-set)	—	—	<code>vertical</code> , <code>reference_id</code> , <code>reference_name</code> set by the page that opened the form, not user-editable	—

Button: Submit Enquiry → click → inline validation (as above) → on valid: disable button + spinner "Submitting..." → POST to `/enquiries` → creates `enquiries` record (`status = new`, `source = web`) → triggers admin notification email/dashboard entry (TRD §6.4/§8).

Success state: Form replaced with: "Thanks, [Name]! Our travel expert will contact you within 24 hours about [reference_name / 'your trip']." + secondary WhatsApp CTA: "Prefer to chat now?" button → contextual WhatsApp link.

Error states:

- Validation errors: inline per field, as specified above, no submission.
- Server/network error: banner above form: "Something went wrong submitting your enquiry. Please try again or contact us on WhatsApp." Form data preserved, not cleared.
- Duplicate rapid submission (rate limit, TRD §8): if the same phone/email submits more than N enquiries in a short window (e.g., 3 in 10 minutes), show: "You've already submitted a few enquiries recently — our team will be in touch shortly!" (soft block, not a hard error, to avoid looking punitive to a genuinely interested repeat visitor).

Empty state: N/A (form component).

12. Auth Flows

12.1 Register (</register>)

Fields: Name*, Email*, Phone*, Password*, Confirm Password*. Validation: standard + password min 8 chars, confirm must match ("Passwords do not match"). **Button: Create Account** → on success: logs user in, redirects to </account> with toast "Welcome, [Name]!" On error (email already registered): inline error under Email field: "An account with this email already exists. Try logging in instead." + inline **Log In** link.

12.2 Login (</login>)

Fields: Email*, Password*, "Remember me" checkbox. **Button: Log In** → on success: redirect to intended page (if user was mid-flow, e.g., booking) or </account> by default. On error (wrong credentials): generic message "Incorrect email or password" (never specify which field is wrong, for security) shown above the form, fields retain entered values except password. After 5 failed attempts, rate-limited: "Too many attempts. Please try again in [X] minutes." per TRD §8.

Link: Forgot password? → </forgot-password>.

12.3 Forgot Password (</forgot-password>)

Field: Email*. **Button: Send Reset Link** → always shows the same success message regardless of whether the email exists in the system (security best practice, avoids account enumeration): "If an account exists with that email, we've sent a password reset link."

12.4 Reset Password (</reset-password/{token}>)

Fields: New Password*, Confirm Password*. **Button: Reset Password** → on success: redirect to </login> with toast "Password updated. Please log in." On error (expired/invalid token): "This reset link has expired. Please request a new one." + link back to </forgot-password>.

13. Customer Account Area (`/account/*`) — requires login

13.1 Account Overview (`/account`)

Summary cards: upcoming bookings count, open enquiries count, quick links to Profile/Bookings/Enquiries.

13.2 My Bookings (`/account/bookings`)

List of the customer's bookings (Hotel + Flight — the only bookable verticals per phased rollout, TRD §0), each row: reference, vertical icon, dates, status badge (Pending Payment / Confirmed / Cancelled / Failed-Needs Review), **View** button → `/account/bookings/{id}` (full detail matching the confirmation page layout from §5.4 Step 4, plus a **Cancel Booking** button if the booking's cancellation policy allows it and status is `confirmed`).

Empty state: "You don't have any bookings yet." + **Browse Hotels** / **Browse Flights** buttons.

Cancel Booking button: → confirmation modal ("Are you sure you want to cancel this booking? [Cancellation policy summary]") → **Yes, Cancel** → calls TripJack cancellation API + Razorpay refund API (per TRD §6.2) → on success: status updates to `Cancelled`, toast "Your booking has been cancelled. Refund will be processed within [X] business days." → on failure: "We couldn't process the cancellation automatically. Our team has been notified and will contact you shortly." (creates an internal alert, doesn't leave the user stuck).

13.3 My Enquiries (`/account/enquiries`)

List of enquiries submitted while logged in (or matched by email/phone if submitted as guest before account creation, if that matching logic is implemented). Each row: vertical, reference name, status badge (New/Contacted/Quoted/Converted/Closed), submitted date, **View** button → shows full enquiry detail (read-only, since replies happen via phone/WhatsApp/email, not in-app messaging in v1).

Empty state: "No enquiries yet." + **Explore Hotels/Cruises/Packages** buttons.

13.4 Profile (`/account/profile`)

Editable: Name, Email (may require re-verification if changed), Phone, Password change section. **Save Changes** button per section → inline success toast "Profile updated" or inline validation errors matching the patterns above.

14. System-Level / Error Pages

14.1 404 Not Found

Triggered for invalid slugs/IDs (hotel, cruise, staycation, package, flight, booking reference not found or not owned by current user). Shows: friendly illustration, "We couldn't find that page," **Go to Homepage** button, search bar shortcut to `/hotels`.

14.2 500 Server Error

Generic friendly error page (no stack traces exposed): "Something went wrong on our end. Please try again." **Go to Homepage** button + support contact line. All 500s logged to error tracking (TRD §8) — this page itself must never fail to render (keep it fully static, no DB calls).

14.3 Maintenance Mode

Used during deploys/cutover (TRD §7.4). Static page: "We're making things better — back shortly." No nav, just a message and support contact.

14.4 Payment Webhook Failure (system-level, not user-facing directly)

Not a screen, but a defined behavior: if a Razorpay webhook fails signature verification or references an unknown order, log and alert (TRD §8) but return a 200 to Razorpay to prevent retry storms per Razorpay's own best practice — this must not surface any UI to the customer since it happens server-to-server.

15. Admin Panel (Filament) — Agent/Admin only, `/admin/*`

This section specifies the *behavioral* requirements for each Filament resource; exact widget layout follows Filament 3 conventions.

15.1 Hotels Resource (`/admin/hotels`)

List view: table with Title, Category, Source (TripJack/Manual), Price From, Active toggle, Star Rating. **Actions:** Create, Edit, Delete (soft-delete preferred — bookings may reference this hotel historically), Toggle Active (inline switch, no confirmation needed — instantly reflects on public site). **Create/Edit form:** Title*, Slug (auto-generated from title, editable), Description* (rich text), Category* (select), Destination* (select/relation), Address*, Lat/Lng (auto-geocoded via Google Maps API on save if left blank — TRD §6.3 — with a **Re-geocode** button to manually trigger), Star Rating*, Price From*, Images (multi-upload, drag-reorder), Amenities (multi-select tags), Source (TripJack ID field if applicable), Is Active toggle. **Validation errors:** inline under each field, standard Filament behavior — required fields block save with "This field is required." **Empty state (list):** "No hotels yet. Add your first hotel to get started." + **Create Hotel** button.

15.2 Cruises / Staycations / Packages Resources

Same CRUD pattern as Hotels (§15.1), field sets adjusted per PRD §4.3–4.5 (e.g., Cruises has Itinerary repeater field for day-by-day ports; Packages has an Inclusions repeater/checklist).

15.3 Offers Resource (`/admin/offers`)

Fields: Title*, Description*, Discount Type* (percentage/fixed), Discount Value*, Applies To* (vertical select, optional specific listing), Valid From*, Valid To*, Is Active (auto-

managed by scheduled job per TRD §3.4, but manually overridable). **Validation:** Valid To must be after Valid From — error "End date must be after start date" blocks save. **List view badges:** visually flag offers that are "Expiring soon" (within 3 days) and "Expired" (past valid_to but not yet auto-deactivated) so admin can see lag before the scheduled job runs.

15.4 Enquiries Resource (`/admin/enquiries`)

List view: filterable by Vertical, Status, Source, Date range. Each row: Name, Phone, Email, Vertical, Reference (linked to the hotel/cruise/etc. if applicable), Status, Assigned Agent, Submitted date. **Actions:** **Assign to Agent** (dropdown), **Change Status** (New → Contacted → Quoted → Converted/Closed — a defined pipeline, not free text), **View Detail** (full submission including notes/dates/pax). **Bulk actions:** bulk-assign, bulk status change. **Empty state:** "No enquiries yet." (no CTA needed — this is a receiving inbox, not a creation flow, for admins). **Notification requirement:** new enquiry creation triggers an in-Filament notification badge + email to the assigned/default agent, per TRD §6.4 and PRD's "agent wants to receive enquiry submissions instantly" user story.

15.5 Bookings Resource (`/admin/bookings`)

Read-mostly (bookings are created by the customer flow, not manually by admin, except for edge-case manual corrections). List view: Reference, Vertical, Customer, Status (color-coded badge, especially highlighting `failed_needs_review` in red/urgent), Amount, Date. **Actions:** **View Detail** (full booking + payment trail), **Manual Status Override** (with a required reason/note field — audit-logged, since this touches money/inventory), **Trigger Refund** (calls Razorpay refund API, confirmation modal required, per §13.2 cancellation logic mirrored here for agent-initiated cancellations). **Priority view/filter:** default filter or dashboard widget surfacing all `failed_needs_review` bookings first — this is the operationally critical state per TRD §6.1/§8.

15.6 Payments Resource (`/admin/payments`)

Read-only list synced from `payments` table: Razorpay order/payment IDs, amount, status, linked booking. No create/edit — this is a financial audit trail, not editable in-app (correcting payment records happens in Razorpay's own dashboard, never overwritten here).

15.7 Users Resource (`/admin/users`)

List of customers (read-only detail: name, email, phone, join date, booking/enquiry counts) + separate management for Agent/Admin role accounts (create/edit/deactivate agent accounts, assign roles) — kept as a distinct sub-section since customer PII visibility and staff account management have different sensitivity levels (TRD §8).

15.8 Settings (`/admin/settings`)

Non-technical-editable site settings: contact phone/WhatsApp number, office address (feeds Contact page + Google Maps embed), social links, default enquiry-assignment agent,

email notification toggles. **Save** button per section, standard inline validation/success pattern.

16. Cross-Cutting Behavioral Rules (apply everywhere, stated once to avoid repetition/ambiguity)

1. **Every form**, without exception, validates client-side (immediate feedback) AND server-side (source of truth) — client-side validation is UX only, never trusted for data integrity.
 2. **Every submit button** disables itself and shows a loading indicator the instant it's clicked, re-enabling only on error (never on success, since success navigates away).
 3. **Every destructive/financial action** (Cancel Booking, Trigger Refund, Delete listing) requires an explicit confirmation modal — no single-click destructive actions anywhere in the system.
 4. **Every list/grid page** (Hotels, Flights results, Cruises, Staycations, Packages, admin resources) has all three of: a defined Empty State, a defined Loading/skeleton State, and a defined Error State — none may be left as a blank screen.
 5. **Guest users** can complete Hotel/Flight bookings and any Enquiry form without an account; account creation is only ever offered, never forced, in the booking/enquiry path (matches PRD target user "low-digital-confidence travelers").
 6. **WhatsApp CTAs** are contextual whenever triggered from a specific listing/booking/enquiry context (pre-filled message includes item name + dates if known); generic only when triggered from global nav/footer with no page context.
 7. **Payment status is always determined server-side (webhook), never by a client-side callback alone** — every payment-adjacent screen's "success" state must be written as "pending confirmation" until the webhook-driven status is confirmed, per §5.4 Step 3.
 8. **No screen shows a raw technical error message** (stack traces, API error codes) to a public/customer-facing user — always a friendly message + a way forward (retry, WhatsApp, contact). Raw errors are for logs/admin only.
-

17. Gaps Requiring Stakeholder/Design Input (do not guess these — confirm before build)

- Exact cancellation policy terms/timeframes per vertical (affects §13.2 and §15.5 refund logic wording).
- Whether guest-submitted enquiries/bookings should auto-match to an account if the same email later registers (mentioned as "if implemented" in §13.3) — needs a decision.
- Multi-city flight max leg count and infant/child fare rules (airline-dependent — needs TripJack's actual constraints, not assumed).

- Exact copy/tone for all button labels and messages above is a first draft — should pass through actual UX/brand copywriting review before build, especially error messages, to match brand voice.
 - Whether a live chat widget (vs. WhatsApp-only) is ever planned — affects whether "Talk to an agent" CTAs should be built as a placeholder integration point now.
-

This document, combined with the PRD (business requirements) and TRD (technical architecture), is intended to be sufficient for implementation without further clarification except where explicitly flagged in Section 17.