


NOTES: UNLESS OTHERWISE SPECIFIED (UOS)

1. ALL ITEMS DEPICTED ON THIS DRAWING ARE CRITICAL TO THE FUNCTION OF THIS PART. ALL DIMENSIONS NOT DEPICTED ARE CONTAINED WITHIN THE FOLLOWING INTERMEDIATE FILES:
- [APPLICABLE DASH]: OH2A2A2-[APPLICABLE DASH] - [APPLICABLE DESCRIPTION].STL (PRINTED PARTS)
- [APPLICABLE DASH(S)]: OH2A2A2-1_SH[SHEET #]_[SHEET THICKNESS]_ACRYLIC.DXF (ACRYLIC CNC PARTS)
2. SEAL/SAND/PRIME/PAINT ALL EXTERNAL SURFACES FS37038, LUSTERLESS BLACK IAW FINISH SPECIFICATION; TOPCOAT FOR ALL LEGENDS SHALL BE FS37875, INSIGNIA WHITE. MASK ALL THREADS AND HOLES.






-1

CAD GENERATED DOCUMENT. ALL
CHANGES MAY ONLY BE MADE
WITHIN NATIVE CAD FILE. REVISION
HISTORY CONTAINED WITHIN PDM
REPOSITORY.

REVISIONS			
ZONE	REV	DESCRIPTION	DATE
	-	INITIAL RELEASE	1/19/2019

PARTS LIST						
QTY.	PART NUMBER	DESCRIPTION	MATERIAL	MFR	TYPE	ITEM NO.
2	OH2A2A2-10	IFEI BACKPLATE	.125 ACRYLIC	OPENHORNET	CNC	1
1	OH2A2A2-11	IFEI LIGHTPLATE	.0625 ACRYLIC	OPENHORNET	CNC	2
1	OH2A2A2-12	IFEI LEGEND PLATE	.0625 ACRYLIC	OPENHORNET	CNC	3
1	OH2A2A2-13	IFEI BUTTON BEZEL	PETG	OPENHORNET	PRINT	4
1	OH2A2A2-14	IFEI BUTTON, MODE	PETG	OPENHORNET	PRINT	5
1	OH2A2A2-15	IFEI BUTTON, QTY	PETG	OPENHORNET	PRINT	6
2	OH2A2A2-16	IFEI BUTTON, ARROW	PETG	OPENHORNET	PRINT	7
1	OH2A2A2-17	IFEI BUTTON, ZONE	PETG	OPENHORNET	PRINT	8
1	OH2A2A2-18	IFEI BUTTON, ET	PETG	OPENHORNET	PRINT	9
6	OH2A2A2-19	IFEI BUTTON RETAINER	.0625 ACRYLIC	OPENHORNET	CNC	10
1	OH2A2A2-20	IFEI PCB	PCB	OPENHORNET	PCB	11
4	93365A102	INSERT, 0-80, HEAT SET, BRASS	BRASS	MCMMASTER-CARR	COTS	12
4	91249A024	PHS, 0-80 X .50, 18-8, BLACK	18-8 SS	MCMMASTER-CARR	COTS	13
6	GX06400	SWITCH, DOME, SNAPTRON, 6.3mm DIA, 400GF	STEEL	SNAPTRON	COTS	14

		THIRD ANGLE PROJECTION		UNLESS OTHERWISE SPECIFIED:		UOS INCH TOLERANCES ARE:		 OPEN HORNET https://www.OpenHornet.com	
				DIMENSIONS ARE IN INCHES.		DECIMALS: ANGLES: X ± .1 MACHINED ± 0°30' .XX ± .03 LOCATING ± 0°30' .XXX ± .010 FORMED ± 2° CHAMFERS ± 5°		TITLE <div style="text-align: center; font-size: 24pt;">ASSY, PANEL, IFEI</div>	
		APPROVALS	DATE	DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS.		HOLE DIAMETERS:			
		DRAWN J. STEENSEN	1/19/2020	INTERPRET DRAWING IAW ASME Y14.100-2013.		0 - .0140: +.0020 / -.0005 .014 - .125: +.004 / -.001 .126 - .250: +.005 / -.001 .251 - .500: +.006 / -.001 .501 - .750: +.008 / -.001 .751 - 1.000: +.010 / -.001 1.001 - 2.000: +.012 / -.001 2.000+: +.015 / -.005			
		MATERIAL SEE PARTS LIST		INTERPRET DIM AND TOL IAW ASME Y14.5-2009.					
		FINISH SEE FINISH SPEC		REMOVE ALL BURRS AND SHARP EDGES TO .1 MAX.				SIZE <div style="display: flex; justify-content: space-between;"> D OH2A2A2 A </div>	
OH2A1		LIP				DIMENSIONS APPLY BEFORE FINISH.		SCALE <div style="display: flex; justify-content: space-between;"> NONE SHEET 1 OF 3 </div>	
NEXT ASSY		USED ON				APPLICATION			

