

Pitch.pdf - Web3 Gaming UX Problem and Solution Flow

This pitch is meant to come before the product demo. It should not show or explain the specific game interface. It frames the UX problem, then presents the solution architecture and sponsor roles at the exact points where they improve the flow.

Core pitch line

We make crypto invisible during play, but visible and labelled after play.

Opening: set the judges into curiosity mode

Web3 games have spent years talking about ownership, marketplaces and token economies, but players still hit the same wall before the fun starts: wallets, seed phrases, network setup, gas requirements and unfamiliar transaction language. The first UX failure happens before the game even begins.

Then the second failure happens inside the session. When an action needs blockchain settlement, players are interrupted by wallet popups, transaction confirmations, external marketplaces and waiting screens. That breaks flow. And when the match ends, the player often still cannot understand what happened underneath without reading raw hashes and explorer pages like a part-time analyst. Tiny miracle that anyone keeps playing.

Evidence to cite

Blockchain Game Alliance 2024 State of the Industry material reports that 53.9% of surveyed blockchain-gaming professionals identified onboarding challenges and poor UX as the industry's largest challenge. Use this carefully: it is industry-professional survey evidence, not a direct gamer abandonment study.

A 2024 academic paper, "Stealing Trust: Unraveling Blind Message Attacks in Web3 Authentication," found 22 of 29 real-world Web3 authentication deployments vulnerable to the studied blind-message attack patterns. Use this as security-supporting evidence for reducing repeated opaque signing, not as a claim about all Web3 games.

Problem 1: before play

Players encounter wallet installation, seed phrase management, network configuration, native token funding and technical account terminology before the experience has earned their attention. That is the first UX wall.

Solution: Magic handles the first step. The player continues with Google or email. An embedded wallet is created silently. ZeroDev then initializes the smart account behind the scenes. The player does not need MetaMask, seed phrases, network switching or native gas tokens just to begin.

Sponsor framing: Magic is not just "login." Magic is the layer that lets a normal player enter with a familiar identity flow instead of being forced into crypto-native wallet setup.

Problem 2: during play

During a gameplay session, blockchain activity usually appears at the worst possible time. A player performs an action, then gets a wallet popup. They sign something they barely understand, wait for confirmation, lose

flow, and return to the game less immersed than before.

Solution: before each session, the player only chooses one thing: the maximum amount they are comfortable allocating to that session. They authorize once. The limit persists through that session, so later in-session purchases and settlement actions can happen without extra wallet popups or repeated signing requests.

This does add one decision before the session, but it is intentional. It gives the player control over spending and reduces wallet-draining risk. The app does not ask the player to configure contract allowlists, function permissions or expiry rules. The player sets the budget; ZeroDev enforces the technical boundaries underneath.

Sponsor framing: ZeroDev powers the session layer: smart accounts, scoped permissions, transaction batching, gas sponsorship and chain-abstracted balances. If a player already has balances across supported chains, ZeroDev can present those balances as one spendable balance instead of making the player manually think about chains and bridges.

Problem 3: marketplaces interrupt the match

If a player runs out of an item mid-session, the typical Web3 pattern is terrible: leave the game, open a marketplace, reconnect a wallet, approve a transaction, wait, and return. That is not commerce inside a game. That is a side quest through financial plumbing.

Solution: embed the marketplace moment directly where the need appears. If the player runs out of an item, they click it in the session UI. They see the item price and the remaining session allocation. If the purchase fits within the limit they already approved, the purchase can proceed without a new wallet popup.

The player experiences a normal in-game purchase. The blockchain work is deferred and batched. At the end of the session, while the interface says “finalising results” or “calculating rewards,” the app performs the necessary settlement actions behind the scenes.

Problem 4: players cannot understand what happened afterward

Hiding blockchain during play should not mean hiding accountability. Players need transparency after the session, but in human language first.

Solution: after the session, show a summary of what happened: session authorized, item purchased, session purchases settled, reward recorded and unused limit preserved. Each activity gets a readable label first, then an explorer link for verification.

This also helps reduce blind-signing exposure. The system replaces repeated opaque prompts with one typed, scoped session authorization, then provides labelled transaction history afterward. It does not claim to solve every blind-message attack in Web3. It reduces the number and ambiguity of signatures players face.

Arbitrum positioning

All contract logic and settlement live on Arbitrum. Position Arbitrum as the execution and settlement foundation: stable, EVM-compatible, low-friction and suitable for frequent consumer transactions. Do not call it a gaming-only blockchain. Call it the chain powering the game’s settlement and contract logic behind the scenes.

Slide structure

Slide	Purpose	Main message
-------	---------	--------------

1	Problem opener	Web3 gaming still asks players to operate wallets before play.
2	Session friction	Wallet popups, waiting and external marketplaces break flow.
3	Solution flow	One login, one session limit, one authorization, no interruptions.
4	Marketplace + batching	Purchases happen inside the session; settlement is deferred and batched.
5	Transparency + sponsors	Labelled post-session proof on Arbitrum; Magic and ZeroDev are integrated where they matter.

Do not say in the pitch

- Do not describe the specific game before the demo.
- Do not overclaim unverifiable “70-90% wallet abandonment” unless you later find a primary source.
- Do not say Arbitrum is a gaming blockchain. It is a general-purpose Ethereum L2 with strong consumer and gaming relevance.
- Do not claim the system eliminates blind-signing attacks universally.
- Do not make the deck sound like an infrastructure project. Keep the story as a player-experience improvement.

Live source links for deck and pitch

BGA 2024 State of the Industry material: <https://blockchaingamealliance.net/wp-content/uploads/2025/06/12-Christmas-magazine-2024-2.pdf>

ZeroDev + Magic integration: https://docs.zerodev.app/sdk/v5_3_x/signers/magic

Magic recipe for ZeroDev account abstraction: <https://docs.magic.link/recipes/embedded-wallets/zerodev-account-abstraction>

ZeroDev permissions/session keys: <https://docs.zerodev.app/smart-accounts/permissions/intro>

ZeroDev chain-abstracted balance overview: <https://docs.zerodev.app/smart-accounts/chain-abstraction/overview>

ZeroDev account-abstraction capabilities: <https://docs.zerodev.app/blog/7702-for-dapps>

Magic fiat on-ramp docs: <https://docs.magic.link/embedded-wallets/wallets/features/fiat-on-ramps>

Magic wallet widget / on-ramp notes: <https://docs.magic.link/embedded-wallets/wallets/customization/widget-ui>

Blind-message attacks paper: <https://arxiv.org/abs/2406.00523>

Arbitrum docs: <https://docs.arbitrum.io/>

Final one-sentence pitch

Players enter with Magic, set one safe session limit, play without wallet interruptions, make in-session purchases without external marketplaces, then receive labelled Arbitrum proof of what happened - powered by ZeroDev sessions, batching and chain abstraction underneath.