

### (Average of past 24 hours)

| S.No | City         | Air Quality  | Index Value | Prominent Pollutant                  | Based on Number<br>of Monitoring<br>Stations |
|------|--------------|--------------|-------------|--------------------------------------|--|
| 1    | Agra         | Satisfactory | 94          | PM <sub>2.5</sub>                    | 1  |
| 2    | Ahmedabad    | Satisfactory | 95          | SO <sub>2</sub>                      | 1  |
| 3    | Ajmer        | Moderate     | 118         | PM <sub>10</sub>                     | 1  |
| 4    | Alwar        | Moderate     | 138         | PM <sub>2.5</sub>                    | 1  |
| 5    | Amaravati    | Satisfactory | 66          | PM <sub>10</sub>                     | 1  |
| 6    | Asanol       | Satisfactory | 77          | PM <sub>2.5</sub>                    | 1  |
| 7    | Aurangabad   | Satisfactory | 50          | PM <sub>10</sub>                     | 1  |
| 8    | Baghpat      | Poor         | 284         | PM <sub>10</sub>                     | 1  |
| 9    | Bathinda     | Satisfactory | 68          | PM <sub>10</sub>                     | 1  |
| 10   | Bengaluru    | Satisfactory | 75          | PM <sub>10</sub> , PM <sub>2.5</sub> | 10   |
| 11   | Bhiwadi      | Poor         | 298         | PM <sub>10</sub>                     | 1  |
| 12   | Brajrajnagar | Moderate     | 142         | PM <sub>2.5</sub>                    | 1  |

## Possible Health Impacts

| Good   | Minimal Impact  |  |
|--|---|--|
| Satisfactory Minor breathing discomfort to sensitive people    |   |  |
| Moderate   | Breathing discomfort to the people with lungs, asthma and heart diseases  |  |
| Poor Breathing discomfort to most people on prolonged exposure |   |  |
| Very Poor  | Respiratory illness on prolonged exposure                                 |  |
| Severe   | Affects healthy people and seriously impacts those with existing diseases |  |

- \* AQI is not calculated for today's bulletin for Amritsar, Kalaburgi, Kota, Navi Mumbai, Pali, Rupnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

| S.No | City           | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|----------------|--------------|-------------|---------------------|--|
| 13   | Bulandshahr    | Poor         | 226         | PM <sub>10</sub>    | 1  |
| 14   | Chandrapur     | Satisfactory | 97          | PM <sub>10</sub>    | 1  |
| 15   | Chennai        | Satisfactory | 94          | PM <sub>2.5</sub>   | 2  |
| 16   | Chikkaballapur | Satisfactory | 81          | PM <sub>10</sub>    | 1  |
| 17   | Delhi          | Poor         | 216         | PM <sub>10</sub>    | 34   |
| 18   | Dewas          | Moderate     | 102         | PM <sub>10</sub>    | 1  |
| 19   | Durgapur       | Moderate     | 149         | PM <sub>10</sub>    | 1  |
| 20   | Faridabad      | Poor         | 257         | PM <sub>2.5</sub>   | 1  |
| 21   | Gaya           | Satisfactory | 80          | NO <sub>2</sub>     | 1  |
| 22   | Ghaziabad      | Poor         | 226         | PM <sub>10</sub>    | 1  |
| 23   | Greater_Noida  | Poor         | 253         | PM <sub>10</sub>    | 1  |
| 24   | Gurgaon        | Poor         | 276         | PM <sub>2.5</sub>   | 1  |

## Possible Health Impacts

| Good   | Minimal Impact  |  |
|--|---|--|
| Satisfactory Minor breathing discomfort to sensitive people    |   |  |
| Moderate   | Breathing discomfort to the people with lungs, asthma and heart diseases  |  |
| Poor Breathing discomfort to most people on prolonged exposure |   |  |
| Very Poor  | Respiratory illness on prolonged exposure                                 |  |
| Severe   | Affects healthy people and seriously impacts those with existing diseases |  |

- \* AQI is not calculated for today's bulletin for Amritsar, Kalaburgi, Kota, Navi Mumbai, Pali, Rupnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

| S.No | City       | Air Quality  | Index Value | Prominent Pollutant                  | Based on Number<br>of Monitoring<br>Stations |
|------|------------|--------------|-------------|--------------------------------------|--|
| 25   | Haldia     | Satisfactory | 94          | PM <sub>10</sub>                     | 1  |
| 26   | Howrah     | Satisfactory | 93          | PM <sub>2.5</sub> , PM <sub>10</sub> | 2  |
| 27   | Hyderabad  | Satisfactory | 90          | PM <sub>10</sub> , NO <sub>2</sub>   | 5  |
| 28   | Jaipur     | Moderate     | 150         | PM <sub>2.5</sub> , PM <sub>10</sub> | 3  |
| 29   | Jalandhar  | Satisfactory | 90          | PM <sub>2.5</sub>                    | 1  |
| 30   | Jodhpur    | Poor         | 201         | PM <sub>10</sub>                     | 1  |
| 31   | Jorapokhar | Moderate     | 115         | PM <sub>10</sub>                     | 1  |
| 32   | Kanpur     | Moderate     | 107         | PM <sub>2.5</sub>                    | 1  |
| 33   | Khanna     | Satisfactory | 84          | PM <sub>10</sub>                     | 1  |
| 34   | Kolkata    | Satisfactory | 77          | PM <sub>10</sub>                     | 1  |
| 35   | Lucknow    | Satisfactory | 94          | PM <sub>2.5</sub>                    | 4  |
| 36   | Ludhiana   | Satisfactory | 90          | PM <sub>2.5</sub>                    | 1  |

### Possible Health Impacts

| Good  | Minimal Impact  |  |
|---|---|--|
| Satisfactory Minor breathing discomfort to sensitive people |   |  |
| Moderate  | Breathing discomfort to the people with lungs, asthma and heart diseases  |  |
| Poor  | Oor Breathing discomfort to most people on prolonged exposure             |  |
| Very Poor   | Respiratory illness on prolonged exposure                                 |  |
| Severe  | Affects healthy people and seriously impacts those with existing diseases |  |

- \* AQI is not calculated for today's bulletin for Amritsar, Kalaburgi, Kota, Navi Mumbai, Pali, Rupnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

| S.No | City             | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|------------------|--------------|-------------|---------------------|--|
| 37   | Mandi Gobindgarh | Satisfactory | 62          | PM <sub>10</sub>    | 1  |
| 38   | Mandideep        | Moderate     | 121         | PM <sub>10</sub>    | 1  |
| 39   | Moradabad        | Moderate     | 120         | PM <sub>10</sub>    | 1  |
| 40   | Mumbai           | Satisfactory | 60          | со                  | 1  |
| 41   | Muzaffarnagar    | Moderate     | 165         | PM <sub>10</sub>    | 1  |
| 42   | Muzaffarpur      | Satisfactory | 70          | OZONE               | 1  |
| 43   | Nagpur           | Satisfactory | 64          | PM <sub>10</sub>    | 1  |
| 44   | Nashik           | Good         | 40          | PM <sub>10</sub>    | 1  |
| 45   | Noida            | Poor         | 254         | PM <sub>10</sub>    | 2  |
| 46   | Panchkula        | Moderate     | 106         | PM <sub>2.5</sub>   | 1  |
| 47   | Patiala          | Satisfactory | 85          | PM <sub>10</sub>    | 1  |
| 48   | Patna            | Satisfactory | 86          | PM <sub>2.5</sub>   | 1  |

## Possible Health Impacts

| Good   | Minimal Impact  |  |
|--|---|--|
| Satisfactory Minor breathing discomfort to sensitive people    |   |  |
| Moderate   | Breathing discomfort to the people with lungs, asthma and heart diseases  |  |
| Poor Breathing discomfort to most people on prolonged exposure |   |  |
| Very Poor  | Respiratory illness on prolonged exposure                                 |  |
| Severe   | Affects healthy people and seriously impacts those with existing diseases |  |

- \* AQI is not calculated for today's bulletin for Amritsar, Kalaburgi, Kota, Navi Mumbai, Pali, Rupnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

| S.No | City               | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 49   | Pithampur          | Moderate     | 103         | PM <sub>10</sub>    | 1  |
| 50   | Pune               | Satisfactory | 52          | со                  | 1  |
| 51   | Rajamahendravaram  | Satisfactory | 92          | PM <sub>10</sub>    | 1  |
| 52   | Rohtak             | Moderate     | 100         | PM <sub>2.5</sub>   | 1  |
| 53   | Satna              | Moderate     | 122         | PM <sub>10</sub>    | 1  |
| 54   | Siliguri           | Good         | 44          | PM <sub>10</sub>    | 1  |
| 55   | Singrauli          | Moderate     | 125         | PM <sub>10</sub>    | 1  |
| 56   | Solapur            | Satisfactory | 52          | PM <sub>10</sub>    | 1  |
| 57   | Thane              | Good         | 47          | NO <sub>2</sub>     | 1  |
| 58   | Thiruvananthapuram | Satisfactory | 52          | со                  | 1  |
| 59   | Tirupati           | Satisfactory | 82          | PM <sub>10</sub>    | 1  |
| 60   | Udaipur            | Satisfactory | 67          | PM <sub>10</sub>    | 1  |

## Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

- \* AQI is not calculated for today's bulletin for Amritsar, Kalaburgi, Kota, Navi Mumbai, Pali, Rupnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

| S.No | City          | Air Quality | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|---------------|-------------|-------------|---------------------|--|
| 61   | Ujjain        | Moderate    | 107         | PM <sub>10</sub>    | 1  |
| 62   | Visakhapatnam | Moderate    | 147         | PM <sub>10</sub>    | 1  |

## Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

- \* AQI is not calculated for today's bulletin for Amritsar, Kalaburgi, Kota, Navi Mumbai, Pali, Rupnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.