# Cucumber Report

| Start : Oct 08, 11:00:17.347 AM | End : Oct 08, 11:00:20.476 AM | Duration : 3.129 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 11<br>SKIPPED - 0 | PASSED - 11<br>FAILED - 11<br>SKIPPED - 18 |

**Features**

1

0 %

**Scenarios**

11

0 %

**Steps**

40

27 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *Verify Xealei Login Page* | 3.129 s | 11 | 0 | 11 | 0 | 40 | 11 | 11 | 18 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Verify Xealei Login Page* | *To verify the web url link for login page* |
| 2 | | *To verify the login page for fields, logo & button.* |
| 3 | | *To verify the eye icon is working in Password field.* |
| 4 | | *To verify the Privacy Policy link.* |
| 5 | | *To verify Xealei Login page with Invalid credentials* |
| 6 | | *To verify Xealei Login Page by enter only valid Email/Username* |
| 7 | | *To verify Xealei Login Page by enter only valid Password* |
| 8 | | *To verify Xealei Login Page by enter only valid Email/Username and Invalid Password* |
| 9 | | *To verify Xealei Login Page without enter Email/Username and Password* |
| 10 | | *To verify Xealei login page with valid credentials* |
| 11 | | *To verify Xealei login page by click the ENTER key with valid credentials* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Login-AllScenarios | 11 | 0 | 11 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Verify Xealei Login Page | 11 | 0 | 11 | 0 | 3.129 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Verify Xealei Login Page | To verify the web url link for login page | 3 | 1 | 1 | 1 | 0.109 s |
| 2 | | To verify the login page for fields, logo & button. | 9 | 1 | 1 | 7 | 0.024 s |
| 3 | | To verify the eye icon is working in Password field. | 5 | 1 | 1 | 3 | 2.004 s |
| 4 | | To verify the Privacy Policy link. | 3 | 1 | 1 | 1 | 0.009 s |
| 5 | | To verify Xealei Login page with Invalid credentials | 3 | 1 | 1 | 1 | 0.128 s |
| 6 | | To verify Xealei Login Page by enter only valid Email/Username | 3 | 1 | 1 | 1 | 0.148 s |
| 7 | | To verify Xealei Login Page by enter only valid Password | 3 | 1 | 1 | 1 | 0.104 s |
| 8 | | To verify Xealei Login Page by enter only valid Email/Username and Invalid Password | 3 | 1 | 1 | 1 | 0.084 s |
| 9 | | To verify Xealei Login Page without enter Email/Username and Password | 3 | 1 | 1 | 1 | 0.005 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 10 | | _To verify Xealei login page with valid credentials_ | 3 | 1 | 1 | 1 | 0.075 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 11 | Verify Xealei Login Page | To verify Xealei login page by click the ENTER key with valid credentials | 2 | 1 | 1 | 0 | 0.097 s |

## Verify Xealei Login Page

| FAILED | DURATION - 3.129 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 11 | | Total - 40 | |
| / 11:00:17.347 AM // 11:00:20.476 AM / | | Pass - 0 | 11 | Pass - 11 | 40 |
| | | Fail - 11 | | Fail - 11 | |
| | | Skip - 0 | | Skip - 18 | |

### To verify the web url link for login page

| FAILED | DURATION - 0.109 s | | Steps | |
|---|---|---|---|---|
| / 11:00:17.355 AM // 11:00:17.464 AM / | | | Total - 3 | |
| | | | Pass - 1 | 3 |
| *Verify Xealei Login Page* | | | Fail - 1 | |
| @Login-AllScenarios | | | Skip - 1 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on Xealei login page | PASSED | 0.011 s |
| 2 | Then User must verify the login page is displayed | FAILED | 0.053 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy19.getText(Unknown Source)<br>   at org.alphind.xealei.baseclass.BaseClass.getText(BaseClass.java:388)<br>   at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_verify_the_login_page_is_displayed(LoginPageStep.java:33)<br>   at ?.User must verify the login page is displayed(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:17)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | Then User must verify the tab url address for login screen | SKIPPED | 0.001 s |

### To verify the login page for fields, logo & button.

| FAILED | DURATION - 0.024 s |
|---|---|
| / 11:00:17.562 AM // 11:00:17.586 AM / | |
| Verify Xealei Login Page | |
| @Login-AllScenarios | |

Steps
Total - 9
Pass - 1
Fail - 1
Skip - 7

9

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on Xealei login page | PASSED | 0.001 s |
| 2 | Then User must verify the Login text is displayed | FAILED | 0.003 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy19.getText(Unknown Source)<br>    at org.alphind.xealei.baseclass.BaseClass.getText(BaseClass.java:388)<br>    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_verify_the_login_text_is_displayed(LoginPageStep.java:62)<br>    at ?.User must verify the Login text is displayed(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:21)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | Then User must verify the Email and password fields contains * symbol | SKIPPED | 0.000 s |
| 4 | Then User must verify the Email textbox contains "Email" text | SKIPPED | 0.001 s |
| 5 | Then User must verify the Password textbox contains "Password" text | SKIPPED | 0.001 s |
| 6 | Then User must verify the eye icon is displayed | SKIPPED | 0.000 s |
| 7 | Then User must verify the "Login" text is displayed in Login button | SKIPPED | 0.000 s |
| 8 | Then User must verify the Forget password link is displayed | SKIPPED | 0.000 s |
| 9 | Then User must verify the copy rights "Powered by Alphind © 2023" text is displayed | SKIPPED | 0.001 s |

**To verify the eye icon is working in Password field.**

| *FAILED* | *DURATION - 2.004 s* |
|---|---|

*/ 11:00:17.611 AM // 11:00:19.615 AM /*

*Verify Xealei Login Page*

@Login-AllScenarios



**Steps**
Total - 5
Pass - 1
Fail - 1
Skip - 3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on Xealei login page | PASSED | 0.000 s |
| 2 | When User must enter password in password textbox | FAILED | 1.993 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy19.sendKeys(Unknown Source)<br>    at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134)<br>    at org.alphind.xealei.pages.LoginPage.enterPassword(LoginPage.java:160)<br>    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_password_in_password_textbox(LoginPageStep.java:149)<br>    at ?.User must enter password in password textbox(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:31)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | Then User must verify the entered password in password textbox is display as hidden | SKIPPED | 0.000 s |
| 4 | And User must click the eye icon | SKIPPED | 0.001 s |
| 5 | Then User must verify the password is display as Unhidden | SKIPPED | 0.000 s |

### To verify the Privacy Policy link.

| *FAILED* | *DURATION - 0.009 s* |
|---|---|

*/ 11:00:19.659 AM // 11:00:19.668 AM /*

*Verify Xealei Login Page*

@Login-AllScenarios



**Steps**
Total - 3
Pass - 1
Fail - 1
Skip - 1

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on Xealei login page | PASSED | 0.002 s |
| 2 | When User must click the Privacy Policy | FAILED | 0.003 s |
|   | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy19.click(Unknown Source)<br>    at org.alphind.xealei.baseclass.BaseClass.click(BaseClass.java:193)<br>    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_click_the_privacy_policy(LoginPageStep.java:197)<br>    at ?.User must click the Privacy Policy(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:37)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | Then User must verify "PRIVACY POLICY" popup should be displayed after click the Privacy Policy link | SKIPPED | 0.001 s |

### To verify Xealei Login page with Invalid credentials

| FAILED | DURATION - 0.128 s | | Steps | |
|---|---|---|---|---|
| / 11:00:19.691 AM // 11:00:19.819 AM / | | | Total - 3<br>Pass - 1<br>Fail - 1<br>Skip - 1 | 3 |
| Verify Xealei Login Page | | | | |
| @Login-AllScenarios | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on Xealei login page | PASSED | 0.000 s |
| 2 | When User must perform invalid email and password and click Login button | FAILED | 0.124 s |
|   | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy19.sendKeys(Unknown Source)<br>    at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134)<br>    at org.alphind.xealei.pages.LoginPage.LoginWithInvalidCredentials(LoginPage.java:165)<br>    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_perform_invalid_email_and_password_and_click_login_button(LoginPageStep.java:213)<br>    at ?.User must perform invalid email and password and click Login button(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:41) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then User must verify the error message after click the Login button "User not found" | SKIPPED | 0.001 s |

### To verify Xealei Login Page by enter only valid Email/Username

| FAILED | DURATION - 0.148 s |
|---|---|
| / 11:00:19.845 AM // 11:00:19.993 AM / | |
| Verify Xealei Login Page | |
| @Login-AllScenarios | |

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on Xealei login page | PASSED | 0.005 s |
| 2 | When User must enter valid email in email textbox and click Login button without enter password | FAILED | 0.128 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy19.sendKeys(Unknown Source)<br>    at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134)<br>    at org.alphind.xealei.pages.LoginPage.LoginWithValidEmail(LoginPage.java:173)<br>    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_valid_email_in_email_textbox_and_click_login_button_without_enter_password(LoginPageStep.java:231)<br>    at ?.User must enter valid email in email textbox and click Login button without enter password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:45)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | Then User must verify the error message contains for password after click the Login button "Please enter password" | SKIPPED | 0.001 s |

### To verify Xealei Login Page by enter only valid Password

| FAILED | DURATION - 0.104 s |
|---|---|
| / 11:00:20.020 AM // 11:00:20.124 AM / | |
| Verify Xealei Login Page | |
| @Login-AllScenarios | |

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on Xealei login page | PASSED | 0.000 s |
| 2 | When User must enter valid password in password textbox and click Login button without enter email | FAILED | 0.098 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy19.sendKeys(Unknown Source)<br>   at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134)<br>   at org.alphind.xealei.pages.LoginPage.LoginWithValidPassword(LoginPage.java:185)<br>   at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_valid_password_in_password_textbox_and_click_login_button_without_enter_email(LoginPageStep.java:248)<br>   at ?.User must enter valid password in password textbox and click Login button without enter email(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:49)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | Then User must verify the error message contains for email after click the Login button "Please enter email ID" | SKIPPED | 0.000 s |

### To verify Xealei Login Page by enter only valid Email/Username and Invalid Password

| FAILED | DURATION - 0.084 s |
|---|---|
| / 11:00:20.153 AM // 11:00:20.237 AM / | |
| Verify Xealei Login Page | |
| @Login-AllScenarios | |

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on Xealei login page | PASSED | 0.000 s |
| 2 | When User must enter valid email and invalid password and click Login button | FAILED | 0.080 s |
|  | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy19.sendKeys(Unknown Source)<br>   at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134)<br>   at org.alphind.xealei.pages.LoginPage.LoginWithValidEmailAndInvalidPassword(LoginPage.java:197)<br>   at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_valid_email_and_invalid_password_and_click_login_button(LoginPageStep.java:264)<br>   at ?.User must enter valid email and invalid password and click Login button(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:53)<br>* Not displayable characters are replaced by '?'. |  |  |
| 3 | Then User must verify the error message after enter valid email, invalid password and click the Login button "Incorrect password" | SKIPPED | 0.001 s |

## To verify Xealei Login Page without enter Email/Username and Password

| FAILED | *DURATION - 0.005 s* | Steps | |
|---|---|---|---|
| */ 11:00:20.263 AM // 11:00:20.268 AM /* | | Total - 3 | |
| | | Pass - 1 | |
| *Verify Xealei Login Page* | | Fail - 1 | |
| | | Skip - 1 | |
| @Login-AllScenarios | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on Xealei login page | PASSED | 0.000 s |
| 2 | When User click Login button without enter username and password | FAILED | 0.002 s |
|  | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because "org.alphind.xealei.baseclass.BaseClass.driver" is null<br>   at org.alphind.xealei.baseclass.BaseClass.waitForPageLoad(BaseClass.java:439)<br>   at org.alphind.xealei.pages.LoginPage.clickLoginButtonWithoutEnterCredentials(LoginPage.java:211)<br>   at org.alphind.xealei.stepdefinition.LoginPageStep.user_click_login_button_without_enter_username_and_password(LoginPageStep.java:281)<br>   at ?.User click Login button without enter username and password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:57)<br>* Not displayable characters are replaced by '?'. |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 3 | Then User must verify the error message contains for both email and password after click the Login button "Please enter email ID" and "Please enter password" | SKIPPED | 0.000 s |

### To verify Xealei login page with valid credentials

| | | | |
|---|---|---|---|
| *FAILED* | *DURATION - 0.075 s* | | Steps |
| */ 11:00:20.285 AM // 11:00:20.360 AM /* | | | Total - 3 |
| | | | Pass - 1 |
| *Verify Xealei Login Page* | | | Fail - 1 |
| | | | Skip - 1 |
| @Login-AllScenarios | | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given User is on Xealei login page | PASSED | 0.000 s |
| 2 | When User must perform login with valid email and password | FAILED | 0.073 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy19.sendKeys(Unknown Source)<br>    at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134)<br>    at org.alphind.xealei.pages.LoginPage.LoginWithValidCredentials(LoginPage.java:220)<br>    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_perform_login_with_valid_email_and_password(LoginPageStep.java:301)<br>    at ?.User must perform login with valid email and password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:61)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | Then User must verify once the page is navigate to HOME_DASHBOARD successfully "Home" | SKIPPED | 0.001 s |

### To verify Xealei login page by click the ENTER key with valid credentials

| FAILED | DURATION - 0.097 s |
|---|---|

/ 11:00:20.379 AM // 11:00:20.476 AM /

*Verify Xealei Login Page*

@Login-AllScenarios

**Steps**
Total - 2
Pass - 1
Fail - 1
Skip - 0

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on Xealei login page | PASSED | 0.001 s |
| 2 | When User must perform login with valid email and password by click the Enter key | FAILED | 0.094 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy19.sendKeys(Unknown Source)<br>    at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134)<br>    at org.alphind.xealei.pages.LoginPage.LoginUsingEnterKey(LoginPage.java:235)<br>    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_perform_login_with_valid_email_and_password_by_click_the_enter_key(LoginPageStep.java:309)<br>    at ?.User must perform login with valid email and password by click the Enter key(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:65)<br>* Not displayable characters are replaced by '?'. | | |