


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Verify Xealei Login Page	1 m 58.795 s	11	10	1	0	41	40	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Verify Xealei Login Page	To verify Xealei login page by click the ENTER key with valid credentials


TAG		Scer	nario		T P		eature	
Name	T	P	F	S	T	P	F	S
@Login-AllScenarios	11	10	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



1	#	Feature Name	T	P	F	S	Duration
2	1	Verify Xealei Login Page	11	10	1	0	1 m 58.795 s


SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verify Xealei Login Page	To verify the web url link for login page	3	3	0	0	14.051 s
2		To verify the login page for fields, logo & button.	9	9	0	0	7.254 s
3		To verify the eye icon is working in Password field.	5	5	0	0	7.329 s
4		To verify the Privacy Policy link.	3	3	0	0	5.869 s
5		To verify Xealei Login page with Invalid credentials	3	3	0	0	9.454 s
6		To verify Xealei Login Page by enter only valid Email/Username	3	3	0	0	6.126 s
7		To verify Xealei Login Page by enter only valid Password	3	3	0	0	6.263 s
8		To verify Xealei Login Page by enter only valid Email/Username and Invalid Password	3	3	0	0	8.759 s
9		To verify Xealei Login Page without enter Email/Username and Password	3	3	0	0	6.110 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10		To verify Xealei login page by click the ENTER key with valid credentials	3	2	1	0	32.097 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Verify Xealei Login Page	To verify Xealei login page with valid credentials	3	3	0	0	15.163 s

DETAILED SECTION -- 9 --

Verify Xealei Login Page

FAILED	DURATION - 1 m 58.795 s	Scenarios Total - 11		Steps Total - 41	
/ 2:08:59.748 PM // 2	:10:58.543 PM /	Pass - 10 Fail - 1	11	Pass - 40	41
		Skip - 0		Skip - 0	

To verify the web url link for login page




#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.002 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.182 s
	To verify the web url link for login page		
	CODA Coult* Coult* Passand* Pass		
2	Then User must verify the login page is displayed	PASSED	0.082 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.139 s
	To verify the web url link for login page		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	USON Email* Fractional * Processor * Processor * Copy Processor Rate Fractions Rate Fr		
3	Then User must verify the tab url address for login screen	PASSED	0.120 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.122 s
	To verify the web url link for login page]	
	Con tout * Frances Con to		

To verify the login page for fields, logo & button.



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.118 s
	To verify the login page for fields, logo & button.		


#	Step / Hook Details	Status	Duration
	COOR Const* Exact Passerd* Proceed Copy Frameword Copy Frameword Copy Frameword Copy Frameword F		
2	Then User must verify the Login text is displayed	PASSED	0.084 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.113 s
	To verify the login page for fields, logo & button.		
3	Then User must verify the Email and password fields contains * symbol	PASSED	0.067 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify the login page for fields, logo & button.	PASSED	0.129 s
4	Then User must verify the Email textbox contains "Email" text	PASSED	0.074 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.105 s
	To verify the login page for fields, logo & button.		

#	Step / Hook Details	Status	Duration
	Cook Coul* East Passed * Framed		
5	Then User must verify the Password textbox contains "Password" text	PASSED	0.063 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.096 s
	To verify the login page for fields, logo & button.		
	Content of the conten		
6	Then User must verify the eye icon is displayed	PASSED	0.041 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.090 s
	To verify the login page for fields, logo & button.		
7	Then User must verify the "Login" text is displayed in Login button	PASSED	0.057 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.100 s
	To verify the login page for fields, logo & button.		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	Cost Cost Cost Features Passent G Facult G Facu		
8	Then User must verify the Forget password link is displayed	PASSED	0.064 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify the login page for fields, logo & button.	PASSED	0.095 s
9	Then User must verify the copy rights "Powered by Alphind © 2023" text is displayed	PASSED	0.063 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify the login page for fields, logo & button.	PASSED	0.098 s

To verify the eye icon is working in Password field.




#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.132 s
	To verify the eye icon is working in Password field.		
	LOOK Enuit Enuit Passeout Passeout Superinament Loop Frequent (august 2 202)		
2	When User must enter password in password textbox	PASSED	0.244 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.134 s
	To verify the eye icon is working in Password field.		
	COOK Coult Enail* Exact Passured 1 Copy (count counts) Copy (count		
3	Then User must verify the entered password in password textbox is display as hidden	PASSED	0.040 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.119 s
	To verify the eye icon is working in Password field.		

DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
	Cook Enal* Total Personed* Personed* Institute annual total Annual Total Remail Manage Stall		
4	And User must click the eye icon	PASSED	0.131 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify the eye icon is working in Password field.	PASSED	0.125 s
	Code Code Code Code Personer Personer to top Logo Person totay Promote to diginal \$2000		
5	Then User must verify the password is display as Unhidden	PASSED	0.041 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify the eye icon is working in Password field. Vealet Content Content	PASSED	0.106 s


To verify the Privacy Policy link.



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify the Privacy Policy link. Vealet Vealet	PASSED	0.093 s
2	When User must click the Privacy Policy	PASSED	0.142 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.sssAfterStep(io.cucumber.java.Scenario) To verify the Privacy Policy link. PRIVACY POLICY The part or a recompliage an efficient foliation foliation to be an indicated in the control of the privacy and the control of the part of of the	PASSED	0.188 s
3	Then User must verify "PRIVACY POLICY" popup should be displayed after click the Privacy Policy link	PASSED	0.052 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify the Privacy Policy link.	PASSED	0.153 s

#	Step / Hook Details	Status	Duration
	PRIVACY POLICY The grows is suggested to us, so Adjude Software Softwares, Inclined, has centred the following place in Policy (Policy)' in the years have read an antimemous we collect what so, years under which adjudention are for single-to-the-order with an antiper some requirements usuan to reduce depolarisation for the land the policy and the soft of the antiper policy of the policy of the soft of the software of the soft		

To verify Xealei Login page with Invalid credentials




#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.110 s
	To verify Xealei Login page with Invalid credentials		
	CODE Coult Coult		
2	When User must perform invalid email and password and click Login button	PASSED	0.578 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	2.718 s
	To verify Xealei Login page with Invalid credentials		

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	Xealei LOGA Emil* haspination Person! Irguiramon! Irguiramon! Proce Trace Among Trace A		
3	Then User must verify the error message after click the Login button "User not found"	PASSED	0.066 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.085 s
	To verify Xealei Login page with Invalid credentials		
	Code Emil* Insignation Passand* Fragionand Insignation Fragionand Insignation		

To verify Xealei Login Page by enter only valid Email/Username




#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.101 s
	To verify Xealei Login Page by enter only valid Email/Username		

DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
	Xealei Local Emai* Deal Passared* Passar		
2	When User must enter valid email in email textbox and click Login button without enter password	PASSED	0.324 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.130 s
	To verify Xealei Login Page by enter only valid Email/Username Vealei Vealei		
3	Then User must verify the error message contains for password after click the Login button "Please enter password"	PASSED	0.039 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify Xealei Login Page by enter only valid Email/Username Valid	PASSED	0.105 s

To verify Xealei Login Page by enter only valid Password

DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.096 s
	To verify Xealei Login Page by enter only valid Password		
	Code Enal* State Passoret* Passoret Passoret Passoret Passoret Impo Passoret Passoret Impo Passoret Passo		
2	When User must enter valid password in password textbox and click Login button without enter email	PASSED	0.315 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.130 s
	To verify Xealei Login Page by enter only valid Password		
	Coult		
3	Then User must verify the error message contains for email after click the Login button "Please enter email ID"	PASSED	0.034 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.101 s
	To verify Xealei Login Page by enter only valid Password		

#	Step / Hook Details	Status	Duration
	Xealei Loon		
	Email *		
	Passaud *		
	Figuration of Copy Copy Copy Copy Copy Copy Copy Copy		
	Present by Ashard 2023		


To verify Xealei Login Page by enter only valid Email/Username and Invalid Password

PASSED DURATION - 8.759 s	0.6 - Steps	
/ 2:09:56.340 PM // 2:10:05.099 PM /	0.4	
Verify Xealei Login Page	02 -	3
@Login-AllScenarios		

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.100 s
	To verify Xealei Login Page by enter only valid Email/Username and Invalid Password		
	XCaleT 1,000 Comat * Comat *		
2	When User must enter valid email and invalid password and click Login button	PASSED	0.489 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	2.725 s
	To verify Xealei Login Page by enter only valid Email/Username and Invalid Password		

#	Step / Hook Details	Status	Duration
	Code Enai * Inglessoro * Passoro * Inglessoro * Ingle		
3	Then User must verify the error message after enter valid email, invalid password and click the Login button "Incorrect password"	PASSED	0.068 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.085 s
	To verify Xealei Login Page by enter only valid Email/Username and Invalid Password Xealei		
	Presented a agence (2 (III)) Increment parameters six		

To verify Xealei Login Page without enter Email/Username and Password




#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.099 s
	To verify Xealei Login Page without enter Email/Username and Password		

DETAILED SECTION -- 23 --

#	Step / Hook Details	Status	Duration
	Code Code Code Code Passed Passed Fractions Code Code Fractions Code Code		
2	When User click Login button without enter username and password	PASSED	0.131 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.104 s
	To verify Xealei Login Page without enter Email/Username and Password Comparison		
3	Then User must verify the error message contains for both email and password after click the Login button "Please enter email ID" and "Please enter password"	PASSED	0.065 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.097 s
	To verify Xealei Login Page without enter Email/Username and Password Xealei		

To verify Xealei login page by click the ENTER key with valid credentials



#	Step / Hook Details	Status	Duration		
1	Given User is on Xealei login page	PASSED	0.000 s		
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.114 s		
	To verify Xealei login page by click the ENTER key with valid credentials				
	Could				
2	When User must perform login with valid email and password by click the Enter key	PASSED	0.811 s		
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED 0.138 s			
	To verify Xealei login page by click the ENTER key with valid credentials	1			
	Xeale! LOGH Email* Inquasion com Password* —— I Page (connect) Logn Password to Append 5/203				
3	Then User must verify once the page is navigate to HOME_DASHBOARD successfully "Home"	FAILED	25.082 s		
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[@x-page='home']"} (Session info: headless chrome=117.0.5938.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [79e2193b1c259c6c2b832e531c8d30a3, findElement {using=xpath, value=//h5[@x-page='home']}] Capabilities {acceptInsecureCerts: false,				


DETAILED SECTION -- 25 --

#	Step / Hook Details	Status	Duration
#	Step / Hook Details browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1, userDataDir: C:USersladmin\AppDataLloca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51765}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51765/devtoo, se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:imprelled: NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Sonstructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:188) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:188) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.findElement(Element(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(Plement(PlementLocation.java:352) at org.openqa.selenium.support.pagefactory.DefaultElementLocatior.findElement(DefaultElementLocator.java:39) at or	Status	Duration
	at jux.proxyz.jux.proxyz.s.getText(Offiction Source) at org.alphind.xealei.baseclass.BaseClass.getText(BaseClass.java:390) at org.alphind.xealei.stepdefinition.CommonSteps. user_must_verify_once_the_page_is_navigate_to_home_dashboard_successfully(CommonSteps.java:29)		
	at ?.User must verify once the page is navigate to HOME_DASHBOARD successfully "Home"(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:62) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify Xealei login page by click the ENTER key with valid credentials	PASSED	0.099 s

DETAILED SECTION -- 26 --

#	Step / Hook Details	Status	Duration
	Cook Enal* Options can Passord* Fast Passord* Lope Fast Passord* Lope From Pass Fr		
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario) To verify Xealei login page by click the ENTER key with valid credentials	PASSED	0.069 s
	Cook Enal* Injuries con Passeque*		
	Promentite against 5 2021		

To verify Xealei login page with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.101 s
	To verify Xealei login page with valid credentials		

DETAILED SECTION -- 27 --

