

# Cucumber Report

Oct 8, 2023, 11:07:58 AM

Start : Oct 08, 11:07:53.880 AM

End : Oct 08, 11:07:57.085 AM

Duration : 3.205 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 11  
SKIPPED - 0


PASSED - 11  
FAILED - 11  
SKIPPED - 18




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verify Xealei Login Page</u>	3.205 s	11	0	11	0	40	11	11	18

#	Feature Name	Scenario Name
1	<u>Verify Xealei Login Page</u>	<u>To verify the web url link for login page</u>
2		<u>To verify the login page for fields, logo &amp; button.</u>
3		<u>To verify the eye icon is working in Password field.</u>
4		<u>To verify the Privacy Policy link.</u>
5		<u>To verify Xealei Login page with Invalid credentials</u>
6		<u>To verify Xealei Login Page by enter only valid Email/Username</u>
7		<u>To verify Xealei Login Page by enter only valid Password</u>
8		<u>To verify Xealei Login Page by enter only valid Email/Username and Invalid Password</u>
9		<u>To verify Xealei Login Page without enter Email/Username and Password</u>
10		<u>To verify Xealei login page with valid credentials</u>
11		<u>To verify Xealei login page by click the ENTER key with valid credentials</u>

<b><i>TAG</i></b>	<b><i>Scenario</i></b>				<b><i>Feature</i></b>			
<b><i>Name</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@Login-AllScenarios	11	0	11	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Verify Xealei Login Page</u>	11	0	11	0	3.205 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify Xealei Login Page</u>	<u>To verify the web url link for login page</u>	3	1	1	1	0.109 s
2		<u>To verify the login page for fields, logo &amp; button.</u>	9	1	1	7	0.020 s
3		<u>To verify the eye icon is working in Password field.</u>	5	1	1	3	2.117 s
4		<u>To verify the Privacy Policy link.</u>	3	1	1	1	0.006 s
5		<u>To verify Xealei Login page with Invalid credentials</u>	3	1	1	1	0.141 s
6		<u>To verify Xealei Login Page by enter only valid Email/Username</u>	3	1	1	1	0.123 s
7		<u>To verify Xealei Login Page by enter only valid Password</u>	3	1	1	1	0.108 s
8		<u>To verify Xealei Login Page by enter only valid Email/Username and Invalid Password</u>	3	1	1	1	0.077 s
9		<u>To verify Xealei Login Page without enter Email/Username and Password</u>	3	1	1	1	0.014 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10		<u>To verify Xealei login page with valid credentials</u>	3	1	1	1	0.094 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Verify Xealei Login Page</u>	<u>To verify Xealei login page by click the ENTER key with valid credentials</u>	2	1	1	0	0.070 s



## Verify Xealei Login Page



<b>FAILED</b>	DURATION - 3.205 s	Scenarios Total - 11 Pass - 0 Fail - 11 Skip - 0		Steps Total - 40 Pass - 11 Fail - 11 Skip - 18	
/ 11:07:53.880 AM // 11:07:57.085 AM /					

## To verify the web url link for login page

<b>FAILED</b>	DURATION - 0.109 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:07:53.888 AM // 11:07:53.997 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.009 s
2	Then User must verify the login page is displayed java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.getText(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.getText(BaseClass.java:388) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_verify_the_login_page_is_displayed(LoginPageStep.java:33) at ?.User must verify the login page is displayed(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:17) * Not displayable characters are replaced by '?'.	FAILED	0.060 s
3	Then User must verify the tab url address for login screen	SKIPPED	0.002 s

## To verify the login page for fields, logo & button.

<div>FAILED</div> <div>DURATION - 0.020 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 11:07:54.076 AM // 11:07:54.096 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
2	Then User must verify the Login text is displayed <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy19.getText(Unknown Source)     at org.alphind.xealei.baseclass.BaseClass.getText(BaseClass.java:388)     at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_verify_the_login_text_is_displayed(LoginPageStep.java:62)     at ?.User must verify the Login text is displayed(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:21) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s
3	Then User must verify the Email and password fields contains * symbol	SKIPPED	0.000 s
4	Then User must verify the Email textbox contains "Email" text	SKIPPED	0.001 s
5	Then User must verify the Password textbox contains "Password" text	SKIPPED	0.001 s
6	Then User must verify the eye icon is displayed	SKIPPED	0.001 s
7	Then User must verify the "Login" text is displayed in Login button	SKIPPED	0.000 s
8	Then User must verify the Forget password link is displayed	SKIPPED	0.001 s
9	Then User must verify the copy rights "Powered by Alphind © 2023" text is displayed	SKIPPED	0.000 s

**To verify the eye icon is working in Password field.**

<div>FAILED</div> <div>DURATION - 2.117 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 11:07:54.124 AM // 11:07:56.241 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
2	When User must enter password in password textbox <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source)     at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134)     at org.alphind.xealei.pages.LoginPage.enterPassword(LoginPage.java:160)     at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_password_in_password_textbox(LoginPageStep.java:149)     at ?.User must enter password in password textbox(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:31)     * Not displayable characters are replaced by '?'. </pre>	FAILED	2.101 s
3	Then User must verify the entered password in password textbox is display as hidden	SKIPPED	0.001 s
4	And User must click the eye icon	SKIPPED	0.002 s
5	Then User must verify the password is display as Unhidden	SKIPPED	0.001 s

### To verify the Privacy Policy link.

FAILED		DURATION - 0.006 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:07:56.273 AM // 11:07:56.279 AM /						
Verify Xealei Login Page						
@Login-AllScenarios						

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
2	When User must click the Privacy Policy  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.click(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.click(BaseClass.java:193) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_click_the_privacy_policy(LoginPageStep.java:197) at ?.User must click the Privacy Policy(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:37) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then User must verify "PRIVACY POLICY" popup should be displayed after click the Privacy Policy link	SKIPPED	0.000 s

### To verify Xealei Login page with Invalid credentials

<b>FAILED</b> DURATION - 0.141 s / 11:07:56.313 AM // 11:07:56.454 AM / Verify Xealei Login Page @Login-AllScenarios		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.002 s
2	When User must perform invalid email and password and click Login button  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.LoginWithInvalidCredentials(LoginPage.java:165) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_perform_invalid_email_and_password_and_click_login_button(LoginPageStep.java:213) at ?.User must perform invalid email and password and click Login button(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:41)	FAILED	0.137 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. Then User must verify the error message after click the Login button "User not found"	SKIPPED	0.001 s

### To verify Xealei Login Page by enter only valid Email/Username

<b>FAILED</b> DURATION - 0.123 s / 11:07:56.475 AM // 11:07:56.598 AM / Verify Xealei Login Page @Login-AllScenarios		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
2	When User must enter valid email in email textbox and click Login button without enter password <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source)     at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134)     at org.alphind.xealei.pages.LoginPage.LoginWithValidEmail(LoginPage.java:173)     at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_valid_email_in_email_textbox_and_click_login_button_without_enter_password(LoginPageStep.java:231)     at ?.User must enter valid email in email textbox and click Login button without enter password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:45)           </pre> * Not displayable characters are replaced by '?'.	FAILED	0.119 s
3	Then User must verify the error message contains for password after click the Login button "Please enter password"	SKIPPED	0.000 s

### To verify Xealei Login Page by enter only valid Password

<div>FAILED</div> <div>DURATION - 0.108 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 11:07:56.622 AM // 11:07:56.730 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
2	When User must enter valid password in password textbox and click Login button without enter email  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.LoginWithValidPassword(LoginPage.java:185) at org.alphind.xealei.stepdefinition.LoginPageStep. user_must_enter_valid_password_in_password_textbox_and_click_login_button_without_enter_email(LoginPageStep.java:248) at ?.User must enter valid password in password textbox and click Login button without enter email(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:49) * Not displayable characters are replaced by '?'.	FAILED	0.102 s
3	Then User must verify the error message contains for email after click the Login button "Please enter email ID"	SKIPPED	0.001 s

### To verify Xealei Login Page by enter only valid Email/Username and Invalid Password

<b>FAILED</b>		<b>DURATION - 0.077 s</b>			<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1		
/ 11:07:56.746 AM // 11:07:56.823 AM /							
Verify Xealei Login Page							
@Login-AllScenarios							

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
2	When User must enter valid email and invalid password and click Login button  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.LoginWithValidEmailAndInvalidPassword(LoginPage.java:197) at org.alphind.xealei.stepdefinition.LoginPageStep. user_must_enter_valid_email_and_invalid_password_and_click_login_button(LoginPageStep.java:264) at ?.User must enter valid email and invalid password and click Login button(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:53) * Not displayable characters are replaced by '?'.	FAILED	0.073 s
3	Then User must verify the error message after enter valid email, invalid password and click the Login button "Incorrect password"	SKIPPED	0.000 s



### To verify Xealei Login Page without enter Email/Username and Password

FAILED	DURATION - 0.014 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:07:56.872 AM // 11:07:56.886 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
2	When User click Login button without enter username and password  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because "org.alphind.xealei.baseclass.BaseClass.driver" is null at org.alphind.xealei.baseclass.BaseClass.waitForPageLoad(BaseClass.java:439) at org.alphind.xealei.pages.LoginPage.clickLoginButtonWithoutEnterCredentials(LoginPage.java:211) at org.alphind.xealei.stepdefinition.LoginPageStep.user_click_login_button_without_enter_username_and_password(LoginPageStep.java:281) at ?.User click Login button without enter username and password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:57) * Not displayable characters are replaced by '?'.	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
3	Then User must verify the error message contains for both email and password after click the Login button "Please enter email ID" and "Please enter password"	SKIPPED	0.001 s



### To verify Xealei login page with valid credentials

<div>FAILED</div> <div>DURATION - 0.094 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 11:07:56.906 AM // 11:07:57.000 AM /</div>				
<div>Verify Xealei Login Page</div>				
<div>@Login-AllScenarios</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
2	When User must perform login with valid email and password <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source)     at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134)     at org.alphind.xealei.pages.LoginPage.LoginWithValidCredentials(LoginPage.java:220)     at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_perform_login_with_valid_email_and_password(LoginPageStep.java:301)     at ?.User must perform login with valid email and password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:61) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.091 s
3	Then User must verify once the page is navigate to HOME_DASHBOARD successfully "Home"	SKIPPED	0.000 s

### To verify Xealei login page by click the ENTER key with valid credentials



<div>FAILED</div> <div>DURATION - 0.070 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 11:07:57.015 AM // 11:07:57.085 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
2	When User must perform login with valid email and password by click the Enter key  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.LoginUsingEnterKey(LoginPage.java:235) at org.alphind.xealei.stepdefinition.LoginPageStep. user_must_perform_login_with_valid_email_and_password_by_click_the_enter_key(LoginPageStep.java:309) at ?.User must perform login with valid email and password by click the Enter key(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:65) * Not displayable characters are replaced by '?'.	FAILED	0.068 s