Cucumber Report

| Start : Oct 09, 5:30:04.841 PM	End : Oct 09, 5:31:25.116 PM	Duration : 1 m 20.275 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 11 SKIPPED - 0	PASSED - 11 FAILED - 11 SKIPPED - 19

Features: 1

Scenarios: 11

Steps: 41

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 26 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Verify Xealei Login Page	1 m 20.275 s	11	0	11	0	41	11	11	19

#	Feature Name	Scenario Name
1	*Verify Xealei Login Page*	*To verify the web url link for login page*
2		*To verify the login page for fields, logo & button.*
3		*To verify the eye icon is working in Password field.*
4		*To verify the Privacy Policy link.*
5		*To verify Xealei Login page with Invalid credentials*
6		*To verify Xealei Login Page by enter only valid Email/Username*
7		*To verify Xealei Login Page by enter only valid Password*
8		*To verify Xealei Login Page by enter only valid Email/Username and Invalid Password*
9		*To verify Xealei Login Page without enter Email/Username and Password*
10		*To verify Xealei login page by click the ENTER key with valid credentials*
11		*To verify Xealei login page with valid credentials*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Login-AllScenarios	11	0	11	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Verify Xealei Login Page	11	0	11	0	1 m 20.275 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verify Xealei Login Page	To verify the web url link for login page	3	1	1	1	13.020 s
2		To verify the login page for fields, logo & button.	9	1	1	7	9.685 s
3		To verify the eye icon is working in Password field.	5	1	1	3	10.930 s
4		To verify the Privacy Policy link.	3	1	1	1	6.154 s
5		To verify Xealei Login page with Invalid credentials	3	1	1	1	9.112 s
6		To verify Xealei Login Page by enter only valid Email/Username	3	1	1	1	5.185 s
7		To verify Xealei Login Page by enter only valid Password	3	1	1	1	5.216 s
8		To verify Xealei Login Page by enter only valid Email/Username and Invalid Password	3	1	1	1	5.201 s
9		To verify Xealei Login Page without enter Email/Username and Password	3	1	1	1	5.211 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10		To verify Xealei login page by click the ENTER key with valid credentials	3	1	1	1	5.244 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
11	*Verify Xealei Login Page*	*To verify Xealei login page with valid credentials*	3	1	1	1	5.056 s

Verify Xealei Login Page

| FAILED	DURATION - 1 m 20.275 s	Scenarios Total - 11 Pass - 0 Fail - 11 Skip - 0	11	Steps Total - 41 Pass - 11 Fail - 11 Skip - 19	41
/ 5:30:04.841 PM // 5:31:25.116 PM /					

To verify the web url link for login page

FAILED	DURATION - 13.020 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	3
/ 5:30:04.848 PM // 5:30:17.868 PM /				
Verify Xealei Login Page				
@Login-AllScenarios				

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.002 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.421 s
	To verify the web url link for login page		
2	Then User must verify the login page is displayed	FAILED	0.034 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source)
	    at org.alphind.xealei.baseclass.BaseClass.getText(BaseClass.java:407)
	    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_verify_the_login_page_is_displayed(LoginPageStep.java:33)
	    at ?.User must verify the login page is displayed(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:17)		

| #	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.221 s
	To verify the web url link for login page		
3	Then User must verify the tab url address for login screen	SKIPPED	0.001 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario)	PASSED	0.208 s
	To verify the web url link for login page		

To verify the login page for fields, logo & button.

FAILED	DURATION - 9.685 s		Steps	
/ 5:30:17.929 PM // 5:30:27.614 PM /			Total - 9	
Verify Xealei Login Page			Pass - 1	9
			Fail - 1	
@Login-AllScenarios			Skip - 7	

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.264 s
	To verify the login page for fields, logo & button.		

#	Step / Hook Details	Status	Duration
2	Then User must verify the Login text is displayed	FAILED	0.002 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source)
	    at org.alphind.xealei.baseclass.BaseClass.getText(BaseClass.java:407)
	    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_verify_the_login_text_is_displayed(LoginPageStep.java:62)
	    at ?.User must verify the Login text is displayed(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:21)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.218 s
	To verify the login page for fields, logo & button. 		
3	Then User must verify the Email and password fields contains * symbol	SKIPPED	0.001 s
4	Then User must verify the Email textbox contains "Email" text	SKIPPED	0.001 s
5	Then User must verify the Password textbox contains "Password" text	SKIPPED	0.001 s
6	Then User must verify the eye icon is displayed	SKIPPED	0.000 s
7	Then User must verify the "Login" text is displayed in Login button	SKIPPED	0.000 s
8	Then User must verify the Forget password link is displayed	SKIPPED	0.000 s
9	Then User must verify the copy rights "Powered by Alphind © 2023" text is displayed	SKIPPED	0.000 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario)	PASSED	0.167 s
	To verify the login page for fields, logo & button. 		

To verify the eye icon is working in Password field.

FAILED	DURATION - 10.930 s
/ 5:30:27.635 PM // 5:30:38.565 PM /	
Verify Xealei Login Page	
@Login-AllScenarios	

Steps
Total - 5
Pass - 1
Fail - 1
Skip - 3

5

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.015 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify the eye icon is working in Password field.	PASSED	0.397 s
2	When User must enter password in password textbox	FAILED	0.090 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy28.sendKeys(Unknown Source)
	   at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:140)
	   at org.alphind.xealei.pages.LoginPage.enterPassword(LoginPage.java:154)
	   at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_password_in_password_textbox(LoginPageStep.java:149)
	   at ?.User must enter password in password textbox(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:31)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify the eye icon is working in Password field.	PASSED	0.249 s
3	Then User must verify the entered password in password textbox is display as hidden	SKIPPED	0.000 s
4	And User must click the eye icon	SKIPPED	0.001 s

| #	Step / Hook Details	Status	Duration
5	Then User must verify the password is display as Unhidden	SKIPPED	0.000 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario)	PASSED	0.208 s
	To verify the eye icon is working in Password field.		

To verify the Privacy Policy link.

FAILED	DURATION - 6.154 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1
/ 5:30:38.587 PM // 5:30:44.741 PM /			
Verify Xealei Login Page			
@Login-AllScenarios			

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.309 s
	To verify the Privacy Policy link.		
2	When User must click the Privacy Policy	FAILED	0.001 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy28.click(Unknown Source)
	    at org.alphind.xealei.baseclass.BaseClass.click(BaseClass.java:203)
	    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_click_the_privacy_policy(LoginPageStep.java:197)		

| #	Step / Hook Details	Status	Duration
	at ?.User must click the Privacy Policy(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify the Privacy Policy link. 	PASSED	0.343 s
3	Then User must verify "PRIVACY POLICY" popup should be displayed after click the Privacy Policy link	SKIPPED	0.000 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario) To verify the Privacy Policy link. 	PASSED	0.214 s

To verify Xealei Login page with Invalid credentials

FAILED	DURATION - 9.112 s		Steps
/ 5:30:44.759 PM // 5:30:53.871 PM /			Total - 3
Verify Xealei Login Page			Pass - 1
@Login-AllScenarios			Fail - 1
			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify Xealei Login page with Invalid credentials	PASSED	0.422 s

#	Step / Hook Details	Status	Duration
2	When User must perform invalid email and password and click Login button	FAILED	0.064 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy28.sendKeys(Unknown Source)
	   at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:140)
	   at org.alphind.xealei.pages.LoginPage.LoginWithInvalidCredentials(LoginPage.java:159)
	   at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_perform_invalid_email_and_password_and_click_login_button(LoginPageStep.java:213)
	   at ?.User must perform invalid email and password and click Login button(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:41)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.312 s
	To verify Xealei Login page with Invalid credentials 		
3	Then User must verify the error message after click the Login button "User not found"	SKIPPED	0.000 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario)	PASSED	0.208 s
	To verify Xealei Login page with Invalid credentials 		

**To verify Xealei Login Page by enter only valid Email/Username**

| FAILED	DURATION - 5.185 s
/ 5:30:53.911 PM // 5:30:59.096 PM /	
Verify Xealei Login Page	
@Login-AllScenarios	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify Xealei Login Page by enter only valid Email/Username	PASSED	0.398 s
2	When User must enter valid email in email textbox and click Login button without enter password	FAILED	0.065 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy28.sendKeys(Unknown Source)
	    at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:140)
	    at org.alphind.xealei.pages.LoginPage.LoginWithValidEmail(LoginPage.java:167)
	    at org.alphind.xealei.stepdefinition.LoginPageStep.
	user_must_enter_valid_email_in_email_textbox_and_click_login_button_without_enter_password(LoginPageStep.java:231)
	    at ?.User must enter valid email in email textbox and click Login button without enter password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:45)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify Xealei Login Page by enter only valid Email/Username	PASSED	0.223 s

#	Step / Hook Details	Status	Duration
3	Then User must verify the error message contains for password after click the Login button "Please enter password"	SKIPPED	0.000 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario)	PASSED	0.180 s
	To verify Xealei Login Page by enter only valid Email/Username		

To verify Xealei Login Page by enter only valid Password

FAILED	DURATION - 5.216 s		Steps
/ 5:30:59.121 PM // 5:31:04.337 PM /			Total - 3
			Pass - 1
Verify Xealei Login Page			Fail - 1
			Skip - 1
@Login-AllScenarios			

| #	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.463 s
	To verify Xealei Login Page by enter only valid Password		
2	When User must enter valid password in password textbox and click Login button without enter email	FAILED	0.058 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy28.sendKeys(Unknown Source)
	    at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:140)
	    at org.alphind.xealei.pages.LoginPage.LoginWithValidPassword(LoginPage.java:179)		

#	Step / Hook Details	Status	Duration
	at org.alphind.xealei.stepdefinition.LoginPageStep. user_must_enter_valid_password_in_password_textbox_and_click_login_button_without_enter_email(LoginPageStep.java:248) at ?.User must enter valid password in password textbox and click Login button without enter email(file:///C:/Automation-Testing/Xealei/src/ test/resources/Features/TC1_Login.feature:49) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.277 s
	To verify Xealei Login Page by enter only valid Password		
3	Then User must verify the error message contains for email after click the Login button "Please enter email ID"	SKIPPED	0.000 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario)	PASSED	0.185 s
	To verify Xealei Login Page by enter only valid Password		

To verify Xealei Login Page by enter only valid Email/Username and Invalid Password

FAILED	DURATION - 5.201 s		Steps
/ 5:31:04.356 PM // 5:31:09.557 PM /			Total - 3
Verify Xealei Login Page			Pass - 1
			Fail - 1
@Login-AllScenarios			Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.373 s
	To verify Xealei Login Page by enter only valid Email/Username and Invalid Password		

#	Step / Hook Details	Status	Duration
2	When User must enter valid email and invalid password and click Login button	FAILED	0.038 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy28.sendKeys(Unknown Source)
	    at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:140)
	    at org.alphind.xealei.pages.LoginPage.LoginWithValidEmailAndInvalidPassword(LoginPage.java:191)
	    at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_valid_email_and_invalid_password_and_click_login_button(LoginPageStep.java:264)
	    at ?.User must enter valid email and invalid password and click Login button(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:53)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.272 s
	To verify Xealei Login Page by enter only valid Email/Username and Invalid Password 		
3	Then User must verify the error message after enter valid email, invalid password and click the Login button "Incorrect password"	SKIPPED	0.000 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario)	PASSED	0.177 s
	To verify Xealei Login Page by enter only valid Email/Username and Invalid Password 		

To verify Xealei Login Page without enter Email/Username and Password

| FAILED	DURATION - 5.211 s
/ 5:31:09.572 PM // 5:31:14.783 PM /	
Verify Xealei Login Page	
@Login-AllScenarios	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.472 s
	To verify Xealei Login Page without enter Email/Username and Password		
2	When User click Login button without enter username and password	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because the return value of "java.lang.ThreadLocal.get()" is null at org.alphind.xealei.baseclass.BaseClass.waitForPageLoad(BaseClass.java:460) at org.alphind.xealei.pages.LoginPage.clickLoginButtonWithoutEnterCredentials(LoginPage.java:205) at org.alphind.xealei.stepdefinition.LoginPageStep.user_click_login_button_without_enter_username_and_password(LoginPageStep.java:281) at ?.User click Login button without enter username and password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:57) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.222 s
	To verify Xealei Login Page without enter Email/Username and Password		
3	Then User must verify the error message contains for both email and password after click the Login button "Please enter email ID" and "Please enter password"	SKIPPED	0.000 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario)	PASSED	0.178 s

#	Step / Hook Details	Status	Duration
	To verify Xealei Login Page without enter Email/Username and Password 		

To verify Xealei login page by click the ENTER key with valid credentials

FAILED	DURATION - 5.244 s		Steps	
/ 5:31:14.801 PM // 5:31:20.045 PM /			Total - 3	
Verify Xealei Login Page			Pass - 1 Fail - 1	
@Login-AllScenarios			Skip - 1	3

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.369 s
	To verify Xealei login page by click the ENTER key with valid credentials 		
2	When User must perform login with valid email and password by click the Enter key	FAILED	0.048 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy28.sendKeys(Unknown Source)
	    at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:140)
	    at org.alphind.xealei.pages.LoginPage.LoginUsingEnterKey(LoginPage.java:229)
	    at org.alphind.xealei.stepdefinition.LoginPageStep.
	user_must_perform_login_with_valid_email_and_password_by_click_the_enter_key(LoginPageStep.java:309)
	    at ?.User must perform login with valid email and password by click the Enter key(file:///C:/Automation-Testing/Xealei/src/test/resources/		

#	Step / Hook Details	Status	Duration
	Features/TC1_Login.feature:61) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify Xealei login page by click the ENTER key with valid credentials 	PASSED	0.227 s
3	Then User must verify once the page is navigate to HOME_DASHBOARD successfully "Home"	SKIPPED	0.000 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario) To verify Xealei login page by click the ENTER key with valid credentials 	PASSED	0.178 s

To verify Xealei login page with valid credentials

FAILED	DURATION - 5.056 s		Steps
/ 5:31:20.060 PM // 5:31:25.116 PM /			Total - 3
Verify Xealei Login Page			Pass - 1
			Fail - 1
@Login-AllScenarios			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario) To verify Xealei login page with valid credentials	PASSED	0.481 s

#	Step / Hook Details	Status	Duration
2	**When User must perform login with valid email and password**	FAILED	0.034 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy28.sendKeys(Unknown Source)
	   at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:140)
	   at org.alphind.xealei.pages.LoginPage.LoginWithValidCredentials(LoginPage.java:214)
	   at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_perform_login_with_valid_email_and_password(LoginPageStep.java:301)
	   at ?.User must perform login with valid email and password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:65)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - org.alphind.xealei.stepdefinition.Hooks.ssAfterStep(io.cucumber.java.Scenario)	PASSED	0.237 s
	To verify Xealei login page with valid credentials		
3	**Then User must verify once the page is navigate to HOME_DASHBOARD successfully "Home"**	SKIPPED	0.000 s
	AFTER - org.alphind.xealei.stepdefinition.Hooks.screenShot(io.cucumber.java.Scenario)	PASSED	0.191 s
	To verify Xealei login page with valid credentials		