

Cucumber Report

Oct 8, 2023, 10:58:54 AM

Start : Oct 08, 10:58:49.803 AM

End : Oct 08, 10:58:52.887 AM

Duration : 3.084 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 11
SKIPPED - 0


PASSED - 11
FAILED - 11
SKIPPED - 18




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verify Xealei Login Page</u>	3.084 s	11	0	11	0	40	11	11	18

#	Feature Name	Scenario Name
1	<u>Verify Xealei Login Page</u>	<u>To verify the web url link for login page</u>
2		<u>To verify the login page for fields, logo & button.</u>
3		<u>To verify the eye icon is working in Password field.</u>
4		<u>To verify the Privacy Policy link.</u>
5		<u>To verify Xealei Login page with Invalid credentials</u>
6		<u>To verify Xealei Login Page by enter only valid Email/Username</u>
7		<u>To verify Xealei Login Page by enter only valid Password</u>
8		<u>To verify Xealei Login Page by enter only valid Email/Username and Invalid Password</u>
9		<u>To verify Xealei Login Page without enter Email/Username and Password</u>
10		<u>To verify Xealei login page with valid credentials</u>
11		<u>To verify Xealei login page by click the ENTER key with valid credentials</u>

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Login-AllScenarios	11	0	11	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Verify Xealei Login Page</u>	11	0	11	0	3.084 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify Xealei Login Page</u>	<u>To verify the web url link for login page</u>	3	1	1	1	0.107 s
2		<u>To verify the login page for fields, logo & button.</u>	9	1	1	7	0.021 s
3		<u>To verify the eye icon is working in Password field.</u>	5	1	1	3	1.998 s
4		<u>To verify the Privacy Policy link.</u>	3	1	1	1	0.007 s
5		<u>To verify Xealei Login page with Invalid credentials</u>	3	1	1	1	0.159 s
6		<u>To verify Xealei Login Page by enter only valid Email/Username</u>	3	1	1	1	0.107 s
7		<u>To verify Xealei Login Page by enter only valid Password</u>	3	1	1	1	0.109 s
8		<u>To verify Xealei Login Page by enter only valid Email/Username and Invalid Password</u>	3	1	1	1	0.079 s
9		<u>To verify Xealei Login Page without enter Email/Username and Password</u>	3	1	1	1	0.004 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10		<u>To verify Xealei login page with valid credentials</u>	3	1	1	1	0.072 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Verify Xealei Login Page</u>	<u>To verify Xealei login page by click the ENTER key with valid credentials</u>	2	1	1	0	0.106 s

Verify Xealei Login Page

FAILED	DURATION - 3.084 s	Scenarios Total - 11 Pass - 0 Fail - 11 Skip - 0		Steps Total - 40 Pass - 11 Fail - 11 Skip - 18	
/ 10:58:49.803 AM // 10:58:52.887 AM /					

To verify the web url link for login page

<div>FAILED</div> <div>DURATION - 0.107 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 10:58:49.811 AM // 10:58:49.918 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.011 s
2	Then User must verify the login page is displayed java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.getText(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.getText(BaseClass.java:388) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_verify_the_login_page_is_displayed(LoginPageStep.java:33) at ?.User must verify the login page is displayed(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:17) * Not displayable characters are replaced by '?'.	FAILED	0.050 s
3	Then User must verify the tab url address for login screen	SKIPPED	0.002 s

To verify the login page for fields, logo & button.

FAILED	DURATION - 0.021 s		Steps Total - 9 Pass - 1 Fail - 1 Skip - 7	
/ 10:58:50.015 AM // 10:58:50.036 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
2	Then User must verify the Login text is displayed java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.getText(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.getText(BaseClass.java:388) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_verify_the_login_text_is_displayed(LoginPageStep.java:62) at ?.User must verify the Login text is displayed(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:21) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	Then User must verify the Email and password fields contains * symbol	SKIPPED	0.001 s
4	Then User must verify the Email textbox contains "Email" text	SKIPPED	0.001 s
5	Then User must verify the Password textbox contains "Password" text	SKIPPED	0.002 s
6	Then User must verify the eye icon is displayed	SKIPPED	0.001 s
7	Then User must verify the "Login" text is displayed in Login button	SKIPPED	0.000 s
8	Then User must verify the Forget password link is displayed	SKIPPED	0.001 s
9	Then User must verify the copy rights "Powered by Alphind © 2023" text is displayed	SKIPPED	0.001 s

To verify the eye icon is working in Password field.

<div>FAILED</div> <div>DURATION - 1.998 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 10:58:50.079 AM // 10:58:52.077 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
2	When User must enter password in password textbox java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.enterPassword(LoginPage.java:160) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_password_in_password_textbox(LoginPageStep.java:149) at ?.User must enter password in password textbox(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:31) * Not displayable characters are replaced by '?'.	FAILED	1.984 s
3	Then User must verify the entered password in password textbox is display as hidden	SKIPPED	0.000 s
4	And User must click the eye icon	SKIPPED	0.002 s
5	Then User must verify the password is display as Unhidden	SKIPPED	0.000 s

To verify the Privacy Policy link.

FAILED		<i>DURATION - 0.007 s</i>			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1		
/ 10:58:52.100 AM // 10:58:52.107 AM /							
Verify Xealei Login Page							
@Login-AllScenarios							

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
2	When User must click the Privacy Policy java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.click(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.click(BaseClass.java:193) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_click_the_privacy_policy(LoginPageStep.java:197) at ?.User must click the Privacy Policy(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:37) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	Then User must verify "PRIVACY POLICY" popup should be displayed after click the Privacy Policy link	SKIPPED	0.001 s

To verify Xealei Login page with Invalid credentials

FAILED DURATION - 0.159 s / 10:58:52.132 AM // 10:58:52.291 AM / Verify Xealei Login Page @Login-AllScenarios		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
2	When User must perform invalid email and password and click Login button java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.LoginWithInvalidCredentials(LoginPage.java:165) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_perform_invalid_email_and_password_and_click_login_button(LoginPageStep.java:213) at ?.User must perform invalid email and password and click Login button(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:41)	FAILED	0.155 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. Then User must verify the error message after click the Login button "User not found"	SKIPPED	0.001 s

To verify Xealei Login Page by enter only valid Email/Username

FAILED DURATION - 0.107 s / 10:58:52.312 AM // 10:58:52.419 AM / Verify Xealei Login Page @Login-AllScenarios		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
2	When User must enter valid email in email textbox and click Login button without enter password <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.LoginWithValidEmail(LoginPage.java:173) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_valid_email_in_email_textbox_and_click_login_button_without_enter_password(LoginPageStep.java:231) at ?.User must enter valid email in email textbox and click Login button without enter password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:45) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.103 s
3	Then User must verify the error message contains for password after click the Login button "Please enter password"	SKIPPED	0.000 s

To verify Xealei Login Page by enter only valid Password

<div>FAILED</div> <div>DURATION - 0.109 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 10:58:52.439 AM // 10:58:52.548 AM /</div>				
<div>Verify Xealei Login Page</div>				
<div>@Login-AllScenarios</div>				



#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
2	When User must enter valid password in password textbox and click Login button without enter email <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.LoginWithValidPassword(LoginPage.java:185) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_valid_password_in_password_textbox_and_click_login_button_without_enter_email(LoginPageStep.java:248) at ?.User must enter valid password in password textbox and click Login button without enter email(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:49) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.105 s
3	Then User must verify the error message contains for email after click the Login button "Please enter email ID"	SKIPPED	0.000 s

To verify Xealei Login Page by enter only valid Email/Username and Invalid Password

FAILED		DURATION - 0.079 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1			
/ 10:58:52.565 AM // 10:58:52.644 AM /								
Verify Xealei Login Page								
@Login-AllScenarios								

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
2	When User must enter valid email and invalid password and click Login button <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.LoginWithValidEmailAndInvalidPassword(LoginPage.java:197) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_enter_valid_email_and_invalid_password_and_click_login_button(LoginPageStep.java:264) at ?.User must enter valid email and invalid password and click Login button(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:53) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.076 s
3	Then User must verify the error message after enter valid email, invalid password and click the Login button "Incorrect password"	SKIPPED	0.000 s



To verify Xealei Login Page without enter Email/Username and Password

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 10:58:52.664 AM // 10:58:52.668 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
2	When User click Login button without enter username and password <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because "org.alphind.xealei.baseclass.BaseClass.driver" is null at org.alphind.xealei.baseclass.BaseClass.waitForPageLoad(BaseClass.java:439) at org.alphind.xealei.pages.LoginPage.clickLoginButtonWithoutEnterCredentials(LoginPage.java:211) at org.alphind.xealei.stepdefinition.LoginPageStep.user_click_login_button_without_enter_username_and_password(LoginPageStep.java:281) at ?.User click Login button without enter username and password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:57) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
3	Then User must verify the error message contains for both email and password after click the Login button "Please enter email ID" and "Please enter password"	SKIPPED	0.000 s

To verify Xealei login page with valid credentials

FAILED		DURATION - 0.072 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>			
/ 10:58:52.685 AM // 10:58:52.757 AM /								
Verify Xealei Login Page								
@Login-AllScenarios								

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.000 s
2	When User must perform login with valid email and password <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.LoginWithValidCredentials(LoginPage.java:220) at org.alphind.xealei.stepdefinition.LoginPageStep.user_must_perform_login_with_valid_email_and_password(LoginPageStep.java:301) at ?.User must perform login with valid email and password(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:61) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.068 s
3	Then User must verify once the page is navigate to HOME_DASHBOARD successfully "Home"	SKIPPED	0.001 s

To verify Xealei login page by click the ENTER key with valid credentials

FAILED	DURATION - 0.106 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:58:52.781 AM // 10:58:52.887 AM /				
Verify Xealei Login Page				
@Login-AllScenarios				

#	Step / Hook Details	Status	Duration
1	Given User is on Xealei login page	PASSED	0.001 s
2	When User must perform login with valid email and password by click the Enter key java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy19.sendKeys(Unknown Source) at org.alphind.xealei.baseclass.BaseClass.sendKeys(BaseClass.java:134) at org.alphind.xealei.pages.LoginPage.LoginUsingEnterKey(LoginPage.java:235) at org.alphind.xealei.stepdefinition.LoginPageStep. user_must_perform_login_with_valid_email_and_password_by_click_the_enter_key(LoginPageStep.java:309) at ?.User must perform login with valid email and password by click the Enter key(file:///C:/Automation-Testing/Xealei/src/test/resources/Features/TC1_Login.feature:65) * Not displayable characters are replaced by '?'.	FAILED	0.103 s