

BayesCog: A freely available course in Bayesian statistics and hierarchical Bayesian modeling for psychological science

Lei Zhang^{1,2,3} and Aamir Sohail^{1,2}

¹ Centre for Human Brain Health, School of Psychology, University of Birmingham, Birmingham, UK ² Institute for Mental Health, School of Psychology, University of Birmingham, Birmingham, UK ³ Centre for Developmental Science, School of Psychology, University of Birmingham, Birmingham, UK

DOI: 10.xxxxxx/draft

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright¹⁴ and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).¹⁷

Summary

We present [BayesCog](#), an openly-available online course for the computational modeling of human behavior (i.e., cognitive modeling) using Bayesian inference, with reinforcement learning as a core example throughout the course. Assuming little to no prior experience, audience of this course will be formally grounded in key concepts including Bayesian statistics and reinforcement learning, and practically, will build, assess, compare, and validate models using the R interface to the Stan programming language, RStan. Starting with binary choice models, the audience will learn to estimate parameters representing latent components of behavior by fitting reinforcement learning models, both at the individual and group-level, eventually with hierarchical modeling.

The course is generally suitable for those interested in developing models of human cognition at any level of experience. In making the course openly available, we aim for computational modeling under the Bayesian approach to be more strongly represented in the psychological sciences.

Statement of Need

Computational modeling is a general framework that uses mathematical equations to infer unobserved latent processes, variables, and parameters from observed data. Whilst implemented in other disciplines (e.g., physics, chemistry, and, astronomy) for centuries, its application specifically towards understanding the human mind (i.e., learning, memory, decision-making, language) ([Farrell & Lewandowsky, 2018](#)) is a relatively recent approach (known as cognitive modeling), one exponentially increasing in popularity ([Palminteri et al., 2017](#)). By formalising cognitive processes as mathematical operations and free parameters, cognitive models generate specific, testable hypotheses about observable behavior, which can be objectively compared, verified, and falsified ([Guest & Martin, 2021](#); [Palminteri et al., 2017](#); [W. Pan et al., 2025](#); [Rocca & Yarkoni, 2021](#); [Zhang et al., 2020](#)). When combined with other modalities of measurement, such as functional magnetic resonance imaging (fMRI), cognitive models present a key framework for understanding how the brain implements cognitive processes such as decision making and (social) learning ([Eckstein et al., 2021](#); [FeldmanHall & Nassar, 2021](#)) and their aberration in mental health disorders ([Hauser et al., 2022](#); [Huys et al., 2016](#); [Sohail & Zhang, 2024](#)).

Complementing this approach is the application of Bayesian methods for parameter estimation ([Annis & Palmeri, 2018](#)), which applies the Bayes rule to obtain the posterior distribution of model parameters given the observed data (1):

$$P(\theta|D) = \frac{P(D|\theta) \cdot P(\theta)}{P(D)} \quad (1)$$

where $P(\theta|D)$ is the posterior distribution, $P(D|\theta)$ is the likelihood, $P(\theta)$ is the prior distribution, and $P(D)$ is the marginal likelihood.

Bayesian methods confer advantages over frequentist approaches (e.g., Maximum Likelihood Estimation, MLE), by quantifying the uncertainty, and when implemented hierarchically, permit simultaneous estimation of individual and group-level parameters while appropriately pooling information across participants (M. D. Lee, 2011). Historically restrictive due to their computational burden, these methods are now more accessible though the development of multiple programming languages and software such as JAGS (Plummer, 2003) and Stan (Carpenter et al., 2017) which optimize the sampling process used for parameter estimation using approaches such as Markov chain Monte Carlo (MCMC).

Using Bayesian models of cognition in one's own research requires a conceptual understanding of both Bayesian statistics and cognitive modeling, as well as the practical skills to translate these models into computer code. Textbooks (Kruschke, 2014; Lambert, 2018; M. D. Lee & Wagenmakers, 2014; McElreath, 2018) and tutorial papers (Baribault & Collins, 2025; Lockwood & Klein-Flügge, 2021; Wilson & Collins, 2019; Zhang et al., 2020) have made learning these skills more accessible, but are often not freely available, and challenging for researchers, especially early career researchers with little to no prior experience. Additionally, whilst free, online courses for the computational modeling of cognition currently exist, these are few and far between, and exclusively cover non-Bayesian implementations in Python (Rhoads & Gan, 2022) and MATLAB (O'Reilly & Ouden, 2015), as well as Bayesian approaches in Python (Niv Lab, 2021). A full course implementing Bayesian models of cognition through the open source R programming language is therefore a valuable yet currently non-existent resource.

BayesCog was originally developed by Lei Zhang at UKE Hamburg as a short course in Bayesian statistics and cognitive modeling for PhD students. The course was subsequently expanded by Lei at the University of Vienna, where the course received a Commendation Award from the Society for the Improvement of Psychological Science (SIPS), as well as an Early Career Teaching Award by the University. To make these materials more widely and openly available, Aamir Sohail, a PhD student working with Lei at the University of Birmingham, subsequently converted, edited, and expanded the source material into the present online course. Both authors are active researchers in computational modeling and cognitive neuroscience who have applied these Bayesian methods in their own empirical work which investigates the cognitive processes of learning and decision making in social contexts (Crawley et al., 2020; Sohail et al., 2026; Zhang et al., 2020; Zhang & Gläscher, 2020).

Learning Objectives

In the course, students will:

- Build a foundational knowledge of Bayesian statistics and inference, and how it differs from frequentist definitions of probability
- Understand Bayesian parameter estimation and the conceptual basis of sampling techniques including Markov chain Monte Carlo (MCMC)
- Understand how Bayesian statistics can be applied to uncover latent processes and parameters of cognition through cognitive modeling
- Learn basic reinforcement learning (RL) concepts and build a simple RL model (Rescorla-Wagner) using RStan

- Be able to evaluate model performance through model comparison, parameter recovery and posterior predictive checks


The course is roughly split into two sections, where students firstly learn Bayesian statistics and gain a basic familiarity with programming in Workshops 1-3 (Table 1). Subsequently, in Workshops 4-9 these skills are practically applied by building and fitting cognitive models in Stan (Table 2). Additionally, prior to the first workshop, the course begins by summarizing the broader philosophy in which the techniques and methods are implemented. Specifically, this concerns Marr's influential three levels of analysis (Marr, 1982), which describe how algorithmic-level (as opposed to computational and implementation levels) models can help understand behavior. Doing so shapes the course material within this framework, demonstrating the necessity for building strong theories in psychology (Press et al., 2022). Assuming no prior experience with programming, the course properly (Workshop 01) begins with a basic introduction to the R programming language and the RStudio interface (RStudio Team, 2020). This introductory workshop first provides a general introduction to data structures, variables, and packages, after which students will work with simulated data from a reversal learning task, performing basic summary statistics including correlation and regression, and visualizing the results using the ggplot2 package (Wickham, 2016).

In Workshop 02, students will be introduced to Bayesian statistics, learning the differences between Bayesian and frequentist definitions of probability. These concepts are put into practical use in Workshop 03, where the Bayesian approach is transformed from a purely mathematical concept to a system where one can determine the values of unknown parameters from data. The goal of Bayesian inference - computing the probability distribution of model parameters given the observed data - is also introduced, together with sampling procedures which approximate the posterior distribution e.g., Markov chain Monte Carlo (MCMC). Workshop 04 subsequently introduces students to the Stan programming language (Carpenter et al., 2017) and its R interface RStan (Stan Development Team, 2024). Following an overview of Stan syntax, students will construct a simple binomial model for a coin flipping experiment. Workshop 5 builds upon this introductory workshop by introducing some specific properties and advantageous features of Stan (as opposed to other packages like JAGs), including vectorization and variable declaration, and introduces two more models: the Bernoulli model and linear regression.

Having built a solid foundation of understanding Bayesian statistics in Workshops 1-5, in Workshops 6-8, students will learn how these methods can be used to infer latent cognitive processes. In Workshop 6, a basic overview to the principles of cognitive modeling is followed by an introduction to reinforcement learning, a popular theory of human behavior that has been widely used in the last decades (Daw et al., 2011; Dayan & Niv, 2008; D. Lee et al., 2012; Niv, 2009). To this end, we introduce a simple reinforcement learning algorithm consisting of the Rescorla-Wagner model (Rescorla & Wagner, 1972) that uses an error-driven rule (e.g., through reward prediction error) to update value computation, and a softmax choice rule quantifies the stochasticity and randomness in human action. Students will then practically implement this model in Stan, for simulated choice data for a single subject, before fitting multiple subjects. Workshop 7 directly builds upon this topic by introducing hierarchical Bayesian models (D. Lee et al., 2012) for simultaneously estimating both group and individual level parameters. Given that Bayesian cognitive models often require troubleshooting for parameter estimation (Baribault & Collins, 2025), optimization strategies are also introduced in this workshop. Specifically, this covers Stan's sampling parameters and reparameterization; the latter being particularly relevant for hierarchical models. Model comparison is introduced in Workshop 8, with the basis behind model fitting, predictive accuracy and information criterion firstly described. Students will subsequently compare two RL models using the loo package (Vehtari et al., 2015) in R, and plot posterior predictive checks as a measure of model validation. The final workshop (Workshop 9) describes key strategies for code writing styles and code debugging in Stan,

140 using a purposely error-laden delay-discounting model (M. D. Lee & Wagenmakers, 2014)
141 for students to interactively troubleshoot problematic code. To conclude, a published
142 study (Crawley et al., 2020) where computational models were implemented to uncover
143 learning differences is described, providing real-case examples of model and parameter
144 recovery.

145 All course workshops are accompanied by example data and scripts, the latter provided in
146 both uncompleted and completed versions where appropriate. All software required for
147 the course are open-source and easy to install; instructions are provided in the 'Course
148 overview' page. Whilst specific R packages (rstan, loo, ggplot2) are required, the course
149 uses renv (Ushey & Wickham, 2023) to simplify the installation process. Users simply run a
150 single command which installs the required packages for all successive R sessions. However,
151 renv only provides a simplified solution to reproducibility and can be mired by system
152 dependencies and versions of RStudio. Therefore, users can alternatively, pull a pre-made
153 Docker image building a container locally to host the RStudio environment. This does not
154 necessitate users to have R or RStudio installed - only Docker Desktop - maintaining a
155 more consistent and reproducible development environment across different systems and
156 platforms. In either case, generating the working environment requires minimal effort
157 (Figure 1.). Detailed guidance on how to recreate the working environment in both cases
158 are provided on the course website.



159 **Figure 1.** The course materials are hosted on GitHub and can be downloaded locally
160 using the `git clone` command. Users have two options if wanting to replicate the working
161 environment for the course materials. For working on one's own installation and version
162 of RStudio, `renv` manages all required packages and dependencies. Conversely, if users
163 would like to work on a specific RStudio version, they can pull the provided Docker image,
164 which installs the required R packages on an RStudio server. In either case, the required
165 dependencies are minimal (R/RStudio or Docker), and recreating the environment only
166 involves running one or two simple commands. Icons from icons8.com

168 The course is designed to be delivered over the span of a semester, with each workshop
169 comprising approximately two to three hours (Tables 1 and 2). The first three workshops are
170 conceptual, building the statistical foundations of the course, and so do not involve a worked
171 task or model (Table 1). The remaining six workshops are practical and progressively

172 build, fit, compare, and debug models of behavior in Stan (Table 2). In principle the course
173 can accommodate a class of any size; however, as students typically work through the
174 materials hands-on, smaller cohorts of around 10 to 20 students are likely to be best suited,
175 since debugging code and resolving individual technical issues can be time-consuming.
176 We recommend that the instructor is proficient in R and Stan programming and has a
177 strong understanding of Bayesian statistics. Familiarity with concepts in experimental
178 psychology and neuroscience research is also preferred, to contextualize the example tasks
179 and models. As the first workshop introduces core programming concepts at a relatively
180 brisk pace, instructors teaching a programming-naïve audience may wish to adapt this
181 portion of the course—for example, by allocating additional time or directing students to
182 supplementary resources—to ensure a solid foundation is built before progressing.

183 **Table 1.** Conceptual foundations of the BayesCog course (Weeks 1–3).

Week	Workshop	Topic	Focus
1	Workshop 1	Introduction to R and RStudio	Foundational programming in R: data structures, packages, summary statistics and visualization
2	Workshop 2	Introduction to Bayesian statistics	Bayesian versus frequentist definitions of probability
3	Workshop 3	Bayesian inference and parameter estimation	Posterior estimation and Markov chain Monte Carlo sampling

184 **Table 2.** Practical modeling workshops of the BayesCog course (Weeks 4–9).

Week	Workshop	Topic	Example task and model
4	Workshop 4	Introduction to Stan and RStan	Coin-flipping experiment; binomial model
5	Workshop 5	Stan features, Bernoulli and regression	Coin flip and weight–height data; Bernoulli and linear regression models
6	Workshop 6	Reinforcement learning	Two-armed bandit task; Rescorla-Wagner RL model (single- and multi-subject)
7	Workshop 7	Hierarchical Bayesian modeling and optimization	Two-armed bandit task; hierarchical RL model

Week	Workshop	Topic	Example task and model
8	Workshop 8	Model comparison and validation	Probabilistic reversal-learning task; simple and fictitious-update RL models
9	Workshop 9	Debugging in Stan	Memory-retention task; exponential-decay model

Future Directions

The BayesCog course provides a general introduction to Bayesian statistics and computational modeling within the context of psychological research. Subsequently, the materials and topics could easily be developed further. This includes using computational methods with neuroimaging data (Gläscher & O'Doherty, 2010; Hollander et al., 2016), understanding behaviors in the social world (Kutlikova et al., 2023; Y. Pan et al., 2023), and the theory-based modeling of psychiatric disorders (Maia et al., 2017; Sohail & Zhang, 2024; Suter et al., 2025). Furthermore, the Stan programming language remains technically challenging, leading to the development of user-friendly packages for computational modeling (Ahn et al., 2017). Tutorials on how to implement these packages could further broaden the use of computational methods within the psychological sciences. In the era of large language models (LLMs) and generative AI, the audience are also encouraged to combine this course with LLM tools such as ChatGPT to explore a more tailored learning experience (Lin & Sohail, 2026; Sohail & Zhang, 2025).

To this end, we openly receive feedback and suggestions from the wider community. Any tutorial can be adopted, transformed, or built upon for other educational purposes (e.g., courses, single class sessions, workshops) under a Creative Commons Attribution-ShareAlike 4.0 International License, while the accompanying code (the R scripts and Stan models) is released under the MIT License. Broader comments can be communicated on the [GitHub repository](#) by either reporting an issue or requesting an enhancement. On-the-other-hand, we recommend major changes to be made communicated beforehand and – if appropriate - made directly by forking the repository and pushing changes to the main branch. A member of the contributing team will then review the changes. Accepted contributions will be credited and acknowledged in the Contributors section of the repository README.

Acknowledgments

A.S. would like to thank Lei Zhang for developing the initial version of these materials, including slides, code, and GitHub repositories. A.S. and L.Z. would also like to acknowledge existing open-source materials, including Shawn Rhoads' 'Computational Models of Human Social Behavior and Neuroscience' (Rhoads & Gan, 2022), Luke Chang's 'DartBrains: An online open access resource for learning functional neuroimaging analysis methods in Python' (Chang et al., 2020) and Magdalena Chechacz's 'MRI on BEAR' (Sohail et al., 2025), who influenced the development of these materials.

L.Z. is supported by the Wellcome Trust (228268/Z/23/Z) and Royal Society Royal Society (IES\R3\243253). A.S. is supported by an MRC AIM iCASE DTP Studentship (Ref: MR/W007002/1).

Author Contributions

L.Z. created, designed and taught the original course materials by developing the syllabus, writing the Stan and R code and creating and interpreting the datasets. A.S. created the website, adding the content by converting, editing and expanding the source material written by L.Z. Both L.Z. and A.S. revised the course materials and wrote the manuscript.

References

- Ahn, W.-Y., Haines, N., & Zhang, L. (2017). Revealing Neurocomputational Mechanisms of Reinforcement Learning and Decision-Making With the hBayesDM Package. *Computational Psychiatry (Cambridge, Mass.)*, 1, 24–57. https://doi.org/10.1162/cpsy_a_00002
- Annis, J., & Palmeri, T. J. (2018). Bayesian statistical approaches to evaluating cognitive models. *Wiley Interdisciplinary Reviews: Cognitive Science*, 9(2), e1458. <https://doi.org/10.1002/wcs.1458>
- Baribault, B., & Collins, A. G. E. (2025). Troubleshooting Bayesian cognitive models. *Psychological Methods*, 30(1), 128–154. <https://doi.org/10.1037/met0000554>
- Carpenter, B., Gelman, A., Hoffman, M. D., Lee, D., Goodrich, B., Betancourt, M., Brubaker, M. A., Guo, J., Li, P., & Riddell, A. (2017). Stan: A Probabilistic Programming Language. *Journal of Statistical Software*, 76, 1. <https://doi.org/10.18637/jss.v076.i01>
- Chang, L. J., Huckins, J., Cheong, J. H., Brietzke, S., Lindquist, M. A., & Wager, T. D. (2020). *DartBrains: An online open access resource for learning functional neuroimaging analysis methods in python*. Zenodo. <https://doi.org/10.5281/zenodo.3909717>
- Crawley, D., Zhang, L., Jones, E. J. H., Ahmad, J., Oakley, B., San José Cáceres, A., Charman, T., Buitelaar, J. K., Murphy, D. G. M., Chatham, C., & others. (2020). Modeling flexible behavior in childhood to adulthood shows age-dependent learning mechanisms and less optimal learning in autism in each age group. *PLoS Biology*, 18(10), e3000908. <https://doi.org/10.1371/journal.pbio.3000908>
- Daw, N. D., Gershman, S. J., Seymour, B., Dayan, P., & Dolan, R. J. (2011). Model-based influences on humans' choices and striatal prediction errors. *Neuron*, 69(6), 1204–1215. <https://doi.org/10.1016/j.neuron.2011.02.027>
- Dayan, P., & Niv, Y. (2008). Reinforcement learning: The good, the bad and the ugly. *Current Opinion in Neurobiology*, 18(2), 185–196. <https://doi.org/10.1016/j.conb.2008.08.003>
- Eckstein, M. K., Wilbrecht, L., & Collins, A. G. E. (2021). What do reinforcement learning models measure? Interpreting model parameters in cognition and neuroscience. *Current Opinion in Behavioral Sciences*, 41, 128–137. <https://doi.org/10.1016/j.cobeha.2021.06.004>
- Farrell, S., & Lewandowsky, S. (2018). *Computational Modeling of Cognition and Behavior*. Cambridge University Press. <https://doi.org/10.1017/cbo9781316272503>
- FeldmanHall, O., & Nassar, M. R. (2021). The computational challenge of social learning. *Trends in Cognitive Sciences*, 25(12), 1045–1057. <https://doi.org/10.1016/j.tics.2021.09.002>
- Gläscher, J. P., & O'Doherty, J. P. (2010). Model-based approaches to neuroimaging: Combining reinforcement learning theory with fMRI data. *WIREs Cognitive Science*, 1(4), 501–510. <https://doi.org/10.1002/wcs.57>

- Guest, O., & Martin, A. E. (2021). How Computational Modeling Can Force Theory Building in Psychological Science. *Perspectives on Psychological Science*, 16(4), 789–802. <https://doi.org/10.1177/1745691620970585>
- Hauser, T. U., Skvortsova, V., De Choudhury, M., & Koutsouleris, N. (2022). The promise of a model-based psychiatry: Building computational models of mental ill health. *The Lancet Digital Health*, 4(11), e816–e828. [https://doi.org/10.1016/s2589-7500\(22\)00152-2](https://doi.org/10.1016/s2589-7500(22)00152-2)
- Hollander, G. de, Forstmann, B. U., & Brown, S. D. (2016). Different Ways of Linking Behavioral and Neural Data via Computational Cognitive Models. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, 1(2), 101–109. <https://doi.org/10.1016/j.bpsc.2015.11.004>
- Huys, Q. J. M., Maia, T. V., & Frank, M. J. (2016). Computational psychiatry as a bridge from neuroscience to clinical applications. *Nature Neuroscience*, 19(3), 404–413. <https://doi.org/10.1038/nn.4238>
- Kruschke, J. K. (2014). *Doing Bayesian Data Analysis: A Tutorial with R, JAGS, and Stan*. Academic Press. <https://doi.org/10.1016/c2012-0-00477-2>
- Kutlikova, H. H., Zhang, L., Eisenegger, C., Honk, J. van, & Lamm, C. (2023). Testosterone eliminates strategic prosocial behavior through impacting choice consistency in healthy males. *Neuropsychopharmacology*, 48(10), 1541–1550. <https://doi.org/10.1038/s41386-023-01570-y>
- Lambert, B. (2018). *A Student's Guide to Bayesian Statistics*. SAGE. <https://doi.org/10.4135/9781036234546>
- Lee, D., Seo, H., & Jung, M. W. (2012). Neural basis of reinforcement learning and decision making. *Annual Review of Neuroscience*, 35(1), 287–308. <https://doi.org/10.1146/annurev-neuro-062111-150512>
- Lee, M. D. (2011). How cognitive modeling can benefit from hierarchical Bayesian models. *Journal of Mathematical Psychology*, 55(1), 1–7. <https://doi.org/10.1016/j.jmp.2010.08.013>
- Lee, M. D., & Wagenmakers, E.-J. (2014). *Bayesian Cognitive Modeling: A Practical Course*. Cambridge University Press. <https://doi.org/10.1017/cbo9781139087759>
- Lin, Z., & Sohail, A. (2026). Recalibrating academic expertise in the age of generative AI. *Patterns*, 7(1), 101473. <https://doi.org/10.1016/j.patter.2025.101473>
- Lockwood, P. L., & Klein-Flügge, M. C. (2021). Computational modelling of social cognition and behaviour—a reinforcement learning primer. *Social Cognitive and Affective Neuroscience*, 16(8), 761–771. <https://doi.org/10.1093/scan/nsaa040>
- Maia, T. V., Huys, Q. J. M., & Frank, M. J. (2017). Theory-Based Computational Psychiatry. *Biological Psychiatry*, 82(6), 382–384. <https://doi.org/10.1016/j.biopsych.2017.07.016>
- Marr, D. (1982). *Vision: A computational investigation into the human representation and processing of visual information*. W. H. Freeman; Company. <https://doi.org/10.7551/mitpress/9780262514620.001.0001>
- McElreath, R. (2018). *Statistical Rethinking: A Bayesian Course with Examples in R and Stan*. Chapman; Hall/CRC. <https://doi.org/10.1201/9781315372495>
- Niv Lab. (2021). *NivStan*. <https://nivlab.github.io/nivstan/>
- Niv, Y. (2009). Reinforcement learning in the brain. *Journal of Mathematical Psychology*, 53(3), 139–154. <https://doi.org/10.1016/j.jmp.2008.12.005>

- O'Reilly, J. X., & Ouden, H. E. M. den. (2015). *Models of learning*.
- Palminteri, S., Wyart, V., & Koehlin, E. (2017). The Importance of Falsification in Computational Cognitive Modeling. *Trends in Cognitive Sciences*, 21(6), 425–433. <https://doi.org/10.1016/j.tics.2017.03.011>
- Pan, W., Geng, H., Zhang, L., Fengler, A., Frank, M. J., Zhang, R.-Y., & Chuan-Peng, H. (2025). dockerHDDM: A user-friendly environment for bayesian hierarchical drift-diffusion modeling. *Advances in Methods and Practices in Psychological Science*, 8(1), 25152459241298700. <https://doi.org/10.1177/25152459241298700>
- Pan, Y., Vinding, M. C., Zhang, L., Lundqvist, D., & Olsson, A. (2023). A brain-to-brain mechanism for social transmission of threat learning. *Advanced Science*, 10(28), 2304037. <https://doi.org/10.1002/advs.202304037>
- Plummer, M. (2003). JAGS: A program for analysis of bayesian graphical models using gibbs sampling. In K. Hornik, F. Leisch, & A. Zeileis (Eds.), *Proceedings of the 3rd international workshop on distributed statistical computing* (pp. 1–10).
- Press, C., Yon, D., & Heyes, C. (2022). Building better theories. *Current Biology*, 32(1), R13–R17. <https://doi.org/10.1016/j.cub.2021.11.027>
- Rescorla, R. A., & Wagner, A. R. (1972). *A theory of pavlovian conditioning: Variations in the effectiveness of reinforcement and nonreinforcement* (pp. 64–99). Appleton-Century-Crofts.
- Rhoads, S. A., & Gan, L. (2022). Computational models of human social behavior and neuroscience: An open educational course and jupyter book to advance computational training. *Journal of Open Source Education*, 5(47), 146. <https://doi.org/10.21105/jose.00146>
- Rocca, R., & Yarkoni, T. (2021). Putting Psychology to the Test: Rethinking Model Evaluation Through Benchmarking and Prediction. *Advances in Methods and Practices in Psychological Science*, 4(3), 25152459211026864. <https://doi.org/10.1177/25152459211026864>
- RStudio Team. (2020). *RStudio: Integrated development environment for r*.
- Sohail, A., Magda, A., Said, M., Phillips, L., Lu, Y., Reynolds, G., Comer-Fenn, A., Russell, J., Lu, H., Sims, T., Saulin, A., & Zhang, L. (2026). *Transdiagnostic factors differentially shape choices and reaction times in social evaluative learning*. PsyArXiv. https://doi.org/10.31234/osf.io/svbfw_v1
- Sohail, A., Quinn, A. J., Carpenter, J. J., Hansen, P. C., & Chechlac, M. (2025). *MRI on BEAR (Birmingham Environment for Academic Research): Magnetic Resonance Imaging in Cognitive Neuroscience at the Centre for Human Brain Health* (Version v1.0.0). Zenodo. <https://doi.org/10.5281/zenodo.15804715>
- Sohail, A., & Zhang, L. (2024). Informing the treatment of social anxiety disorder with computational and neuroimaging data. *Psychoradiology*, 4, kkae010. <https://doi.org/10.1093/psyrad/kkae010>
- Sohail, A., & Zhang, L. (2025). Using large language models to facilitate academic work in the psychological sciences. *Current Psychology*, 44(9), 7910–7918. <https://doi.org/10.1007/s12144-025-07438-2>
- Stan Development Team. (2024). *RStan: The R interface to Stan*. <https://doi.org/10.32614/cran.package.rstan>
- Suter, G., Černis, E., & Zhang, L. (2025). Interpersonal computational modelling of social synchrony in schizophrenia and beyond. *Psychoradiology*, 5, kkaf011. <https://doi.org/10.1093/psyrad/kkaf011>

- 359 Ushey, K., & Wickham, H. (2023). *Renv: Project environments*. [https://doi.org/10.32614/](https://doi.org/10.32614/cran.package.renv)
360 [cran.package.renv](https://doi.org/10.32614/cran.package.renv)
- 361 Vehtari, A., Gabry, J., Magnusson, M., Yao, Y., Bürkner, P.-C., Paananen, T., & Gelman,
362 A. (2015). *Loo: Efficient leave-one-out cross-validation and WAIC for bayesian models*.
363 <https://doi.org/10.32614/cran.package.loo>
- 364 Wickham, H. (2016). *ggplot2: Elegant graphics for data analysis*. Springer-Verlag New
365 York. <https://doi.org/10.1007/978-3-319-24277-4>
- 366 Wilson, R. C., & Collins, A. G. E. (2019). Ten simple rules for the computational modeling
367 of behavioral data. *eLife*, 8, e49547. <https://doi.org/10.7554/elife.49547>
- 368 Zhang, L., & Gläscher, J. (2020). A brain network supporting social influences in human
369 decision-making. *Science Advances*, 6(34), eabb4159. [https://doi.org/10.1126/sciadv.](https://doi.org/10.1126/sciadv.abb4159)
370 [abb4159](https://doi.org/10.1126/sciadv.abb4159)
- 371 Zhang, L., Lengersdorff, L., Mikus, N., Gläscher, J., & Lamm, C. (2020). Using
372 reinforcement learning models in social neuroscience: Frameworks, pitfalls and
373 suggestions of best practices. *Social Cognitive and Affective Neuroscience*, 15(6),
374 695–707. <https://doi.org/10.1093/scan/nsaa089>