Time left 0:07:32

Question 23

Not yet answered

Marked out of 8.00

-

The following table shows five processes arrived at different time with the length of CPU burst given in milliseconds (ms). The processes are assumed to have arrived in the order P5, P4, P3, P2, P1 , all at time 0.

Process	Priority	CPU Burst
P1	2	3
P2	1	2
P3	3	9
P4	2	5
P5	4	6

Calculate the **Average Waiting Time** and**Average Turnaround Time** if the algorithm is applied for the following questions:

[**Note** : Answer for questions 1, 2 and 3 use 1 decimal point only. e.g. : 3.4]

1. **Shortest Job Next (SJN)**

   Average Waiting Time =

   6.6

   and Average Turnaround Time =

   11.6

2. **Priority Scheduling** (a small number implies a higher priority)

   Average Waiting Time =

   7.22

   and Average Turnaround Time =

   12.2

3. **Round Robin (quantum = 2)**

   Average Waiting Time =

   11.4

   and Average Turnaround Time =

   16.4

4. Which of the algorithms results in the minimum average waiting time (over all processes)?

   Shortest Job Next

Previous activity

◄ Announcements

Jump to...

Stay in touch

UTM Academic Leadership - UTMLead

http://utmlead.utm.my/

Mobile : +6075537914

elearning@utm.my

Data retention summary

Get the mobile app