Time left 0:07:52

Question 2

Not yet answered

Marked out of 8.00

Carefully study the following **Peterson's Algorithm** as shown in the following table. There are two processes, **P0** and **P1,** who wish to satisfy the Critical Section requirements. Initially both flags, flag[0] and flag[1] are set to FALSE. Fill in the cells below with the appropriate values and actions. [8 marks]

Process P0	Process P1

while(TRUE)
{
flag[0] = TRUE;
turn = 1;
while (flag[1] && turn == 1)
; /* do nothing */
critical section
flag[0] = FALSE;
print("Hai");
}
	while (TRUE)
	{
	flag[1] = TRUE;
	turn = 0;
	while (flag[0] && turn == 0)
	; /* do nothing */
	critical section
	flag[1] = FALSE;
	print("Good");
	}

[Note :Answer **MUST** use TRUE or FALSE in capital letter].
Put cursor in the first cell and use TAB to go to next cells.

Time	flag[0]	flag[1]	Turn	Events
t0	FALSE	FALSE	0	Both processes P_0 and P_1 alive
t1		TRUE		P_1 wishes to enter CS
t2		TRUE		P_1 in the CS
t3		TRUE		P_0 wishes to enter CS
t4		TRUE		P_0 busy waiting
t5		FALSE		P_1 leave CS
t6		FALSE		P_0 enter CS
t7		TRUE		P_1 wishes to enter CS
t8		TRUE		P_0 leave CS

Previous activity

◀ Lab 2 Submission

Jump to...

Next activity

GROUP PROJECT ▶

Stay in touch

UTM Academic Leadership - UTMLead

http://utmlead.utm.my/
Mobile : +6075537914
elearning@utm.my

Data retention summary

Get the mobile app