
Time left 0:17:21

Question 47

Not yet answered

Marked out of 4.00

Consider the following network. Answer the following questions.



(a) With the indicated link costs, use Dijkstra's shortest-path algorithm to compute the shortest path from ***x*** to all network nodes.

Complete the following table in all provided spaces

(Remark: Write the answer with a comma (',') without space. Example (10,w); write '00' for infinity)

Steps	N'	D(w), p(w)	D(y), p(y)	D(z), p(z)	D(v), p(v)	D(u), p(u)	D(x), p(x)
0	x		6,x		8,w		00
1		5,w	6,x				
2				9,y		6,w	
3						6,w	00
4	t						
5				7,v			

(b) Consider the Bellman-Ford equation is used.

Select the cost of least-cost path for $d_t(x) = \min_x\{cost1 + cost2\}$, write the values of cost1 and cost2.

Answers:

cost1 =

cost2 = d(x)

Previous activity

◄ SECR1213-00 NETWORK COMMUNICATIONS VIRTUAL EXAM HALL TELEGRAM GROUP LINK

Jump to...

Stay in touch

UTM Academic Leadership - UTMLead

http://utmlead.utm.my/

Mobile : +6075537914

elearning@utm.my

Data retention summary

Get the mobile app