CONFIDENTIAL

UNIVERSITI TEKNOLOGI MALAYSIA

Faculty of Computing

UNIVERSITI TEKNOLOGI MALAYSIA

FINAL EXAMINATION

SEMESTER II 2017/2018

SUBJECT CODE	**: SCSI1143**
SUBJECT NAME	**: PROBABILITY & STATISTICAL DATA ANALYSIS**
YEAR/COURSE	**: 1, 2/SCSB, SCSD, SCSJ, SCSR, SCSV**
TIME	**:**
DATE	**:**
VENUE	**:**

INSTRUCTIONS TO THE STUDENTS:

Answer all questions in the answer booklet.

Provide your final answer accurate to 3 decimal places.

NAME	
MATRIC NO.	
SECTION	
LECTURER	

(This question paper consist of 13 pages including this page)

QUESTION 1 **[8 MARKS]**

In a random sample of 350 food shops, it was found that 130 of them had special offers.

a) Calculate an approximate 95% confidence interval for the population of all food shops with special offers. (4 marks)

b) Estimate the new size of a random sample required for an approximate 95% confidence interval for the proportion calculated in (a) that has margin of error of 0.04. (4 marks)

QUESTION 2 **[12 MARKS]**

a) A random sample of 6 steel beams has a mean compressive strength of 58392 psi (pound per square inch) with its population standard deviation is 648 psi. Use this information and the level of significance $\alpha=0.05$ to test whether the true average compressive strength of steel from which this sample came is 58000 psi. (6 marks)

b) Past data indicate that the variance of measurements made on sheet metal stampings by experienced quality control inspectors is 0.18 $(\text{inch})^2$. Such measurements made by an inexperienced inspector could have too large a variance (perhaps because of inability to read instruments properly) or too small a variance (perhaps because unusually high or low measurements are discarded). If a new inspector measures 101 stampings with variance of 0.13 $(\text{inch})^2$, test at the 0.05 level of significance whether the inspector is making satisfactory measurements. Assume data is normally distributed. (6 Marks)

QUESTION 3 **[20 MARKS]**

a) During flu outbreak, parents of 2000 babies were surveyed by researchers of a pharmaceutical company to determine if the company's new flu medicine was effective after two days. Among 120 babies who had the flu and were given the medicine, 29 were recovered within two days. Among 280 babies who had the flu but were not given the medicine, 56 recovered

within two days. Is there any significant indication that supports the company's claim of the effectiveness of the flu medicine? Use a 0.01 level of significance. (7 marks)

b) An experiment was conducted to compare alcohol content of a cleaning product on two different production lines. Production was monitored five times a day. The data are shown in Table 1.

Table 1: Alcohol content of a cleaning product for 2 production lines

Production line 1:	0.48	0.39	0.42	0.52	0.40
Production line 2:	0.38	0.37	0.39	0.41	0.38

Assume both populations are normally distributed. It is suspected that production line 1 is not producing as consistently as production line 2 in terms of the alcohol content. Test the following hypothesis at significance level 0.05 by assuming that the two population variances were equal:

H_0: $\sigma_1 = \sigma_2$

H_1: $\sigma_1 \neq \sigma_2$

(5 marks)

c) Data in the following Table 2 shows the number of words spelled correctly by 10 participants of an international spelling bee competition before and after training. Is there sufficient evidence to conclude that training can increase the number of words spelled correctly by the participants? Use a 0.05 significance level and the hypothesis given.

H_0: $u_d = 0$

H_1: $u_d < 0$

Table 2: Number of words correctly spelled before and after training

Before training	204	393	391	265	326	220	423	342	480	464
After training	223	412	402	285	353	243	443	340	582	490

(8 marks)

QUESTION 4 **[25 MARKS]**

a) In an experiment of breeding mice, a geneticist has obtained 120 brown mice with pink eyes, 48 brown mice with brown eyes, 36 white mice with pink eyes and 13 white mice with brown eyes. Theory predicts that these types of mice should be obtained with the genetic percentage of 56%, 19%, 19% and 6% respectively. Test the compatibility of data with theory, using 0.05 level of significance.

(10 marks)

b) Three different shops are used to repair electric motors. One hundred motors are sent to each shop. When a motor is returned, it is put in use and then repair is classified as complete, requiring and adjustment, or incomplete repair. Based on data in Table 3, use 0.05 level of significance to test whether there is homogeneity among the shops' repair distribution.

Table 3: Status of repair by shop

		Shop 1	Shop 2	Shop 3
Repair	Complete	78	56	54
	Adjustment	15	30	31
	Incomplete	7	14	15
Total		100	100	100

(15 marks)

QUESTION 5 **[20 MARKS]**

The ages, t years of 7 hospital patients and their blood pressure, p mmHg are shown in Table 4.

Table 4: Blood pressure of 7 patients

Patient	A	B	C	D	E	F	G
t	42	74	48	35	56	26	60
p	98	130	120	88	182	80	135

a) Sketch a scatter diagram of the data and interpret the correlation coefficient. (3 marks)

b) Calculate the product moment correlation coefficient between t and p and give the reason to support fitting a regression model to these data. (7 marks)

c) Determine the intercept of the regression line correct to 3 decimal points. (6 marks)

d) Find the equation of the least square regression of p on t. (2 marks)

e) Estimate the blood pressure of a 40-year old patient. (2 marks)

QUESTION 6 **[15 MARKS]**

Data in the following Table 5 represent the number of hours of relief provided by five different brands of headache tablets given to 25 patients experiencing fevers of 38° Celsius or more. Perform the analysis of variance (ANOVA) and test the hypothesis at 0.05 level of significance that the mean number of hours of relief provided by the tablets is the same for all five brands. Provide your evidence.

Table 5: Number of hours of relief by five different brands of headache tablet

Tablet brand	A	B	C
Number of hours of relief	5.2	9.1	2.4
	4.7	7.1	3.4
	8.1	8.2	4.1
	6.2	6.0	1.0
	3.0	9.1	1.0

--- end of questions ---

List of Formula:

(a) Hypothesis Testing for one sample

$$Test\ Statistic, z_0 = \frac{\bar{x} - \mu}{\sigma/\sqrt{n}}$$

$$Test\ Statistic, t_0 = \frac{\bar{x} - \mu}{s/\sqrt{n}}$$

$$Test\ Statistic, \chi^2 = \frac{(n-1)s^2}{\sigma^2}$$

(b) Hypothesis Testing for two samples

$$Test\ Statistic, z_0 = \frac{\bar{x}_1 - \bar{x}_2 - \Delta_0}{\sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}}$$

$$Test\ Statistic, t_0 = \frac{\bar{x}_1 - \bar{x}_2 - \Delta_0}{s_p\sqrt{\frac{1}{n_1} + \frac{1}{n_2}}}; s_p^2 = \frac{(n_1-1)s_1^2 + (n_2-1)s_2^2}{n_1 + n_2 - 2}$$

$$Test\ Statistic, T_0 = \frac{\bar{x}_1 - \bar{x}_2 - \Delta_0}{\sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}}; v = \frac{\left(\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}\right)^2}{\frac{\left(s_1^2/n_1\right)^2}{n_1 - 1} + \frac{\left(s_2^2/n_2\right)^2}{n_2 - 1}}$$

$$Test\ Statistic, T_0 = \frac{\overline{D} - u_D}{\frac{S_D}{\sqrt{n}}}$$

$$Test\ Statistic, F_0 = \frac{s_1^2}{s_2^2}$$

$$S_D = \sqrt{\frac{\sum D^2 - \frac{\sum D^2}{n}}{n-1}}$$

(c) Chi-Square Test

$$Test\ Statistic, \chi^2 = \sum_{i}^{n} \frac{(o_i - e_i)^2}{e_i}$$

$$Degree\ of\ Freedom\ for\ two-way\ contigency\ table = (r-1)(c-1)$$

(d) Correlation

$$Pearson\ Correlation\ Coefficient, r = \frac{\sum xy - \frac{(\sum x \sum y)}{n}}{\sqrt{\left(\sum x^2 - \frac{(\sum x)^2}{n}\right)\left(\sum y^2 - \frac{(\sum y)^2}{n}\right)}}$$

$$Spearman\ Correlation\ Coefficient, r_s = 1 - \frac{6\sum d_i^2}{n(n^2-1)}\ where\ d_i = y_i - x_i$$

$$Test\ Statistic, t = \frac{r}{\sqrt{\frac{1-r^2}{n-2}}}$$

(e) Regression

$$b_1 = \frac{\sum xy - \frac{(\sum x \sum y)}{n}}{\sum x^2 - \frac{(\sum x)^2}{n}}$$

$$b_0 = \bar{y} - b_1\bar{x}$$

(f) Analysis of variance (ANOVA)

$$Test\ Statistic, F = \frac{ns^{\frac{2}{x}}}{s_p^2}$$




TABLE A-2 Standard Normal (z) Distribution

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
0.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
0.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
0.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
0.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495 *	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949 *	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990
3.10 and higher	.4999									

NOTE: For values of z above 3.09, use 0.4999 for the area.
*Use these common values that result from interpolation:

z score	Area
1.645	0.4500
2.575	0.4950

From Frederick C. Mosteller and Robert E. K. Rourke, *Sturdy Statistics*, 1973, Addison-Wesley Publishing Co., Reading, MA. Reprinted with permission of Frederick Mosteller.




TABLE A-3 t Distribution

	α					
Degrees of Freedom	.005 (one tail) .01 (two tails)	.01 (one tail) .02 (two tails)	.025 (one tail) .05 (two tails)	.05 (one tail) .10 (two tails)	.10 (one tail) .20 (two tails)	.25 (one tail) .50 (two tails)
1	63.657	31.821	12.706	6.314	3.078	1.000
2	9.925	6.965	4.303	2.920	1.886	.816
3	5.841	4.541	3.182	2.353	1.638	.765
4	4.604	3.747	2.776	2.132	1.533	.741
5	4.032	3.365	2.571	2.015	1.476	.727
6	3.707	3.143	2.447	1.943	1.440	.718
7	3.500	2.998	2.365	1.895	1.415	.711
8	3.355	2.896	2.306	1.860	1.397	.706
9	3.250	2.821	2.262	1.833	1.383	.703
10	3.169	2.764	2.228	1.812	1.372	.700
11	3.106	2.718	2.201	1.796	1.363	.697
12	3.054	2.681	2.179	1.782	1.356	.696
13	3.012	2.650	2.160	1.771	1.350	.694
14	2.977	2.625	2.145	1.761	1.345	.692
15	2.947	2.602	2.132	1.753	1.341	.691
16	2.921	2.584	2.120	1.746	1.337	.690
17	2.898	2.567	2.110	1.740	1.333	.689
18	2.878	2.552	2.101	1.734	1.330	.688
19	2.861	2.540	2.093	1.729	1.328	.688
20	2.845	2.528	2.086	1.725	1.325	.687
21	2.831	2.518	2.080	1.721	1.323	.686
22	2.819	2.508	2.074	1.717	1.321	.686
23	2.807	2.500	2.069	1.714	1.320	.685
24	2.797	2.492	2.064	1.711	1.318	.685
25	2.787	2.485	2.060	1.708	1.316	.684
26	2.779	2.479	2.056	1.706	1.315	.684
27	2.771	2.473	2.052	1.703	1.314	.684
28	2.763	2.467	2.048	1.701	1.313	.683
29	2.756	2.462	2.045	1.699	1.311	.683
Large (z)	2.575	2.326	1.960	1.645	1.282	.675

TABLE A-4 Chi-Square (χ^2) Distribution

Degrees of Freedom	Area to the Right of the Critical Value									
	0.995	0.99	0.975	0.95	0.90	0.10	0.05	0.025	0.01	0.005
1	—	—	0.001	0.004	0.016	2.706	3.841	5.024	6.635	7.879
2	0.010	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9.210	10.597
3	0.072	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.345	12.838
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14.860
5	0.412	0.554	0.831	1.145	1.610	9.236	11.071	12.833	15.086	16.750
6	0.676	0.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812	18.548
7	0.989	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475	20.278
8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090	21.955
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666	23.589
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.188
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725	26.757
12	3.074	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.299
13	3.565	4.107	5.009	5.892	7.042	19.812	22.362	24.736	27.688	29.819
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.319
15	4.601	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578	32.801
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.267
17	5.697	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409	35.718
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156
19	6.844	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191	38.582
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.997
21	8.034	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932	41.401
22	8.643	9.542	10.982	12.338	14.042	30.813	33.924	36.781	40.289	42.796
23	9.260	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638	44.181
24	9.886	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.559
25	10.520	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314	46.928
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.290
27	11.808	12.879	14.573	16.151	18.114	36.741	40.113	43.194	46.963	49.645
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.993
29	13.121	14.257	16.047	17.708	19.768	39.087	42.557	45.722	49.588	52.336
30	13.787	14.954	16.791	18.493	20.599	40.256	43.773	46.979	50.892	53.672
40	20.707	22.164	24.433	26.509	29.051	51.805	55.758	59.342	63.691	66.766
50	27.991	29.707	32.357	34.764	37.689	63.167	67.505	71.420	76.154	79.490
60	35.534	37.485	40.482	43.188	46.459	74.397	79.082	83.298	88.379	91.952
70	43.275	45.442	48.758	51.739	55.329	85.527	90.531	95.023	100.425	104.215
80	51.172	53.540	57.153	60.391	64.278	96.578	101.879	106.629	112.329	116.321
90	59.196	61.754	65.647	69.126	73.291	107.565	113.145	118.136	124.116	128.299
100	67.328	70.065	74.222	77.929	82.358	118.498	124.342	129.561	135.807	140.169

TABLE E

F critical values

Degrees of freedom in the denominator		Degrees of freedom in the numerator								
	p	1	2	3	4	5	6	7	8	9
1	.100	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86
	.050	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54
	.025	647.79	799.50	864.16	899.58	921.85	937.11	948.22	956.66	963.28
	.010	4052.2	4999.5	5403.4	5624.6	5763.6	5859.0	5928.4	5981.1	6022.5
	.001	405284	500000	540379	562500	576405	585937	592873	598144	602284
2	.100	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38
	.050	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38
	.025	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39
	.010	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39
	.001	998.50	999.00	999.17	999.25	999.30	999.33	999.36	999.37	999.39
3	.100	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24
	.050	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
	.025	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47
	.010	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35
	.001	167.03	148.50	141.11	137.10	134.58	132.85	131.58	130.62	129.86
4	.100	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94
	.050	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
	.025	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90
	.010	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66
	.001	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47
5	.100	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32
	.050	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
	.025	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68
	.010	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16
	.001	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24
6	.100	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96
	.050	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
	.025	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52
	.010	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98
	.001	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.69
7	.100	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72
	.050	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
	.025	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82
	.010	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72
	.001	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33

TABLE E

F critical values (continued)

Degrees of freedom in the denominator		Degrees of freedom in the numerator								
	p	1	2	3	4	5	6	7	8	9
8	.100	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56
	.050	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
	.025	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36
	.010	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91
	.001	25.41	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.77
9	.100	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44
	.050	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
	.025	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03
	.010	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35
	.001	22.86	16.39	13.90	12.56	11.71	11.13	10.70	10.37	10.11
10	.100	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35
	.050	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
	.025	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78
	.010	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94
	.001	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.96
11	.100	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27
	.050	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
	.025	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59
	.010	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63
	.001	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	8.12
12	.100	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21
	.050	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
	.025	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44
	.010	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39
	.001	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48
13	.100	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16
	.050	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
	.025	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31
	.010	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19
	.001	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98
14	.100	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12
	.050	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
	.025	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21
	.010	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03
	.001	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.58
15	.100	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09
	.050	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
	.025	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12
	.010	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89
	.001	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26
16	.100	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06
	.050	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
	.025	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05
	.010	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78
	.001	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.98
17	.100	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03
	.050	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
	.025	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98
	.010	8.40	6.11	5.19	4.67	4.34	4.10	3.93	3.79	3.68
	.001	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75