



TECHNICAL INTEGRATION GUIDE

M1 FUND INBOUND & MASTER-TO-MASTER SWIFT WIRE

Complete API Specifications, Accepted Codes & Receiver Details

DOCUMENT INFORMATION

Document Ref:	ALSH-TECH-SPEC-20260519
Version:	2.0 — Production 19 May 2026
Prepared By:	ALSHUMOOKH GLOBAL BANKING FINANCE & CREDIT
Signatory:	Ahmed Mohamed — Chief Executive Officer
Platform:	https://api.alshumookh-pay.com
Classification:	CONFIDENTIAL — Authorised Technical Recipients Only

CONFIDENTIAL — FOR AUTHORISED COUNTERPARTIES ONLY



TABLE OF CONTENTS

1. Receiver Profile & System Overview
2. Security Architecture & Authentication
3. API Endpoints Reference
4. M1 Fund Inbound — Complete Integration Flow
5. M1 Fund Payload Structure & JSON Schema
6. Master-to-Master SWIFT Wire Transfer
7. Accepted Codes & Enumerations
8. Receiver Bank & Crypto Wallet Details
9. Compliance & Standards

◆ 1

RECEIVER PROFILE & SYSTEM OVERVIEW

1.1 Receiving Entity

Legal Name	Alshumookh Alraeda Investment LLC
Trade Name	ALSHUMOOKH GLOBAL BANKING FINANCE & CREDIT
License No.	887065
Address	API World Tower, Office No. 2103/2104, Sheikh Zayed Road, Dubai, UAE
Jurisdiction	Dubai, United Arab Emirates
Authorized Signatory	Ahmed Mohamed — Chief Executive Officer
Email	ceo@alshumookhgroup.ae
Platform	https://api.alshumookh-pay.com
API Base URL	https://api.alshumookh-pay.com/api/v1

1.2 Technical Platform

Framework	FastAPI (Python) — Async REST API
Database	PostgreSQL — Async SQLAlchemy ORM
Protocol	HTTPS — TLS 1.3 enforced on all connections
API Prefix	/api/v1
Supported Formats	JSON (primary), XML on request, binary .dat, .fin
Encoding	UTF-8
Timezone	UTC — ISO-8601 timestamps throughout
Version	v2.0 Production

◆ 2

SECURITY ARCHITECTURE & AUTHENTICATION

2.1 Transport & WAF

Transport	HTTPS — TLS 1.3 enforced. HTTP auto-redirected to HTTPS.
Rate Limiting	240 requests per 60-second window (global)
IP Ban Duration	900 seconds upon threshold breach
Probe Threshold	5 suspicious requests within 600 seconds → auto-ban
Bot Filtering	User-agent scanning and bot detection — automated block
Country Filtering	Allowed/blocked country lists — configurable per deployment
Path Probing	Scanner path detection with silent auto-ban

2.2 Authentication Methods

API Key (X-API-Key)	Client API key from ALSHUMOOKH Client Dashboard. Generate at: https://api.alshumookh-pay.com/client → My Account → API Keys	<i>Standard — all protected endpoints</i>
OAuth 2.0 Bearer	Client Credentials grant. POST /api/v1/oauth/token → returns access_token	<i>Machine-to-machine</i>
HMAC-SHA256 (X-Signature)	HMAC over: X-Timestamp + '.' + exact body. Companion header: X-Timestamp (Unix seconds)	<i>Enhanced — high-value payloads</i>
JWS Signature (X-JWS-Signature)	Detached compact JWS, payload_hash = SHA-256 of body.	<i>Institutional grade</i>
mTLS (X-Client-Cert-Fingerprint)	Mutual TLS — SHA-256 cert fingerprint forwarded by proxy.	<i>Enterprise maximum security</i>

Minimum Requirement: X-API-Key header is required on ALL protected endpoints. Admin endpoints require X-Admin-API-Key (separate key — not the client key). All POST inbound endpoints require an Idempotency-Key (UUID) to prevent duplicate processing.

◆ 3

API ENDPOINTS REFERENCE

3.1 Inbound Public Endpoints

POST	/api/v1/payloads/m1-fund	Receive M1-grouped fund data from authorised senders	X-API-Key
POST	/api/v1/payloads/ingest	General settlement payload — crypto wallet-to-wallet	X-API-Key / Bearer
GET	/api/v1/payloads/schema	Returns full JSON schema for settlement payload	None

3.2 Client Portal

POST	/api/v1/client/register	Self-register as new client	None (public)
POST	/api/v1/client/login	Client login — returns session cookie	Credentials
GET	/api/v1/client/me	Get client profile and account details	X-API-Key
GET	/api/v1/client/apikey	View current API key	Session
POST	/api/v1/client/rotate-apikey	Generate new API key — invalidates old key	X-API-Key
GET	/api/v1/client/orders	List client payment orders	X-API-Key
POST	/api/v1/client/direct-payment	Initiate direct payment	X-API-Key

3.3 OAuth

POST	/api/v1/oauth/token	Obtain OAuth 2.0 Bearer token (Client Credentials grant)	client_id+secret
------	---------------------	--	------------------

3.4 Admin — M1 Funds

GET	/api/v1/admin/m1-funds	List all M1 Fund payloads — newest first	X-Admin-API-Key
GET	/api/v1/admin/m1-funds/{fund_id}	Full M1 Fund detail including files	X-Admin-API-Key
POST	/api/v1/admin/m1-funds/{fund_id}/approve	Approve M1 Fund for tokenization	X-Admin-API-Key
POST	/api/v1/admin/m1-funds/{fund_id}/reject	Reject M1 Fund with reason	X-Admin-API-Key

3.5 Admin — SWIFT

POST	/api/v1/admin/swift/transmit	Send SWIFT envelope to external API endpoint	X-Admin-API-Key
GET	/api/v1/admin/swift/lookup	Search SWIFT records	X-Admin-API-Key
POST	/api/v1/admin/swift/import	Import SWIFT file into the system	X-Admin-API-Key

3.6 Admin — Payloads

GET	/api/v1/admin/payloads	List all payloads	X-Admin-API-Key
GET	/api/v1/admin/payloads/{payload_id}	Full payload detail	X-Admin-API-Key
POST	/api/v1/admin/payloads/{payload_id}/verify	Verify payload on-chain	X-Admin-API-Key
POST	/api/v1/admin/payloads/{payload_id}/review	Submit compliance review decision	X-Admin-API-Key

3.7 System Health

GET	/health	System health check	None
GET	/ready	Readiness probe	None
GET	/	API information	None

◆ 4

M1 FUND INBOUND — COMPLETE INTEGRATION FLOW

The following 8-step process outlines the complete end-to-end workflow for submitting an M1 Fund inbound transfer to the ALSHUMOOKH system.

01	STEP 01 — CLIENT REGISTRATION Client self-registers at https://api.alshumookh-pay.com/client and completes full KYC/AML verification.
02	STEP 02 — API KEY GENERATION Login to client dashboard → My Account → API Keys → Generate New Key. The API key is managed independently — no admin action required.
03A	STEP 03A — M1 FUND JSON SUBMISSION (API Method) Submit M1 Fund JSON payload via POST <code>/api/v1/payloads/m1-fund</code> with headers: X-API-Key, Content-Type: application/json, Idempotency-Key (unique UUID).
03B	STEP 03B — MASTER-TO-MASTER SWIFT WIRE (Alternative) Initiate SWIFT MT103/MT202 wire to IBAN AE960260001015754367301 at Emirates NBD (BIC: EBILAEADXXX). After the wire, also submit M1 Fund JSON via API to link the records.
04	STEP 04 — RECEIPT CONFIRMATION System returns ALSH-M1 reference number, SHA-256 payload hash, receiver IBAN, wallet address, and timestamp as an immediate receipt.
05	STEP 05 — COMPLIANCE REVIEW ALSHUMOOKH compliance team reviews within 1 business day. All M1 Fund submissions are flagged HIGH priority automatically.
06	STEP 06 — TOKENIZATION Upon approval: EUR converted to USD at live spot FX rate → USDT ERC-20 minted on Ethereum Mainnet via ALSHUMOOKH tokenization platform.
07	STEP 07 — ON-CHAIN TRANSFER & SETTLEMENT USDT transferred on-chain to the agreed beneficiary wallet address. All Ethereum gas fees paid exclusively by ALSHUMOOKH — zero upfront cost to sender.

SETTLEMENT COMPLETE — Transaction is final and irreversible upon on-chain confirmation. Full audit trail and settlement confirmation provided to all parties.

5

M1 FUND PAYLOAD STRUCTURE & JSON SCHEMA

5.1 Required HTTP Headers

X-API-Key	Client API key — generated from ALSHUMOOKH Client Dashboard
Content-Type	application/json
Idempotency-Key	Unique UUID per submission — prevents duplicate processing
X-Sender-ID	(Optional) Your organisation identifier e.g. DCB-FUNDS-GROUP

5.2 Payload Sections

_sender	Sender organisation details — all fields to be completed by sender (marked XXXXX)
_receiver	ALSHUMOOKH receiver details — pre-filled. Do NOT modify.
_transfer_methods	Both methods: M1 Fund API endpoint + Master-to-Master SWIFT Wire
token	USDT ERC-20 token specification on Ethereum Mainnet
file_reference	Source account files (12 accounts) with EUR values and dates
grouped_m1_detail	M1 group ID, total EUR value, ledger reference, FX conversion basis
verification	M0 status, liquidity class (M1), auditor name, SHA-256 hash
release_codes	Release code hash — required for processing
payout_structure	USDT payout: sender entitlement %, broker commissions, gas fee responsibility

5.3 Success Response

```
{ "status": "RECEIVED", "m1_reference": "ALSH-M1-20260519-XXXXXX", "fund_id": "<uuid>", "received_at": "2026-05-19T10:00:00Z", "payload_hash": "<SHA-256 of submitted body>", "receiver": { "entity": "Alshumookh Alraeda Investment LLC", "iban": "AE960260001015754367301", "bic": "EBILAEADXXX", "bank": "Emirates NBD – Sheikh Zayed Road, Dubai, UAE", "wallet": "0xBD682cfD8382a90adfDd6745780D3D7959c4d939", "network": "Ethereum Mainnet – ERC-20 USDT" } }
```

5.4 Error Codes

HTTP Code	Description	Action Required
401	Missing or invalid X-API-Key	Generate key from client dashboard
400	Invalid JSON body or missing required structure	Validate JSON and resubmit
405	Method Not Allowed — endpoint is POST only	Use POST, not GET
409 / ALREADY_RECEIVED	Invalid Idempotency-Key	Already processed — no action needed
500	Internal server error	Contact ceo@alshumookhgroup.ae

◆ 6

MASTER-TO-MASTER SWIFT WIRE TRANSFER

Direct SWIFT wire transfer from the sender's master account to the ALSHUMOOKH master ledger account at Emirates NBD. Supported message types: MT103 and MT202.

6.1 Beneficiary Bank Details

Beneficiary Name	Alshumookh Alraeda Investment LLC
Account Number	1015754367301
IBAN	AE960260001015754367301
Bank Name	Emirates NBD
BIC / SWIFT Code	EBILAEADXXX
Bank Address	Sheikh Zayed Road, Dubai, United Arab Emirates
Currency	EUR
Transfer Amount	30,000,000.00 EUR (or as bilaterally agreed)
Charge Code (71A)	OUR — all charges paid by sender (recommended)
Purpose of Transfer	M1 Fund Transfer — ALSHUMOOKH Integration Ref: ALSH-LEDGER-20260519-EUR30M-001

6.2 Required SWIFT Fields (MT103)

:20: TRN	[Sender Transaction Reference Number]
:23B: Bank Operation Code	CRED
:32A: Value Date / Currency	[YYYYMMDD] EUR 30000000,00
:50K: Ordering Customer	[Sender Full Name and Address]
:52A: Ordering Institution	[Sender Bank BIC]
:56A: Intermediary Bank	[Intermediary Bank BIC if applicable]
:57A: Account With Institution	EBILAEADXXX
:59: Beneficiary	Alshumookh Alraeda Investment LLC — API World Tower, Office 2103/2104, Sheikh Zayed Road, Dubai, UAE
:70: Remittance Information	M1 FUND TRANSFER REF ALSH-LEDGER-20260519-EUR30M-001
:71A: Charges	OUR
:72: Sender to Receiver Info	M1 INTEGRATION ALSHUMOOKH GLOBAL BANKING

6.3 Post-Wire Steps

Step 1	Send wire confirmation to: ceo@alshumookhgroup.ae
Step 2	Include SWIFT TRN reference number and transaction hash in the email
Step 3	ALSHUMOOKH will confirm receipt within 1 business day
Step 4	Submit M1 Fund JSON via API (POST /api/v1/payloads/m1-fund) to link wire to digital record



Step 5	Tokenization and USDT conversion initiated upon full verification and compliance clearance
--------	--

◆ 7

ACCEPTED CODES & ENUMERATIONS

7.1 Order Status Codes

CREATED Order created — awaiting payment initiation	PENDING Payment initiated — awaiting confirmation
PROCESSING Payment confirmed — settlement in progress	COMPLETED Settlement complete — funds credited
FAILED Payment or settlement failed	REFUNDED Payment refunded to sender
EXPIRED Order expired before payment completion	

7.2 Payload Verification Status Codes

RECEIVED Payload received and stored — pending parsing	PARSED Parsed successfully — fields extracted
AWAITING_TX_HASH Awaiting blockchain transaction hash from sender	ALCHEMY_PENDING Submitted to Alchemy for on-chain verification
ALCHEMY_VERIFIED On-chain transaction verified via Alchemy	ON_CHAIN_CONFIRMED Transaction confirmed on blockchain
RECONCILED Payload reconciled with internal ledger	FAILED Verification or processing failed
MANUAL_REVIEW Flagged for manual compliance review	

7.3 M1 Fund Status Codes

RECEIVED M1 Fund received and queued for review	APPROVED Approved by ALSHUMOOKH — cleared for tokenization
REJECTED Rejected by ALSHUMOOKH compliance team	ALREADY_RECEIVED Duplicate — Idempotency-Key already processed

7.4 Review Decision Codes

APPROVED Payload approved for settlement	REJECTED Payload rejected
HOLD Placed on compliance hold	ESCALATED Escalated to senior compliance
RECONCILED Reconciled with ledger	NOTED Reviewed and noted — no action required

7.5 Review Priority Codes

LOW Standard processing	NORMAL Default priority
HIGH Priority review — used for ALL M1 Fund inbound	CRITICAL Immediate review required

7.6 Settlement Type Codes

wallet_to_wallet Crypto wallet-to-wallet transfer	M1_FUND_INBOUND M1-grouped financial data fund transfer
CREDIT_TRANSFER Standard SWIFT credit transfer	WIRE_TRANSFER Bank wire transfer
DIRECT_PAYMENT Direct payment via payment provider	ONRAMP Fiat-to-crypto on-ramp
LEDGER_SETTLEMENT Internal ledger settlement	

7.7 HTTP Status Codes

200 Success	201 Created
202 Accepted — async processing	400 Bad Request — invalid JSON or missing fields
401 Unauthorized — missing or invalid API key	403 Forbidden — IP or permission restriction
404 Not Found	405 Method Not Allowed — use POST not GET
409 Conflict — duplicate idempotency key	422 Unprocessable Entity — validation error
429 Too Many Requests — rate limit exceeded	500 Internal Server Error — contact ceo@alshumookhgroup.ae

7.8 SWIFT Charge Codes

OUR All charges paid by sender — recommended	SHA Charges shared between sender and receiver
BEN All charges paid by beneficiary	

7.9 SWIFT Message Types

MT103 Customer Credit Transfer — individual payments	MT202 Financial Institution Transfer — bank-to-bank
MT202COV Cover payment for underlying MT103	

7.10 ISO 20022 Message Types

pacs.008.001.08 FI to FI Customer Credit Transfer — primary CBPR+ message	pain.001.001.03 Customer Credit Transfer Initiation
pacs.009 Financial Institution Credit Transfer	

7.11 Liquidity Class Codes

M0 Central bank monetary base — cash and reserves	M1 Narrow money — M0 plus demand deposits (accepted by ALSHUMOOKH)
M2 Broad money — M1 plus savings and short-term deposits	

7.12 Supported Networks & Assets

ethereum Ethereum Mainnet — primary network for USDT ERC-20	base Base (Coinbase L2) — supported for USDC
tron TRON network — USDT TRC-20 (legacy)	USDT/ERC20 Contract: 0xdAC17F958D2ee523a2206206994597C13D831ec7 — 6 decimals
EUR / USD Fiat — accepted via SWIFT wire to Emirates NBD	

◆ 8

RECEIVER BANK & CRYPTO WALLET DETAILS

8.1 Emirates NBD Bank Account — EUR Wire Transfer

Beneficiary Name	Alshumookh Alraeda Investment LLC
Account Number	1015754367301
IBAN	AE960260001015754367301
Bank Name	Emirates NBD
BIC / SWIFT Code	EBILAEADXXX
Bank Address	Sheikh Zayed Road, Dubai, United Arab Emirates
Currency	EUR
Transfer Amount	30,000,000.00 EUR (or as bilaterally agreed)
Charge Code (71A)	OUR — all charges paid by sender (recommended)
Purpose of Transfer	M1 Fund Transfer — ALSHUMOOKH Integration Ref: ALSH-LEDGER-20260519-EUR30M-001

8.2 Ethereum Mainnet — USDT ERC-20 Wallet

Network	Ethereum Mainnet
Token	USDT — Tether USD (ERC-20)
Wallet Address	0xBD682cfd8382a90adfDd6745780D3D7959c4d939
USDT Contract	0xdAC17F958D2ee523a2206206994597C13D831ec7
Decimals	6
Gas Fees	All Ethereum network gas fees paid exclusively by ALSHUMOOKH. Zero upfront fee from sender.
FX Conversion	EUR → USD at live spot FX rate on settlement date → USDT at 1:1 USD parity

◆ 9

COMPLIANCE & STANDARDS

KYC / AML	Full KYC/AML verification required for all clients prior to activation
ISO/IEC 27001:2022	Information Security Management System — certified framework
SWIFT CBPR+	SWIFT Cross-Border Payments and Reporting Plus — pacs.008.001.08 validated
ISO 20022	Native ISO 20022 message generation and validation supported
Data Encryption	AES-256-GCM for sensitive data at rest
Payload Integrity	SHA-256 integrity verification on all inbound payloads
Transport Security	TLS 1.3 — all communications encrypted in transit
Audit Trail	Full immutable audit log maintained for all transactions
Settlement Network	Ethereum Mainnet — ERC-20 — immutable on-chain finality
Tokenization Process	EUR → USD (live spot FX at settlement) → USDT ERC-20 on Ethereum Mainnet
Provider Codes	coinbase, moonpay, circle, ledger, manual

— End of Technical Integration Guide — ALSHUMOOKH GLOBAL BANKING FINANCE & CREDIT — Dubai, UAE — Ref:
ALSH-TECH-SPEC-20260519