

The Jupiter Developer Platform is live. Previous portal users keep their rate limits for free until 30 June 2026 — set up billing on the [new platform](#) before then. See the [Migration Guide](#) for details.



☰ Add Integrator Fees

Add Integrator Fees

 Copy page 

Add custom integrator fees to Ultra Swap using the Referral Program.

⚠️ Ultra Swap API is no longer actively maintained and has been superseded by [Swap V2](#).

ℹ️ If you are unfamiliar with [Ultra Swap Fees](#), please refer to the doc.

Key Points

The Jupiter Ultra Swap API allows you to add integrator fees to the orders.

Key points summary: Fees require Referral Program accounts, Jupiter takes 20% of your integrator fees, Ultra decides which mint to take fees in (based on a priority list), you must create referralTokenAccount for each expected feeMint, and fees enforce routing to Iris only.

Requires specific Referral Program Accounts
Fee split when adding fees
Ultra decides which mint to take fees in
Check the feeBps field

The Jupiter Developer Platform is live. Previous portal users keep their rate limits for free until 30 June 2026 — set up billing on the [new platform](#) before then. See the [Migration Guide](#) for details.



Enforces routing to Iris and other DEX aggregator routes

Step-by-step

- 1 Install additional dependencies or if you prefer, you can use the [Referral Dashboard](#), a simple interface to create referral accounts.
- 2 Create `referralAccount` .
- 3 Create `referralTokenAccount` for each token mint.
- 4 Add `referralAccount` and `referralFee` to Ultra Swap `/order` endpoint.
- 5 Sign and send the transaction via Ultra Swap `/execute` endpoint.
- 6 Verify transaction and fees.

Full Code Example

Dependencies

```
npm install @jup-ag/referral-sdk
npm install @solana/web3.js@1 # Using v1 of web3.js instead of v2
```

RPC Connection and Wallet Setup

The Jupiter Developer Platform is live. Previous portal users keep their rate limits for free until 30 June 2026 — set up billing on the [new platform](#) before then. See the [Migration Guide](#) for details.

- You should only need to create the referral account once.



After this step, you need to [create the referral token accounts for each token mint](#).

```
import { ReferralProvider } from "@jup-ag/referral-sdk";
import { Connection, Keypair, PublicKey, sendAndConfirmTransaction } from "@solana/web3.js";

const connection = new Connection("https://api.mainnet-beta.solana.com");
const privateKeyArray = JSON.parse(fs.readFileSync('/Path/to/.config/solana/id.json', 'utf-8'));
const wallet = Keypair.fromSecretKey(new Uint8Array(privateKeyArray));
const provider = new ReferralProvider(connection);
```

... See all 31 lines

Create referralTokenAccount

- You need to [create the referralAccount first](#).
- You need to create a `referralTokenAccount` for each token mint you want to collect fees in.
- We don't recommend creating a token account for **every** token mint, as it costs rent and most tokens might not be valuable, instead created token accounts for top mints to begin with (you can always add more later).

```
import { ReferralProvider } from "@jup-ag/referral-sdk";
import { Connection, Keypair, PublicKey, sendAndConfirmTransaction } from "@solana/web3.js";

const connection = new Connection("https://api.mainnet-beta.solana.com");
const privateKeyArray = JSON.parse(fs.readFileSync('/Path/to/.config/solana/id.json', 'utf-8'));
const wallet = Keypair.fromSecretKey(new Uint8Array(privateKeyArray));
const provider = new ReferralProvider(connection);
```

... See all 32 lines

Usage in Ultra Swap

The Jupiter Developer Platform is live. Previous portal users keep their rate limits for free until 30 June 2026 — set up billing on the [new platform](#) before then. See the [Migration Guide](#) for details.



From the order response, you should see the `feeMint` field, which is the token mint we will collect the fees in for that particular order.

- From the order response, you should see the `feeBps` field, which is the total fee in bps, which should be exactly what you specified in `referralFee`.
- Then, you can sign and send the transaction via the Ultra Swap `/execute` endpoint.



If the `referralTokenAccount` for the `feeMint` is not initialized, the order will still return and can be executed without your fees. This is to ensure your user still receives a quote to proceed with the swap.

For example, if the `feeMint` is `SOL`, but the `referralTokenAccount` for `SOL` is not initialized, the order will still return but will be executed without your fees.

You can refer to if `feeBps` tallies with what you specified in `referralFee`, in this case, the `feeBps` will default to Jupiter Ultra's default fees.

```
import { Keypair, VersionedTransaction } from "@solana/web3.js";
import fs from 'fs';

const privateKeyArray = JSON.parse(fs.readFileSync('/Path/to/.config/solana/id.json', 'utf-8'));
const wallet = Keypair.fromSecretKey(new Uint8Array(privateKeyArray));

const orderResponse = await (
```

... See all 51 lines

Claim All Fees

- The `claimAllV2` method will return a list of transactions to claim all fees and are batched by 5 claims for each transaction.
- The code signs and sends the transactions one by one - you can also Jito Bundle to send multiple at once, if preferred.
- When claiming fees, the transaction will include the transfer of the fees to both your referral account and Jupiter's (20% of your integrator fees).

The Jupiter Developer Platform is live. Previous portal users keep their rate limits for free until 30 June 2026 — set up billing on the [new platform](#) before then. See the [Migration Guide](#) for details.



```
const connection = new Connection("https://api.mainnet-beta.solana.com");  
const privateKeyArray = JSON.parse(fs.readFileSync('/Path/to/.config/solana/id.js  
const wallet = Keypair.fromSecretKey(new Uint8Array(privateKeyArray));  
const provider = new ReferralProvider(connection);
```

... See all 22 lines

Was this page helpful?

Yes

No



Support

Guidelines

Legal

Brand Kit

Status

Powered by **mintlify**

