SQL Commands

Codecademy Team

Glossary of commonly used SQL commands.

Background

SQL, **S**tructured **Q**uery **L**anguage, is a [programming language](#) designed to manage data stored in relational databases. SQL operates through simple, declarative statements. This keeps data accurate and secure, and it helps maintain the integrity of databases, regardless of size.

Here's an appendix of commonly used commands.

Related Course

Intro to SQL

Use SQL to create, access, and update tables of data in a relational database. **Try it for free**

Commands

ALTER TABLE

```
ALTER TABLE table_name
ADD column_name datatype;
```

Copy to clipboard
ALTER TABLE lets you add columns to a table in a database.

AND

```
SELECT column_name(s)
FROM table_name
WHERE column_1 = value_1
 AND column_2 = value_2;
```

AND is an operator that combines two conditions. Both conditions must be true for the row to be included in the result set.

AS

```
SELECT column_name AS 'Alias'
FROM table_name;
```

AS is a keyword in SQL that allows you to rename a column or table using an *alias*.

AVG()

```
SELECT AVG(column_name)
FROM table_name;
```

AVG() is an aggregate function that returns the average value for a numeric column.

BETWEEN

```
SELECT column_name(s)
FROM table_name
WHERE column_name BETWEEN value_1 AND value_2;
```

The BETWEEN operator is used to filter the result set within a certain range. The values can be numbers, text or dates.

CASE

```
SELECT column_name,
 CASE
   WHEN condition THEN 'Result_1'
   WHEN condition THEN 'Result_2'
```

```
    ELSE 'Result_3'
  END
FROM table_name;
```

Copy to clipboard

CASE statements are used to create different outputs (usually in the SELECT statement). It is SQL's way of handling if-then logic.

COUNT()

```
SELECT COUNT(column_name)
FROM table_name;
```

Copy to clipboard

COUNT() is a function that takes the name of a column as an argument and counts the number of rows where the column is not NULL.

CREATE TABLE

```
CREATE TABLE table_name (
 column_1 datatype,
 column_2 datatype,
 column_3 datatype
);
```

Copy to clipboard

CREATE TABLE creates a new table in the database. It allows you to specify the name of the table and the name of each column in the table.

DELETE

```
DELETE FROM table_name
WHERE some_column = some_value;
```

Copy to clipboard

DELETE statements are used to remove rows from a table.

GROUP BY

```sql
SELECT column_name, COUNT(*)
FROM table_name
GROUP BY column_name;
```

Copy to clipboard

GROUP BY is a clause in SQL that is only used with aggregate functions. It is used in collaboration with the SELECT statement to arrange identical data into groups.

HAVING

```sql
SELECT column_name, COUNT(*)
FROM table_name
GROUP BY column_name
HAVING COUNT(*) > value;
```

Copy to clipboard

HAVING was added to SQL because the WHERE keyword could not be used with aggregate functions.

INNER JOIN

```sql
SELECT column_name(s)
FROM table_1
JOIN table_2
 ON table_1.column_name = table_2.column_name;
```

Copy to clipboard

An inner join will combine rows from different tables if the *join condition* is true.

INSERT

```sql
INSERT INTO table_name (column_1, column_2, column_3)
```

```
VALUES (value_1, 'value_2', value_3);
```

INSERT statements are used to add a new row to a table.

IS NULL / IS NOT NULL

```
SELECT column_name(s)
FROM table_name
WHERE column_name IS NULL;
```

IS NULL and IS NOT NULL are operators used with the WHERE clause to test for empty values.

LIKE

```
SELECT column_name(s)
FROM table_name
WHERE column_name LIKE pattern;
```

LIKE is a special operator used with the WHERE clause to search for a specific pattern in a column.

LIMIT

```
SELECT column_name(s)
FROM table_name
LIMIT number;
```

LIMIT is a clause that lets you specify the maximum number of rows the result set will have.

MAX()

```
SELECT MAX(column_name)
```

```
FROM table_name;
```

MAX() is a function that takes the name of a column as an argument and returns the largest value in that column.

MIN()

```
SELECT MIN(column_name)
FROM table_name;
```

MIN() is a function that takes the name of a column as an argument and returns the smallest value in that column.

OR

```
SELECT column_name
FROM table_name
WHERE column_name = value_1
   OR column_name = value_2;
```

OR is an operator that filters the result set to only include rows where either condition is true.

ORDER BY

```
SELECT column_name
FROM table_name
ORDER BY column_name ASC | DESC;
```

ORDER BY is a clause that indicates you want to sort the result set by a particular column either alphabetically or numerically.

OUTER JOIN

```sql
SELECT column_name(s)
FROM table_1
LEFT JOIN table_2
  ON table_1.column_name = table_2.column_name;
```

Copy to clipboard

An outer join will combine rows from different tables even if the join condition is not met. Every row in the *left* table is returned in the result set, and if the join condition is not met, then NULL values are used to fill in the columns from the *right* table.

ROUND()

```sql
SELECT ROUND(column_name, integer)
FROM table_name;
```

Copy to clipboard

ROUND() is a function that takes a column name and an integer as arguments. It rounds the values in the column to the number of decimal places specified by the integer.

SELECT

```sql
SELECT column_name
FROM table_name;
```

Copy to clipboard

SELECT statements are used to fetch data from a database. Every query will begin with SELECT.

SELECT DISTINCT

```sql
SELECT DISTINCT column_name
FROM table_name;
```

Copy to clipboard

`SELECT DISTINCT` specifies that the statement is going to be a query that returns unique values in the specified column(s).

SUM

```
SELECT SUM(column_name)
FROM table_name;
```

Copy to clipboard

`SUM()` is a function that takes the name of a column as an argument and returns the sum of all the values in that column.

UPDATE

```
UPDATE table_name
SET some_column = some_value
WHERE some_column = some_value;
```

Copy to clipboard

UPDATE statements allow you to edit rows in a table.

WHERE

```
SELECT column_name(s)
FROM table_name
WHERE column_name operator value;
```

Copy to clipboard

WHERE is a clause that indicates you want to filter the result set to include only rows where the following *condition* is true.

WITH

```
WITH temporary_name AS (
   SELECT *
   FROM table_name)
SELECT *
```

```
FROM temporary_name

WHERE column_name operator value;
```

Copy to clipboard

`WITH` clause lets you store the result of a query in a temporary table using an alias. You can also define multiple temporary tables using a comma and with one instance of the `WITH` keyword.

The `WITH` clause is also known as common table expression (CTE) and subquery factoring.