

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/329136952>

# A systematic literature review of blockchain-based applications: Current status, classification and open issues

Article in *Telematics and Informatics* · November 2018

DOI: 10.1016/j.tele.2018.11.006

CITATIONS

0

READS

549

3 authors:



Fran Casino

University of Piraeus

26 PUBLICATIONS 106 CITATIONS

[SEE PROFILE](#)



Thomas K. Dasaklis

University of Piraeus

19 PUBLICATIONS 91 CITATIONS

[SEE PROFILE](#)



Constantinos Patsakis

University of Piraeus

103 PUBLICATIONS 626 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



GAME-ABLING [View project](#)



OPERANDO [View project](#)

# A systematic literature review of blockchain-based applications: current status, classification and open issues

Fran Casino<sup>a</sup>, Thomas K. Dasaklis<sup>b</sup>, Constantinos Patsakis<sup>a</sup>,

<sup>a</sup>*Department of Informatics, University of Piraeus, 80 Karaoli & Dimitriou str., 18534 Piraeus, Greece*

<sup>b</sup>*Department of Industrial Management and Technology, University of Piraeus, 80 Karaoli & Dimitriou str., 18534 Piraeus, Greece*

---

## Abstract

This work provides a systematic literature review of blockchain-based applications across multiple domains. The aim is to investigate the current state of blockchain technology and its applications and to highlight how specific characteristics of this disruptive technology can revolutionise “business-as-usual” practices. To this end, the theoretical underpinnings of numerous research papers published in high ranked scientific journals during the last decade, along with several reports from grey literature as a means of streamlining our assessment and capturing the continuously expanding blockchain domain, are included in this review. Based on a structured, systematic review and thematic content analysis of the discovered literature, we present a comprehensive classification of blockchain-enabled applications across diverse sectors such as supply chain, business, healthcare, IoT, privacy, and data management, and we establish key themes, trends and emerging areas for research. We also point to the shortcomings identified in the relevant literature, particularly limitations the blockchain technology presents and how these limitations spawn across different sectors and industries. Building on these findings, we identify various research gaps and future exploratory directions that are anticipated to be of significant value both for academics and practitioners.

**Keywords:** blockchain, Classification, Applications

---

## 1. Introduction

Almost a decade ago Satoshi Nakamoto, the unknown person/group behind Bitcoin, described how the blockchain technology, a distributed peer-to-peer linked-structure, could be used to solve the problem of maintaining the order of transactions and to avoid the double-spending problem [1]. Bitcoin orders transactions and groups them in a constrained-size structure named *blocks* sharing the same timestamp. The nodes of the network (*miners*) are responsible for linking the blocks to each other in chronological order, with every block containing the hash of the previous block to create a blockchain [2]. Thus, the blockchain structure manages to contain a robust and auditable registry of all transactions.

Blockchains introduced serious disruptions to the traditional business processes since the applications and transactions, which needed centralised architectures or trusted third parties to verify them, can now operate in a decentralised way with the same level of certainty. The inherent characteristics of blockchain architecture and design provide properties like transparency, robustness, auditability, and security [3, 4]. A blockchain can be considered a distributed database that is organised as a list of ordered blocks, where the committed blocks are immutable. One can see that this is ideal in the banking sector as banks can cooperate under the same blockchain and push their customers’ transactions. This way, beyond transparency, blockchain facilitates transactions’ auditing. Companies invest in this technology as they see the potential of making their architectures decentralised and minimising their transaction costs as they become inherently safer, transparent and in some cases faster. Therefore, blockchains are not just a hype.

---

*Email addresses:* francasino@unipi.gr (Fran Casino), dasaklis@unipi.gr (Thomas K. Dasaklis), kpatsak@unipi.gr (Constantinos Patsakis)

The number of cryptocurrencies illustrates Blockchain's importance, currently exceeding 1900 and growing [5]. Such a growth pace could soon create interoperability problems due to the heterogeneity of cryptocurrency applications [6, 7]. Furthermore, the landscape is rapidly evolving as blockchain is being used in other fields beyond cryptocurrencies, with *Smart Contracts (SCs)* playing a central role. SCs defined in 1994 by Szabo as: "*a computerised transaction protocol that executes the terms of a contract*" [8], allow us to translate contractual clauses into embeddable code [9] thus minimizing external participation and risks. So, a SC is an agreement between parties which, although they do not trust each other, the agreed terms are automatically enforced. Therefore, within the blockchain context, SCs are scripts running in a decentralised manner and stored in the blockchain [4] without relying on any trusted authority. In particular, blockchain-based systems supporting SCs enable more complex processes and interactions so they establish a new paradigm with practically limitless applications.

As a result, Blockchain technology is becoming increasingly relevant [10]. Almost 1,000 (33%) of C-suite executives declare that they are considering or have already been actively engaged with blockchains [11]. Researchers and developers are already aware of the capabilities of the new technology and explore various applications across a vast array of sectors [4]. Based on the intended audience, three generations of blockchains can be distinguished [10]: Blockchain 1.0 which includes applications enabling digital cryptocurrency transactions; Blockchain 2.0 which includes SCs and a set of applications extending beyond cryptocurrency transactions; and Blockchain 3.0 which includes applications in areas beyond the previous two versions, such as government, health, science and IoT.

While there are several reviews regarding blockchain technology [12, 13], we argue that the state-of-the-art of blockchain-enabled applications has received limited attention. Even in [14] the applications of blockchains are not covered to their full extent nor applicability. There are indeed some reviews focused on the particular role of blockchain including the development of decentralised and data-intensive applications for the IoT [15, 16], and managing big data in a decentralised fashion [17]. Other reviews focus on security issues of the blockchain [18, 19, 20] and on its potential to enable trust and decentralisation in service systems [21] and P2P platforms [22]. Some technical aspects of the blockchain design such as its consensus protocol [23], the vulnerabilities of SCs [24] and other technical characteristics like its size and bandwidth, usability, data integrity, and scalability have also been studied in [25, 26]. Moreover, there are other surveys such as [27, 28, 29, 30, 31] which are more focused on the currency aspect of blockchains and the offered security and privacy.

Evidently, the literature lacks a concrete and systematic review of the current blockchain-enabled state-of-the-art applications, a limitation which was the primary driver for conducting this research. In particular, we try to address this by answering the following three questions: (i) How blockchain-based applications develop over time? (ii) How certain technical limitations of the blockchain architecture affect procedures/processes in particular domains? Which are these limitations? (iii) What is the suitability of blockchain technology across different domains and thematic areas?

Our work contributes towards a thorough understanding of the blockchain features and provides a snapshot of current blockchain-enabled applications across sectors. Based on a content analysis approach, we highlight the growing interest from the academic community and identify three key research streams: (i) classification of the range of blockchain-based applications across a vast array of sectors (ii) suitability of the blockchain technology to create value in these sectors taking into account the various limitations this technology presents, and (iii) guiding researchers by providing a roadmap of promising research avenues, challenges and opportunities for which further research is needed. It is worth noting that this review cannot by any means be considered as exhaustive since blockchain technology is continuously growing at a very fast pace.

The remainder of this work is organized as follows. In Section 2 a brief overview of blockchain architecture is presented. The method followed to conduct the systematic literature review is outlined in Section 3. The descriptive analysis of the retrieved literature is presented in Section 4 while in Section 5 a taxonomy of the blockchain-based applications is presented. Relevant open issues, trends, and further research lines are discussed in Section 6.

## 2. Blockchain Overview

In principle, a blockchain should be considered as a *distributed append-only timestamped data structure*. Blockchains allow us to have a distributed peer-to-peer network where non-trusting members can verifiably interact with each other without the need for a trusted authority [4]. To achieve this one can consider blockchain as a set of interconnected




Figure 1: An overview of blockchain architecture.

mechanisms which provide specific features to the infrastructure, as illustrated in Figure 1. At the lowest level of this infrastructure, we have the signed *transactions* between peers. These transactions denote an agreement between two participants, which may involve the transfer of physical or digital assets, the completion of a task, etc. At least one participant signs this transaction, and it is disseminated to its neighbours. Typically, any entity which connects to the blockchain is called a *node*. However, nodes that verify all the blockchain rules are called *full nodes*. These nodes group the transactions into *blocks* and they are responsible to determine whether the transactions are valid, and should be kept in the blockchain, and which are not.

A valid transaction means, for instance, that Bob received one bitcoin from Alice. However, Alice may have tried to transfer the same bitcoin, as it is a digital asset, to Carol. Therefore, nodes must reach to an agreement on which transactions must be kept in the blockchain to guarantee that there will be no corrupt branches and divergences [32, 4]. This is actually the goal of the second *Consensus* layer. Depending on the blockchain type, different Consensus mechanisms exist [33]. The most well-known is the *Proof-of-work (PoW)*. PoW requires solving a complicated computational process, like finding hashes with specific patterns, e.g. a leading number of zeroes [34], to ensure authentication and verifiability. Instead of splitting blocks across proportionally to the relative hash rates of miners (i.e., their mining power), *Proof-of-Stake (PoS)* protocols split stake blocks proportionally to the current wealth of miners [35]. This way, the selection is fairer and prevents the wealthiest participant from dominating the network. Many blockchains, such as Ethereum [36], are gradually shifting to PoS due to the significant decrease in power consumption and improved scalability. Other consensus approaches include *Byzantine Fault Tolerance (BFT)* [37] and its variants [14].

An additional layer, the *Compute Interface*, allows blockchains to offer more functionality. Practically, a blockchain stores a state which consists e.g. of all the transactions that have been made by the users, thereby allowing the calculation of each user's balance. However, for more advanced applications we need to store complex states which are updated dynamically using distributed computing, e.g. states that shift from one to another once specific criteria are met. This requirement has given rise to SCs which use nodes of the blockchain to execute the terms of a contract.

Finally, the *Governance* layer extends the blockchain architecture to cover the human interactions taking place in the physical world. Indeed, although blockchains protocols are well defined, they are also affected by inputs from diverse groups of people who integrate new methods, improve the blockchain protocols and patch the system. While these parts are necessary for the growth of each blockchain, they constitute off-chain social processes. Therefore,

Property	Public	Private	Federated
<b>Consensus Mechanism</b>	<ul style="list-style-type: none"> <li>• Costly PoW</li> <li>• All miners</li> </ul>	<ul style="list-style-type: none"> <li>• Light PoW</li> <li>• Centralised organisation</li> </ul>	<ul style="list-style-type: none"> <li>• Light PoW</li> <li>• Leader node set</li> </ul>
<b>Identity Anonymity</b>	<ul style="list-style-type: none"> <li>• (Pseudo) Anonymous</li> <li>• Malicious?</li> </ul>	<ul style="list-style-type: none"> <li>• Identified users</li> <li>• Trusted</li> </ul>	<ul style="list-style-type: none"> <li>• Identified users</li> <li>• Trusted</li> </ul>
<b>Protocol Efficiency &amp; Consumption</b>	<ul style="list-style-type: none"> <li>• Low efficiency</li> <li>• High energy</li> </ul>	<ul style="list-style-type: none"> <li>• High efficiency</li> <li>• Low energy</li> </ul>	<ul style="list-style-type: none"> <li>• High efficiency</li> <li>• Low energy</li> </ul>
<b>Immutability</b>	<ul style="list-style-type: none"> <li>• Almost impossible</li> </ul>	<ul style="list-style-type: none"> <li>• Collusion attacks</li> </ul>	<ul style="list-style-type: none"> <li>• Collusion attacks</li> </ul>
<b>Ownership &amp; Management</b>	<ul style="list-style-type: none"> <li>• Public</li> <li>• Permissionless</li> </ul>	<ul style="list-style-type: none"> <li>• Centralised</li> <li>• Permissioned whitelist</li> </ul>	<ul style="list-style-type: none"> <li>• Semi-Centralised</li> <li>• Permissioned nodes</li> </ul>
<b>Transaction Approval</b>	<ul style="list-style-type: none"> <li>• Order of minutes</li> </ul>	<ul style="list-style-type: none"> <li>• Order of milliseconds</li> </ul>	<ul style="list-style-type: none"> <li>• Order of milliseconds</li> </ul>

Table 1: Classification and main characteristics of blockchain networks.

blockchain governance deals with how these diverse actors come together to produce, maintain, or change the inputs that make up a blockchain<sup>1</sup>.

Current literature categorises blockchain networks in several ways [38, 14, 39, 4, 40, 41]. These categories are formed according to the network’s management and permissions as *public*, *private* and *federated*. In public blockchains (*permissionless*) anyone can join as a new user or node miner. Moreover, all participants can perform operations such as transactions or contracts. In private blockchains; which along with the federated belong to the *permissioned* blockchain category, usually, a whitelist of allowed users is defined with particular characteristics and permissions over the network operations. Since the risk of Sybil attacks is almost negligible there [42], private blockchain networks can avoid expensive PoW mechanisms. Instead, a wider range of consensus protocols based on disincentives could be adopted. A federated blockchain is a hybrid combination of public and private blockchains [38, 14]. Although it shares similar scalability and privacy protection level with private blockchain, their main difference is that a set of nodes, named *leader* nodes, is selected instead of a single entity to verify the transaction processes. This enables a partially decentralised design where leader nodes can grant permissions to other users. In this article, we provide a more fine-grained blockchain network classification than current the state-of-the-art [38, 14, 4, 40] because, in addition to classical features such as the ownership and management of the information shared in the blockchain, we consider features such as transaction approval time, or security aspects such as anonymity. Table 1 summarises the main characteristics of each blockchain network regarding efficiency, security and consensus mechanisms.

Well-known implementations of public blockchains include Bitcoin, Ethereum, Litecoin and, in general, most cryptocurrencies [1, 7]. One of their main advantages is the lack of infrastructure costs: the network is self-sustained and capable of maintaining itself, drastically reducing management overheads. In private blockchains, the main applications are database management, auditing and, in general, performance demanding solutions [14]. Multichain [43] is an example of an open platform for building and deploying private blockchains. Finally, federated blockchains are mostly used in the banking and industry sectors [44]. This is the case of the Hyperledger project [45] which develops cross-industry permission-based blockchain frameworks. Recently, Ethereum has also provided tools for building federated blockchains. Other projects such as Cardano [46] are rather ambitious trying to provide more functionality. For more on blockchain categorisation, the interested reader may refer to [47, 42].

### 3. Research methodology

To provide a transparent, reproducible and scientific literature review of blockchain-based applications, the process suggested by Denyer and Tranfield [48] as well as some features of the PRISMA statement [49] have been adopted. The overall methodological approach includes the following steps:

1. Identify the need for the review, prepare a proposal for the review, and develop the review protocol.
2. Identify the research, select the studies, assess the quality, take notes and extract data, synthesise the data.

<sup>1</sup><https://www.oii.ox.ac.uk/blog/understanding-public-blockchain-governance/>

### 3. Report the results of the review.

#### 3.1. Locating studies

To address our primary research question, a systematic literature search was carried out during January 2018 without timeframe restrictions and the results were subsequently updated during April 2018. Scopus was used as the main scientific database in which the term “*blockchain*” was searched in all articles’ titles. Additional searches using the referenced works of relevant articles were also conducted (snowball effect). Relevant “grey literature”, including unpublished research commissioned by governments or private/public institutions was also identified through electronic searches. To identify the published grey literature, we evaluated the first 200 hits from Google. Alternate terms for “blockchain” and “application” were used during the search. The hand-search reference list in several reports resulted in additional grey literature, particularly research and committee reports or policy briefs from both private and public sector institutions/organizations. A flowchart of the strategy implemented is presented in Figure 2. In addition, several refinement features of Scopus were extensively used (multiple refinements of results following the context of specific articles, related documents search, etc.). When the abstract of a particular study was not available, the full article was retrieved and assessed for relevance. All potentially relevant articles were retrieved in full text.




Figure 2: Flowchart of the search strategy

#### 3.2. Study selection and evaluation

The eligibility of the retrieved literature was evaluated independently by the authors based on a set of predefined exclusion and inclusion criteria (see Table 2). Some exclusion criteria were used before introducing the literature in the

Selection criteria	Scientific database		Grey literature
<b>Inclusion</b>	Peer-reviewed research articles (including articles in press), conference proceedings papers, book chapters, review papers, short surveys, serials etc.		English reports
	Without time-frame restrictions		Without time-frame restrictions
<b>Exclusion</b>	<b>Prior to importation to bibliographic manager</b>	Non English articles, articles with missing abstracts, notes, editorials	Generic reports related to the blockchain technology without describing specific applications.
	<b>During title screening</b>	Generic articles related to the blockchain technology and/or blockchain architecture	
	<b>During abstract screening</b>	Software-oriented articles related to the blockchain technology	
	<b>During full-text screening</b>	Articles addressing technical aspects of blockchain technology	

Table 2: Inclusion and exclusion criteria.

bibliographic manager (language, subject area and document type restrictions). Initially, the abstracts of all research papers and introductory sections of grey literature were assessed. Articles meeting one of the exclusion criteria were excluded and sorted by reason of exclusion. Afterwards, a full-text review also took place, and some additional articles were excluded from the study documenting the reasons for exclusion. Any discrepancy with respect to the relevance of reviewed articles was resolved through discussion until consensus was reached. Overall, several studies were excluded because they were focused primarily on the technical aspects of blockchain technology and/or blockchain architecture. Articles not fitting the inclusion criteria were set aside and consequently used in the introduction of this article.

### 3.3. Analysis and synthesis

All articles and reports meeting the inclusion criteria were entered into a qualitative analysis software (MAXQDA11), and data were analysed in emerging themes. The reviewers independently carried out the thematic content analysis. Afterwards, the three clusters of coded segments were compared (rate of consensus was approximately 75%), agreed upon for all articles and summarised in one set of themes and sub-themes.

## 4. Descriptive analysis

The study analyzes 260 research papers published between 2014 and April 2018 (for conformity, grey literature has been excluded from the descriptive analysis). The purpose of the descriptive analysis is threefold: (i) it provides interesting insights regarding current research trends in blockchain technology, and its applications (ii) it helps to visualise the multidisciplinary research approaches developed so far in the scientific literature, and (iii) it further supports the classification structure presented in Section 5. For classifying the available literature, the descriptive analysis is based on two key-criteria: (i) distribution of publications over time and thematic area and (ii) distribution of type of publication over time.

A year-wise analysis of the selected papers is illustrated in Figure 3. It is worth noting that during 2017 the number of publications has sky-rocketed. Until 2016 just a little more of 40 publications existed related to blockchain-enabled applications whereas during 2017 their number reached almost 180. Therefore, research has slowly, yet significantly, picked up in the area of blockchain-enabled applications during the last couple of years. This upward trend highlights the emerging and growing nature of the blockchain technology and the growing academic interest. Even though




Figure 3: Year-wise analysis of the selected literature per type of publication.

blockchain technology was first introduced with Bitcoin as its core underlying technology, it took several years to the research community to become fully aware of blockchain’s potential and to take advantage of its possible applications. Unsurprisingly, during its first years, blockchain was considered a synonymous to Bitcoin, and in principle, researchers were trying to create the infrastructure rather than use this new technology for application purposes. Therefore, journal-oriented content related to blockchain-enabled applications has been notably published from 2016 onwards. From Figure 3 it is also evident that a large volume of scientific literature has been published in conference proceedings, with a steady upward trend.

The domain-specific distribution of the 260 research items over time may be seen in Figure 4. Eleven domains of blockchain-based applications have been identified from the analysis. Business-oriented applications represent a large portion of all available applications (58 out of the 260 research items) followed by Governance, IoT, and Data management applications. Health-oriented applications also receive much attention from the scientific community during the last couple of years. Figure 4 shows that although blockchain seemed to have, at least at its very early stages, a pivotal role to play in finance, the research community is yet to produce a substantial amount of financial-oriented applications. Moreover, the relatively large number of miscellaneous applications (applications that fall outside the categories described above) also highlights the interdisciplinary potential of the blockchain technology.

## 5. Taxonomy of blockchain-based applications

Most authors classify blockchain applications into financial and non-financial ones [2] since cryptocurrencies represent a considerable percentage of the existing blockchain networks. Others classify them according to blockchain versions (i.e., 1.0, 2.0 and 3.0) [50, 10]. In this work, we propose an application-oriented classification, similar to the one proposed in [14]. Our approach, however, differs from other similar works in that it uses a rigorous statistical methodology based on the literature (see sections 3 and 4), and thus it fits better to current blockchain developments and illustrates with high fidelity the future blockchain trends. Therefore, taking into account the actual and forthcoming heterogeneity of blockchain solutions, we present a more comprehensive and in-depth classification of blockchain-based applications, which is graphically represented in Figure 5. In the following subsections we






Figure 4: Distribution of research items according to the thematic area identified.

provide a sound classification of the available blockchain-enabled applications based on the analysis of the available literature.



Figure 5: Mindmap abstraction of the different types of blockchain applications.

### 5.1. Financial applications

Currently, blockchain technology is applied to a wide variety of financial fields, including business services, settlement of financial assets, prediction markets and economic transactions [7]. Blockchain is expected to play an essential role in the sustainable development of the global economy, bringing benefits to consumers, to the current banking system and the whole society in general [51].

The global financial system is exploring ways of using blockchain-enabled applications for financial assets, such as securities, fiat money, and derivative contracts [52, 53, 54, 55]. For example, blockchain technology offers a massive change to capital markets and a more efficient way for performing operations like securities and derivatives

transaction [56, 57], digital payments [58, 59, 60, 61, 62, 63, 64], loan management schemes [65], general banking services [66], financial auditing [67] or cryptocurrency payment and exchange (i.e., e-wallets) [68, 69]. Notably, a set of the world's biggest banks, including Barclays and Goldman Sachs have joined forces with R3 [44] to establish an operating blockchain-based framework for the financial market [2]. Another example of bank cooperation is the Global Payments Steering Group (GPSG) [70], whose members include Santander, Bank of America and UniCredit, among others. The cryptocurrency behind GPSG is XRP, created by Ripple [71] which implements an interoperable and scalable open-source infrastructure enabling global payments and currency exchanges.

Prediction marketplace systems (PMS), which serve as oracles or information providers, are also an exciting field which may impact businesses and cryptocurrencies. Blockchain-based P2P implementations of PMS can be found in Viacoin [72], an open source cryptocurrency that features Scrypt Merged mining, a type of PoW that permits much faster transactions than Bitcoin. Augur [73] is a decentralised PMS that allows users to trade shares before the occurrence of an event under the paradigm of the wisdom of the crowds. Users are rewarded for correctly predicting future real-world events. Bitshares [74] are digital tokens stored in the blockchain that reference specific assets such as currencies or products. The token holders may earn interest on market products, such as gold, oil, gas and also on currencies. BitShares 2.0 offers a stack of financial services including currency exchange or banking operations in a decentralised blockchain-based fashion. The Nasdaq-Citi platform [75] is a platform that enables functionalities such as relationship management and investments for private companies. Medici [76] is coined in the blockchain 2.0 platform and uses the Counterparty protocol, which implements financial instruments as SCs, to create a novel stock market. Another example is Coinsetter, a NYC-based Forex trading platform for bitcoins [77]. Plasma [78] is an SC framework which enables the use of SCs to process financial activity, as well as to construct economic incentives for globally persistent data services.

Other financial-oriented areas may include commercial property and casualty claims processing, syndicated loans contingent convertible bonds, automated compliance, proxy voting, asset rehypothecation, and over-the-counter market [79, 80, 81, 82]. Finally, blockchain adoption by the financial sector will eventually lead to cost savings in areas like central finance reporting, compliance, centralised operations, and business operations [83].

## 5.2. Integrity Verification

One of the most emerging blockchain-related fields is integrity verification [84, 85, 86, 87, 88]. Blockchain integrity verification applications store information and transactions related to the creation and lifetime of products or services. The possible applications are: (i) provenance and counterfeit, (ii) insurance; and (iii) intellectual property (IP) management.

An integrity verification subset of blockchain applications are those oriented to IP protection [89, 90, 91, 92]. As stated in [50], the term digital art refers to IP and not just to online artworks, so blockchain technologies can be considered to cover all such scenarios [93, 94, 95]. Mature solutions like Ascribe [96] and Mediachain [97] use Bitcoin blockchain to link digital content with their creators. Ascribe uses it to transfer ownership and loan digital assets, while Mediachain tries to store metadata on the blockchain to allow media recovery and querying. Monetisation approaches such as Monegraph [98] enable sharing of revenue across the value chain of media distribution for online broadcasts, video clips, image reels, and other licensed or brand-sponsored content, previously verified in the blockchain. Factom [99] is another blockchain solution for storage and validation of digital assets. SilentNotary [100] is a blockchain-based service for confirmation of event existence, recorded in a digital format such as communication in messenger, image, video file, and e-mail. Kodakcoin [101], is a novel a payment method used to acquire photo licenses and image rights from a the kodakOne platform, which stores the works of registered photographers. Another example of network media's digital rights management can be found in [102]. Herbaut et al. [103] propose a user-centric approach that helps the necessary reshaping of the content delivery ecosystem.

The work presented in [104] describes an ontology to store and interpret data in an automated way, in the context of data provenance and integrity. Authors claim that SCs are closely related with ontologies and that such systems can be adapted depending on the topic. Counterfeit solutions such as Everledger [105] and Blockverify [106] use blockchain and SCs to avoid fraud for banks and insurances and to introduce transparency to supply chains, respectively. Further examples on data integrity can be found in [107], where authors implement the relevant protocols and the following prototype system of a blockchain-based framework for data integrity service and in [108], where authors show how blockchains may be used for supply chain management, identity services or device management in a business setting.

Blockchain technology is recently receiving an ever-increasing attention from the insurance industry in a variety of areas, including sales, underwriting, customer onboarding, claims processing, payments, asset transfers, and reinsurance [109, 110, 111]. For instance, European-based insurers have recently launched the B3i-a blockchain industry initiative for exploring how blockchain can be used to develop processes and standards for industry-wide usage and to accelerate efficiency gains in the insurance sector [109]. SCs enabled by blockchain lead to the automation of several processes in the insurance sector, resulting thereby to substantially reduced costs, increased efficiency, and processing speed [109]. Health insurance-specific potential implications of the blockchain technology may include the establishment of more secure data repositories for medical and wellness information, for triggering alerts to take prescriptions or make regular doctor visits or diagnostic tests, for facilitating continuous underwriting and pricing assessments, for establishing less arbitrary, more up-to-date risk pooling, and for allowing for more personalisation and individualised coverage [112]. More examples of blockchain-based insurance applications can be found in [113, 114, 115].

### 5.3. Governance

Governments throughout years are entrusted with managing and holding official records of both citizens and/or enterprises. Blockchain-enabled applications might change the way governments at local or state level operate by disintermediating transactions and record keeping [116, 117]. The accountability, automation, and safety that blockchain offers for handling public records could eventually obstruct corruption and make government services more efficient. In particular, blockchain could serve as a secure communication platform for integrating physical, social, and business infrastructures in a smart city context [118, 119, 120, 121]. Blockchain governance aims at providing the same services that are offered by the state and its corresponding public authorities in a decentralised and efficient way while maintaining the same validity. Examples of such services include registration or legal documents, attestation, identification, marriage contracts, taxes and voting [50].

The World Citizen project [122] is an example of a decentralised passport service to identify citizens all over the world. Blockchains can also be used to other public services such as marriage registration, patent management, and income taxation systems [123]. Other projects focus on ideas such as delegative democracy, where delegates (instead of parliamentary representatives) take the voting power [50]. Similarly, Holacracy [124] is a customisable self-management practice for organisations where authority and decision-making are distributed throughout self-organising teams instead of relying on a typical hierarchical organisation setting.

#### 5.3.1. Citizenship and User Services

The integration of digital technologies in everyday life requires mechanisms able to determine accurately who the users are [125] and certify their basic attributes like name, address, credit record, as well as other personal characteristics [126, 127, 128, 129]. Therefore, digital identity has become a crucial security measure [130]. In [131] the authors analyse three decentralised identity management approaches, namely uPort, ShoCard and Sovrin and assess their benefits and shortcomings. Moreover, according to [132], one-sixth of the world's population lack documented proof of their existence. This situation affects immigrants and refugees, since their countries may often refuse to hand over the documents if, for instance, they belong to the opposition. Therefore, blockchain becomes an instrument to reinforce equality and opportunities to worldwide citizens. For more on digital identity and blockchain, one may refer to [130].

The emergence of The Internet of Agreements (IoA) [133], which establishes the connection between digital contents (the Internet) and real-world deals, contracts or regulations, enables the next generation of digital commerce. Therefore, blockchain applications that implement SCs to verify multiple types of operations, such as individual properties, are used to state the contractual relationships between the Internet actors, being them companies or individuals [134, 135, 136, 137]. For instance, Pavilion.io [138] is a blockchain-based company that provides an API to enable a verification interface that eliminates the need for e-commerce buyers to place trust in sellers or third-party providers. Mattereum [139] is an IoA project to manage legal rights over physical and IP on the blockchain. Stampery [140] is a certification company that uses blockchain to create a stamp of emails or documents. This system provides proof-of-existence (PoE), proof-of-ownership (PoO), proof-of-integrity (PoI) as well as proof of receipt by storing the transaction's information in the public ledger. In the Proof of Existence [141] project, authors use blockchain to ensure the existence of a document and its creation date without revealing its contents. Likewise, Virtual Notary, Bitnotar, Blocksing, btcluck, and Chronobit use blockchain to certify the contents of documents securely and verifiably

[50]. Thus, we may use the systems above to store proofs of transactions and operations made between individuals and/or companies. In this regard, the increase in online transactions, such as in e-commerce, have caused an upsurge of disputes. Due to the ubiquitous nature of online disputes, efficient conflict management must be provided, that overcomes cross-border and institutional overheads. The methods and projects mentioned above permit the creation of efficient dispute resolution methods since the information stored in the blockchain can be verified and audited. Other methods and projects that implement functional dispute resolution mechanisms can be found in [142] and [50].

#### 5.3.2. *Public sector*

In the case of public services, we consider that virtual notary, PoE, PoO, PoI, reputation and dispute resolution are types of services that can be devoted to citizens without the participation of official institutions. Note that PoE, PoO and PoI are closely related and easily verifiable in a blockchain. Government agencies around the world are looking for opportunities related to the adoption of blockchain technology in the public sector [143, 144], particularly for utilising the secure, distributed, open, and inexpensive database technology to reduce cost and bureaucracy, increase efficiency and for authenticating many types of persistent documents [145, 146, 147, 148]. Other blockchain applications in the public sector may include document verification, e-residency approaches [149] the development of more reliable and transparent taxation mechanisms [150, 151], the development of more robust regulatory compliance frameworks [152, 153, 154] and land management [155].

#### 5.3.3. *Voting*

For several years e-voting has been considered a promising and inevitable development which could speed up voting processes, simplify and reduce the cost of elections, and the development of stronger democracies [156]. However, existing electronic voting systems rely on proprietary and centralised design by a single entity, characteristics that harm the trust and confidence voters have to the voting process [157]. Decentralised voting systems such as Bit-Congress [158] and Liquid Democracy [159] propose frameworks to enforce distributed decision making. Futarchy [160] is a voting system where participants propose topics and possible strategies to achieve them in a two-step fashion. More concretely, participants support policies depending on whether the prediction/betting markets optimise the general revenue for them (e.g. benefits in case of a private company or GDP in the case of a country). In general, blockchain technology offers an open-source, peer-to-peer, decentralised and independently verifiable network to gain the confidence required by voters and election organisers [161, 162, 163, 164] while being consistent with domestic legislation [165].

#### 5.4. *Internet of Things*

Around 90% of the data in the world today has been created in the past two years alone [166]. Such growth pace will increase due to a) the advent of the Internet of Things (IoT), b) to the population growth [167]. While the expansion possibilities of the blockchain and IoT technologies are already vast on their own, the symbiotic relationship of these two fields arises myriad more. For instance, the distributed wireless sensor networks, which despite their drawbacks [168, 169] are one of the pillars of technological and human evolution, demonstrate that blockchain architecture may enhance IoT by minimising its deficiencies and maximising its potential [170, 171, 172, 173, 174].

The increasing attention and investments for implementing decentralised IoT platforms [175, 176, 177] are mainly driven by the blockchain technology and its inherent capabilities [4]. The main idea is to provide secure and auditable data exchange in heterogeneous context-aware scenarios [178] with plenty of interconnected smart devices [2]. Moreover, operating in an automated and decentralised fashion enables the network's high scalability and efficient management [179, 180, 181].

Blockchain interoperability enables independent and secure real-time payment services, enhancing traditional commerce, e-commerce or public and private transportation systems [4]. There are several examples of applications that agglomerate these characteristics such as the Filecoin [182], which is a memory storage provider, or the Ether-APIs [183], which enables API calls' monetisation. In the future, IoT devices could be directly linked with their cryptocurrency-based bank account [4] so that microtransactions [184] could be performed in exchange for services [185, 186], while similar approaches may also be applied to the smart-grid domain for allowing the energy sale [187, 188]. In the case of provenance or supply chains, distributed networks of RFID sensors enable the automated processing of products in multiple contexts, such as in food supply chains, transportation services or inventory management [189, 190]. In these contexts, the information monitored by the devices could be stored in the form of SCs or

transactions into the blockchain. An example of a P2P distributed IoT system can be found in [191]. The implementation of blockchain-based IoT solutions could solve several issues, such as the high maintenance cost of centralised approaches [4, 192]. Moreover, a decentralised and secure P2P model could increase the security of IoT and wireless sensor networks [168, 193, 194, 195], enabling a higher control of IoT devices for keeping systems up-to-date [196, 197, 198, 199, 200].

Undoubtedly, there are some issues, such as low computational power and storage capabilities of IoT devices, that may limit the use of Blockchain. In [172] the authors propose an alternative way to implement a public ledger overcoming these drawbacks and thus enhancing IoT applications. Other efficient architectures are presented in [201] and [202] where authors propose a secure lightweight blockchain-based architecture for IoT in different application contexts.

There exist other examples of IoT applications, such as the Autonomous Decentralised P2P Telemetry (ADEPT) [203] system developed by the IBM which uses blockchain to build a distributed network of devices. Filament [191] ensures secure economic exchange among autonomous devices. Moreover, the authors assign a unique identity to each device through a blockchain-based IoT software. In the same line, Huh et al. [204] proposes the use of the Ethereum platform to perform secure key management in IoT contexts. For more on the IoT and blockchain, we refer the reader to [4, 18, 15, 205].

### *5.5. Healthcare management*

Blockchain technology could play a pivotal role in the healthcare industry with several applications in areas like public healthcare management, longitudinal healthcare records, automated health claims adjudication, online patient access, sharing patients' medical data, user-oriented medical research, drug counterfeiting, clinical trial, and precision medicine [206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224]. In particular, blockchain technology and the use of SCs could solve problems of scientific credibility of findings (missing data, endpoint switching, data dredging, and selective publication) in clinical trials [225] as well as issues of patients' informed consent [226, 227].

Managing patients' Electronic Healthcare Records (EHRs) is probably the area with the highest potential growth [228, 229, 230, 231, 232]. An EHR contains a patient's short medical history, as part of her medical record, as well as data, predictions, and information of any kind relating to the conditions and the clinical progress of a patient throughout the course of a treatment. A blockchain system for EHRs could be seen as a protocol through which users may access and maintain their health data that simultaneously guarantees security and privacy [233, 234, 235, 236, 237, 238, 239, 240]. The benefits of a blockchain-based system for EHRs are manifold: records are stored in a distributed way (they are public and easily verifiable across non-affiliated provider organisations), there is no centralised owner or hub for a hacker to corrupt or breach, data is updated and always available whereas data from disparate sources is brought together in a single and unified data repository [241].

### *5.6. Privacy and Security*

Centralised organisations – both public and private – amass large quantities of personal and sensitive information. Although the GDPR [242] aims to regulate the processing of this data, there is still a big gap to cover [243]. Blockchain is considered as an opportunity for enhancing the security aspects of big data [244, 245, 246] and its scalability when combined with other efficient storage systems that implement data mining methods [247]. Therefore, privacy and security oriented applications that rely on blockchain technology can be found in the literature [248, 249, 250, 251, 252, 253, 254].

Namecoin [7] is an open-source blockchain technology that implements a decentralised version of DNS. The main benefits of a decentralised DNS approach are security, censorship resistance, efficiency, and privacy. Alexandria [255] is an open-source blockchain-based project that provides a secure and decentralised library of any kind of media while allowing the freedom of speech. Both systems may be enhanced utilising digital identity services which can confirm an individual's identities (e.g. using pseudonyms), enabling security and anonymity in a standardised verification model [50, 256]. In [257] the authors propose a decentralised P2P blockchain-based platform that comprises three types of entities: (i) users, which interact with the applications; (ii) services, which provide such applications and process users' personal data for operational and business-related reasons; and (iii) nodes, entities that receive rewards in exchange for maintaining the blockchain. Since only hash pointers are stored, users have control over their data.

Blockchain technology may also be used to enhance security and reliability in distributed networks through hardware and software solutions [258, 259, 260]. For instance, SIRIN LABS [261] developed the first blockchain-based smartphone, capable of providing fast, fee-less and secure transactions. BitAv is an antimalware blockchain-based solution [262] that enhances virus pattern distribution. In [263], the authors implement a privacy-aware public key infrastructure, which enhances security against a single point of failure or malicious attacks. Liang et al. [264] propose the use of a distributed blockchain-based protection framework to enhance the security of modern power systems against cyber-attacks. In [265], authors recall the use of Docker containers [266] in IoT and their benefits. Rodrigues et al. [267] propose a novel architecture, which combines blockchain and SC technologies, introducing thereby new opportunities for flexible and efficient DDoS mitigation solutions across multiple domains, with particular regard on insecure portable and stationary devices. Tosh et al. [268] discuss vulnerabilities in blockchain cloud and its capability to enable data provenance. Blockchain could also be used as a verification protocol for enabling, securing and authenticating spectrum sharing in cognitive radio networks [269, 270, 271].

Transactional privacy is one of the most challenging problems of blockchain technologies. Therefore, several methods have been proposed to improve anonymity of blockchains [14] such as mixing services [272] or zero-knowledge proofs. In the case of mixing services, the aim is to provide transactional privacy by transferring funds from  $N$  input addresses to  $M$  output addresses, so that users avoid always using the same address. Examples implementing such technique are Mixcoin [273], which is also able to detect dishonest transaction behaviours, and Coinjoin [274] or CoinShuffle [275], that uses a third party to shuffle output addresses. In the case of Zerocoin [276], transactions and the origin of coins are unlined, while miners use zero-knowledge proofs to validate operations. An improved version with stronger privacy guarantees hides both transaction amounts and the origin of coins [276].

### 5.7. *Business and industrial applications*

Blockchain has the potential to become a significant source of disruptive innovations in business and management through improving, optimising, and automating business processes [277, 278, 279]. Many e-business models based on IoT and blockchain are emerging. One example can be found in [280] where authors propose a business model in which transactions between devices are performed using SCs on a blockchain-based distributed database. In [281] the authors propose a privacy-preserving system that uses an IoT network and blockchain to prove provenance manufacturing without the third party authentication.

Blockchain applications appear to offer considerable performance enhancement and commercialisation opportunities [282, 283, 284], improving credibility in e-commerce and enabling IoT companies to optimise their operations [102, 285] while saving time and cost [286]. Blockchain-based applications could serve as decentralised business process management systems for several enterprises. In such cases, each business process instance may be maintained on the blockchain, and the workflow routing could be performed by SCs, thereby streamlining and automating intra-organisational processes and reducing cost [287, 288, 289, 290, 291].

#### 5.7.1. *Supply chain management*

Blockchain technology is expected to increase transparency and accountability in supply chain networks, thus enabling more flexible value chains [209, 245, 292, 293]. In particular, blockchain-based applications have the potential to generate breakthroughs in three areas in supply chains: visibility, optimisation, and demand [286]. Blockchain can be used in logistics, identifying counterfeit products, decreasing paper load processing, facilitating origin tracking [294, 295, 296, 297, 298] and enabling buyers and sellers to transact directly without manipulation by intermediaries [299]. Moreover, it has been demonstrated that the usage of blockchain-based applications in supply chain networks can safeguard security [201], lead to more robust contract management mechanisms between third and fourth party logistics (3PL, 4PL) for combating information asymmetry [300], enhance tracking mechanisms and traceability assurance [301, 302, 303, 304, 305, 306], provide better information management across the entire supply chain [307, 308, 309], food safety [310], enhance IP protection [311, 312, 313], offer better customer service through advanced data analytics (i.e. encrypted customer data) and novel recommender systems [314, 315], improve inventory and performance management across complex supply chains [316], and finally, it can improve smart transportation systems [317, 318, 319] and offer new decentralised manufacturing architectures [320].

### 5.7.2. Energy sector

The potential applications of blockchain in the energy sector are far-reaching and may have an enormous impact both in terms of processes as well as platforms [321]. For example, blockchain may reduce costs and enable new business models and marketplaces, can better manage complexity, data security, and ownership along grids, can engage prosumers in the energy market acting as enabler for the creation of energy communities [322, 323, 324], can enhance the transparency and trust of the energy market system, can guarantee accountability while preserving privacy requirements, can enhance direct peer-to-peer trading to support the smooth operation of the power grid, and can better handle demand response and provide a framework for more efficient utility billing processes and transactive energy operations [325, 326, 327, 328, 329]. Blockchain technology may also be used for issuing certificates of origin, particularly for green energy production and renewable energy sources [330, 331, 332, 333, 334], for developing peer-to-peer energy transactions schemes [335, 336, 337, 338, 339, 340] and for establishing energy management schemes for electric vehicles [341, 342, 343, 344]. It is also worth mentioning that blockchain is considered an enabler for the decarbonisation of the energy sector facilitating its move towards more decentralised energy sources [345].

### 5.8. Education

Blockchain can solve issues of vulnerability, security, and privacy in the case of ubiquitous learning environments [346] and can be used for storing educational records related to reputational rewards [347, 348]. Sharples et al. [349] propose the use of a blockchain-based distributed system for educational record and reputation. Similar reputation systems are shown in [350, 351]. In [352], teachers add blocks into the blockchain storing the learning achievements of students. Educational certificate management can also be enhanced by blockchain improving data security and trust in digital infrastructures [353], and for credit management (for instance, relevant to the European Credit Transfer and Accumulation System-ECTS) [348]. Moreover, blockchain-based applications could enhance the digital accreditation of personal and academic learning [354]. Blockchain-enabled school information hubs could also be established for collecting, reporting, and analysing data about school systems for supporting decision-making [355]. Finally, in the case of scholarly publishing, blockchain can be used either for better handling manuscript submissions and for conducting suitable reviews in a timely fashion [356] or for manuscript verification [357].

### 5.9. Data Management

Data management is one of the most indisputable properties of the blockchain. Implementations and applications based on this technology have not only enhanced data management [358] but have also facilitated by default auditability [359, 360] since all of their operations are verifiable. In this last blockchain-based applications section we cite relevant literature that aims at efficient, secure and verifiable data management [361, 362].

Although cross-organisational management has not yet reached a level that enables full interoperability between parties, several examples of cross-organisational data management can be found in the literature. In [363] the authors, in a joint effort with a German Bank, follow the Design Science Research approach [364] to design, implement, and evaluate a blockchain prototype for cross-organisational workflow management. The results are encouraging and demonstrate that Blockchain has the potential to serve as an infrastructure for cross-organisational workflow management. Hawk [365] is a framework for building privacy-preserving SCs that enables privacy-aware intermediate computations to avoid or minimise several types of disclosures, such as transactional privacy. Authors also provide an algorithmic framework to enable coding functions that will be parsed into private and blockchain compliant protocols.

Blockchain also disrupts the human resource area [366, 308, 367], by enhancing data storage [368] and selection processes, e.g. auditable candidate selection and verifiable participants' data.

In the case of secure data distribution and management solutions, García-Barriocanal et al. [369] propose the use of a decentralised blockchain-based solution for metadata supporting key functions and discuss its implications towards management and sustainability of digital archives. Yang et al. [370] stress the importance of trust in the big data area and present a credible big data sharing model based on blockchain technology and SC to ensure the safe circulation of data resources. Do et al. [371] propose a system that enables secure and distributed client data management using cryptographic primitives as well as a keyword search service. Besides, the data owner can grant search and read permission of their data to third parties. Similarly, Searchchain[372] is a blockchain-based keyword search system that enables efficient oblivious search (the user knows the chosen keyword and the corresponding ciphertext, but they are unknown to the data supplier) over an authorised keyword set in the decentralised storage. More examples can be



	Scalability	Privacy	Interoperability	Audit	Latency	Visibility
Finance	✓	◦	✓	✓	✓	✓
Citizenship Services		✓	✓	✓		
Integrity Verification				✓		✓
Governance	◦	✓	✓	✓		
IoT	✓	✓			✓	
Health	✓	✓	✓	✓		
Privacy & Security		✓		✓		
Business	◦	◦	✓	✓	◦	✓
Education		✓	✓	✓		
Data management	✓		✓	✓	◦	✓

Table 3: Characteristics/requirements that enable/require each family of blockchain applications. Check (✓) denotes that this requirement is mandatory while ◦ denotes that it depends on the case.

found in [257] and [233] in which systems that enable blockchain-based decentralised sensitive data distribution with PoO are described. Other secure data sharing approaches can be found in [373, 374, 375, 376, 377]. Note that access control and authentication mechanisms may also be used to ensure privacy and security in data distribution [378, 379].

Cloud-based decentralised and efficient solutions that use blockchain technology can also be found in the literature [380, 381, 382]. Such systems aim at overcoming big data challenges [377, 383] to enable the analysis of large volumes of transactions [384, 385, 386].

#### 5.10. Miscellaneous applications

This subsection refers to research describing blockchain-based applications that fall outside the domains mentioned above. For example, crowd-funding platforms are starting to use blockchain [387, 388, 389]. Swarm, Lighthouse, and bitFyler are examples of cryptocurrency crowdfunding platforms [50, 390]. Blockchain applications may also be found in the humanitarian sector and philanthropy [391], particularly as a means of fighting poverty [392, 245, 393, 394, 395, 396, 397, 398]. Blockchain can also be used to build intelligent, secure, distributed and autonomous transport systems in smart cities contexts [399, 179, 400] or to manage event tickets securely [401]. Blockchain is expected to play a pivotal role in environmental management [402, 403]. For instance, blockchain could be used as a novel “emission link” system within Emission Trading Schemes [404]. Another interesting application may be found in the context of social media [405, 406, 407]. In particular, user-centric blockchain applications could enable end-users to control, trace and claim ownership of every piece of content they share [408]. Of particular interest are some IT-oriented blockchain applications like, for example, edge computing and the establishment of computational resource sharing systems [409, 410], grid computing [411], cloud computing [412], and the use of blockchain as a software connector [413, 414]. Finally, blockchain technology may also improve social sharing dynamics [415].

## 6. Open issues and future trends

From the analysis of the selected literature, a series of insights can be derived concerning the limitations of the blockchain technology and its usability across a wide area of domains. As described in Section 5, blockchain is nowadays adopted in many research fields and business areas, providing limitless opportunities for exploration. However, like any other emerging technology, issues and challenges arise. In this section, we discuss certain limitations of the blockchain technology, and we develop several avenues of fruitful areas for further research directions.

### 6.1. Suitability of Blockchain

Companies across different sectors are excited about blockchain technology and its potential to drive their digital transformation while solving real-life problems [416]. Nevertheless, while several IT specialists envisage the usage of blockchain in almost every project, they do not quite understand the fundamental reasons for using it, particularly from a data management perspective. For instance, if no data needs to be ever stored, blockchain will not add any value to already established technical solutions. Similarly, if only one writer in a given system is foreseen, a blockchain will not provide additional guarantees compared to a regular database which would most probably be a more appropriate choice, particularly from a performance perspective (transactions speed) [417]. On the other hand, blockchain is

suitable when one requires a transaction between trustless sources or a permanent historical record. For instance, if there is a need for multiple mutually mistrusting entities to interact and change the state of a system, then blockchain may be a viable solution [418].

Therefore, before adopting blockchain-enabled solutions one should examine the suitability of the blockchain technology against the use cases requirements [419]. A limited number of frameworks have been developed in the scientific literature for assessing the suitability of blockchain-enabled applications. For example, in [419] the authors propose an evaluation framework for blockchain-enabled applications in specific industrial domains like supply chain, EHRs, identity management, and the stock market. In [418] an analysis is provided related to the properties of different blockchain types (i.e., permissioned and permissionless) and a methodological framework is developed for identifying the suitability of blockchain-enabled applications across several domains.

Databases are by their very nature *mutable* where a predefined set of entities have access and may insert or update data. These entities may have specific roles, but their identities are known. However, there are administrative roles which may completely alter the contents and structure of the hosted information regardless of whether they are centralised or not.

Based on the findings of our research, we highlight the requirements of each sector, see Table 3, and we developed a framework (Table 4) to evaluate the suitability of blockchain-based solutions. More concretely, we evaluate the potential of blockchain against traditional databases in four main domain areas: required trust assumptions, context requirements, performance characteristics and required consensus mechanisms. An intuitive three-level scale (i.e., low, medium and high) is used to measure the relevance of each prerequisite. The framework acts as a comprehensive tool for practitioners aspiring to evaluate whether their systems will be enhanced by blockchain or not. In terms of trustness, blockchain avoids the use of trusted third parties, on which databases rely on, and thus, enhances reliability and verifiability of contents. Blockchain is also suitable when transactions and operations need to be traced (sequential chain of events) or when operations require strong security and privacy (centralised data structures are more vulnerable to malicious attacks than decentralised structures [420]). Regarding maintenance, blockchain may provide a significant cost reduction since it does not require hosting. Finally, consensus mechanisms implemented in blockchain networks [421] enable multiple writers to modify the database and provide an authoritative transaction log in which all nodes provably agree.

## 6.2. Latency and Scalability

Most cryptocurrencies have a low transactions' rate. For instance, Bitcoin transactions<sup>2</sup> cannot by any chance compare to systems like VISA's credit card processing network that constantly handles up thousands of transactions per second. Undoubtedly, the broad adoption of cryptocurrencies needs to address this latency issue as well [50]. Note that each Bitcoin block is processed in approximately 10 minutes which, along with the associated security checks (e.g. to avoid the double-spent attack in the subsequent transactions), results in each transaction confirmation to last up to several minutes<sup>3</sup>. Therefore, blockchain architectures face serious latency issues which may be proved more significant as they evolve. Private blockchains, on the other hand, although they are indeed far more efficient, they have not reached the required standards.

Data storage optimisation examples may also be found in the literature. In [422], authors propose a scheme where old transaction records are removed by the network and a tree-structured database balances all non-empty addresses. Hence, the number of transactions stored by the nodes is decreased, thereby improving the transaction validation step. In [423], the authors proposed Bitcoin-Next Generation where the core idea is to decouple a block into two parts: the key block for leader election and microblock to store transactions. So, miners compete to become a leader, which is the responsible role for microblock generation. Moreover, the authors improved the longest chain strategy to enhance the trade-off between block size and network security.

In IoT networks, a properly configured centralised architecture means higher transaction processing throughput than blockchain solutions, in general. Still, in the case of public networks, this inadequacy is further exacerbated [32] since consensus mechanisms in public blockchain structures are costly. To overcome this limitation, the Ethereum community is currently considering sharding<sup>4</sup>, an act to partition the blockchain into shards where each shard stores its

---

<sup>2</sup><https://blockchain.info/charts/transactions-per-second>

<sup>3</sup><https://blockchain.info/charts/avg-confirmation-time>

<sup>4</sup><https://github.com/ethereum/wiki/wiki/Sharding-FAQ>

Attributes	Prerequisites & determinants	Architecture		
		Blockchain		Database
		Permissionless	Permissioned	
<b>Trust</b>	Luck of Trusted Third Parties	High	High	Low
	Accountability	High	High	High
	Immutability	High	High	Medium
	Multiple non-trusting writers	High	High	Low
	Peer-to-peer transactions	High	High	Low
<b>Context</b>	Traceability of transactions	High	High	Low
	Verifiability of transactions	High	High	Low
	Data/transaction notarization	High	High	Low
	Data transparency	High	High	Low
	Security	High	High	Low
	Privacy	High	Medium	Low
<b>Performance</b>	Latency and transaction speed	Low	Medium	High
	Maintenance costs	High	High	Low
	Redundancy	High	High	Medium
	Scalability	Low	Medium	High
<b>Consensus</b>	Rules of engagement	High	High	Low
	Need for verifiers	High	High	Low
	Autonomous/dynamic interactions between transactions of different writers	High	High	Low

Table 4: Analysis of attributes and prerequisites of blockchain versus traditional databases.

piece of state and transaction history. This way, nodes process the transactions of specific shards, and the blockchain is divided into smaller ones, drastically increasing the overall performance. All these approaches imply some additional changes in the balance between security, scalability, and decentralisation that blockchains offer by default. Therefore, considerable research effort needs to be undertaken for finding the proper equilibrium.

#### 6.2.1. Sustainability of the Blockchain Protocol

One of the main drawbacks of blockchain technology, especially affecting public blockchains, is the waste of resources of the mining network. Such concern generates two main questions: (i) how to reduce energy consumption

and, (ii) whether to apply the computational power to useful data processing.

Bitcoin mining, which is lead by China [424], consumes more electricity than 159 countries of the world [425]. Nevertheless, the real power consumption could be even worse, since there may be cases where users are mining without their knowledge due to malware infections [426].

As already discussed, several consensus mechanisms and procedures could be adapted to decrease energy waste. Besides the energy consumption problem, current consensus algorithms like PoW or PoS may face the “rich get richer phenomenon” [14]. Many efficient consensus mechanisms related to cryptocurrencies and bitcoin have been proposed. In [427] the authors propose the GHOST chain selection rule, which weights branches according to some parameters, easing the selection task for miners. In [428], the authors present an alternative consensus protocol for Bitcoin-like P2P systems where a party receives permissions to generate a block providing non-interactive proofs of storing a subset of the past state snapshots. Therefore, a network using such protocol is safe if nodes prune full blocks, which are not needed for mining. The PeerCensus system [429] enables strong consistency in Bitcoin and similar systems. Moreover, DiscoIn, which acts on top of PeerCensus, decouples the block creation and transaction confirmation operations so that consensus efficiency can be increased. In [430], the authors proposed a new consensus method to avoid multiple hash-rate scenarios. This way, the system guarantees stable average block times.

Well-known examples of projects exploiting the benefits of blockchain’s computational resources are SETI@home and Folding@home, which reward participants with Gridcoin and FoldingCoin respectively [50]. Another example is Primecoin [431] where miners are required to find long chains of prime numbers instead of computing hashes. Moreover, big data processing applications, such as genomic sequencing [50] and personalised genomics [432] also benefit from blockchain resources.

The use of renewable energy might be proved critical [433]. Projects such as solarcoin [434] encourage the use of renewable energy. Another example can be found in [435] where authors proposed a lightweight blockchain architecture to protect personal data.

### 6.3. Quantum resilience

At the core of blockchain, we have two cryptographic primitives: hashes and public key encryption which are used for signing transactions. When blockchain was initially designed, quantum computing did not sound very close. However, recent breakthroughs<sup>5</sup> made us radically revise the situation.

In most blockchains, the hash algorithm is SHA-256 which a quantum computer would need  $2^{128}$  operations to crack using Grover’s algorithm. While this makes SHA-256 resistant to quantum attacks, the same does not apply for the public key encryption algorithms that most of them use. The ECDSA algorithm will be broken once a big enough quantum computer is built, rendering almost all blockchains insecure. Currently, there is a significant effort towards evaluating and standardising post-quantum cryptographic primitives<sup>6</sup>. For the case of public key cryptography, the most promising candidates originate from lattice [436] and code-based cryptography [437]. Apparently, as we are currently designing platforms on blockchains which we aim to keep for years to come, quantum resilience becomes a major issue. Nevertheless, blockchain-based quantum-resilient approaches can be found in the literature. For instance, in [438] the authors develop a quantum-safe blockchain platform that uses quantum key distribution across an urban fiber network for information-theoretically secure authentication. More recently, Del Rajan et al. [439] presented a method which involves encoding the blockchain into a temporal Greenberger-Horne-Zeilinger state of photons that do not simultaneously coexist. The authors state that their approach can be viewed as a quantum networked time machine.

### 6.4. Blockchain Adoption and Interoperability

The number of blockchain-based applications is growing at a fast pace, creating a humongous number of heterogeneous solutions. The wide diversity of implementations and features implies hard interoperability issues, hindering standardisation.

Many companies, especially from the U.S., are colluding to bring a bitcoin exchange-traded fund to the market [440]. If the bitcoin market were to be regulated, users, as well as numerous international funds, would have easy

---

<sup>5</sup><https://research.googleblog.com/2018/03/a-preview-of-bristlecone-googles-new.html>

<sup>6</sup><https://csrc.nist.gov/Projects/Post-Quantum-Cryptography>

access to invest in bitcoins. However, the uncontrolled growth of cryptocurrencies enables the creation of scenarios where speculative attacks [441] or malicious currency exchanges may cause a crisis.

Most APIs provided by cryptocurrencies are far from being considered easy to use. Therefore, several authors have proposed their solutions towards more interoperable architectures [365]. Efforts like Blockstream try to coordinate transactions between different blockchains [442] by providing software and hardware solutions to companies aiming at new blockchain-based networks. Moreover, the services for purchasing and exchanging cryptocurrencies are realising an emerging practice that is gaining more adepts [443]. Such services offer essential security guarantees to the management of all types of cryptocurrencies and enable purchases between currencies of legal course and cryptocurrencies.

Although the adoption of blockchain technology is continually growing, not all businesses are embracing blockchain because it does not enhance their systems (see Section 6.1) or due to the lack of regulations [133]. Nevertheless, requirements such as big data storage, digitalisation, and efficiency, as well as security and privacy, are important for governments, which need to enhance management and administrative tasks.

One of the prevalent research topics in finance is cryptocurrency exchange, which will enable multi-currency transactions [114, 52]. Additionally, as far as interoperability is concerned, businesses, companies, and governments are already working towards automated and configurable SC creation procedures which will be compliant with many standards and will also facilitate auditing tasks [136, 444]. Therefore, SCs and transactions between users and/or businesses or public entities will become practical and efficient. For instance, the adoption of blockchain in the healthcare sector will create opportunities in secure and structured health data storage and ubiquitous personalised healthcare. In the case of citizenship and education services, as well as data management, blockchain will enable interoperable services (e.g. query, verification, integration, and adoption).

#### *6.5. Data management and privacy & security solutions*

Despite the great benefits of blockchain in the context of secure and private data management and storage (see Section 5.6), blockchain has several limitations and weaknesses [445, 446, 25, 447]. In general, privacy and confidentiality is still a problem for blockchains, because information is stored as a public ledger. Several anonymisation or encryption-based mechanisms can be adopted to protect the confidentiality of the information [43]. However, these mechanisms are not a panacea and depend on the implementation and the context of the system (e.g. such solutions can be too demanding for IoT networks [4]). Further mechanisms to prevent disclosure are suggested in [4] where authors express that networks' file sharing should be performed using secure protocols like telehash [448], Whisper [36] or directly using a content-addressed P2P file system such as IPFS [449].

A well-known problem in blockchain data privacy is transactional privacy [450]. Most businesses and individuals are concerned about the traceability of transactions and SC operations, which are propagated across the network. Moreover, measures such as the use of pseudonyms are not enough to guarantee transactional privacy [365]. For instance, there are de-anonymisation approaches which analyse transactional graph structures of cryptocurrencies [451, 452]. Also, it has been already shown that bitcoin's transactions can disclose a lot of sensitive information [453, 454, 455].

As SCs are similar to programs, they frequently contain errors, which can cause hefty losses. Recent examples of vulnerabilities include the DAO attack [456]; leading to a loss of around 47M\$, and the Parity wallet bug which allowed the theft of around 280M\$ [457], or the recent discovery of thousands of vulnerable SCs [458]. The very nature of SCs makes their operation sometimes difficult to understand as they drastically differ from traditional programming environments, easing the task of hiding illegal behaviours. These could range from the relatively blunt implementation of a Ponzi scam [459] disguised as some sort of investment opportunity yielding incredibly high returns, to more subtle schemes that compromise private keys or do not guarantee the return of funds to investors when funding goals are not met. Out of the many written proposals to date for avoiding some of the most important SC vulnerabilities or abuses [460], we believe that the most promising is the one which approaches the problem by limiting the expressiveness of the underlying programming language [36]. Other solutions rely on SCs checkers [461, 462, 463], which implement a framework to verify the correctness and the fairness of SCs and to trace their vulnerabilities. In the case of IoT, big companies and flagships are open-minded towards blockchain technology, as shown in Section 5.4.

Based on the above, a lot of research needs to be carried out to secure not only the blockchain per se but the SCs as well.

### 6.6. Big Data and Artificial Intelligence

The broad adoption of artificial intelligence solutions could be tuned, utilising SCs, to manage particular characteristics or behaviours, autonomous drones or cars. Moreover, intelligent transactions between entities and/or devices may also enable real-time implementations and a wide range of possibilities.

The race of data acquisition, increases the effectiveness and accuracy of data across many AI domains [464]. In the case of public blockchain systems standardisations and interoperability will improve AI algorithms and market prediction solutions since data will be available via a public ledger. The above pave the way for scalable and more accurate solutions and better AI models [465] within multiple contexts, enhancing the possibilities of data analytics.

The secure and verifiable blockchain structure may be used to ease big data management [377]. However, data analytics using blockchain structure imply too much overhead. Despite this, in most cases processing all transactions will not be necessary and, hence, intermediate or efficient auxiliary structures may be implemented, increasing thereby the overall efficiency. Therefore, solutions must be adopted ad-hoc. Nevertheless, there already exist blockchain-based architectures for big data storage [466].

The adoption of deep learning in conjunction with faster machines and larger storage spaces have paved the way for modern auditing, which is already being enhanced by blockchain [467, 468]. Such procedures often involve examination of clients that are using big data analytics to remain competitive and relevant in today's business environment. However, at the heart of AI lie machine learning algorithms which are characterised by their opaque features. Their opacity most commonly stems from the large number of possible features included in a classifier which, as it is rapidly growing way beyond what can be easily grasped by a reasoning human, prevent us from understanding and explaining decisions made by AI [469]. The latter creates many headaches when people are trying to justify why a specific choice was made, mainly due to the enforcement of the GDPR and its derived "*right to explanation*". Additionally, with regard to automated decision-making, a data subject has the right to be provided with meaningful information about the logic involved. In this regard, blockchains can provide auditable trails to prove why a particular decision was made by an AI system and resolve the discrepancies raised by the non-linear use of numerous factors and use of randomisation.

Evidently, the use of big data and AI enable numerous interesting and innovative blockchain-based applications which could augment the transparency of such technologies.

### 6.7. Concluding remarks

While blockchain applications are being widely deployed, many issues have yet to be addressed. By doing so, blockchains will become not only more scalable and efficient but more durable as well. The features they offer are not unique if judged individually, and the bulk of the mechanisms they are based on are well-known for years. However, the combination of all these features makes them ideal for many applications justifying the intense interest by several industries.

As blockchains become more mature, their applications are expected to penetrate more industries/domains than the ones covered in our survey. However, while many try to propose blockchains as a panacea and an alternative to databases, this is far from true. As already discussed, there are many scenarios where traditional databases should be used instead. Moreover, we identified the individual characteristics that are mostly required per each application domain. This facilitates the choice of the proper blockchain and the corresponding mechanisms to tailor the blockchain to the actual needs of the application.

## Acknowledgments

This work has been financially supported by the European Commission under the Horizon 2020 Programme (H2020), as part of the *OPERANDO* project (Grant Agreement no. 653704).

## References

- [1] S. Nakamoto, Bitcoin: A peer-to-peer electronic cash system, 2008.
- [2] M. Crosby, P. Pattanayak, S. Verma, V. Kalyanaraman, Blockchain technology: Beyond bitcoin, *Applied Innovation* 2 (2016) 6–10.
- [3] G. Greenspan, Ending the bitcoin vs blockchain debate, <http://www.multichain.com/blog/2015/07/bitcoin-vs-blockchain-debate>, 2015.

- [4] K. Christidis, M. Devetsikiotis, Blockchains and Smart Contracts for the Internet of Things, *IEEE Access* 4 (2016) 2292–2303.
- [5] CoinMarketCap, Cryptocurrency Market Capitalizations, <https://coinmarketcap.com/>, 2017.
- [6] F. Tschorsch, B. Scheuermann, Bitcoin and Beyond: A Technical Survey on Decentralized Digital Currencies, *IEEE Communications Surveys Tutorials* 18 (3) (2016) 2084–2123.
- [7] M. Haferkorn, J. M. Quintana Diaz, Seasonality and Interconnectivity Within Cryptocurrencies - An Analysis on the Basis of Bitcoin, Litecoin and Namecoin, Springer International Publishing, Cham, 106–120, 2015.
- [8] N. Szabo, Smart contracts, 1994.
- [9] N. Szabo, The idea of smart contracts, 1997.
- [10] J. L. Zhao, S. Fan, J. Yan, Overview of business innovations and research opportunities in blockchain and introduction to the special issue, *Financial Innovation* 2 (1) (2016) 28.
- [11] IBM, Three ways blockchain Explorers chart a new direction, <https://www-935.ibm.com/services/studies/csuite/pdf/GBE03835USEN-00.pdf>, 2017.
- [12] B. A. Tama, B. J. Kweka, Y. Park, K.-H. Rhee, A critical review of blockchain and its current applications, in: *Electrical Engineering and Computer Science (ICECOS)*, 2017 International Conference on, IEEE, 109–113, 2017.
- [13] A. Brandão, H. São Mamede, R. Gonçalves, Systematic Review of the Literature, Research on Blockchain Technology as Support to the Trust Model Proposed Applied to Smart Places, in: *World Conference on Information Systems and Technologies*, Springer, 1163–1174, 2018.
- [14] Z. Zheng, S. Xie, H.-N. Dai, H. Wang, Blockchain challenges and opportunities: A survey, *Work Pap.*–2016 (2016) .
- [15] M. Conoscenti, A. Vetro, J. C. De Martin, Blockchain for the Internet of Things: A systematic literature review, in: *Computer Systems and Applications (AICCSA)*, 2016 IEEE/ACS 13th International Conference of, IEEE, 1–6, 2016.
- [16] K. Christidis, M. Devetsikiotis, Blockchains and smart contracts for the internet of things, *IEEE Access* 4 (2016) 2292–2303.
- [17] E. Karafiloski, A. Mishev, Blockchain solutions for big data challenges: A literature review, in: *Smart Technologies*, IEEE EUROCON 2017-17th International Conference on, IEEE, 763–768, 2017.
- [18] M. A. Khan, K. Salah, IoT security: Review, blockchain solutions, and open challenges, *Future Generation Computer Systems* 82 (2017) 395 – 411.
- [19] X. Li, P. Jiang, T. Chen, X. Luo, Q. Wen, A survey on the security of blockchain systems, *Future Generation Computer Systems* (2017) (2017) .
- [20] W. Meng, E. W. Tischhauser, Q. Wang, Y. Wang, J. Han, When intrusion detection meets blockchain technology: A review, *IEEE Access* 6 (2018) 10179–10188.
- [21] S. Seebacher, R. Schüritz, Blockchain technology as an enabler of service systems: A structured literature review, in: *International Conference on Exploring Services Science*, Springer, 12–23, 2017.
- [22] F. Hawlitschek, B. Notheisen, T. Teubner, The limits of trust-free systems: A literature review on blockchain technology and trust in the sharing economy, *Electronic Commerce Research and Applications* 29 (2018) 50–63.
- [23] L. S. Sankar, M. Sindhu, M. Sethumadhavan, Survey of consensus protocols on blockchain applications, in: *Advanced Computing and Communication Systems (ICACCS)*, 2017 4th International Conference on, IEEE, 1–5, 2017.
- [24] N. Atzei, M. Bartoletti, T. Cimoli, A survey of attacks on Ethereum smart contracts (SoK), in: *International Conference on Principles of Security and Trust*, Springer, 164–186, 2017.
- [25] J. Yli-Huumo, D. Ko, S. Choi, S. Park, K. Smolander, Where Is Current Research on Blockchain Technology?—A Systematic Review, *PloS one* 11 (10) (2016) e0163477.
- [26] B. Koteska, E. Karafilovski, A. Mishev, Blockchain Implementation Quality Challenges: A Literature Review: Proceedings of the SQAMIA 2017: 6th Workshop of Software Quality, Analysis, Monitoring, Improvement, and Applications, Belgrade, Serbia (2017) 11–13.
- [27] J. Bonneau, A. Miller, J. Clark, A. Narayanan, J. A. Kroll, E. W. Felten, Sok: Research perspectives and challenges for bitcoin and cryptocurrencies, in: *Security and Privacy (SP)*, 2015 IEEE Symposium on, IEEE, 104–121, 2015.
- [28] M. Tsukerman, The block is hot: A survey of the state of Bitcoin regulation and suggestions for the future, *Berkeley Tech. LJ* 30 (2015) 1127.
- [29] U. Mukhopadhyay, A. Skjellum, O. Hambolu, J. Oakley, L. Yu, R. Brooks, A brief survey of cryptocurrency systems, in: *Privacy, Security and Trust (PST)*, 2016 14th Annual Conference on, IEEE, 745–752, 2016.
- [30] M. C. K. Khalilov, A. Levi, A Survey on Anonymity and Privacy in Bitcoin-like Digital Cash Systems, *IEEE Communications Surveys Tutorials* (2018) 1–1.
- [31] M. Conti, S. K. E. C. Lal, S. Ruj, A Survey on Security and Privacy Issues of Bitcoin, *IEEE Communications Surveys Tutorials* (2018) 1–1.
- [32] M. Vukolić, The quest for scalable blockchain fabric: Proof-of-work vs. BFT replication, in: *International Workshop on Open Problems in Network Security*, Springer, 112–125, 2015.
- [33] D. Mingxiao, M. Xiaofeng, Z. Zhe, W. Xiangwei, C. Qijun, A review on consensus algorithm of blockchain, in: *2017 IEEE International Conference on Systems, Man, and Cybernetics (SMC)*, 2567–2572, 2017.
- [34] A. M. Antonopoulos, Mastering Bitcoin: unlocking digital cryptocurrencies, ” O’Reilly Media, Inc.”, 2014.
- [35] M. Pilkington, Blockchain technology: principles and applications, *Research handbook on digital transformations* (2016) 225.
- [36] C. Dannen, Introducing Ethereum and Solidity: Foundations of Cryptocurrency and Blockchain Programming for Beginners, Apress, 2017.
- [37] M. Castro, B. Liskov, Practical Byzantine fault tolerance and proactive recovery, *ACM Transactions on Computer Systems (TOCS)* 20 (4) (2002) 398–461.
- [38] V. Buterin, On public and private blockchains, *Ethereum Blog* 7 (2015) .
- [39] Eris Industries, Explainer — Smart Contracts, [https://docs.erisindustries.com/explainers/smart\\_contracts/](https://docs.erisindustries.com/explainers/smart_contracts/), 2016.
- [40] P. Kravchenko, Ok, I need a blockchain, but which one?, <https://medium.com/@pavelkravchenko/ok-i-need-a-blockchain-but-which-one-ca75c1e2100>, 2016.
- [41] G. Wood, Blockchains: What and Why, <https://www.slideshare.net/gavofyork/blockchain-what-and-why>, 2016.
- [42] T. Swanson, Consensus-as-a-service: a brief report on the emergence of permissioned, distributed ledger systems, <https://allquantor>.

- at/blockchainbib/pdf/swanson2015consensus.pdf, 2015.
- [43] G. Greenspan, MultiChain Private Blockchain, White Paper, <http://www.multichain.com/download/MultiChain-White-Paper.pdf>, 2015.
  - [44] R3, Building the new operating system for financial markets, <https://www.r3.com>, 2015.
  - [45] Hyperledger Project, <https://www.hyperledger.org/>, 2015.
  - [46] Cardano, <https://www.cardano.org>, 2018.
  - [47] M. Walport, Distributed ledger technology: beyond block chain, 2016.
  - [48] R. B. Briner, D. Denyer, Systematic review and evidence synthesis as a practice and scholarship tool, New Year University Press New York, NY, 2012.
  - [49] Moher, D. et. al., Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement, PLoS Medicine 6 (7), (2009).
  - [50] M. Swan, Blockchain: Blueprint for a new economy, O'Reilly Media, Inc., 2015.
  - [51] Q. K. Nguyen, Blockchain-A Financial Technology for Future Sustainable Development, in: Proceedings - 3rd International Conference on Green Technology and Sustainable Development, GTSD 2016, 51–54, 2016.
  - [52] G. W. Peters, E. Panayi, Understanding modern banking ledgers through blockchain technologies: Future of transaction processing and smart contracts on the internet of money, in: New Economic Windows, 239–278, 2016.
  - [53] K. Fanning, D. P. Centers, Blockchain and its coming impact on financial services, Journal of Corporate Accounting & Finance 27 (5) (2016) 53–57.
  - [54] H. L. A. Nijeholt, J. Oudejans, Z. Erkin, DecReg: A Framework for Preventing Double-Financing using Blockchain Technology, in: BCC 2017 - Proceedings of the ACM Workshop on Blockchain, Cryptocurrencies and Contracts, co-located with ASIA CCS 2017, 29–34, 2017.
  - [55] P. Paech, The governance of blockchain financial networks, Modern Law Review 80 (6) (2017) 1073–1110.
  - [56] J. Van de Velde, A. Scott, K. Sartorius, I. Dalton, B. Shepherd, C. Allchin, M. Dougherty, P. Ryan, E. Rennick, Blockchain in capital markets—The prize and the journey, 2016.
  - [57] T. Wu, X. Liang, Exploration and practice of inter-bank application based on blockchain, in: ICCSE 2017 - 12th International Conference on Computer Science and Education, 219–224, 2017.
  - [58] G. Papadopoulos, Blockchain and Digital Payments: An Institutional Analysis of Cryptocurrencies, 153–172, 2015.
  - [59] R. Beck, J. Stenum Czepluch, N. Lollike, S. Malone, Blockchain - The gateway to trust-free cryptographic transactions, in: 24th European Conference on Information Systems, ECIS 2016, 2016.
  - [60] X. Min, Q. Li, L. Liu, L. Cui, A permissioned blockchain framework for supporting instant transaction and dynamic block size, in: Trust-com/BigDataSE/ISPA, 2016 IEEE, IEEE, 90–96, 2016.
  - [61] Y. Yamada, T. Nakajima, M. Sakamoto, Blockchain-LI: A study on implementing activity-based micro-pricing using cryptocurrency technologies, in: ACM International Conference Proceeding Series, 203–207, 2017.
  - [62] S. M. English, E. Nezhadian, Conditions of full disclosure: The blockchain remuneration model, in: Proceedings - 2nd IEEE European Symposium on Security and Privacy Workshops, EuroS and PW 2017, 64–67, 2017.
  - [63] T. Lundqvist, A. De Blanche, H. R. H. Andersson, Thing-to-thing electricity micro payments using blockchain technology, in: GIoT 2017 - Global Internet of Things Summit, Proceedings, 2017.
  - [64] F. Gao, L. Zhu, M. Shen, K. Sharif, Z. Wan, K. Ren, A Blockchain-Based Privacy-Preserving Payment Mechanism for Vehicle-to-Grid Networks, IEEE Network , 2018 .
  - [65] H. M. Gazali, R. Hassan, R. M. Nor, H. M. M. Rahman, Re-inventing PTPTN study loan with blockchain and smart contracts, in: ICIT 2017 - 8th International Conference on Information Technology, Proceedings, 751–754, 2017.
  - [66] L. Cocco, A. Pinna, M. Marchesi, Banking on blockchain: Costs savings thanks to the blockchain technology, Future Internet 9 (3) (2017) 25.
  - [67] J. Dai, M. A. Vasarhelyi, Toward blockchain-based accounting and assurance, Journal of Information Systems 31 (3) (2017) 5–21.
  - [68] D. Cawrey, 37Coins Plans Worldwide Bitcoin Access with SMS-Based Wallet, <http://www.coindesk.com/37coins-plans-worldwide-bitcoin-access-sms-based-wallet/>, 2014.
  - [69] P. Rizzo, How Kipochi Is Taking Bitcoin into Africa, <http://www.coindesk.com/kipochi-taking-bitcoin-africa/>, 2014.
  - [70] Ripple, Global Payments Steering Group, <https://ripple.com/insights/announcing-ripples-global-payments-steering-group/>, 2016.
  - [71] A. Britto, D. Schwartz, R. Fugger, Ripple, <https://ripple.com/>, 2012.
  - [72] Viacoin, Viacoin Whitepaper, [https://github.com/viacoin/documents/raw/master/whitepapers/Viacoin\\_whitepaper.pdf](https://github.com/viacoin/documents/raw/master/whitepapers/Viacoin_whitepaper.pdf), 2014.
  - [73] Augur, The augur project, <https://augur.net/>, 2014.
  - [74] Bitshares, The bitshares project, <https://bitshares.org/>, 2014.
  - [75] P. Rizzo, Nasdaq and Citi Announce Pioneering Blockchain and Global Banking Integration, <http://www.nasdaq.com/article/nasdaq-and-citi-announce-pioneering-blockchain-and-global-banking-integration-cm792544>, 2017.
  - [76] M. Ventures, Medici, <http://www.mediciventures.com/>, 2014.
  - [77] Coinsetter, NYC-based Forex trading platform for Bitcoin, [www.coinsetter.com](http://www.coinsetter.com), 2012.
  - [78] J. Poon, V. Buterin, Plasma: Scalable Autonomous Smart Contracts, <https://plasma.io/plasma.pdf>, 2017.
  - [79] Deloitte, Over the horizon. Blockchain and the future of financial infrastructure., Report, 2016.
  - [80] F. R. Ltd, Banking on blockchain: charting the progress of distributed ledger technology in financial services., Report, 2016.
  - [81] Infosys Consulting , Blockchain Technology and the Financial Services Market. State-of-the-Art Analysis., [http://www.infosysconsultinginsights.com/wp-content/uploads/2016/10/InfosysConsulting\\_HHL\\_Blockchain.pdf](http://www.infosysconsultinginsights.com/wp-content/uploads/2016/10/InfosysConsulting_HHL_Blockchain.pdf), 2016.
  - [82] R. McWaters, R. Galaski, S. Chatterjee, The future of financial infrastructure: An ambitious look at how blockchain can reshape financial services, in: World Economic Forum, 2016.
  - [83] Accenture, Banking on blockchain. A value analysis for investment banks., Report, 2017.
  - [84] D. Bhowmik, T. Feng, The multimedia blockchain: A distributed and tamper-proof media transaction framework, in: International Confer-



- ence on Digital Signal Processing, DSP, 2017.
- [85] Q. Dupont, Blockchain Identities: Notational Technologies for Control and Management of Abstracted Entities, *Metaphilosophy* 48 (5) (2017) 634–653.
  - [86] R. Xu, L. Zhang, H. Zhao, Y. Peng, Design of Network Media's Digital Rights Management Scheme Based on Blockchain Technology, in: *Proceedings - 2017 IEEE 13th International Symposium on Autonomous Decentralized Systems, ISADS 2017*, 128–133, 2017.
  - [87] C. Jamthagen, M. Hell, Blockchain-Based Publishing Layer for the Keyless Signing Infrastructure, in: *Proceedings - 13th IEEE International Conference on Ubiquitous Intelligence and Computing*, 374–381, 2016.
  - [88] I. Zikratov, A. Kuzmin, V. Akimenko, V. Niculichev, L. Yalansky, Ensuring data integrity using blockchain technology, in: *Conference of Open Innovation Association, FRUCT*, 534–539, 2017.
  - [89] J. Kishigami, S. Fujimura, H. Watanabe, A. Nakadaira, A. Akutsu, The blockchain-based digital content distribution system, in: *Big Data and Cloud Computing (BDCloud)*, 2015 IEEE Fifth International Conference on, IEEE, 187–190, 2015.
  - [90] M. Kitahara, J. Kawamoto, K. Sakurai, A method of digital rights management based on Bitcoin protocol, in: *Proceedings of the 8th International Conference on Ubiquitous Information Management and Communication, ACM*, 84, 2014.
  - [91] S. Fujimura, H. Watanabe, A. Nakadaira, T. Yamada, A. Akutsu, J. J. Kishigami, BRIGHT: A concept for a decentralized rights management system based on blockchain, in: *Consumer Electronics-Berlin (ICCE-Berlin)*, 2015 IEEE 5th International Conference on, IEEE, 345–346, 2015.
  - [92] J. L. De La Rosa, A. El-Fakdi, V. Torres, X. Amengual, Logo recognition by consensus for enabling blockchain implementations, in: *Frontiers in Artificial Intelligence and Applications*, vol. 300, 257–262, 2017.
  - [93] M. O'Dair, Z. Beaven, The networked record industry: How blockchain technology could transform the record industry, *Strategic Change* 26 (5) (2017) 471–480.
  - [94] M. McConaghy, G. McMullen, G. Parry, T. McConaghy, D. Holtzman, Visibility and digital art: Blockchain as an ownership layer on the Internet, *Strategic Change* 26 (5) (2017) 461–470.
  - [95] M. Zeilinger, Digital Art as 'Monetised Graphics': Enforcing Intellectual Property on the Blockchain, *Philosophy & Technology* 31 (1) (2018) 15–41.
  - [96] Ascribe, <https://www.ascribe.io/>, 2014.
  - [97] M. Labs, Building a more connected world for creators and audiences, <http://www.mediachain.io/>, 2016.
  - [98] Monegraph Inc., <https://monegraph.com>, 2014.
  - [99] P. Snow, B. Deery, P. Kirby, D. Johnston, Factom ledger by consensus, <http://www.factom.org>, 2015.
  - [100] Silent Notary, <https://silentnotary.com/documents/whitepaper.pdf>, 2017.
  - [101] Kodak, KODAKOne platform & KODAKCoin cryptocurrency: Helping photographers protect their creative endeavors, <https://www.kodak.com/US/en/kodakone/default.htm>, 2018.
  - [102] Y. Xu, Q. Li, X. Min, L. Cui, Z. Xiao, L. Kong, E-commerce blockchain consensus mechanism for supporting high-throughput and real-time transaction, in: *Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, LNICTS*, vol. 201, 490–496, 2017.
  - [103] N. Herbaut, N. Negru, A Model for Collaborative Blockchain-Based Video Delivery Relying on Advanced Network Services Chains, *IEEE Communications Magazine* 55 (9) (2017) 70–76.
  - [104] H. M. Kim, M. Laskowski, Towards an Ontology-Driven Blockchain Design for Supply Chain Provenance, <http://arxiv.org/abs/1610.02922>, 2016.
  - [105] N. Lomas, Everledger is using blockchain to combat fraud, starting with diamonds, *Tech Crunch* (2015) .
  - [106] Blockverify, <http://www.blockverify.io/>, 2015.
  - [107] P. Xun, P.-D. Zhu, Y.-F. Hu, P.-S. Cui, Y. Zhang, Command Disaggregation Attack and Mitigation in Industrial Internet of Things, *Sensors* 17 (10) (2017) 2408.
  - [108] C. Jaag, C. Bach, Blockchain Technology and Cryptocurrencies: Opportunities for Postal Financial Services, <https://EconPapers.repec.org/RePEc:chc:wpaper:0056>, 2016.
  - [109] Cognizant, Blockchain: A Potential Game-Changer for Life Insurance., <https://www.cognizant.com/whitepapers/blockchain-a-potential-game-changer-for-life-insurance-codex2484.pdf>, 2017.
  - [110] F. Lamberti, V. Gatteschi, C. Demartini, C. Pranteda, V. Santamaria, Blockchain or not blockchain, that is the question of the insurance and other sectors, *IT Professional*, 2017 .
  - [111] KPMG International, Blockchain accelerates insurance transformation., <https://assets.kpmg.com/content/dam/kpmg/xx/pdf/2017/01/blockchain-accelerates-insurance-transformation-fs.pdf>, 2017.
  - [112] Deloitte, Blockchain applications in insurance. Turning a buzzword into a breakthrough for health and life insurers., <https://www2.deloitte.com/content/dam/Deloitte/us/Documents/financial-services/us-fsi-blockchain-in-insurance-ebook.pdf>, 2016.
  - [113] McKinsey Company , Blockchain in insurance -opportunity or threat?, <https://www.mckinsey.com/industries/financial-services/our-insights/blockchain-in-insurance-opportunity-or-threat>, 2016.
  - [114] I. Nath, Data Exchange Platform to Fight Insurance Fraud on Blockchain, in: *IEEE International Conference on Data Mining Workshops, ICDMW*, 821–825, 2016.
  - [115] H. T. Vo, L. Mehedy, M. Mohania, E. Abebe, Blockchain-based Data Management and Analytics for Micro-insurance Applications, in: *Proceedings of the 2017 ACM on Conference on Information and Knowledge Management, ACM*, 2539–2542, 2017.
  - [116] W. Reijers, F. O'Brolcháin, P. Haynes, Governance in Blockchain Technologies & Social Contract Theories, *Ledger* 1 (2016) 134–151.
  - [117] H. Hou, The application of blockchain technology in E-government in China, in: *26th International Conference on Computer Communications and Networks, ICCCN 2017*, 2017.
  - [118] S. Ibba, A. Pinna, M. Seu, F. E. Pani, CitySense: Blockchain-oriented Smart Cities, in: *ACM International Conference Proceeding Series*, vol. Part F129907, 2017.
  - [119] C. Jaffe, C. Mata, S. Kamvar, Motivating urban cycling through a blockchain-based financial incentives system, in: *UbiComp/ISWC 2017 -*

- Adjunct Proceedings of the 2017 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2017 ACM International Symposium on Wearable Computers, 81–84, 2017.
- [120] K. Biswas, V. Muthukkumarasamy, Securing Smart Cities Using Blockchain Technology, in: 2016 IEEE 18th International Conference on High Performance Computing and Communications; IEEE 14th International Conference on Smart City; IEEE 2nd International Conference on Data Science and Systems (HPCC/SmartCity/DSS), 1392–1393, doi:10.1109/HPCC-SmartCity-DSS.2016.0198, 2016.
  - [121] P. K. Sharma, S. Y. Moon, J. H. Park, Block-VN: A distributed blockchain based vehicular network architecture in smart city, *Journal of Information Processing Systems* 13 (1) (2017) 184–195.
  - [122] R. McMillan, Hacker Dreams Up Crypto Passport Using the Tech Behind Bitcoin, [http://www.wired.com/2014/10/world\\_passport/](http://www.wired.com/2014/10/world_passport/), 2014.
  - [123] B. W. Akins, J. L. Chapman, J. M. Gordon, A Whole New World: Income Tax Considerations of the Bitcoin Economy, [https://papers.ssrn.com/sol3/papers.cfm?abstract\\_id=2394738](https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2394738), 2013.
  - [124] B. J. Robertson, *Holacracy: The revolutionary management system that abolishes hierarchy*, Penguin UK, 2015.
  - [125] J.-H. Lee, BiDaaS: Blockchain Based ID As a Service, *IEEE Access* 6 (2018) 2274–2278.
  - [126] V. L. Lemieux, Trusting records: is Blockchain technology the answer?, *Records Management Journal* 26 (2) (2016) 110–139.
  - [127] B. Leiding, A. Norta, Mapping requirements specifications into a formalized blockchain-enabled authentication protocol for secured personal identity assurance, in: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 10646 LNCS, 181–196, 2017.
  - [128] D. Augot, H. Chabanne, T. Chenevier, W. George, L. Lambert, A user-centric system for verified identities on the bitcoin blockchain, in: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 10436 LNCS, 390–407, 2017.
  - [129] N. Buchmann, C. Rathgeb, H. Baier, C. Busch, M. Margraf, Enhancing Breeder Document Long-Term Security Using Blockchain Technology, in: 2017 IEEE 41st Annual Computer Software and Applications Conference (COMPSAC), vol. 2, ISSN 0730-3157, 744–748, doi:10.1109/COMPSAC.2017.119, 2017.
  - [130] R. Rivera, J. G. Robledo, V. M. Larios, J. M. Avalos, How digital identity on blockchain can contribute in a smart city environment, in: 2017 International Smart Cities Conference (ISC2), 1–4, 2017.
  - [131] F. A. P. Paul Dunphy, A First Look at Identity Management Schemes on the Blockchain, To appear in *IEEE Security and Privacy Magazine* special issue on "Blockchain Security and Privacy" in 2018 abs/1801.03294.
  - [132] J. J. Roberts, Microsoft and Accenture Unveil Global ID System for Refugees, <http://fortune.com/2017/06/19/id2020-blockchain-microsoft/>, 2017.
  - [133] W. G. Summit, Building the hyperconnected future on blockchains, <http://internetofagreements.com/files/WorldGovernmentSummit-Dubai2017.pdf>, 2017.
  - [134] Z. Chen, Y. Zhu, Personal Archive Service System using Blockchain Technology: Case Study, Promising and Challenging, in: *Proceedings - 2017 IEEE 6th International Conference on AI and Mobile Services, AIMS 2017*, 93–99, 2017.
  - [135] G. Ishmaev, Blockchain Technology as an Institution of Property, *Metaphilosophy* 48 (5) (2017) 666–686.
  - [136] G. Governatori, F. Idelberger, Z. Milosevic, R. Riveret, G. Sartor, X. Xu, On legal contracts, imperative and declarative smart contracts, and blockchain systems, *Artificial Intelligence and Law* (2018) 1–33.
  - [137] R. Herian, Blockchain and the (re) imagining of trusts jurisprudence, *Strategic Change* 26 (5) (2017) 453–460.
  - [138] B. Duhamel, ADEPT, <https://startupbeat.com/2014/11/featured-startup-pitch-pavilion-io-id4024/>, 2014.
  - [139] Mattereum: Smart Contracts, Real Property, <http://internetofagreements.com/assets/MattereumDraftforPublicComment.pdf>, 2017.
  - [140] Stampery, <https://stampery.com/>, 2015.
  - [141] Proof of Existence, <https://poex.io/>, 2017.
  - [142] R. Koulu, Blockchains and online dispute resolution: smart contracts as an alternative to enforcement, *SCRIPTed* 13 (2016) 40.
  - [143] Deloitte Development LLC, Will blockchain transform the public sector? Blockchain basics for government., [https://www2.deloitte.com/content/dam/insights/us/articles/4185\\_blockchain-public-sector/DUP\\_will-blockchain-transform-public-sector.pdf](https://www2.deloitte.com/content/dam/insights/us/articles/4185_blockchain-public-sector/DUP_will-blockchain-transform-public-sector.pdf), 2017.
  - [144] C. W. Chiang, E. Betanzos, S. Savage, Blockchain for trustful collaborations between immigrants and governments, in: *Proceedings - Conference on Human Factors in Computing Systems*, 2018.
  - [145] S. Ølnes, Beyond bitcoin enabling smart government using blockchain technology, in: *International Conference on Electronic Government and the Information Systems Perspective*, Springer, 253–264, 2016.
  - [146] A. Nordrum, Govern by blockchain dubai wants one platform to rule them all, while Illinois will try anything, *IEEE Spectrum* 54 (10) (2017) 54–55.
  - [147] S. Ølnes, A. Jansen, Blockchain Technology as s Support Infrastructure in e-Government, in: *International Conference on Electronic Government*, Springer, 215–227, 2017.
  - [148] S. Ølnes, J. Ubacht, M. Janssen, Blockchain in government: Benefits and implications of distributed ledger technology for information sharing, *Government Information Quarterly* 34 (3) (2017) 355–364.
  - [149] C. Sullivan, E. Burger, E-residency and blockchain, *Computer Law and Security Review* 33 (4) (2017) 470–481.
  - [150] N. N. Pokrovskaja, Tax, financial and social regulatory mechanisms within the knowledge-driven economy. Blockchain algorithms and fog computing for the efficient regulation, in: *Proceedings of 2017 20th IEEE International Conference on Soft Computing and Measurements, SCM 2017*, 709–712, 2017.
  - [151] D. A. Wijaya, J. K. Liu, D. A. Suwarsono, P. Zhang, A new blockchain-based value-added tax system, in: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 10592 LNCS, 471–486, 2017.
  - [152] P. Filippi, S. Hassan, Blockchain technology as a regulatory technology: From code is law to law is code, *First Monday* (2016) 21 (12).
  - [153] D. S. Gerstl, Leveraging bitcoin blockchain technology to modernize security perfection under the uniform commercial code, in: *Lecture*

Notes in Business Information Processing, vol. 240, 109–123, 2016.

- [154] S. V. Engelenburg, M. Janssen, B. Klievink, Design of a software architecture supporting business-to-government information sharing to improve public safety and security: Combining business rules, Events and blockchain technology, *Journal of Intelligent Information Systems* (2017) 1–24.
- [155] F. Pichel, Blockchain for land administration, *GIM International* 30 (9) (2016) 38–39.
- [156] P. Boucher, What if blockchain technology revolutionised voting?., Scientific Foresight Unit (STOA), European Parliamentary Research Service (2016) .
- [157] T. Moura, A. Gomes, Blockchain Voting and its effects on Election Transparency and Voter Confidence, in: *Proceedings of the 18th Annual International Conference on Digital Government Research*, ACM, 574–575, 2017.
- [158] J. Deitz, *Decentralized Governance Whitepaper*, <http://distributed-autonomous-society.quora.com/Decentralized-Governance-Whitepaper>, 2014.
- [159] D. Schiener, Liquid Democracy: True Democracy for the 21st Century, <https://medium.com/organizer-sandbox/liquid-democracy-true-democracy-for-the-21st-century-7c66f5e53b6f>, 2014.
- [160] R. Hanson, Shall we vote on values, but bet on beliefs?, *Journal of Political Philosophy* 21 (2) (2013) 151–178.
- [161] P. Noizat, Blockchain Electronic Vote, in: *Handbook of Digital Currency: Bitcoin, Innovation, Financial Instruments, and Big Data*, 453–461, 2015.
- [162] I. Kubjas, Using blockchain for enabling internet voting, <https://pdfs.semanticscholar.org/8d92/1dbfe6bebefa2599ca6afc7eeae82210a71d.pdf>, 2017.
- [163] C. Meter, Design of Distributed Voting Systems, *CoRR* abs/1702.02566, (2017).
- [164] J. H. Hsiao, R. Tso, C. M. Chen, M. E. Wu, Decentralized E-voting systems based on the blockchain technology, in: *Lecture Notes in Electrical Engineering*, vol. 474, 305–309, 2018.
- [165] T. Schulz, B. Schafer, Legal challenges for the use of blockchain-based E-voting systems in Germany, *Jusletter IT* (February, (2017)).
- [166] IBM, 10 Key Marketing Trends for 2017, <https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?htmlfid=WRL12345USEN>, 2017.
- [167] I. W. Stats, Internet usage statistics, The internet big picture, <http://www.internetworldstats.com/stats.htm>, 2017.
- [168] R. D. Pietro, S. Guarino, N. Verde, J. Domingo-Ferrer, Security in wireless ad-hoc networks - A survey, *Computer Communications* 51 (Supplement C) (2014) 1 – 20.
- [169] J. Lin, Z. Shen, C. Miao, Using blockchain technology to build trust in sharing LoRaWAN IoT, in: *ACM International Conference Proceeding Series*, vol. Part F130655, 38–43, 2017.
- [170] N. Kshetri, Can Blockchain Strengthen the Internet of Things?, *IT Professional* 19 (4) (2017) 68–72.
- [171] C. F. Liao, S. W. Bao, C. J. Cheng, K. Chen, On design issues and architectural styles for blockchain-driven IoT services, in: *2017 IEEE International Conference on Consumer Electronics - Taiwan, ICCE-TW 2017*, 351–352, 2017.
- [172] F. Buccafurri, G. Lax, S. Nicolazzo, A. Nocera, Overcoming Limits of Blockchain for IoT Applications, in: *Proceedings of the 12th International Conference on Availability, Reliability and Security*, ACM, 26, 2017.
- [173] N. Fabiano, The Internet of Things ecosystem: The blockchain and privacy issues. the challenge for a global privacy standard, in: *Internet of Things for the Global Community, IoTGC 2017 - Proceedings*, 2017.
- [174] K. R. Özyilmaz, A. Yurdakul, Work-in-progress: Integrating low-power IoT devices to a Blockchain-Based Infrastructure, in: *Proceedings of the 13th ACM International Conference on Embedded Software 2017 Companion, EMSOFT 2017*, 2017.
- [175] M. Samaniego, R. Deters, Blockchain as a Service for IoT, in: *Proceedings - 2016 IEEE International Conference on Internet of Things; IEEE Green Computing and Communications; IEEE Cyber, Physical, and Social Computing; IEEE Smart Data, iThings-GreenCom-CPSCoSmart Data 2016*, 433–436, 2016.
- [176] O. Novo, Blockchain Meets IoT: An Architecture for Scalable Access Management in IoT, *IEEE Internet of Things Journal* 5 (2) (2018) 1184–1195.
- [177] Y. Zhang, J. Wen, The IoT electric business model: Using blockchain technology for the internet of things, *Peer-to-Peer Networking and Applications* 10 (4) (2017) 983–994.
- [178] F. Casino, L. Azpilicueta, P. Lopez-Iturri, E. Aguirre, F. Falcone, A. Solanas, Optimized Wireless Channel Characterization in Large Complex Environments by Hybrid Ray Launching-Collaborative Filtering Approach, *IEEE Antennas and Wireless Propagation Letters* 16 (2017) 780–783.
- [179] P. K. Sharma, M. Chen, J. H. Park, A Software Defined Fog Node based Distributed Blockchain Cloud Architecture for IoT, *IEEE Access* (2017) .
- [180] C. Li, L. J. Zhang, A blockchain based new secure multi-layer network model for internet of things, in: *Proceedings - 2017 IEEE 2nd International Congress on Internet of Things, ICIOT 2017*, 33–41, 2017.
- [181] Y. Sakakibara, K. Nakamura, H. Matsutani, An FPGA NIC Based Hardware Caching for Blockchain, in: *Proceedings of the 8th International Symposium on Highly Efficient Accelerators and Reconfigurable Technologies, HEART2017*, ACM, New York, NY, USA, 1:1–1:6, 2017.
- [182] J. Benet, Filecoin: A Cryptocurrency Operated File Storage Network, <http://filecoin.io/filecoin.pdf>, 2014.
- [183] EtherAPIs: Decentralized, anonymous, trustless APIs, <https://etherapis.io/>, 2016.
- [184] R. Pass, et al., Micropayments for decentralized currencies, in: *Proceedings of the 22nd ACM SIGSAC Conference on Computer and Communications Security*, ACM, 207–218, 2015.
- [185] S. Huckle, R. Bhattacharya, M. White, N. Beloff, Internet of Things, Blockchain and Shared Economy Applications, in: *Procedia Computer Science*, vol. 58, 461–466, 2016.
- [186] J. Hwang, M. I. Choi, T. Lee, S. Jeon, S. Kim, S. Park, Energy Prosumer Business Model Using Blockchain System to Ensure Transparency and Safety, in: *Energy Procedia*, vol. 141, 194–198, 2017.
- [187] A. Rutkin, Blockchain-based microgrid gives power to consumers in New York, *New Scientist* 2 (2016) .
- [188] Z. Li, J. Kang, R. Yu, D. Ye, Q. Deng, Y. Zhang, Consortium Blockchain for Secure Energy Trading in Industrial Internet of Things, *IEEE Transactions on Industrial Informatics*, 2017 .

- [189] B. Liu, X. L. Yu, S. Chen, X. Xu, L. Zhu, Blockchain Based Data Integrity Service Framework for IoT Data, in: Proceedings - 2017 IEEE 24th International Conference on Web Services, ICWS 2017, 468–475, 2017.
- [190] H. Shafagh, L. Burkhalter, A. Hithnawi, S. Duquenois, Towards blockchain-based auditable storage and sharing of iot data, in: CCSW 2017 - Proceedings of the 2017 Cloud Computing Security Workshop, co-located with CCS 2017, 45–50, 2017.
- [191] Foundations for the Next Economic Revolution: Distributed Exchange and the Internet of Things, <https://filament.com/assets/downloads/Filament%20Foundations.pdf>, 2016.
- [192] A. Botta, W. De Donato, V. Persico, A. Pescapé, Integration of Cloud computing and Internet of Things: A survey, *Future Generation Computer Systems* 56 (2016) 684–700.
- [193] V. Daza, R. Di Pietro, I. Klimek, M. Signorini, CONNECT: CONtextual Name discovery for blockchain-based services in the IoT, in: IEEE International Conference on Communications, 2017.
- [194] A. Ouaddah, A. Abou Elkalam, A. Ait Ouahman, FairAccess: a new Blockchain-based access control framework for the Internet of Things, *Security and Communication Networks* 9 (18) (2016) 5943–5964.
- [195] A. Ouaddah, A. A. Elkalam, A. A. Ouahman, Towards a novel privacy-preserving access control model based on blockchain technology in IoT, in: *Advances in Intelligent Systems and Computing*, vol. 520, 523–533, 2017.
- [196] B. Lee, J. H. Lee, Blockchain-based secure firmware update for embedded devices in an Internet of Things environment, *Journal of Supercomputing* 73 (3) (2017) 1152–1167.
- [197] M. Samaniego, R. Deters, Hosting Virtual IoT Resources on Edge-Hosts with Blockchain, in: 2016 IEEE International Conference on Computer and Information Technology (CIT), 116–119, 2016.
- [198] A. Boudguiga, N. Bouzerna, L. Granboulan, A. Olivereau, F. Quesnel, A. Roger, R. Sirdey, Towards better availability and accountability for IoT updates by means of a blockchain, in: Proceedings - 2nd IEEE European Symposium on Security and Privacy Workshops, EuroS and PW 2017, 50–58, 2017.
- [199] M. Samaniego, R. Deters, Internet of Smart Things - IoT: Using Blockchain and CLIPS to Make Things Autonomous, in: Proceedings - 2017 IEEE 1st International Conference on Cognitive Computing, ICC3 2017, 9–16, 2017.
- [200] M. Samaniego, R. Deters, Using Blockchain to Push Software-Defined IoT Components Onto Edge Hosts, in: Proceedings of the International Conference on Big Data and Advanced Wireless Technologies, BDAW '16, ACM, New York, NY, USA, 58:1–58:9, 2016.
- [201] A. Dorri, S. S. Kanhere, R. Jurdak, Towards an optimized blockchain for IoT, in: Proceedings - 2017 IEEE/ACM 2nd International Conference on Internet-of-Things Design and Implementation, IoTDI 2017 (part of CPS Week), 173–178, 2017.
- [202] A. Dorri, S. S. Kanhere, R. Jurdak, P. Gauravaram, Blockchain for IoT security and privacy: The case study of a smart home, in: 2017 IEEE International Conference on Pervasive Computing and Communications Workshops, PerCom Workshops 2017, 618–623, 2017.
- [203] IBM, ADEPT, [https://es.slideshare.net/\\_hd/ibm-adept](https://es.slideshare.net/_hd/ibm-adept), 2015.
- [204] S. Huh, S. Cho, S. Kim, Managing IoT devices using blockchain platform, in: International Conference on Advanced Communication Technology, ICACAT, 464–467, 2017.
- [205] D. W. Kravitz, J. Cooper, Securing user identity and transactions symbiotically: IoT meets blockchain, in: GIoT 2017 - Global Internet of Things Summit, Proceedings, 2017.
- [206] M. Mettler, Blockchain technology in healthcare: The revolution starts here, in: e-Health Networking, Applications and Services (Healthcom), 2016 IEEE 18th International Conference on, IEEE, 1–3, 2016.
- [207] K. Peterson, R. Deeduvanu, P. Kanjamala, K. Boles, A blockchain-based approach to health information exchange networks, in: Proc. NIST Workshop Blockchain Healthcare, vol. 1, 1–10, 2016.
- [208] Chamber of digital commerce, Blockchain Healthcare & Policy Synopsis. An executive report of the US Department of Health and Human Services & National Institute of Standards and Technologies., [https://digitalchamber.org/assets/blockchain\\_healthcare\\_policy\\_synopsis\\_chamber\\_2016.pdf](https://digitalchamber.org/assets/blockchain_healthcare_policy_synopsis_chamber_2016.pdf), 2016.
- [209] T. Ahram, A. Sargolzaei, S. Sargolzaei, J. Daniels, B. Amaba, Blockchain technology innovations, in: 2017 IEEE Technology and Engineering Management Society Conference, TEMSCON 2017, 137–141, 2017.
- [210] A. Al Omar, M. S. Rahman, A. Basu, S. Kiyomoto, MediBchain: A blockchain based privacy preserving platform for healthcare data, in: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 10658 LNCS, 534–543, 2017.
- [211] Capgemini, Blockchain: A healthcare industry view., [https://www.capgemini.com/wp-content/uploads/2017/07/blockchain-a-healthcare-industry-view\\_2017\\_web.pdf](https://www.capgemini.com/wp-content/uploads/2017/07/blockchain-a-healthcare-industry-view_2017_web.pdf), 2017.
- [212] Emrify Inc., Health Passport: a decentralized personal health record platform to deliver trusted health information to the right hands at the right time anywhere in the world. Whitepaper., Report, 2017.
- [213] Freed Associates, White Paper: Innovative Blockchain Uses in Health Care., [https://www.freedassociates.com/wp-content/uploads/2017/08/Blockchain\\_White\\_Paper.pdf](https://www.freedassociates.com/wp-content/uploads/2017/08/Blockchain_White_Paper.pdf), 2017.
- [214] Z. Shae, J. J. P. Tsai, On the Design of a Blockchain Platform for Clinical Trial and Precision Medicine, in: Proceedings - International Conference on Distributed Computing Systems, 1972–1980, 2017.
- [215] H. Zhao, Y. Zhang, Y. Peng, R. Xu, Lightweight Backup and Efficient Recovery Scheme for Health Blockchain Keys, in: Proceedings - 2017 IEEE 13th International Symposium on Autonomous Decentralized Systems, ISADS 2017, 229–234, 2017.
- [216] P. Mamoshina, et. al., Converging blockchain and next-generation artificial intelligence technologies to decentralize and accelerate biomedical research and healthcare, *Oncotarget* 9 (5) (2018) 5665–5690.
- [217] P. Mytis-Gkometh, G. Drosatos, P. S. Efraimidis, E. Kaldoudi, Notarization of knowledge retrieval from biomedical repositories using blockchain technology, in: IFMBE Proceedings, vol. 66, 69–73, 2017.
- [218] G. S. Borioli, J. Couturier, How blockchain technology can improve the outcomes of clinical trials, *British Journal of Health Care Management* 24 (3) (2018) 156–162.
- [219] S. H. Lee, C. S. Yang, Fingerprint analysis management system using microscopy sensor and blockchain technology, *International Journal of Distributed Sensor Networks*, 2018 14 (3).
- [220] Q. Xia, E. B. Sifah, K. O. Asamoah, J. Gao, X. Du, M. Guizani, MeDShare: Trust-Less Medical Data Sharing among Cloud Service

- Providers via Blockchain, *IEEE Access* 5 (2017) 14757–14767.
- [221] Q. Xia, E. B. Sifah, A. Smahi, S. Amofa, X. Zhang, BBDS: Blockchain-based data sharing for electronic medical records in cloud environments, *Information (Switzerland)* 8 (2) (2017) .
  - [222] X. Yue, H. Wang, D. Jin, M. Li, W. Jiang, Healthcare Data Gateways: Found Healthcare Intelligence on Blockchain with Novel Privacy Risk Control, *Journal of Medical Systems*, (2016) 40 (10).
  - [223] V. Patel, A framework for secure and decentralized sharing of medical imaging data via blockchain consensus, *Health Informatics Journal*, 2018 .
  - [224] A. Juneja, M. Marefat, Leveraging blockchain for retraining deep learning architecture in patient-specific arrhythmia classification, in: 2018 IEEE EMBS International Conference on Biomedical and Health Informatics, BHI 2018, vol. 2018-January, 393–397, 2018.
  - [225] T. Nugent, D. Upton, M. Cimpoesu, Improving data transparency in clinical trials using blockchain smart contracts, *F1000Research* 5 (2016) .
  - [226] M. Benchoufi, P. Ravaud, Blockchain technology for improving clinical research quality, *Trials* 18 (1) (2017) .
  - [227] M. Benchoufi, R. Porcher, P. Ravaud, Blockchain protocols in clinical trials: Transparency and traceability of consent, *F1000Research* 6 (2017) .
  - [228] P. T. S. Liu, Medical record system using blockchain, big data and tokenization, in: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 9977 LNCS, 254–261, 2016.
  - [229] S. Angraal, H. M. Krumholz, W. L. Schulz, Blockchain technology: Applications in health care, *Circulation: Cardiovascular Quality and Outcomes* 10 (9).
  - [230] M. B. Hoy, An Introduction to the Blockchain and Its Implications for Libraries and Medicine, *Medical Reference Services Quarterly* 36 (3) (2017) 273–279.
  - [231] T. T. Kuo, H. E. Kim, L. Ohno-Machado, Blockchain distributed ledger technologies for biomedical and health care applications, *Journal of the American Medical Informatics Association* 24 (6) (2017) 1211–1220.
  - [232] G. Baxendale, CAN BLOCKCHAIN REVOLUTIONISE EPRs?, *ITNOW* 58 (1) (2016) 38–39.
  - [233] A. Azaria, A. Ekblaw, T. Vieira, A. Lippman, MedRec: Using blockchain for medical data access and permission management, in: *Proceedings - 2016 2nd International Conference on Open and Big Data, OBD 2016*, 25–30, 2016.
  - [234] Ernst, Young, Blockchain in health. How distributed ledgers can improve provider data management and support interoperability, Report, 2016.
  - [235] BurstIQ, Bringing Health to Life. Whitepaper., [https://www.burstiq.com/wp-content/uploads/2017/08/BurstIQ-whitepaper\\_19Jul2017reduced.pdf](https://www.burstiq.com/wp-content/uploads/2017/08/BurstIQ-whitepaper_19Jul2017reduced.pdf), 2017.
  - [236] A. Dubovitskaya, Z. Xu, S. Ryu, M. Schumacher, F. Wang, How blockchain could empower ehealth: An application for radiation oncology: (Extended abstract), in: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 10494 LNCS, 3–6, 2017.
  - [237] Frost, Sullivan, Future of Blockchain Technology in Connected Health Ecosystem. Convergence of Blockchain with AI and IoMT set to re-architect Healthcare sector, [http://innovationsprint.eu/wp-content/uploads/2017/08/Briefing-Deck-Future-of-Blockchain-Technology-\\_19th-Sept.pdf](http://innovationsprint.eu/wp-content/uploads/2017/08/Briefing-Deck-Future-of-Blockchain-Technology-_19th-Sept.pdf), 2017.
  - [238] Medicalchain, Medicalchain - A blockchain for electronic health records., <https://medicalchain.com/Medicalchain-Whitepaper-EN.pdf>, 2017.
  - [239] T. W. Center, The Social Benefits of Blockchain for Health Data: Securing Patient Privacy & Control., <https://www.wilsoncenter.org/publication/the-social-benefits-blockchain-for-health-data-securing-patient-privacy-and-control>, 2017.
  - [240] B. Xia, D. Ji, G. Yao, Enhanced TLS handshake authentication with blockchain and smart contract, in: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 10418 LNCS, 56–66, 2017.
  - [241] Grey Healthcare Group, Blockchain: What's Next for Healthcare?, <https://ghgroup.com/sites/default/files/2017-05/ghg%20blockchain%202017051201.pdf>, 2017.
  - [242] E. Parliament, General Data Protection Regulation, <http://data.consilium.europa.eu/doc/document/ST-5419-2016-INIT/en/pdf>, 2016.
  - [243] E. Politou, E. Alepis, C. Patsakis, Forgetting personal data and revoking consent under the GDPR: Challenges and proposed solutions, *Journal of Cybersecurity* (2018) 1–20.
  - [244] D. Puthal, N. Malik, S. P. Mohanty, E. Kougianos, C. Yang, The Blockchain as a Decentralized Security Framework [Future Directions], *IEEE Consumer Electronics Magazine* 7 (2) (2018) 18–21.
  - [245] N. Kshetri, Blockchain's roles in strengthening cybersecurity and protecting privacy, *Telecommunications Policy* 41 (10) (2017) 1027–1038.
  - [246] L. R. Cohen, L. Samuelson, H. Katz, How securitization can benefit from blockchain technology, *Journal of Structured Finance* 23 (2) (2017) 51–54.
  - [247] N. Bozic, G. Pujolle, S. Secci, A tutorial on blockchain and applications to secure network control-planes, in: 2016 3rd Smart Cloud Networks and Systems, SCNS 2016, 2016.
  - [248] D. Di Francesco Maesa, P. Mori, L. Ricci, Blockchain based access control, in: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 10320 LNCS, 206–220, 2017.
  - [249] A. Dorri, M. Steger, S. S. Kanhere, R. Jurdak, BlockChain: A Distributed Solution to Automotive Security and Privacy, *IEEE Communications Magazine* 55 (12) (2017) 119–125.
  - [250] A. Hari, T. V. Lakshman, The Internet blockchain: A distributed, tamper-resistant transaction framework for the Internet, in: *HotNets 2016 - Proceedings of the 15th ACM Workshop on Hot Topics in Networks*, 204–210, 2016.
  - [251] B. Lee, S. Malik, S. Wi, J. H. Lee, Firmware verification of embedded devices based on a blockchain, in: *Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, LNICST*, vol. 199, 52–61, 2017.
  - [252] C. M. Tang, Y. L. Zhang, X. Yu, Design of vehicle networking data exchange system based on Blockchain, *Journal of Tianjin Polytechnic University* 37 (2) (2018) 84–88.
  - [253] M. Chanson, E. Fleisch, A. Bogner, F. Wortmann, Blockchain as a privacy enabler: An odometer fraud prevention system, in: *UbiCom*

- p/ISWC 2017 - Adjunct Proceedings of the 2017 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2017 ACM International Symposium on Wearable Computers, 13–16, 2017.
- [254] A. Anjum, M. Sporny, A. Sill, Blockchain Standards for Compliance and Trust, *IEEE Cloud Computing* 4 (4) (2017) 84–90.
  - [255] The Decentralized Library of Alexandria, <http://www.alexandria.io/>, 2015.
  - [256] N. Zhang, S. Zhong, L. Tian, Using blockchain to protect personal privacy in the scenario of Online taxi-hailing, *International Journal of Computers, Communications and Control* 12 (6) (2017) 886–902.
  - [257] G. Zyskind, O. Nathan, A. . Pentland, Decentralizing Privacy: Using Blockchain to Protect Personal Data, in: 2015 IEEE Security and Privacy Workshops, ., 2015.
  - [258] K. Fan, Y. Ren, Y. Wang, H. Li, Y. Yang, Blockchain-based efficient privacy preserving and data sharing scheme of content-centric network in 5G, *IET Communications* 12 (5) (2018) 527–532.
  - [259] S. C. Cha, S. C. Hung, J. F. Chen, S. C. Syu, T. Y. Tsai, On the design of a blockchain-based reputation service for android applications, *Advanced Science Letters* 23 (3) (2017) 2179–2184.
  - [260] S. Suzuki, J. Murai, Blockchain as an Audit-Able Communication Channel, in: Proceedings - International Computer Software and Applications Conference, vol. 2, 516–522, 2017.
  - [261] S. Labs, FINNEY - Secure Open Source Consumer Electronics for the Blockchain Era, [https://sirinlabs.com/media/SIRINLABS\\_-\\_White\\_Paper.pdf](https://sirinlabs.com/media/SIRINLABS_-_White_Paper.pdf), 2014.
  - [262] C. Noyes, BitAV: Fast Anti-Malware by Distributed Blockchain Consensus and Feedforward Scanning, CoRR abs/1601.01405.
  - [263] L. Axon, Privacy-awareness in blockchain-based PKI, CDT Technical Paper Series 21/15 .
  - [264] G. Liang, S. R. Weller, F. Luo, J. Zhao, Z. Y. Dong, Distributed Blockchain-Based Data Protection Framework for Modern Power Systems against Cyber Attacks, *IEEE Transactions on Smart Grid*, 2018 .
  - [265] Q. Xu, C. Jin, M. F. B. M. Rasid, B. Veeravalli, K. M. M. Aung, Blockchain-based decentralized content trust for docker images, *Multimedia Tools and Applications* (2017) 1–26.
  - [266] Docker, <https://www.docker.com>, 2013.
  - [267] B. Rodrigues, T. Bocek, A. Lareida, D. Hausheer, S. Rafati, B. Stiller, A blockchain-based architecture for collaborative DDoS mitigation with smart contracts, in: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 10356 LNCS, 16–29, 2017.
  - [268] D. K. Tosh, S. Shetty, X. Liang, C. A. Kamhoua, K. A. Kwiat, L. Njilla, Security Implications of Blockchain Cloud with Analysis of Block Withholding Attack, in: Proceedings - 2017 17th IEEE/ACM International Symposium on Cluster, Cloud and Grid Computing, CCGRID 2017, 458–467, 2017.
  - [269] K. Kotobi, S. G. Bilen, Blockchain-enabled spectrum access in cognitive radio networks, in: Wireless Telecommunications Symposium, 2017.
  - [270] S. Raju, S. Boddepalli, S. Gampa, Q. Yan, J. S. Deogun, Identity management using blockchain for cognitive cellular networks, in: IEEE International Conference on Communications, 2017.
  - [271] Y. Niu, L. Wei, C. Zhang, J. Liu, Y. Fang, An anonymous and accountable authentication scheme for Wi-Fi hotspot access with the Bitcoin blockchain, in: 2017 IEEE/CIC International Conference on Communications in China, ICCIC 2017, vol. 2018-January, 4–6, 2017.
  - [272] M. Möser, Anonymity of Bitcoin Transactions: An Analysis of Mixing Services, in: Münster bitcoin conference, 17–18, 2013.
  - [273] J. Bonneau, A. Narayanan, A. Miller, J. Clark, J. A. Kroll, E. W. Felten, Mixcoin: Anonymity for Bitcoin with Accountable Mixes, Springer Berlin Heidelberg, Berlin, Heidelberg, 486–504, 2014.
  - [274] G. Maxwell, CoinJoin: bitcoin privacy for the real world, <https://bitcointalk.org/index.php>, 2013.
  - [275] T. Ruffing, P. Moreno-Sanchez, A. Kate, CoinShuffle: Practical Decentralized Coin Mixing for Bitcoin, Springer International Publishing, Cham, 345–364, 2014.
  - [276] I. Miers, C. Garman, M. Green, A. D. Rubin, Zerocoin: Anonymous Distributed E-Cash from Bitcoin, in: 2013 IEEE Symposium on Security and Privacy, 397–411, 2013.
  - [277] D. Tapscott, A. Tapscott, How blockchain will change organizations, *MIT Sloan Management Review* 58 (2) (2017) 10–13.
  - [278] A. Bogner, M. Chanson, A. Meeuw, A decentralised sharing app running a smart contract on the ethereum blockchain, in: ACM International Conference Proceeding Series, 177–178, 2016.
  - [279] W. Ying, S. Jia, W. Du, Digital enablement of blockchain: Evidence from HNA group, *International Journal of Information Management* 39 (2018) 1–4.
  - [280] Y. Zhang, J. Wen, An IoT electric business model based on the protocol of bitcoin, in: 2015 18th International Conference on Intelligence in Next Generation Networks, 184–191, doi:10.1109/ICIN.2015.7073830, 2015.
  - [281] T. Hardjono, N. Smith, Cloud-Based Commissioning of Constrained Devices Using Permissioned Blockchains, in: Proceedings of the 2Nd ACM International Workshop on IoT Privacy, Trust, and Security, IoTPTS '16, ACM, New York, NY, USA, 29–36, 2016.
  - [282] G. R. T. White, Future applications of blockchain in business and management: A Delphi study, *Strategic Change* 26 (5) (2017) 439–451.
  - [283] M. Klems, J. Eberhardt, S. Tai, S. Härtlein, S. Buchholz, A. Tidjani, Trustless intermediation in blockchain-based decentralized service marketplaces, in: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 10601 LNCS, 731–739, 2017.
  - [284] J. Kogure, K. Kamakura, T. Shima, T. Kubo, Blockchain technology for next generation ICT, *Fujitsu Scientific and Technical Journal* 53 (5) (2017) 56–61.
  - [285] M. Yoo, Y. Won, Study on smart automated sales system with blockchain-based data storage and management, in: Lecture Notes in Electrical Engineering, vol. 474, 734–740, 2018.
  - [286] IBM Corporation, Making Blockchain Real for Business. Explained with High Security Business Network Service, <https://www.ibm.com/systems/data/flash/it/technicalday/pdf/Making%20blockchain%20real%20for%20business.pdf>, 2016.
  - [287] I. Weber, X. Xu, R. Riveret, G. Governatori, A. Ponomarev, J. Mendling, Untrusted business process monitoring and execution using blockchain, in: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 9850 LNCS, 329–347, 2016.

- [288] O. López-Pintado, L. García-Bañuelos, M. Dumas, I. Weber, Caterpillar: A blockchain-based business process management system, in: *CEUR Workshop Proceedings*, vol. 1920, 2017.
- [289] C. Prybila, S. Schulte, C. Hochreiner, I. Weber, Runtime verification for business processes utilizing the Bitcoin blockchain, *Future Generation Computer Systems* doi:<https://doi.org/10.1016/j.future.2017.08.024>.
- [290] P. Rimba, A. B. Tran, I. Weber, M. Staples, A. Ponomarev, X. Xu, Comparing Blockchain and Cloud Services for Business Process Execution, in: *Proceedings - 2017 IEEE International Conference on Software Architecture, ICSA 2017*, 257–260, 2017.
- [291] J. Mendling, I. Weber, W. V. D. Aalst, J. V. Brocke, C. Cabanillas, F. Daniel, S. Debois, C. D. Ciccio, M. Dumas, S. Dustdar, Blockchains for business process management-challenges and opportunities, *ACM Transactions on Management Information Systems (TMIS)* 9 (1) (2018) 4.
- [292] N. Kshetri, 1 Blockchain's roles in meeting key supply chain management objectives, *International Journal of Information Management* 39 (2018) 80–89.
- [293] D. E. O'Leary, Configuring blockchain architectures for transaction information in blockchain consortiums: The case of accounting and supply chain systems, *Intelligent Systems in Accounting, Finance and Management* 24 (4) (2017) 138–147.
- [294] N. Hackius, M. Petersen, Blockchain in logistics and supply chain: trick or treat?, in: *Proceedings of the Hamburg International Conference of Logistics (HICL)*, epubli, 3–18, 2017.
- [295] Z. C. Kennedy, D. E. Stephenson, J. F. Christ, T. R. Pope, B. W. Arey, C. A. Barrett, M. G. Warner, Enhanced anti-counterfeiting measures for additive manufacturing: Coupling lanthanide nanomaterial chemical signatures with blockchain technology, *Journal of Materials Chemistry C* 5 (37) (2017) 9570–9578.
- [296] J. H. Lee, M. Pilkington, How the Blockchain Revolution Will Reshape the Consumer Electronics Industry [Future Directions], *IEEE Consumer Electronics Magazine* 6 (3) (2017) 19–23.
- [297] K. Toyoda, P. T. Mathiopoulos, I. Sasase, T. Ohtsuki, A Novel Blockchain-Based Product Ownership Management System (POMS) for Anti-Counterfeits in the Post Supply Chain, *IEEE Access* 5 (2017) 17465–17477.
- [298] A. W. K. Tan, Y. Zhao, T. Halliday, A blockchain model for less container load operations in China, *International Journal of Information Systems and Supply Chain Management* 11 (2) (2018) 39–53.
- [299] H. Subramanian, Decentralized blockchain-based electronic marketplaces, *Communications of the ACM* 61 (1) (2017) 78–84.
- [300] R. Polim, Q. Hu, S. Kumara, Blockchain in Megacity Logistics, in: *IIE Annual Conference. Proceedings, Institute of Industrial and Systems Engineers (IISE)*, 1589–1594, 2017.
- [301] S. Apte, N. Petrovsky, Will blockchain technology revolutionize excipient supply chain management?., *Journal of Excipients and Food Chemicals* 7 (3) (2016) 76–78.
- [302] F. Tian, An agri-food supply chain traceability system for China based on RFID & blockchain technology, in: *Service Systems and Service Management (ICSSSM), 2016 13th International Conference on*, IEEE, 1–6, 2016.
- [303] B. Döder, O. Ross, Timber tracking: Reducing complexity of due diligence by using blockchain technology, in: *CEUR Workshop Proceedings*, vol. 1898, 2017.
- [304] D. Heber, M. Groll, Towards a digital twin: How the blockchain can foster E/E-traceability in consideration of model-based systems engineering, in: *Proceedings of the International Conference on Engineering Design, ICED*, vol. 3, 321–330, 2017.
- [305] Q. Lu, X. Xu, Adaptable Blockchain-Based Systems: A Case Study for Product Traceability, *IEEE Software* 34 (6) (2017) 21–27.
- [306] F. Tian, A supply chain traceability system for food safety based on HACCP, blockchain & Internet of things, in: *Service Systems and Service Management (ICSSSM), 2017 International Conference on*, IEEE, 1–6, 2017.
- [307] Infosys Limited, Integrating blockchain with ERP for a transparent supply chain, <https://www.infosys.com/Oracle/white-papers/Documents/integrating-blockchain-erp.pdf>, 2017.
- [308] K. O'Leary, P. O'Reilly, J. Feller, R. Gleasure, S. Li, J. Cristoforo, Exploring the application of blockchain technology to combat the effects of social loafing in cross functional group projects, in: *Proceedings of the 13th International Symposium on Open Collaboration, OpenSym 2017*, 2017.
- [309] Ž. Turk, R. Kline, Potentials of Blockchain Technology for Construction Management, *Procedia Engineering* 196 (2017) 638–645.
- [310] S. Ahmed, N. T. Broek, Food supply: Blockchain could boost food security, *Nature* 550 (7674) (2017) 43.
- [311] J. Herbert, A. Litchfield, A novel method for Decentralised Peer-to-Peer software license validation using cryptocurrency blockchain technology, in: *Conferences in Research and Practice in Information Technology Series*, vol. 159, 27–35, 2015.
- [312] M. Holland, C. Nigischer, J. Stjepandic, Copyright protection in additive manufacturing with blockchain approach, in: *Advances in Transdisciplinary Engineering*, vol. 5, 914–921, 2017.
- [313] W. T. Tsai, L. Feng, H. Zhang, Y. You, L. Wang, Y. Zhong, Intellectual-Property Blockchain-Based Protection Model for Microfilms, in: *Proceedings - 11th IEEE International Symposium on Service-Oriented System Engineering, SOSE 2017*, 174–178, 2017.
- [314] R. M. Frey, D. Vuckovac, A. Ilic, A Secure Shopping Experience Based on Blockchain and Beacon Technology, in: *Poster Proceedings of the 10th ACM Conference on Recommender Systems (Poster-RecSys 2016)*, Boston, USA, September 17, 2016, vol. 1688, CEUR-WS, 03, 2016.
- [315] R. M. Frey, D. Wörner, A. Ilic, Collaborative filtering on the blockchain: A secure recommender system for E-commerce, in: *AMCIS 2016: Surfing the IT Innovation Wave - 22nd Americas Conference on Information Systems*, 2016.
- [316] Y. Madhwal, P. B. Panfilov, Blockchain and supply chain management: Aircrafts' parts' business case, in: *Annals of DAAAM and Proceedings of the International DAAAM Symposium*, 1051–1056, 2017.
- [317] Y. Yuan, F. Y. Wang, Towards blockchain-based intelligent transportation systems, in: *IEEE Conference on Intelligent Transportation Systems, Proceedings, ITSC*, 2663–2668, 2016.
- [318] A. Lei, H. Cruickshank, Y. Cao, P. Asuquo, C. P. A. Ogah, Z. Sun, Blockchain-Based Dynamic Key Management for Heterogeneous Intelligent Transportation Systems, *IEEE Internet of Things Journal* 4 (6) (2017) 1832–1843.
- [319] B. Leiding, P. Memarmoshrefi, D. Hogrefe, Self-managed and blockchain-based vehicular ad-hoc networks, in: *UbiComp 2016 Adjunct - Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing*, 137–140, 2016.
- [320] SyncFab, Decentralized Manufacturing. Creating the world's first peer-to-peer manufacturing supply chain and incentivized token system

- adapted for public and private blockchains., [https://blockchain.syncfab.com/SyncFab\\_MFG\\_WP.pdf](https://blockchain.syncfab.com/SyncFab_MFG_WP.pdf), 2018.
- [321] K. Bilal, S. U. R. Malik, O. Khalid, A. Hameed, E. Alvarez, V. Wijaysekara, R. Irfan, S. Shrestha, D. Dwivedy, M. Ali, U. Shahid Khan, A. Abbas, N. Jalil, S. U. Khan, A taxonomy and survey on Green Data Center Networks, *Future Generation Computer Systems* 36 (2014) 189–208.
  - [322] E. Mengelkamp, B. Notheisen, C. Beer, D. Dauer, C. Weinhardt, A blockchain-based smart grid: towards sustainable local energy markets, *Computer Science-Research and Development* 33 (1-2) (2018) 207–214.
  - [323] L. Wu, K. Meng, S. Xu, S. Q. Li, M. Ding, Y. Suo, Democratic Centralism: A Hybrid Blockchain Architecture and Its Applications in Energy Internet, in: *Proceedings - 1st IEEE International Conference on Energy Internet, ICEI 2017*, 176–181, 2017.
  - [324] P. Danzi, M. Angelichinoski, C. Stefanovic, P. Popovski, Distributed proportional-fairness control in microgrids via blockchain smart contracts, in: *2017 IEEE International Conference on Smart Grid Communications, SmartGridComm 2017*, vol. 2018-January, 45–51, doi:10.1109/SmartGridComm.2017.8340713, 2018.
  - [325] Deutsche Energie-Agentur GmbH, Blockchain in the energy transition. A survey among decision-makers in the German energy industry., [https://www.dena.de/fileadmin/dena/Dokumente/Meldungen/dena\\_ESMT\\_Studie\\_blockchain\\_englisch.pdf](https://www.dena.de/fileadmin/dena/Dokumente/Meldungen/dena_ESMT_Studie_blockchain_englisch.pdf), 2016.
  - [326] K. Ioannis, G. Raimondo, G. Dimitrios, D. G. Rosanna, K. Georgios, S. Gary, N. Ricardo, N.-F. Igor, Blockchain in Energy Communities. A proof of concept., [http://publications.jrc.ec.europa.eu/repository/bitstream/JRC110298/del.344003.v09\(1\).pdf](http://publications.jrc.ec.europa.eu/repository/bitstream/JRC110298/del.344003.v09(1).pdf), 2017.
  - [327] PricewaterhouseCoopers and Wirtschaftsprüfungsgesellschaft, Use Cases for Blockchain Technology in Energy and Commodity Trading., <https://www.pwc.com/gx/en/industries/assets/blockchain-technology-in-energy.pdf>, 2017.
  - [328] Energy Web Foundation, Energy Web Foundation - blockchain and digital security in energy. OECD workshop, <http://www.oecd.org/going-digital/digital-security-in-critical-infrastructure/digital-security-workshop-february-2018-Trbovich.pdf>, 2018.
  - [329] G. Kyriakarakos, G. Papadakis, Microgrids for productive uses of energy in the developing world and blockchain: A promising future, *Applied Sciences (Switzerland)*, (2018) 8 (4).
  - [330] J. A. F. Castellanos, D. Coll-Mayor, J. A. Notholt, Cryptocurrency as guarantees of origin: Simulating a green certificate market with the Ethereum Blockchain, in: *2017 5th IEEE International Conference on Smart Energy Grid Engineering, SEGE 2017*, 367–372, 2017.
  - [331] K. Tanaka, K. Nagakubo, R. Abe, Blockchain-based electricity trading with Digitalgrid router, in: *2017 IEEE International Conference on Consumer Electronics - Taiwan, ICCE-TW 2017*, 201–202, 2017.
  - [332] J. Hou, H. Wang, P. Liu, Applying the blockchain technology to promote the development of distributed photovoltaic in China, *International Journal of Energy Research* 42 (6) (2018) 2050–2069.
  - [333] L. W. Park, S. Lee, H. Chang, A sustainable home energy prosumer-chain methodology with energy tags over the blockchain, *Sustainability (Switzerland)* (2018) 10 (3).
  - [334] A. S. Patil, B. A. Tama, Y. Park, K. H. Rhee, A framework for blockchain based secure smart green house farming, in: *Lecture Notes in Electrical Engineering*, vol. 474, 1162–1167, 2018.
  - [335] S. Cheng, B. Zeng, Y. Z. Huang, Research on application model of blockchain technology in distributed electricity market, in: *IOP Conference Series: Earth and Environmental Science*, vol. 93, ., 2017.
  - [336] F. Imbault, M. Swiatek, R. De Beaufort, R. Plana, The green blockchain: Managing decentralized energy production and consumption, in: *Conference Proceedings - 2017 17th IEEE International Conference on Environment and Electrical Engineering and 2017 1st IEEE Industrial and Commercial Power Systems Europe, IEEEIC / I and CPS Europe 2017*, 2017.
  - [337] M. Mylrea, S. N. G. Gourisetti, Blockchain: A path to grid modernization and cyber resiliency, in: *Power Symposium (NAPS), 2017 North American, IEEE*, 1–5, 2017.
  - [338] M. Mylrea, S. N. G. Gourisetti, Blockchain for smart grid resilience: Exchanging distributed energy at speed, scale and security, in: *Proceedings - 2017 Resilience Week, RWS 2017*, 18–23, 2017.
  - [339] J. J. Sikorski, J. Haughton, M. Kraft, Blockchain technology in the chemical industry: Machine-to-machine electricity market, *Applied Energy* 195 (2017) 234–246.
  - [340] C. Pop, T. Cioara, M. Antal, I. Anghel, I. Salomie, M. Bertoncini, Blockchain based decentralized management of demand response programs in smart energy grids, *Sensors (Switzerland)* 18 (1) (2018) .
  - [341] N. H. Kim, S. M. Kang, C. S. Hong, Mobile charger billing system using lightweight Blockchain, in: *19th Asia-Pacific Network Operations and Management Symposium: Managing a World of Things, APNOMS 2017*, 374–377, 2017.
  - [342] F. Knirsch, A. Unterweger, G. Eibl, D. Engel, Privacy-preserving smart grid tariff decisions with blockchain-based smart contracts, in: *Sustainable Cloud and Energy Services*, Springer, 85–116, 2018.
  - [343] F. Knirsch, A. Unterweger, D. Engel, Privacy-preserving blockchain-based electric vehicle charging with dynamic tariff decisions, *Computer Science - Research and Development* (2017) 1–9.
  - [344] X. Huang, C. Xu, P. Wang, H. Liu, LNSC: A Security Model for Electric Vehicle and Charging Pile Management Based on Blockchain Ecosystem, *IEEE Access* 6 (2018) 13565–13574, doi:10.1109/ACCESS.2018.2812176.
  - [345] World Energy Council and PricewaterhouseCoopers, The Developing Role of Blockchain. White paper. Executive Summary., [https://www.worldenergy.org/wp-content/uploads/2017/11/WP\\_Blockchain\\_Exec-Summary\\_final.pdf](https://www.worldenergy.org/wp-content/uploads/2017/11/WP_Blockchain_Exec-Summary_final.pdf), 2018.
  - [346] R. Bdiwi, C. De Runz, S. Faiz, A. A. Cherif, Towards a New Ubiquitous Learning Environment Based on Blockchain Technology, in: *Proceedings - IEEE 17th International Conference on Advanced Learning Technologies, ICALT 2017*, 101–102, 2017.
  - [347] M. Sharples, J. Domingue, The blockchain and kudos: A distributed system for educational record, reputation and reward, in: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 9891 LNCS, 490–496, 2016.
  - [348] M. Turkanović, M. Hölbl, K. Košič, M. Heričko, A. Kamišalić, EduCTX: A Blockchain-Based Higher Education Credit Platform, *IEEE Access* 6 (2018) 5112–5127.
  - [349] M. Sharples, J. Domingue, The Blockchain and Kudos: A Distributed System for Educational Record, Reputation and Reward, Springer International Publishing, Cham, 490–496, 2016.



- [350] D. Carboni, Feedback based Reputation on top of the Bitcoin Blockchain, CoRR abs/1502.01504 (2015) .
- [351] R. Dennis, G. Owen, Rep on the block: A next generation reputation system based on the blockchain, in: 2015 10th International Conference for Internet Technology and Secured Transactions (ICITST), 131–138, 2015.
- [352] P. Devine, Blockchain learning: can crypto-currency methods be appropriated to enhance online learning?, ALT Online Winter Conference (2015) .
- [353] Y. Xu, S. Zhao, L. Kong, Y. Zheng, S. Zhang, Q. Li, ECBC: A high performance educational certificate blockchain with efficient query, in: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 10580 LNCS, 288–304, 2017.
- [354] A. Grech, A. F. Camilleri, et al., Blockchain in Education, Tech. Rep., Joint Research Centre (Seville site), 2017.
- [355] N. Bore, S. Karumba, J. Mutahi, S. S. Darnell, C. Wayua, K. Weldemariam, Towards Blockchain-enabled School Information Hub, in: Proceedings of the Ninth International Conference on Information and Communication Technologies and Development, ACM, 19, 2017.
- [356] M. Spearpoint, A Proposed Currency System for Academic Peer Review Payments Using the Blockchain Technology, Publications (2017) 5 (3).
- [357] B. Gipp, C. Breiter, N. Meuschke, J. Beel, CryptSubmit: Introducing Securely Timestamped Manuscript Submission and Peer Review Feedback Using the Blockchain, in: Proceedings of the ACM/IEEE Joint Conference on Digital Libraries, 2017.
- [358] S. Asharaf, S. Adarsh, Decentralized Computing Using Blockchain Technologies and Smart Contracts: Emerging Research and Opportunities, IGI Global, 2017.
- [359] A. Sutton, R. Samavi, Blockchain enabled privacy audit logs, in: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 10587 LNCS, 645–660, 2017.
- [360] R. Neisse, G. Steri, I. N. Fovino, A Blockchain-based Approach for Data Accountability and Provenance Tracking, CoRR abs/1706.04507 (2017) .
- [361] J. Zhang, Walks trajectory tracking of shared information based on consortium blockchain, Revista de la Facultad de Ingenieria 31 (12) (2016) 8–17.
- [362] T. Jin, X. Zhang, Y. Liu, K. Lei, BlockNDN: A bitcoin blockchain decentralized system over named data networking, in: International Conference on Ubiquitous and Future Networks, ICUFN, 75–80, 2017.
- [363] e. a. Fridgen, Gilbert, Cross-Organizational Workflow Management Using Blockchain Technology-Towards Applicability, Auditability, and Automation, in: 51st Annual Hawaii International Conference on System Sciences, HICSS 2018, 2018.
- [364] A. Hevner, S. Chatterjee, Design research in information systems: theory and practice, vol. 22, Springer Science & Business Media, 2010.
- [365] A. Kosba, A. Miller, E. Shi, Z. Wen, C. Papamanthou, Hawk: The Blockchain Model of Cryptography and Privacy-Preserving Smart Contracts, in: 2016 IEEE Symposium on Security and Privacy (SP), 839–858, doi:10.1109/SP.2016.55, 2016.
- [366] A. Ahmed, How Blockchain Will Change HR Forever, <https://www.forbes.com/sites/ashikahmed/2018/03/14/how-blockchain-will-change-hr-forever/#6583597e727c>, 2018.
- [367] X. Wang, L. Feng, H. Zhang, C. Lyu, L. Wang, Y. You, Human Resource Information Management Model based on Blockchain Technology, in: Proceedings - 11th IEEE International Symposium on Service-Oriented System Engineering, SOSE 2017, 168–173, 2017.
- [368] J. Wang, M. Li, Y. He, H. Li, K. Xiao, C. Wang, A Blockchain Based Privacy-Preserving Incentive Mechanism in Crowdsensing Applications, IEEE Access 6 (2018) 17545–17556.
- [369] E. García-Barriocanal, S. Sánchez-Alonso, M. A. Sicilia, Deploying metadata on blockchain technologies, in: Communications in Computer and Information Science, vol. 755, 38–49, 2017.
- [370] C. Yang, X. Chen, Y. Xiang, Blockchain-based publicly verifiable data deletion scheme for cloud storage, Journal of Network and Computer Applications 103 (2018) 185–193.
- [371] H. G. Do, W. K. Ng, Blockchain-Based System for Secure Data Storage with Private Keyword Search, in: Proceedings - 2017 IEEE 13th World Congress on Services, SERVICES 2017, 90–93, 2017.
- [372] P. Jiang, F. Guo, K. Liang, J. Lai, Q. Wen, Searchchain: Blockchain-based private keyword search in decentralized storage, Future Generation Computer Systems (2017) .
- [373] R. Hull, Blockchain: Distributed event-based processing in a data-centric world, in: DEBS 2017 - Proceedings of the 11th ACM International Conference on Distributed Event-Based Systems, 2–4, 2017.
- [374] M. Fukumitsu, S. Hasegawa, J. Iwazaki, M. Sakai, D. Takahashi, A proposal of a secure P2P-type storage scheme by using the secret sharing and the blockchain, in: Proceedings - International Conference on Advanced Information Networking and Applications, AINA, 803–810, 2017.
- [375] S. Kiyomoto, M. S. Rahman, A. Basu, On blockchain-based anonymized dataset distribution platform, in: Proceedings - 2017 15th IEEE/ACIS International Conference on Software Engineering Research, Management and Applications, SERA 2017, 85–92, 2017.
- [376] S. S. Hasnain, A. Kalra, P. Bodorik, D. Jutla, Data sharing with ethereum blockchain in untrusted environment, in: 30th International Conference on Computer Applications in Industry and Engineering, CAINE 2017, 67–72, 2017.
- [377] E. Karafiloski, A. Mishev, Blockchain solutions for big data challenges: A literature review, in: 17th IEEE International Conference on Smart Technologies, EUROCON 2017 - Conference Proceedings, 763–768, 2017.
- [378] A. Kalra, S. S. Hasnain, P. Bodorik, D. Jutla, Access control mechanism using ethereum blockchain, in: 26th International Conference on Software Engineering and Data Engineering, SEDE 2017, 107–112, 2017.
- [379] S. Li, M. Liu, S. Wei, A distributed authentication protocol using identity-based encryption and blockchain for LEO network, in: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 10656 LNCS, 446–460, 2017.
- [380] S. Shetty, V. Red, C. Kamhoua, K. Kwiat, L. Njilla, Data provenance assurance in the cloud using blockchain, in: Proceedings of SPIE - The International Society for Optical Engineering, vol. 10206, 2017.
- [381] E. Gaetani, L. Aniello, R. Baldoni, F. Lombardi, A. Margheri, V. Sassone, Blockchain-based database to ensure data integrity in cloud computing environments, in: CEUR Workshop Proceedings, vol. 1816, 146–155, 2017.
- [382] X. Liang, S. Shetty, D. Tosh, C. Kamhoua, K. Kwiat, L. Njilla, ProvChain: A Blockchain-Based Data Provenance Architecture in Cloud

- Environment with Enhanced Privacy and Availability, in: Proceedings - 2017 17th IEEE/ACM International Symposium on Cluster, Cloud and Grid Computing, CCGRID 2017, 468–477, 2017.
- [383] L. Yue, H. Junqin, Q. Shengzhi, W. Ruijin, Big Data Model of Security Sharing Based on Blockchain, in: Proceedings - 2017 3rd International Conference on Big Data Computing and Communications, BigCom 2017, 117–121, 2017.
  - [384] N. Abdullah, A. Håkansson, E. Moradian, Blockchain based approach to enhance big data authentication in distributed environment, in: International Conference on Ubiquitous and Future Networks, ICUFN, 887–892, 2017.
  - [385] Q. Xu, K. M. M. Aung, Y. Zhu, K. L. Yong, A blockchain-based storage system for data analytics in the internet of things, in: Studies in Computational Intelligence, vol. 715, 119–138, 2018.
  - [386] J. Chen, Y. Xue, Bootstrapping a Blockchain Based Ecosystem for Big Data Exchange, in: Proceedings - 2017 IEEE 6th International Congress on Big Data, BigData Congress 2017, 460–463, 2017.
  - [387] V. Bracamonte, H. Okada, An exploratory study on the influence of guidelines on crowdfunding projects in the ethereum blockchain platform, in: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 10540 LNCS, 347–354, 2017.
  - [388] F. Buccafurri, G. Lax, S. Nicolazzo, A. Nocera, Tweetchain: An alternative to blockchain for crowd-based applications, in: Lecture Notes in Computer Science, vol. 10360 LNCS, 386–393, 2017.
  - [389] H. Zhu, Z. Z. Zhou, Analysis and outlook of applications of blockchain technology to equity crowdfunding in China, Financial Innovation 2 (1) (2016) 29.
  - [390] M. Li, J. Weng, A. Yang, W. Lu, Y. Zhang, L. Hou, J. Liu, CrowdBC: A Blockchain-based Decentralized Framework for Crowdsourcing, Report, IACR Cryptology ePrint Archive 2017: 444, 2017.
  - [391] R. Mazet, Alice: Blockchain for good, <http://alice.si/>, 2017.
  - [392] B. Kewell, R. Adams, G. Parry, Blockchain for good?, Strategic Change 26 (5) (2017) 429–437.
  - [393] M. Pilkington, R. Crudu, L. G. Grant, Blockchain and bitcoin as a way to lift a country out of poverty - Tourism 2.0 and e-governance in the Republic of Moldova, International Journal of Internet Technology and Secured Transactions 7 (2) (2017) 115–143.
  - [394] N. Zhou, M. Wu, J. Zhou, Volunteer service time record system based on blockchain technology, in: Proceedings of 2017 IEEE 2nd Advanced Information Technology, Electronic and Automation Control Conference, IAEAC 2017, 610–613, 2017.
  - [395] G. J. Larios-Hernández, Blockchain entrepreneurship opportunity in the practices of the unbanked, Business Horizons 60 (6) (2017) 865–874.
  - [396] D. Jayasinghe, S. Cobourne, K. Markantonakis, R. N. Akram, K. Mayes, Philanthropy On The Blockchain (2017) .
  - [397] Accenture, Blockchain for good. 4 guidelines for transforming social innovation organizations., Report, 2017.
  - [398] V. Ko, A. Verity, Blockchain for the Humanitarian Sector - Future Opportunities., Report, 2016.
  - [399] M. L. Marsal-Llacuna, Future living framework: Is blockchain the next enabling network?, Technological Forecasting and Social Change (2017) .
  - [400] M. S. Adam, M. H. Anisi, I. Ali, Object tracking sensor networks in smart cities: Taxonomy, architecture, applications, research challenges and future directions, Future Generation Computer Systems (2017) .
  - [401] B. Tackmann, Secure event tickets on a blockchain, in: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), vol. 10436 LNCS, 437–444, 2017.
  - [402] S. Saberi, M. Kouhizadeh, J. Sarkis, Blockchain technology: A panacea or pariah for resources conservation and recycling?, Resources, Conservation and Recycling 130 (2018) 80–81.
  - [403] K. N. Khaqqi, J. J. Sikorski, K. Hadinoto, M. Kraft, Incorporating seller/buyer reputation-based system in blockchain-enabled emission trading application, Applied Energy 209 (2018) 8–19.
  - [404] B. Fu, Z. Shu, X. Liu, Blockchain enhanced emission trading framework in fashion apparel manufacturing industry, Sustainability (Switzerland) (2018) 10 (4).
  - [405] D. Fu, F. Liri, Blockchain-based trusted computing in social network, in: 2016 2nd IEEE International Conference on Computer and Communications, ICC 2016 - Proceedings, 19–22, 2016.
  - [406] I. Sarr, H. Naacke, I. Gueye, Blockchain-based model for social transactions processing, in: DATA 2015 - 4th International Conference on Data Management Technologies and Applications, Proceedings, 309–315, 2015.
  - [407] H. de Soto, A tale of two civilizations in the era of Facebook and blockchain, Small Business Economics 49 (4) (2017) 729–739.
  - [408] A. Chakravorty, C. Rong, Ushare: User controlled social media based on blockchain, in: Proceedings of the 11th International Conference on Ubiquitous Information Management and Communication, IMCOM 2017, 2017.
  - [409] Z. Hong, Z. Wang, W. Cai, V. C. M. Leung, Blockchain-empowered fair computational resource sharing system in the D2D network, Future Internet 9 (4) (2017) .
  - [410] A. Stanciu, Blockchain Based Distributed Control System for Edge Computing, in: Proceedings - 2017 21st International Conference on Control Systems and Computer, CSCS 2017, 667–671, 2017.
  - [411] J. Gattermayer, P. Tvrdik, Blockchain-Based Multi-Level Scoring System for P2P Clusters, in: Proceedings of the International Conference on Parallel Processing Workshops, 301–308, 2017.
  - [412] F. Xiang, W. Huaimin, S. Peichang, F. Yingwei, W. Yijie, JCLedger: A Blockchain Based Distributed Ledger for JointCloud Computing, in: Proceedings - IEEE 37th International Conference on Distributed Computing Systems Workshops, ICDCSW 2017, 289–293, 2017.
  - [413] X. Xu, C. Pautasso, L. Zhu, V. Gramoli, A. Ponomarev, A. B. Tran, S. Chen, The blockchain as a software connector, in: Proceedings - 2016 13th Working IEEE/IFIP Conference on Software Architecture, WICSA 2016, 182–191, 2016.
  - [414] N. Teslya, A. Smirnov, Blockchain-based framework for ontology-oriented robots' coalition formation in cyberphysical systems, in: MATEC Web of Conferences, vol. 161, 2018.
  - [415] A. Pazaitis, P. De Filippi, V. Kostakis, Blockchain and value systems in the sharing economy: The illustrative case of Backfeed, Technological Forecasting and Social Change 125 (2017) 105–115.
  - [416] J. Umeh, Blockchain double bubble or double trouble?, ITNOW 58 (1) (2016) 58–61.
  - [417] G. Greenspan, Avoiding the pointless blockchain project. <https://www.multichain.com/blog/2015/11/avoiding-pointless-blockchain-project/>,

- 2015.
- [418] K. Wüst, A. Gervais, Do you need a Blockchain?, IACR Cryptology ePrint Archive 2017 (2017) 375.
  - [419] S. K. Lo, X. Xu, Y. K. Chiam, Q. Lu, Evaluating Suitability of Applying Blockchain, in: Proceedings of the IEEE International Conference on Engineering of Complex Computer Systems, ICECCS, 158–161, 2017.
  - [420] G. Zyskind, O. Nathan, A. S. Pentland, Decentralizing privacy: Using blockchain to protect personal data, in: Proceedings - 2015 IEEE Security and Privacy Workshops, SPW 2015, 180–184, 2015.
  - [421] G. T. Nguyen, K. Kim, A survey about consensus algorithms used in Blockchain, Journal of Information Processing Systems 14 (1) (2018) 101–128.
  - [422] J. Bruce, Purely P2P crypto-currency with finite mini-blockchain, <https://pdfs.semanticscholar.org/3f64/123ce97a0079f8bea66d3f760dbb3e6b40d5.pdf>, 2013.
  - [423] I. Eyal, A. E. Gencer, E. G. Sirer, R. Van Renesse, Bitcoin-NG: a scalable blockchain protocol, in: Proceedings of the 13th Usenix Conference on Networked Systems Design and Implementation, USENIX Association, 45–59, 2016.
  - [424] Blockchain hash rate distribution, <https://blockchain.info/pools>, 2017.
  - [425] Digiconomist, Bitcoin Energy Consumption Index, <https://digiconomist.net/bitcoin-energy-consumption>, 2017.
  - [426] Malwarebytes, Persistent drive-by cryptomining coming to a browser near you, <https://blog.malwarebytes.com/cybercrime/2017/11/persistent-drive-by-cryptomining-coming-to-a-browser-near-you/>, 2017.
  - [427] Y. Sompolinsky, A. Zohar, Accelerating Bitcoin's Transaction Processing. Fast Money Grows on Trees, Not Chains, <https://eprint.iacr.org/2013/881>, 2013.
  - [428] A. Chepurnoy, M. Larangeira, A. Ojiganov, A Prunable Blockchain Consensus Protocol Based on Non-Interactive Proofs of Past States Retrieval, CoRR abs/1603.07926 (2016) .
  - [429] C. Decker, J. Seidel, R. Wattenhofer, Bitcoin Meets Strong Consistency, in: Proceedings of the 17th International Conference on Distributed Computing and Networking, ICDCN '16, ACM, New York, NY, USA, 13:1–13:10, 2016.
  - [430] D. Kraft, Difficulty control for blockchain-based consensus systems, Peer-to-Peer Networking and Applications 9 (2) (2016) 397–413.
  - [431] S. King, Primecoin: Cryptocurrency with prime number proof-of-work, <https://bravenewcoin.com/assets/Whitepapers/primecoin-paper.pdf>, 2013.
  - [432] T. Kido, M. Kawashima, S. Nishino, M. Swan, N. Kamatani, A. J. Butte, Systematic evaluation of personal genome services for Japanese individuals, Journal of human genetics 58 (11) (2013) 734–741.
  - [433] A. Potenza, Can renewable power offset bitcoin's massive energy demands?, <https://www.theverge.com/2017/12/21/16806772/bitcoin-cryptocurrency-energy-consumption-renewables-climate-change>, 2017.
  - [434] N. Gogerty, J. Zitoli, DeKo: Currency Proposal Using a Portfolio of Electricity Linked Assets, Social Science Research Network, (2011) .
  - [435] G. Zyskind, O. Nathan, A. Pentland, Enigma: Decentralized Computation Platform with Guaranteed Privacy, CoRR abs/1506.03471 (2015) .
  - [436] D. Micciancio, O. Regev, Lattice-based cryptography, in: Post-quantum cryptography, Springer, 147–191, 2009.
  - [437] R. Overbeck, N. Sendrier, Code-based cryptography, in: Post-quantum cryptography, Springer, 95–145, 2009.
  - [438] E. Kiktenko, N. Pozhar, M. Anufriev, A. Trushechkin, R. Yunusov, Y. Kurochkin, A. Lvovsky, A. Fedorov, Quantum-secured blockchain, arXiv preprint arXiv:1705.09258 (2017) .
  - [439] D. Rajan, M. Visser, Quantum Blockchain using entanglement in time, arXiv preprint arXiv:1804.05979 (2018) .
  - [440] Bitcoin ETF Channel, <http://www.etf.com/channels/bitcoin>, 2018.
  - [441] P. Rochard, Speculative Attack, <http://nakamotoinstitute.org/mempool/speculative-attack/>, 2014.
  - [442] Blockstream, The blockstream company, <https://www.blockstream.com/>, 2014.
  - [443] Coinbase, <https://www.coinbase.com/>, 2012.
  - [444] R. Cheng, F. Zhang, J. Kos, W. He, N. Hynes, N. Johnson, A. Juels, A. Miller, D. Song, Ekiden: A Platform for Confidentiality-Preserving, Trustworthy, and Performant Smart Contract Execution, CoRR abs/1804.05141.
  - [445] I. Eyal, E. G. Sirer, Majority Is Not Enough: Bitcoin Mining Is Vulnerable, Springer Berlin Heidelberg, Berlin, Heidelberg, 436–454, 2014.
  - [446] Blockchain Weaknesses, <https://en.bitcoin.it/wiki/Weaknesses>, 2017.
  - [447] I.-C. Lin, T.-C. Liao, A Survey of Blockchain Security Issues and Challenges., IJ Network Security 19 (5) (2017) 653–659.
  - [448] TeleHash - Encrypted Mesh Protocol, <http://telehash.org/>, 2014.
  - [449] IPFS: a new peer-to-peer hypermedia protocol, <https://ipfs.io>, 2016.
  - [450] N. Suhaliana bt Abd Halim, M. A. Rahman, S. Azad, M. N. Kabir, Blockchain Security Hole: Issues and Solutions, Springer International Publishing, Cham, 739–746, 2018.
  - [451] S. Meiklejohn, M. Pomarole, G. Jordan, K. Levchenko, D. McCoy, G. M. Voelker, S. Savage, A Fistful of Bitcoins: Characterizing Payments Among Men with No Names, in: Proceedings of the 2013 Conference on Internet Measurement Conference, IMC '13, ACM, New York, NY, USA, 127–140, 2013.
  - [452] D. Ron, A. Shamir, Quantitative Analysis of the Full Bitcoin Transaction Graph, Springer Berlin Heidelberg, Berlin, Heidelberg, 6–24, 2013.
  - [453] J. Barcelo, User Privacy in the Public Bitcoin Blockchain, [http://www.dtic.upf.edu/~jbarcelo/papers/20140704\\_User\\_Privacy\\_in\\_the\\_Public\\_Bitcoin\\_Blockchain/paper.pdf](http://www.dtic.upf.edu/~jbarcelo/papers/20140704_User_Privacy_in_the_Public_Bitcoin_Blockchain/paper.pdf), 2014.
  - [454] A. Biryukov, D. Khovratovich, I. Pustogarov, Deanonymisation of Clients in Bitcoin P2P Network, in: Proceedings of the 2014 ACM SIGSAC Conference on Computer and Communications Security, CCS '14, ACM, New York, NY, USA, ISBN 978-1-4503-2957-6, 15–29, doi:10.1145/2660267.2660379, 2014.
  - [455] S. Goldfeder, H. Kalodner, D. Reisman, A. Narayanan, When the cookie meets the blockchain: Privacy risks of web payments via cryptocurrencies, arXiv preprint arXiv:1708.04748 (2017) .
  - [456] D. Siegel, Understanding The DAO Attack, <https://www.coindesk.com/understanding-dao-hack-journalists/>, 2016.
  - [457] Parity Wallet Security Alert, November 2017, <https://paritytech.io/security-alert-2/>, 2017.
  - [458] J. Pearson, Millions of Dollars In Ethereum Are Vulnerable to Hackers Right Now, [https://motherboard.vice.com/en\\_us/article/](https://motherboard.vice.com/en_us/article/)

- 8xddka/millions-of-dollars-in-ethereum-are-vulnerable-to-hackers-right-now-smart-contract-bugs, 2018.
- [459] M. Bartoletti, S. Carta, T. Cimoli, R. Saia, Dissecting Ponzi schemes on Ethereum: identification, analysis, and impact, CoRR abs/1703.03779 (2017) .
  - [460] M. Suiche, Porosity: A Decompiler For Blockchain-Based Smart Contracts Bytecode, DEF CON 25, (2017).
  - [461] A. Mavridou, A. Laszka, Tool Demonstration: FSolidM for Designing Secure Ethereum Smart Contracts, CoRR abs/1802.09949 (2018) .
  - [462] I. Nikolic, A. Kolluri, I. Sergey, P. Saxena, A. Hobor, Finding The Greedy, Prodigal, and Suicidal Contracts at Scale, CoRR abs/1802.06038 (2018) .
  - [463] S. Kalra, S. Goel, M. Dhawan, S. Sharma, Zeus: Analyzing safety of smart contracts, [http://wp.internetsociety.org/ndss/wp-content/uploads/sites/25/2018/02/ndss2018\\_09-1\\_Kalra\\_paper.pdf](http://wp.internetsociety.org/ndss/wp-content/uploads/sites/25/2018/02/ndss2018_09-1_Kalra_paper.pdf), 2018.
  - [464] A. Halevy, P. Norvig, F. Pereira, The Unreasonable Effectiveness of Data, IEEE Intelligent Systems 24 (2) (2009) 8–12.
  - [465] T. McConaghy, HOW BLOCKCHAINS COULD TRANSFORM ARTIFICIAL INTELLIGENCE, <http://dataconomy.com/2016/12/blockchains-for-artificial-intelligence/>, 2016.
  - [466] D. S. Kumar, M. Abdul Rahman, Simplified HDFS architecture with blockchain distribution of metadata, International Journal of Applied Engineering Research 12 (21) (2017) 11374–11382.
  - [467] D. Appelbaum, A. Kogan, M. A. Vasarhelyi, Big Data and Analytics in the Modern Audit Engagement: Research Needs, Auditing: A Journal of Practice & Theory 36 (4) (2017) 1–27.
  - [468] H. Issa, T. Sun, M. A. Vasarhelyi, Research Ideas for Artificial Intelligence in Auditing: The Formalization of Audit and Workforce Supplementation, Journal of Emerging Technologies in Accounting 13 (2) (2016) 1–20.
  - [469] J. Burrell, How the machine ‘thinks’: Understanding opacity in machine learning algorithms, Big Data & Society 3 (1) (2016) 2053951715622512.