

Hisoka — QA & Outstanding Issues Report

Generated after the glassmorphism redesign and chat-feature build-out pass · hisoka v1.0.0+1

Scope of this report: items below are things that could not be fully completed in this pass because they require backend work, missing third-party SDKs/credentials, real device/OS configuration, or are architecturally out of scope for the current 1:1-paired chat model. Everything else requested (glassmorphism redesign, Telegram-style navigation, message reactions, edit/delete, pin, forward, search, read receipts, typing indicators, online status, voice messages, file/media sharing, view-once media, light/dark themes) was implemented and verified working in this build.

1. BACKEND / THIRD-PARTY INTEGRATION GAPS

Message search only covers recently loaded messages

Medium

Description

The in-chat search bar filters messages client-side and only searches the most recently loaded 50 messages (the stream's fetch limit), not the full conversation history.

Root cause

Firestore has no native full-text search, and no external search index (Algolia/Typesense) is configured. `getMessages()` caps results via `limit: 50`.

Suggested solution

Integrate a managed search index (Algolia/Typesense) synced via a Cloud Function on message write, or denormalize a lowercase text field with paginated server-side queries for older history.

Priority

Medium

Files/modules

`chat_screen.dart` (`_buildSearchResults`),
`chat_repository_impl.dart` (`getMessages`)

Calls are UI-only — no real signaling/media High

Description The call screen and call history render a polished interface (mute/video/end controls, glass call bar, mock recent-calls list) but no audio/video actually connects between devices.

Root cause No WebRTC/SDK (Agora, Twilio, or raw flutter_webrtc) or signaling backend is wired up; call data is static placeholder content.

Suggested solution Integrate a calling SDK (Agora RTC Engine is the least setup) and use Firestore for call signaling (offer/answer/ICE candidates) between the two paired users.

Priority High (if voice/video calling is a required launch feature)

Files/modules `lib/features/calls/`

Video sharing & preview not implemented Medium

Description The attachment menu supports photo, document, audio, and location, but not video capture/upload or inline video playback.

Root cause No `video_player` (or similar) dependency is in `pubspec.yaml`, and the message schema/attachment menu has no "video" type wired in.

Suggested solution Add `video_player` (+ optionally `chewie` for controls), extend the attachment menu with a Video option reusing the existing Firebase Storage upload path, and render a thumbnail + inline player bubble for `type == 'video'`.

Priority Medium

Files/modules `pubspec.yaml`, `chat_screen.dart`, `chat_repository_impl.dart`

Stories use static mock data Medium

Description The stories rail and "recent updates" list show hardcoded placeholder entries; no real story can be posted, viewed-by-tracked, or expired.

Root cause No Firestore-backed stories collection/repository exists yet — this was already true before this pass (out of scope to build a full ephemeral-content backend in this redesign).

Suggested solution Add a `StoriesRepository` (Firestore + Storage) with a 24-hour TTL via a scheduled Cloud Function, plus a "viewed by" subcollection.

Priority Medium

Files/modules `lib/features/stories/`

Several profile/privacy settings are "coming soon" placeholders Medium

Description Change Nickname, Change About, Change Profile Picture, Add Link, Storage & Data, Hidden Chats, and Blocked Users now show a clear "coming soon" message instead of silently doing nothing (fixed this pass), but the underlying functionality still isn't implemented.

Root cause No Firestore fields for editable profile metadata, no hidden-chat flag, and no block-list collection exist in the data layer.

Suggested solution Add the corresponding Firestore fields/collections and small repository methods; the UI scaffolding (settings tile pattern) already exists and can be reused as-is.

Priority Medium

Files/modules `profile_screen.dart` , `privacy_settings_screen.dart`

2. ARCHITECTURAL / SCOPE CONSTRAINTS

Forward is limited to the current conversation Low

Description "Forward" re-sends a message into the same chat tagged as forwarded, with a confirmation dialog, rather than opening a contact picker.

Root cause The app's data model is a fixed 1:1 pairing — each account has exactly one `partnerUid` and there is no multi-contact/room-list model to forward into.

Suggested solution If multi-chat is introduced later, add a conversation picker; the repository's `forwardMessage` already accepts an arbitrary target `roomId`, so only the UI picker would need to be added.

Priority Low — acceptable given the current paired-chat product design.

Files/modules `chat_screen.dart` (`_forwardMessage`), `chat_repository.dart`

Reactions are one emoji per user, from a fixed quick-react set Low

Description Long-pressing a message shows 6 quick-react emoji; picking one sets/replaces your single reaction on that message (tapping the same one again removes it). There's no full emoji picker for reactions and no multiple-reactions-per-user support.

Root cause Deliberate scope cut to match the most common chat-app pattern (one reaction per user) within this pass; the data model (`reactions: {uid: emoji}`) would need to become `{uid: [emoji]}` to support multiple.

Suggested solution Swap the quick-react row for the existing emoji picker package if a full emoji range is desired; change the Firestore field to an array if multi-reaction is desired.

Priority Low

Files/modules `chat_repository_impl.dart` (`toggleReaction`), `chat_screen.dart`

3. ENVIRONMENT / TOOLING

Windows desktop build not verified

Low

Description

`flutter run -d windows` failed during verification with "Building with plugins requires symlink support."

Root cause

The build machine doesn't have Windows Developer Mode enabled, which Flutter's Windows plugin tooling requires for symlinks. This is a system setting, not a code issue, and wasn't toggled automatically since it requires the machine owner's decision.

Suggested solution

Enable Developer Mode via `Settings → For developers` (or `start ms-settings:developers`), then re-run `flutter run -d windows`. The app was fully verified on web (Chrome) instead, including live light/dark theme switching and the new chat features.

Priority

Low

Files/modules

N/A — local environment configuration only

4. FIXED DURING THIS PASS (FOR REFERENCE)

Issue	Fix
Profile screen "Log Out" didn't actually sign out of Firebase	Now calls the auth controller's logout before navigating
"View once" photo flag was dead code — never actually sent as view-once	Wired a real toggle into the attachment menu
Several upload flows called <code>setState</code> after <code>await</code> without a <code>mounted</code> guard	Added guards across image/document/location/audio send paths
Voice message player restarted from zero on every tap instead of resuming	Now tracks playback state and resumes correctly
"Theme & Appearance" dark-mode toggle and 3-style picker saved a preference but never changed the live theme	Replaced with a real, working light/dark theme switch (<code>ThemeModeController</code>)
8 dead/duplicate screen and widget files (legacy duplicates, explicitly-deprecated files, an unrouted placeholder)	Removed after confirming no references anywhere else
Stock <code>flutter create</code> counter smoke test, unrelated to this app, was failing	Replaced with real tests covering the theme and shared button widget

Bottom navigation bar kept a dark glass tint even when light theme was active

Made theme-aware (light/dark fill and border)