Carousell Indonesia

Reverse-engineering findings and reconstruction design

Complete collaborator edition | 7 November 2026

Live public web observations, 43 shipped JavaScript bundles, official app evidence, an implementation specification and reproducible handoff.

Coverage boundary

Native binaries and authenticated transactions were not inspected. Proposed schemas, APIs and architecture are explicitly separated from recovered facts. The full raw REA export accompanies this PDF as compressed repository evidence.

Contents

Reverse-engineering findings and reconstruction design 1

Carousell Indonesia: reverse-engineering and reconstruction design 4

1. What this investigation establishes . . . 4
2. Investigation questions and coverage . . . 5
3. Product model, actors and goals . . . 5
4. Information architecture and routes . . . 6
5. Screen-by-screen experience . . . 7
6. Core workflows and state transitions . . . 12
7. Visual and responsive design specification . . . 13
8. Shipped web implementation evidence . . . 14
9. API surface: recovered candidates versus designed contracts . . . 16
10. Domain and storage model (P) . . . 17
11. Proposed architecture and operational behavior . . . 18
12. Android and iOS findings . . . 19
13. Trust, safety, privacy and policy requirements . . . 20
14. Implementation requirements and acceptance plan . . . 21
15. Residual unknown register and completion boundary . . . 23
16. Evidence index and reproducibility . . . 24

Carousell app and Indonesia behavior: source ledger 26

App identity and regional boundary . . . 26

Indonesia flows and policy . . . 27

Cross-market seller tools, not automatically Indonesia behavior . . . 28

Evidence quality and remaining questions . . . 28

Collaborator handoff and reproduction steps 29

What to use 29

Folder structure 29

Rebuild this PDF 29

Recover the full REA export 30

Reproduce the investigation 30

Build the reconstruction from the result 31

Change discipline 31

Additional screenshot evidence **32**

Static endpoint-registration inventory **36**

Carousell Indonesia: reverse-engineering and reconstruction design

Target: https://id.carousell.com/ **Research date:** 7 November 2026, Asia/Jakarta **Status:** Final report of the accessible public surface, with explicit residual unknowns **Method:** Local `reverse-engineer-anything` skill, REA runtime/static tools, direct browser observation, and official app-store/help sources

1. What this investigation establishes

Carousell Indonesia is a discovery and negotiation marketplace. The central journey is finding a listing, assessing the item and seller, starting a listing-specific conversation, agreeing on payment and delivery, making an offer, and obtaining seller acceptance. Accepted offers support mutual reviews. A conventional cart and integrated checkout are not established for Indonesia by this investigation.

The live website supports public browsing, category discovery, search, category-specific filters, product galleries, seller profiles, reviews, and a photo-first selling entry. Chat opens authentication for a guest. The observed offer panel requires sign-in. Both Android and iOS apps exist, and the Indonesian website links to their official stores. Native application screens, binaries, permissions and traffic were not inspected.

This is a reconstruction design grounded in observable behavior. It is **not a recovery of Carousell's private source, backend schema, infrastructure, or complete native application**. Sections marked **Proposed** are engineering designs for reproducing the evidenced experience; they are not claims about Carousell's implementation. Official help is marked **Documented** because it can lag production. Direct observations apply to the named session and sample, not every account, category or experiment.

Evidence labels

Label	Meaning	Appropriate use
O	Direct browser observation	Visible layout, control, URL or tested transition in this investigation
S	Static shipped-asset observation	Literal code, route, dependency marker, or conservative relationship in acquired public bundles
D	Official documentation/store declaration	Described product behavior, regional availability or store identity
I	Inference	Interpretation supported by evidence, with alternatives still possible
P	Proposed reconstruction	A deliberate implementation choice rather than a recovered fact
U	Unknown	Requires unavailable access, a device, credentials, or further evidence

Scope and operating constraints

The observed browser session was a guest on the Indonesia domain, displaying English text and a dark system theme. The web research service separately returned Indonesian page text. Country, language and theme must therefore be modeled independently. Desktop observation used a 1440 x 1000 CSS viewport; mobile observations used the initial 324 x 607 viewport and a 390 x 844 listing viewport. The temporary viewport override was reset.

No account was created, credentials entered, seller contacted, offer submitted, item published, file uploaded, app installed, or purchase made. Public reads and reversible search interactions were performed. A REA-launched isolated Chrome session encountered a Cloudflare challenge; the in-app browser loaded the actual marketplace normally. No challenge was solved or bypassed.

2. Investigation questions and coverage

Question	Result	Evidence / remaining boundary
What is the target and does an app exist?	Answered	O01; A01-A02; Android and Indonesian iOS store pages
What can a guest discover and inspect?	Answered for sampled surfaces	O01-O08; home, category, search, listing, seller, review tabs
How does filtering change state?	Answered for price	O04; applied range changes URL, result heading and cards
What are the buying and trust loops?	Partly answered	O02-O03 plus A03, A06-A07; accepted-offer execution not tested
How does selling work?	Partly answered	O07 photo entry; A04-A05; post-upload form and publishing unobserved
How do mobile and desktop differ?	Partly answered	O01, O02, O09; two mobile sizes, one desktop size, dark theme only
Which client technologies and API candidates ship?	Partly answered	S01-S04; 43 bundles, 2,149,267 bytes; semantic limits retained
Which features actually apply to Indonesia?	Documented boundary established	A01-A17; do not import other-market checkout, AI or promotion assumptions
What are native app internals?	Unresolved	No official APK/IPA or running device session available
What is the backend implementation?	Unresolved	Proposed design only; no server code, database or privileged access

3. Product model, actors and goals

O/D: A person can browse as a guest and use one account as both buyer and seller. Public inventory includes ordinary goods, fashion, electronics, collectibles, services, jobs, property and vehicles. A hard-coded universal goods form would not reproduce this breadth.

Actor	Goal	Important product support
Guest	Assess supply and trust before joining	Public cards, search, detail, seller reputation; contextual sign-in
Buyer	Find a suitable item and agree a deal	Filters, likes, saved searches, chat, offers, reviews
Casual seller	Turn an item into an effective listing	Photos first, category-specific fields, delivery preferences, buyer conversations
Professional seller	Gain exposure and manage supply	Indonesia CarouBiz service; other seller tools require market verification
Moderator/support operator	Handle scams, prohibited material and disputes	Reports, reason/details collection, evidence access and support escalation; internal UI unknown

I: The marketplace's conversion object is a qualified conversation and accepted offer, rather than a cart. Seller trust is part of item evaluation, not a separate destination. The homepage also combines editorial promotion, price reductions, recommendations, and SEO discovery.

4. Information architecture and routes

4.1 Observed route families

Surface	Observed URL pattern	Notes
Home	`/`	Promotional banners, illustrated category rail, reduced-price rail, recommended feed
Category	`/categories/mobile-phones-338/`	Numeric category identity with readable slug; subcategory navigation
Nested category	`/categories/health-and-beauty-11/hair-care-307/`	Appeared in listing breadcrumb
Global search	`/search/iphone%2013`	Actual typed-search destination
Search within category	`/categories/mobile-phones-338/?search=...`	Search from category preserved category scope
SEO query landing	`/iphone-12/q/` and other `/<query>/q/` links	Linked from footer and item interlinks; not all followed
Listing	`/p/<readable-slug>-1469607528/`	Numeric listing identity; navigation adds attribution query fields
Seller	`/u/realand/`	Listings and Reviews tabs
Seller review deep link	`/u/realand/?tab=reviews`	Linked from item detail
Sell	`/sell?source=nav_bar`	Public photo-selection entry
Login / register	`/login/`, `/signup/`	Also accessible as a contextual login dialog
Recovery	`/forgot-password`	Link observed, recovery flow not exercised
Price-drop collection	`/see-all/?endpoint=...`	Encoded endpoint parameter observed; not treated as an API contract
Business campaign	`/caroubiz-indonesia-2025/l/`	Homepage banner destination; year in slug does not prove policy date

O: Attribution parameters include `t-source`, `t-id`, `t-referrer_page_type`, `t-referrer_browse_type`, `t-referrer_request_id`, search query/source, sort and tap index. These are navigation metadata. Their presence does not establish a particular analytics event delivery or backend attribution pipeline.

P: Separate canonical navigation state from attribution. Canonical item links should remain usable without tracking values. Use explicit country/language configuration, preserve search filters during navigation, and keep query parsing tolerant of unknown attribution parameters.

4.2 Category taxonomy

O: The category drawer has a search field, category links and separate expansion controls. Top-level inventory in this session: Following; Toys & Collectibles; Women's Fashion; Men's Fashion; Health & Beauty; Electronics; Mobile Phones & Tablets; Books & Stationery; Babies & Kids; Olshop Fashion; Luxury; Photography; Video Gaming; Food & Drinks; Design & Craft; Sports; Music & Media; Motorbikes; Cars; Auto Accessories; Property; Services; Jobs; Home & Furniture; Gardening; Kitchen & Appliances; Pet Supplies; Tickets & Vouchers; Community; Looking For; Everything Else.

Some readable slugs are historical. Community links to `toys-and-board-games-26`, while Toys & Collectibles uses ID 1188. **P:** Use category IDs as identity and labels as localized presentation. Never derive category semantics solely from the slug. Following is a personalized discovery entry, not necessarily a sellable leaf category.

The sampled mobile-phone category exposes iPhone, Android Phones, Tablets, Mobile & Tablet Accessories, and Others. The typed iPhone search additionally exposes Model, Storage and Color. **I:** Filter presentation depends on the active query/category interpretation; the precise category-inference algorithm is unknown.

5. Screen-by-screen experience

5.1 Shared shell

O: Desktop has a logo, five broad shortcuts, All Categories, Register, Login and a red Sell action. The second row combines item search, Indonesia location field, distance selector and a green search button. The shortcut labeled Electronics links to Mobile Phones & Tablets, rather than the broader Electronics category.

On narrow screens, the shell collapses to the compact logo, category icon, register/login links and a full-width search field. The homepage shows a floating Sell action. Long category and item rails remain horizontal collections within a vertically scrolling page.


Footer content includes category/SEO links, support/contact, corporate resources, legal links, country links, six language options, and Light/Dark/System theme options. Only System was selected in the observed session; theme switching and persistence were not tested.

5.2 Homepage

O: The hierarchy is two promotional banner destinations (Indonesia CarouBiz and Maujual), Explore Carousell, Slashed Prices, Recommended For you, an app-download section with store links and QR code, then search and footer links. Category illustrations provide stronger visual identity than generic icons. Inventory photographs dominate the lower page.

Cards expose seller/avatar and relative posting time, item image, title, price, condition or category attribute, and a heart action. The price-drop rail shows an earlier struck price. Some seller-entered prices look abbreviated, such as a current Rp 400 next to an earlier Rp 400,000. These are observed data values, not proof of a currency formatter bug. A reconstruction must not silently reinterpret seller prices.

O: A View more control is present on recommendations. Its loading behavior was not exercised. **P:** Reserve space for images and delayed recommendations, retain scroll position when returning from details, and keep item and seller links as separate targets.



Observed desktop homepage

5.3 Category and search results

O: Results have breadcrumbs, category/sort/filter controls, a result heading, Save this search, product cards, and advertisements. The sampled broad phone category shows Model, Storage, Condition, Price, Deal Option and More filters. The iPhone query also shows Color. Count headings are bucketed, such as 10,000+ and 1,000+; they are not exact inventory counts.


Sort choices observed: Best Match, Recent, Price - High to Low, Price - Low to High, Nearby. The menu was opened, but alternate sort choices were not applied. Official conceptual Best Match factors include relevance, recency, popularity and quality; weights and ranking model are undisclosed. Official ranking explanation.

The Price popover has numeric Minimum/Maximum inputs with rupiah prefixes, Apply and Clear. Applying 3,000,000 to 6,000,000 produced a range label, one active filter, Clear all, updated result cards, and these URL fields:

```
price_start=3000000
price_end=6000000
sort_by=1
```

The displayed sort remained Best Match. This establishes `sort_by=1` for this tested transition, not a complete enum mapping. No claim is made about untested minimum-greater-than-maximum or malformed URL validation.

O: Searching an intentionally unmatched token from the phone category retained category scope and produced an explicit no-match message, suggestions to check spelling/use general keywords, and a link to browse more in the same category. This differs from a failed network request or loading state.



Observed search results

5.4 Listing detail


O: Sample: listing 1469607528, a Panasonic hair styler, seller `realand`. The visible page contains a labeled advertisement area, category breadcrumb, multi-image carousel, Like and overflow actions, title, current/previous price, condition help, transaction method, locality, posted age, category-specific Type, expandable description, delivery notes, seller panel, review preview and related query links.

The desktop gallery spans the content width and shows multiple images. Below it, item information occupies the main left column, with a seller/contact card on the right. The selected listing had five images; this does not imply every gallery has five. User descriptions are content supplied by sellers, not verified specifications or Carousell guarantees.


The seller information shows username, joined age, responsiveness, a Verified label, aggregate rating and review count. **U:** The Verified label's specific basis was not established. It must not be equated with Indonesian phone verification or a government identity check.

The guest panel includes Chat, Sign in to make offer, a numeric offer amount initially matching the listing price, and disabled Make Offer. Clicking Chat opens the login dialog while retaining the listing URL. No message was sent.

O: At 390 x 844, the gallery and item information stack vertically. A visible Chat action sits near the lower viewport edge in the captured state; another desktop instance is hidden. The offer-related content remains in the document. This observation does not establish all scroll/sticky conditions or every mobile gallery gesture.



Observed desktop listing




Observed mobile listing

5.5 Authentication boundary

O: The contextual login dialog presents a QR login prompt, Google, Facebook, email/username/mobile entry option, and account creation link. Selecting the email option exposes Username or email, Password, Forgot password, a password-related icon button, disabled Log in while empty, and Other Log in options. The field label after choosing this option is narrower than the preceding button's label; preserve the observed distinction when documenting it.

A reCAPTCHA frame displayed a free-quota notice in this session. This is an observation of a third-party state, not a demonstrated authentication outage. No authentication submission was attempted.

P: Authentication should return to the user's intended action and listing. Handle provider cancellation, expired QR codes, invalid credentials, throttling, recovery, server errors and expired sessions. These are required reconstruction states, not states verified here. Never put passwords, provider tokens or QR secrets in client analytics or shareable URLs.



Observed login choices

5.6 Seller profile and reviews

O: Profile `/u/realand/` shows avatar, handle, Profile details, rating/count, joined duration, Follow, share and overflow controls. Listings and Reviews are separate tab links. The listing tab includes seller-inventory search, Filters, cards, sold overlays and View more. Sold items remain discoverable in this profile sample.

The review tab exposes Sort by / Newest and All / From Buyers / From Sellers. Reviews on the item page include reviewer identity, relative age, stars, text and sometimes the transacted item's title/price. Actual review submission, sort application and follow behavior were not tested.

P: Do not allow arbitrary public review creation. Link eligibility to the accepted-offer relationship, distinguish buyer/seller roles, and calculate aggregates from published eligible reviews. Handle no reviews, suspended users, deleted listings, hidden personal details and inaccessible profiles explicitly.

5.7 Selling entry


O: Visiting Sell as a guest opens a photo-selection surface, rather than immediately opening login. It offers Select photos or drag photos here, with a maximum of 10 photos explicitly stated on the web. This corroborates the app's documented limit; the web limit is independently observed.

D: Official selling instructions describe camera/gallery on app, photos plus listing form, mandatory-field prompts, and publishing. Indonesia selling instructions.

U: Actual upload MIME/size rules, image ordering controls, draft persistence, category prediction, form schema, login timing, moderation review and publication response remain unobserved. No test image was uploaded. Do not infer the full form from the first screen.

6. Core workflows and state transitions

6.1 Discovery to negotiation



Flow rendered from the Markdown diagram. Evidence labels and proposal boundaries follow the surrounding text.

The solid diagram transitions after Conversation summarize official documented behavior, not executed transactions. Indonesia buying guide, listing-specific chat.

D: Payment and delivery are mutually agreed. The local buying guide describes cash on delivery or bank transfer with parcel shipping. Seller acceptance of an offer enables reviews. An accepted offer is therefore an in-product agreement milestone; it is not evidence of settled funds, parcel receipt, refund rights or platform escrow.

6.2 Offer state design (P)

Use `proposed -> accepted / declined / withdrawn / expired` for a reconstruction, with terminal-state guards and an explicit superseding offer relationship if negotiation changes the amount. Only proposed and accepted concepts are documented here; declined, withdrawn and expired are proposed engineering states requiring product decisions.

The server must authenticate the actor, verify buyer/seller roles, reject self-offers, validate the listing's availability and currency, enforce positive amount rules, and perform atomic state transitions. An offer amount is separate from the listing asking price. A concurrent price change or second buyer must not produce contradictory acceptance states. Whether production reserves a listing on acceptance is unknown.

6.3 Listing lifecycle (P with observed sold state)

Recommended model: local/server draft -> uploading -> valid draft -> submitted -> active -> reserved/sold/archived; moderation can move a submission to pending/rejected/removed. **O:** Sold overlays exist. **U:** Production reserved/draft/moderation enums and transitions were not recovered. Keep these proposed states configurable rather than documenting them as a recovered API.

6.4 Reviews (D)

Official local instructions provide a 30-day submission window after accepted offers. Reviews remain hidden until both participants submit or 14 days pass; prepublication edits are allowed and one follow-up edit is described after publication. Review criteria differ by buyer/seller role. Implement timers against authoritative timestamps, with publication idempotence and role-aware eligibility. The exact timing anchor and enforcement should be verified against current authenticated behavior before shipping strict parity. Official review rules.

6.5 Retention and saved discovery (D)

Likes use the heart control and a My Likes destination. Saved-search documentation describes storing query plus filters, a limit of three, and no more than one daily matching-listing push. Web exposes Save this search, but its authenticated limit and notification behavior were not tested. Likes, saved searches.

7. Visual and responsive design specification

7.1 Measured observations

The reference visual language is inventory-led and compact: system typography, photo-heavy cards, illustrated categories, restrained borders, a red selling/contact action and green search/discovery accents. This describes the observed product; it is not a newly invented brand system.

Element	Observed measurement	Boundary
Font stack	`-apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, "Droid Sans", "Helvetica Neue", sans-serif`	Computed CSS in observed browser
Main desktop left alignment	64 CSS px at 1440 viewport	Sampled home/category shell; not universal fixed margin
Navigation row	Approximately 48 CSS px high	Sampled category shell
Home section headings	24 px, weight 600	Explore, Slashed Prices, Recommendations
App-download heading	38 px, weight 600	Homepage desktop sample
Common control text	14-16 px	Sampled navigation/search controls
Body dark canvas	`rgb(0,0,0)`	Current System theme rendering only
Body secondary text	`rgb(197,197,198)`	Computed body color
Primary text sample	`rgb(240,241,241)`	Sampled headings/controls
Input background	`rgb(65,66,68)`	Sampled search input
Red action	`rgb(204,30,43)`	Sell button
Green action	`rgb(0,168,142)`	Search button
Green link sample	`rgb(0,191,162)`	Sampled category controls
Active green chip	text `rgb(0,239,202)`, surface `rgb(0,57,48)`	Sampled category selection
Button radius	4 px for Sell/Search	Other components vary
Filter radius	20 px in sampled chips	Do not apply to all components

Exact sampled rectangles, colors, typography and media queries are retained in `style-observations.json`. Inline CSS contains media boundaries around 374, 410, 510, 576, 768, 846 and 1024 px, among others. These are static CSS observations, not a verified global breakpoint system. Only the stated viewport sizes were inspected.

7.2 Reconstruction layout rules (P)

Use a centered desktop content region that aligns shell, breadcrumbs, rails and grids. Preserve the wide gallery above the desktop two-column detail layout. Reflow item detail into a single column on mobile and reserve bottom space for persistent contact actions. Keep product images bounded with a consistent aspect policy while allowing gallery contain behavior where cropping would hide item condition.

Maintain separate card zones for seller/time, photograph, title, price, condition/attribute and heart. Do not render entire cards as buttons containing additional interactive links. Truncate long titles only in feed cards; allow detail titles to wrap. Keep old

price visually subordinate and semantically struck through.

Treat horizontal rails as intentionally scrollable regions, not page-wide overflow. The measured 390 px listing had document scroll width 388 px in that snapshot; this is a bounded successful check, not an accessibility certification. The initial 324 px homepage screenshot includes a horizontal scrollbar; its exact cause was not isolated. Verify that narrow layout separately before reproducing it.

Implement light and dark from semantic tokens, with System tracking OS preference. **U:** Exact light-theme colors, keyboard theme operation, preference storage and cross-session persistence remain unverified.

7.3 Accessibility requirements (P, with observed foundations)

The live surface provides a skip link, landmarks, heading levels, named search inputs, named image buttons, descriptive item images and disabled offer/login controls. Some carousel and icon buttons appear unnamed in snapshots. This suggests specific audit targets; it does not prove all screen-reader experiences fail.

Reconstruction acceptance requires visible keyboard focus, logical dialog focus trapping/restoration, Escape dismissal, touch targets of at least 44 px where practical, accessible names for every icon control, numeric field labels, live feedback for search/filter changes, and non-color status cues. Use reduced-motion support, maintain contrast in both themes, and avoid verbose repeated seller descriptions on every thumbnail. No full keyboard, contrast or assistive-technology audit was performed on production.

8. Shipped web implementation evidence

8.1 Artifact identity and acquisition

S: The captured homepage DOM references hashed JavaScript files on `mweb-cdn.karousell.com/build/`. Forty-three such bundles were downloaded from those exact public URLs. Their combined size is **2,149,267 uncompressed file bytes**. This is not measured transfer size, a complete site size or a performance metric. `asset-manifest.json` retains URL, filename, byte count and SHA-256 per file.

REA root identity for the 43-file directory:

```
0d32f6d8ab4ab8ed4160fb33630991a3c3727213769e6231d7c2604141e89d9c
```

REA parsed all 43 files without parse failures and visited 624,594 AST nodes. The broad application graph is partial: vendor bundle `2044418de8de1ae7.min.js` exhausted its semantic worker heap, and graph node ceilings limited relationship recovery. There were 82,028 retained semantic unknowns, not 82,028 confirmed product defects. These are analyzer-resolution records. The report does not claim complete decompilation.

8.2 Client stack

Finding	Evidence	Interpretation boundary
React-related runtime	`hydrateRoot`, `createRoot`, React devtools hook and version strings `19.3.1` in vendor bytes	Strong shipped React evidence; version is a bundle string, not a queried installed runtime
Redux family	Redux error text, react-redux context marker, Redux Toolkit and redux-saga strings	Libraries/code ship; not every route's state flow is recovered
Chunk loading	`__LOADABLE_REQUIRED_CHUNKS__`, `__LOADABLE_LOADED_CHUNKS__` and hashed assets	Supports a split-bundle client; exact build pipeline not fully reconstructed
Search state actions	`searchListingRequest`, `searchListingFilterRequest` in `0dac448f4366e202.min.js`	Static candidate feature boundary
API registration layer	`registerEndpoint`, method/path and `protoServiceMethodDefinition` records	Typed/service binding candidates; not proof of gRPC wire transport
Structured search metadata	`application/ld+json` in captured DOM	SEO-oriented structured data present; server-side rendering not proved by post-render DOM
Source map annotations	All 43 bundles contain source-map URL annotations	Map availability/accessibility not tested; originals not recovered
Error instrumentation	Sentry markers in vendor bundle	Shipped integration candidate; error upload not observed

React hydration support is present in bytes, but the saved HTML is a **post-render DOM**. It cannot establish which content arrived in the first HTTP response. Do not state that SSR or a particular framework such as Next.js is proven. No backend language, search engine, database vendor, hosting region or microservice deployment topology was recovered.

8.3 Observed integrations and asset domains

O: Script elements in the loaded homepage reference Google Analytics/Tag Manager, Facebook events, CleverTap, Google identity, Google advertising, Tercept and Index-related advertising resources. Item images use `media.karousell.com`; web bundles use `mweb-cdn.karousell.com`. Advertisements are labeled and isolated in frames in sampled search/detail pages.

These observations establish loaded DOM references and rendered ad surfaces. They do not establish the contents of transmitted events, consent enforcement, all third-party execution, native SDK usage, or successful attribution. Avoid copying production analytics identifiers into a reconstruction.

The REA-launched browser's 307/403 responses and Cloudflare challenge activity belong to that blocked attempt. They are not marketplace API traces and cannot substantiate listing/search data contracts.

8.4 Search feature reconstruction from code (S/I)

The search-related bundle contains a state slice named `SearchListing` with `pending`, `error`, `listingCards`, `numberOfResults`, `numberOfResultsFormatted`, `pageNumber`, `pageResponseCounts`, `requestID`, `searchCache`, `appliedContext`, `filterBubbles` and `shouldLoadMore`. Pending/error reducers and a cache update that appends new results are literal code observations. This is stronger evidence than inferring a search architecture from the page layout alone.

The generator-based flow reads contextual state, prepares filters and location, checks named feature flags, creates a request ID, consults a search cache, calls an imported API helper, stores the returned data, updates filter-field definitions, extracts listing cards, then updates navigation/tracking context. This is a conservative reading of minified code, not an execution trace. The exact imported helper implementation and every branch were not resolved.

The request construction includes `bestMatchEnabled`, `canChangeKeyword`, `ccid`, `count`, `countryCode`, `countryId`, `defaultSortBy`, `filters`, `includeListingDescription`, `includeSuggestions`, `locale`, `prefill`, `query`, `session` and `sortParam`, plus an `x-request-id` header. Optional nearby sorting constructs latitude/longitude and a distance range. These are static helper arguments; they are not verified HTTP wire bytes.

Response handling reads `appliedContext`, `filterBubbles`, `formattedTotal`, `results`, `searchApiParam`, `session`, `sfContext`, `total`, `hasMore`, and flags for keyword-correction/category-clearing prompts. It can replace filter definitions from

returned metadata and uses `hasMore` when boolean, otherwise a card-count comparison, to derive continuation. This supports a data-driven filter/result model and explains why query interpretation can change controls. It does not reveal the ranking weights, backend query language, or exact pagination contract.

Named flags include experiments around Best Match, misspelling handling, search presentation and Buyer Protection. Their presence establishes branch candidates; observed Indonesian feature availability must still follow regional evidence. `search-code-observations.json` retains bounded source contexts, and the original bundle retains the complete function bytes.

9. API surface: recovered candidates versus designed contracts

9.1 Literal candidates (S)

`endpoint-candidates.json` contains **326 matched endpoint-registration occurrences**, not necessarily 326 unique deployed or reachable APIs. Extraction is a reproducible syntactic search and can miss dynamic registrations. No candidate endpoint was probed merely because its path appeared in code.

Candidate	Source	What is established
`/cf/4.0/search/`	`0dac448f4366e202.min.js`, offset 15388 in search candidate ledger	Literal search-related path; method/body/live use unknown
`/search/3.4/products/following/`	Same bundle	Following-feed candidate
`/chat/1.0/header`	`cc4919ae5cd0f2a7.min.js`, registration offset 402416	GET method expression, typed handler name `GetChatHeader10`
`/chat/1.0/:offerId/translate`	Same, offset 402550	POST method expression; cross-market availability unknown
`/sell/1.0/userfeature`	Same, offset 399398	GET method expression, `GetUserFeature` binding
`/user/1.0/check-phishing-warning`	Same, offset 398630	POST method expression, `PhishingWarningChecker` binding
`/chat-moderation/1.0/moderate`	Same, offset 401624	POST method expression; enforcement not tested
`/service/api/2.0/product-flagging/reasons/`	`bc306d4ab4d56ff8.min.js`, candidate context	GET request candidate for reporting reasons
`/service/api/2.1/report-flow/collections`	Same	GET request candidate for report-flow metadata

Offsets are zero-based JavaScript string offsets in the saved UTF-8-decoded text used by `inspect-assets.cjs`, not claimed raw byte offsets. The files are minified; context records allow verification. The search-path offset in `static-candidates.json` refers to the path token; registration offsets refer to `registerEndpoint`.

The shared registration bundle also contains certified search, identity verification, gen-AI, payment, dispute and delivery-related code. **Presence in a shared bundle does not demonstrate Indonesian eligibility.** Local help explicitly excludes some of these capabilities.

9.2 Reconstruction API design (P)

Use an explicit versioned API with authenticated mutations and structured errors. The following names are proposed; they are not recovered Carousell endpoints.

Proposed operation	Important input	Required output / behavior
`GET /v1/categories`	market, language	Tree, leaf schema IDs, filter configuration
`GET /v1/search`	query, category, location, range, sort, cursor	Cards, count bucket, facets, next cursor, request ID

Proposed operation	Important input	Required output / behavior
`GET /v1/listings/{id}`	viewer/market context	Listing, gallery, attributes, seller summary, allowed actions
`POST /v1/media/uploads`	MIME, size, draft ID	Scoped upload authorization and media ID
`POST /v1/listings`	draft, media IDs, attributes	Created listing or field-level validation errors
`PUT /v1/likes/{listingId}`	desired boolean, idempotency key	Authoritative like state/count
`POST /v1/conversations`	listing ID, buyer identity from session	Authorized conversation ID
`POST /v1/conversations/{id}/messages`	client message ID, text/media	Durable message ID/status; deduplicate retries
`POST /v1/offers`	conversation, amount, currency	Offer/version and permitted transitions
`POST /v1/offers/{id}/accept`	expected version	Atomic acceptance and review eligibility
`POST /v1/reviews`	eligible trade, role, ratings/text	Hidden/published state and policy deadlines
`POST /v1/reports`	subject, reason, details	Report reference without exposing moderation internals

Use a consistent error envelope: stable code, user-facing localized message, field errors, retryability and request ID. Return forbidden action reasons where safe. Never let disabling a UI button substitute for server authorization. Search pagination must be stable under inventory changes; choose cursor semantics explicitly rather than assuming production's implementation.

10. Domain and storage model (P)

This is an implementation-ready conceptual model, not the production database schema.


Entity	Key fields / relationships	Invariants
User	ID, handle, display name, avatar, market, joined time, status	Unique normalized handle; public and private fields separated
Public reputation	User ID, published rating aggregates, responsiveness, verification labels	Labels describe their specific basis; recomputable aggregates
Category	ID, parent, localized labels, slug, attribute schema, filters	Stable ID despite renamed slug; distinguish non-sellable feeds
Listing	ID, seller, category, title, description, asking amount/currency, condition, locality, deal options, status	Seller owns mutation; public text sanitized; availability authoritative
Listing attribute	Listing, schema key, typed value	Validate against category schema rather than free-form universal columns
Media	ID, owner, draft/listing, order, dimensions, derivative references, processing state	Ownership checked at attachment; failed processing visible
Price history	Listing, prior/current amount, changed time	Do not fabricate original price or discount
Like	User, listing, created time	Unique pair and idempotent mutation
Follow	Follower, seller	Unique pair; no self-follow if that is the selected product rule
Saved search	Owner, canonical query/filter snapshot, market, notification settings	Market-specific cap; avoid duplicate notifications
Conversation	ID, listing, buyer, seller, created/last-message time	Listing-scoped access; enforce participant authorization

Entity	Key fields / relationships	Invariants
Message	Conversation, sender, client ID, body/media, sent/read timestamps, retention state	Durable ID and retry deduplication; deletion policy explicit
Offer	Conversation, buyer, seller, amount, currency, status, version, timestamps	Atomic transition; immutable historical amount
Review	Trade/offer, author/subject/role, component ratings, text, publication deadlines	One eligible role review; hidden until policy permits publication
Report / Block	Reporter, subject, reason/details; blocker/blocked pair	Restricted visibility; clear narrow blocking semantics
Business inquiry	Market, username, selected listings, package reference, external checkout state	Indonesia service separated from other-market entitlements

Store money with an exact representation and currency. Do not rely on floating-point arithmetic or derive amounts by parsing rendered `Rp` strings. Preserve seller-entered values faithfully while validating input. Use server timestamps for offer/review deadlines, UTC internally and localized relative display. The exact production precision and minor-unit convention remain unknown.

Suggested indexes: listing market/category/status/recency; search-document identity; seller inventory; unique likes/follows; conversation participants and last activity; message conversation/time; offer conversation/status; review subject/publication state; saved-search owner. A relational store plus search index and object storage is a reasonable reconstruction, but no vendor choice is established by the evidence.

11. Proposed architecture and operational behavior



Flow rendered from the Markdown diagram. Evidence labels and proposal boundaries follow the surrounding text.

Every box is a **proposed logical responsibility**, not evidence of an independently deployed service. A modular monolith can implement these boundaries for a first release.

Use transactions for offer acceptance, review eligibility and ownership changes. Use an outbox or equivalent durable event mechanism for search indexing and notifications. Treat search lag as an explicit condition: a result can become sold/removed before detail opens. Refresh authoritative availability on detail and mutation.

For chat, choose WebSocket or a managed transport after requirements are set; production transport was not observed. Support reconnect, deduplication, ordering, pending/failed messages and read markers without equating delivery to transaction completion. Apply notification preferences and blocking policy before fan-out.

Handle image upload as a separate stateful pipeline with bounded count/size, MIME validation, safe decoding, ownership checks, derivative generation and retry. Avoid orphan media and exposing unapproved drafts. Image-byte limits and format support are proposed configuration until measured.

Do not claim production latency, throughput, availability, caching strategy, recommendation quality, or infrastructure capacity. No benchmark or load test was performed. Measure your implementation before setting or claiming performance targets.

12. Android and iOS findings

12.1 Identity and existence (D)

Platform	Official identity	Declared availability / metadata
Android	`com.thecarousell.Carousell`, Carousell / CAROUSELL PTE. LTD.	Public Google Play listing includes Indonesia, ads and in-app purchases
iOS	App Store ID `548607187`, Carousell Pte. Ltd.	Indonesian storefront; snapshot version 2.483.0, iOS 13.1+, Indonesian among supported languages

Google Play, Indonesian App Store. Store metadata can change and cached relative release ages are not reliable absolute release dates. No installed build was fingerprinted.

The website's shipped app-download component independently embeds both store destinations. This corroborates that these are the product's intended app links, not merely similarly named third-party apps.

12.2 Native behavior supported by official help (D)

Official local help describes iOS + / Android Sell entry, camera/gallery selection, up to 10 photos, listing form and publishing. It documents listing-specific chats, offers, reviews, hearts and saved-search push notifications. These provide functional requirements for native parity. They do not establish current bottom-tab labels, exact screen composition, permission prompts, gestures or platform frameworks.

12.3 Indonesia feature boundary

Capability	Indonesia conclusion	Reconstruction decision
Discovery, listing, chat, offers and reviews	Supported by local help and sampled web	Core parity scope
Integrated Buyer Protection	Store description limits to Singapore/Malaysia/Hong Kong	Do not add as observed Indonesia functionality
Official Delivery	Store description limits to Singapore/Hong Kong/Malaysia	Keep Indonesian negotiated delivery separate
Certified programs	Store description has other-market limits	Unknown/not established for Indonesia
Photo AI listing tools	Store description lists Singapore/Malaysia/Hong Kong/Philippines	Do not infer Indonesia entitlement from shared JS
Video AI, auctions, Live	Store marketing/release notes contain narrower regional launches	Do not infer Indonesia parity
Phone verification	Indonesian help explicitly says unavailable	Do not require Indonesian phone OTP as recovered behavior
Indonesia CarouBiz	Local article describes an external advertising-team package service	Separate service journey from general self-serve regional dashboards
Coins/Bump/IAP entries	Rupiah store catalog entries exist	Catalog presence does not establish active entitlement or package terms
Spotlight	General help has other-market thresholds; Indonesian entitlement unverified	Keep behind verified market capability

Phone verification, Indonesia CarouBiz. The local CarouBiz description covers choosing a package, providing account/products, external checkout and team follow-up within 48 hours, with a weekend response caveat. No package was purchased; current prices and checkout provider remain unknown.

12.4 Native internals still unknown

No APK/IPA was supplied or acquired. There is no evidence here for Kotlin/Java/Swift/Flutter/React Native implementation, manifest permissions, SDK list, signing certificate, certificate pinning, local databases, offline cache, deep-link association files, push provider, binary protections or native API transport. The web's React code cannot establish the mobile app's framework.

To complete native reverse engineering: obtain an official build on an authorized device; record package/build/OS/market identity; use guest then dedicated buyer/seller accounts; exercise drafts, accepted offers, reviews, likes and saved searches; capture permitted traffic and storage metadata; inspect a legitimately acquired APK using REA Android tools. iOS binary inspection requires a legitimately available compatible artifact. Keep static declarations distinct from permissions actually granted and features actually executed.

13. Trust, safety, privacy and policy requirements

D: Indonesian fraud help advises keeping conversation on-platform, reporting phishing through profile controls and preserving transaction context. It does not promise recovery of transferred money. Local selling guidance mentioning third-party escrow does not establish Carousell escrow. Indonesia fraud guidance.

Blocking documentation describes suppression of chats/notifications and says the blocked person is not notified. It does not establish hiding all listings or preventing every discovery/contact path. Preserve this narrow distinction. Blocking rules.

The chat-retention announcement effective 23 April 2025 describes one-year retention with annual deletion batches, including an initial historical cutoff. Do not rewrite it as a proven exact rolling 365-day TTL. Chat retention policy.

P: Required controls include authenticated object-level authorization, private-message isolation, output escaping, image validation, rate limits, report intake, participant-only offer transitions, server-enforced review policy, and restricted moderation access. Keep contact/payment details out of public search documents. Apply retention to replicas, exports and attachments according to an explicit policy, with clear user notices.

These are reconstruction requirements, not validated vulnerabilities or a security audit of Carousell. Bundle strings for moderation and phishing suggest relevant client integrations but do not prove enforcement quality. No penetration testing, credential probing, private endpoint enumeration, rate-limit testing or access-control bypass was performed.

14. Implementation requirements and acceptance plan

14.1 Required functional slice

ID	Requirement	Acceptance evidence for a reconstruction
FR01	Independent market, language and theme	Indonesia inventory can display Bahasa Indonesia or English without changing market
FR02	Stable category IDs and schema-driven attributes	Phone filters differ from clothing; renamed slugs preserve identity
FR03	Public discovery	Home, category, search, detail and seller routes work without authentication
FR04	URL-backed search state	Applying/clearing a price range updates controls, URL and results; reload/back restores state
FR05	Clear no-results state	Unmatched query yields helpful recovery without implying server failure
FR06	Reusable card and gallery	Separate seller/item targets, accurate prices/condition, accessible heart and images
FR07	Contextual authentication	Chat from guest opens login; cancel restores listing context; successful login resumes intent
FR08	Photo-first selling	Entry permits selection up to 10 images; no silent upload/publish; required fields explained
FR09	Listing-scoped conversation	Buyer and seller see the same authorized thread; other users cannot access it
FR10	Offer agreement	Valid participant can propose/accept once; retries cannot duplicate trades
FR11	Review eligibility and timing	Ineligible review rejected; publication/edit rules enforced server-side
FR12	Public trust	Rating/count/role shown from published reviews; sold inventory state visible
FR13	Saved discovery	Likes are idempotent; saved-search limits and push scheduling use market policy
FR14	Reports and blocking	Reason/details submitted; blocking follows documented narrow semantics
FR15	Regional capabilities	Other-market checkout/AI features remain absent unless independently verified
FR16	Responsive contact	Desktop contact card and mobile contact action remain reachable without covering content

14.2 State and failure matrix (P)

Area	States to implement/test	Production evidence status
Search	loading, results, empty, stale results, timeout, pagination end	Results/empty observed; other states untested
Filters	draft, applied, clear, invalid range, unavailable facet	Price application observed; invalid cases untested
Auth	choices, email fields, disabled empty submit, error, cancellation, expiration	Choices/fields/disabled state observed; no credential submission
Gallery/media	placeholder, loaded, unavailable image, upload progress/failure/count limit	Loaded gallery/count statement observed; upload untested
Listing	active, sold, removed, owner view, changed price, unavailable	Active/sold cards observed; others unknown
Chat	guest gate, pending, sent, failed/retry, unread, blocked, retained/deleted	Guest gate observed; policy documented; delivery untested
Offer	no offer, proposed, accepted, stale version, invalid actor/amount	Guest controls observed; acceptance documented
Review	ineligible, eligible, hidden, published, edit limit, deadline	Display observed; policy documented; mutations untested
Profile	inventory, sold items, reviews, empty, restricted/deactivated	Inventory/review navigation observed; restricted states unknown

14.3 Suggested delivery sequence (P)

1. Build the market-aware shell, category tree, cards, search URL state, detail and profiles against controlled seed data. Reproduce the observed hierarchy and responsive behavior before adding unrelated features.

2. Add identity, photo drafts and publication, secure listing-scoped conversations, and accepted-offer/review eligibility. Use dedicated test users and deterministic policy clocks.

3. Add likes, saved-search notifications, reports, blocking, moderation tools and retention jobs. Verify regional rules and recoverability.

4. Verify light/dark, keyboard, narrow-width overflow, localization, retry/concurrency and search indexing behavior. Introduce native parity only after device-level evidence is collected.

This sequence is not a schedule estimate. No engineering effort, traffic or commercial conversion numbers were invented.

14.4 Validation actually performed

Production observation verified page loading in the in-app browser; homepage/category/search/listing/profile navigation; opening login from Chat; exposing email login fields; opening sort and price controls; applying a numeric price range; unmatched category search; guest selling entry; category drawer; and mobile detail reflow. Screenshots, DOM snapshots and CSS samples were retained.

Static validation recorded source digests, parsed public bundles with REA, inspected retained module identities, and extracted literal endpoint/dependency candidates with a reproducible local script. No reconstructed application was built, no production mutation test was performed, and no performance/accessibility/security certification is claimed.

15. Residual unknown register and completion boundary

ID	Unresolved question	Why it matters	Evidence needed
U01	Native screens, binary identity and implementation	Prevents claiming complete app reverse engineering	Official device/build and legitimately acquired package
U02	Current authenticated offer/review behavior	Policy may differ from docs; race/error behavior unknown	Dedicated buyer/seller replay with agreed test listings
U03	Post-photo selling form, upload rules and publication gate	Core seller validation/schema not fully observed	Authorized draft/upload session and resulting metadata
U04	Live search/chat/listing request/response schemas	Static routes do not establish wire contracts	Permitted runtime capture on actual marketplace pages
U05	Complete semantic graph	Vendor heap and node ceilings leave dynamic links unresolved	Focused analysis with changed bounds on selected files/functions
U06	Source map availability and original module names	Annotations alone do not recover source	Explicit retrieval of published maps where accessible
U07	Light-theme tokens and persistence	Dark sample cannot define both themes	Theme-specific observation and reload checks
U08	Full keyboard/assistive technology and 324 px overflow cause	Pixel fidelity alone does not ensure usable parity	Focused keyboard, screen-reader and responsive audit
U09	Indonesia promotion/package entitlements	Shared JS and IAP catalogs mix markets	Current authenticated Indonesian seller entitlement screens
U10	Backend deployment, persistence, search/ranking internals	Logical architecture must not be mistaken for private implementation	Authorized server/source/operational evidence
U11	Verification badge semantics	Avoid false identity/security claims	Current badge explanation and qualifying user state
U12	Notifications, offline behavior and chat retention execution	Policies do not prove delivery/storage mechanics	Device/reconnect tests and authorized retention evidence

REA retained unknown `unk_e89d0f5f8e90f3f87d66bca697a843eb28c92e5fdae1c12e75cb013a6d8e2851` tracks the authenticated/native gap with recommended browser and Android probes. It remains open. This report completes the accessible public-web investigation and reconstruction specification; it does not claim the unresolved questions have been answered.

16. Evidence index and reproducibility

16.1 REA evidence

Ref	Evidence ID	Meaning
R01	`ev_077cd6e706e9c1a93bb2bd63c3eb0e5afd625aa496e15893eefe5d7af78de1ec`	Controlled isolated Chrome homepage attempt; Cloudflare challenge, incomplete network window
R02	`ev_ff492bfd97d55f507ce4b3b875a0c636879e8dd5ec50d198db9a40c2250710dd`	Initial one-bundle static analysis; narrower earlier artifact identity
R03 / S01	`ev_326e53657f543b8c27f0a6e4d149d4389f5805525fee21c5abcbb58ea9c963ee`	Full acquired 43-bundle static parent; partial graph with stated limits
R04	`ev_f276a213dacaf075703670c4096ac1e70a9005be5db5fc2f72997d37079a814f`	Summary projection of R03
R05	`ev_4ede78383c9bf6b1e3ca1f54a0a32a27b4e305255f18eeaffc56d92a6496e6b9`	Selected search-related source module identity and source range

Full canonical export: `rea-evidence-bundle.json`, 233,639,453 bytes at export, 9 evidence records and 1 residual unknown. The large file preserves analysis rather than requiring repeated computation. `rea-static-summary.json` is the small reading entry point. R01 is the blocked REA browser attempt; successful in-app browser evidence below is separately identified and must not be represented as R01 output.

16.2 Direct observation ledger

Ref	Target/action	Retained local evidence
O01	Homepage, initial mobile and desktop	`home-dom.html`, `screenshots/home-mobile-dark.jpg`, `screenshots/home-desktop-dark.jpg`
O02	Listing 1469607528	`listing-dom.html`, `listing-ax.txt`, `screenshots/listing-desktop-dark.jpg`
O03	Click Chat, choose email login	`login-ax.txt`, `login-email-ax.txt`, `screenshots/login-modal.jpg`
O04	Search iPhone 13, open sort/price, apply range	`search-dom.html`, `search-ax.txt`, `sort-ax.txt`, `price-ax.txt`, `filter-result-ax.txt`
O05	Seller and Reviews tab	`profile-ax.txt`, `reviews-ax.txt`, `screenshots/profile-desktop-dark.jpg`
O06	Category drawer and phone category	`categories-menu-ax.txt`, `category-ax.txt`
O07	Guest Sell entry	`sell-guest-ax.txt`, `screenshots/sell-guest-desktop-dark.jpg`
O08	Unmatched category search	`empty-search-ax.txt`, `screenshots/empty-search-desktop-dark.jpg`
O09	Mobile listing at 390 x 844	`listing-mobile-ax.txt`, `screenshots/listing-mobile-dark.jpg`
S02	Literal library/search/source-map candidates	`framework-markers.json`, `static-candidates.json`
S03	Registered method/path candidates	`endpoint-candidates.json`; generated by `inspect-assets.cjs`
S04	Asset identity/acquisition	`asset-manifest.json`, `web-assets/`

The three saved DOM HTML exports end with `[Truncated]` at approximately 200,000 characters due to the browser export limit. They are partial snapshots, not complete HTML documents. Accessibility snapshots, screenshots and acquired bundle

bytes provide separate evidence; omitted DOM content must not be treated as absent. Snapshots can contain transient public ads and attribution identifiers. They were captured as evidence, not reusable configuration. Screenshots are references, not permission to republish seller content in a new product.

16.3 Official source ledger

`app-research.md` contains A01-A17 with direct official URLs, regional qualifiers and evidence limitations. It covers stores, buying, selling, photo count, chat, review policy, saved searches, likes, blocking, retention, phone verification, fraud, Indonesia CarouBiz, Bumps, Spotlight and Best Match. Store and help facts are distinct from live browser observations and REA analysis.

16.4 Reuse

Read this document first, then the compact static summary and official source ledger. Use SHA-256 identities to confirm the same assets before comparing later releases. Re-run `node inspect-assets.cjs` only to regenerate local syntactic inventories; it does not execute Carousell code or fetch endpoints. For further REA work, reuse/exported evidence with its original limitations, select specific unanswered questions, and record any newly acquired build or runtime context as separate evidence.

Carousell app and Indonesia behavior: source ledger

Researched 7 November 2026, Asia/Jakarta. All entries below are official public documentation/store observations, not installed-app runtime or package analysis. Help articles may lag live releases. No account created, no messages sent, no purchase or app installation performed. No APK/IPA acquired. Parent REA runtime evidence is separate.

App identity and regional boundary

A01 Android. Google Play identifies `com.thecarousell.Carousell`, title “Carousell: Sell and Buy,” developer Carousell / CAROUSELL PTE. LTD., ads and in-app purchases. Page snapshot displayed update 11 September 2026. This establishes public store identity and declared feature availability, not a binary version or runtime test.

The description explicitly lists Indonesia among served markets. It limits Official Delivery to Singapore/Hong Kong/Malaysia, Buyer Protection and Certified programs to Singapore/Malaysia/Hong Kong, and photo AI to Singapore/Malaysia/Hong Kong/Philippines. Video AI is Singapore. Consequently those features must not be assigned to the Indonesia reconstruction by default. Android SDKs, permissions, transport protocol, storage and signing certificate remain unknown.

A02 iOS. Indonesia App Store resolves title “Carousell: Snap-Sell, Chat-Buy,” numeric identity `548607187`, Carousell Pte. Ltd. Public snapshot lists version `2.483.0` with relative age “5 days ago,” 288.4 MB, iOS 13.1+, Indonesian among five languages, free with in-app purchases. Treat relative version age and metadata as store-snapshot facts, not a proved currently installed build. Do not back-calculate a release date from a cached relative age.

Store purchase catalog includes Coins, a 3-Day Bump, and Starter/Growing CarouBiz entries priced in rupiah. These establish catalog entries, not live Indonesia entitlement or current package price. The description repeats the regional limitations above. Release notes reference auctions starting with Singapore trading cards, and Live in Singapore/Hong Kong, so their existence in this Indonesia storefront does not prove Indonesian availability. Bundle ID/native UI implementation/runtime internals remain unknown.

Indonesia flows and policy

ID	Official source	Documented behavior	Evidence boundary / reconstruction implication
A03	Buying	Open listing, Chat, clarify details/photos/transaction, agree COD or bank transfer plus parcel delivery, Make Offer at agreed price, seller acceptance unlocks mutual reviews.	Strong region-specific support for negotiation-led marketplace. No integrated Indonesian checkout demonstrated.
A04	Selling	App entry + on iOS / Sell on Android; camera/gallery, up to 10 photos, fill form, publish. Web entry top-right Sell, photos and form, publish; missing required fields produce corrective prompts. Payment and delivery are mutually agreed; methods discussed include COD, bank transfer and independently trusted third-party escrow.	Labels may be historical. A mention of third-party escrow is not Carousell Buyer Protection. Native form fields and exact validation not observed.
A05	Photo count	App upload maximum 10 photos.	Does not establish web limit, actual byte limit, MIME rules or server image pipeline.
A06	Chat	Buyer initiates chat from a seller's particular listing; a seller needs a listing to receive that initial conversation.	Listing-scoped conversation is documented. Conversation uniqueness/database schema inferred, not observed.
A07	Reviews	Offer then acceptance exposes review action. Both sides have 30 days. Review hidden until other participant submits or 14 days pass; unlimited prepublication edits, one follow-up edit afterward, no deletion. 1-5-star buyer criteria: communication, meetup/delivery coordination, accuracy of item description; seller criteria substitute payment coordination for description accuracy.	Indonesian translation contains awkward wording about the other participant; corroborated by English counterpart. Exact publication/edit enforcement not runtime tested.
A08	Saved searches	App saves query plus filters; star action, filter checkbox and Apply; maximum three searches; manage from search and swipe to remove; at most one daily matching-listing push.	Documented limits may lag app. No web parity proved.
A09	Likes	Heart on card or detail saves to My Likes; heart entry near page top.	Auth/optimistic update behavior not established by documentation.
A10	Blocking	App: profile overflow menu. Web: conversation overflow. Blocked party receives no notification. Documentation narrowly describes suppression of inbox chats and notifications; unblock from profile/chat.	Do not claim blocking hides listings or prevents all contact; documented semantics are narrower.
A11	Chat retention announcement	Effective 23 April 2025: one-year chat retention; initial deletion of logs dated 31 December 2023 or earlier, then annual deletion of logs older than one year; deleted messages unrecoverable.	Policy wording gives annual batch retention, not exact rolling TTL implementation. No evidence of actual deletion job.

ID	Official source	Documented behavior	Evidence boundary / reconstruction implication
A12	Phone verification	Explicitly unavailable for Indonesia.	Do not build Indonesian mandatory phone OTP as observed behavior. Other sign-in security challenges can still exist.
A13	Indonesia fraud response	Report suspected phishing through app profile overflow; choose phishing scammer and provide detail. Keep chats on platform; in-chat safety advice; sellers do not need buyer-provided links to complete a deal. Support may assist with next steps/police but may not recover money.	Product requirements: report reason/details, safety notices, support escalation. Does not prove automatic fraud detector implementation or refund guarantee.
A14	Indonesia CarouBiz	Indonesia service explicitly differs from other countries: external professional advertising team promotes selected listings by package. Purchase at carousellforbusiness.com, choose package, provide username and products, checkout, team contacts within 48 hours; help response excludes weekends.	Critical distinction from general regional self-serve CarouBiz dashboards. Package benefits embedded in image not decoded; price, entitlement and checkout provider unknown. No purchase attempted.

Cross-market seller tools, not automatically Indonesia behavior

A15 Bumps: documented promotion updates listing time, improving recency-based placement. General article describes Coins/postpaid and multiple schedules. It does not establish all options or price for Indonesia. Store Bump purchase entry corroborates a catalog artifact, not activation.

A16 Spotlight: general pay-per-click placement with budget and campaign controls; published market thresholds enumerate Singapore, Hong Kong, Taiwan, Malaysia and Philippines. Indonesia not enumerated. Treat Indonesia self-serve availability as unknown. The Indonesia help index labels a seller-tool section with Bumps/Spotlight but links are insufficient proof of active entitlement.

A17 Best Match: official conceptual ranking factors are relevance, recency, popularity, quality. No weights, model, engine, exact retrieval protocol, or Indonesia-specific configuration disclosed.

Evidence quality and remaining questions

Observed here means public page text retrieved via web tools; it does not mean native app use. Official Indonesian help is preferable to old English buying guides that generalize payment behavior across countries. Store marketing combines markets, while per-feature footnotes and local help delimit availability. Store privacy declarations describe developer claims, not a security assessment. No cryptographic or traffic conclusions should be drawn from the Google Play data-safety label alone.

Required future native verification: install from official store on user-selected device; record build/package identity and region; inspect guest and authenticated navigation; exercise listing draft, offer/review gates, saved-search limit and permissions using test accounts; capture permitted request metadata and decompile a legitimately acquired APK with REA Android tools. Current evidence cannot support native screen pixel measurements, exact tab order, SDK inventory, API identity, push-provider identity, local database schema, offline behavior, or binary protections.

Collaborator handoff and reproduction steps

What to use

Read the PDF for the complete findings, source ledger, reconstruction design, screenshots and this procedure. Use `CAROUSELL-DESIGN-DOCUMENT.txt` as the complete plain-text reference for AI-assisted work. Use the Markdown design document as the editable source. Raw machine evidence is preserved separately in the repository.

Observed behavior, static code candidates, official documentation, proposed designs and unknowns have distinct labels throughout. Do not implement the proposed API paths as if they were recovered production contracts. Do not enable other-market checkout or AI features for Indonesia from shared-bundle strings alone.

Folder structure

```
REA/carousell-indonesia/
CAROUSELL-DESIGN-DOCUMENT.pdf
CAROUSELL-DESIGN-DOCUMENT.txt
CAROUSELL-DESIGN-DOCUMENT.md
HANDOFF.md
app-research.md
screenshots/
evidence/
rea-evidence-bundle.json.gz
asset-manifest.json
endpoint-candidates.json
framework-markers.json
rea-static-summary.json
rea-search-module.json
search-code-observations.json
static-candidates.json
style-observations.json
browser/ # DOM and accessibility snapshots
web-assets/ # 43 exact downloaded public bundles
tools/
build_pdf.py
export_txt.py
inspect-assets.cjs
verify_package.py
requirements.txt
package-manifest.json
pdf-validation.json
```

Rebuild this PDF

1. Clone the repository and enter `REA/carousell-indonesia`.

2. Use Python 3.11 or later and create a local virtual environment: `python -m venv .venv`.

3. Activate the environment. On Windows use `.venv\Scripts\Activate.ps1`; on macOS/Linux use `source .venv/bin/activate`.

4. Install the pinned authoring dependencies: `python -m pip install -r requirements.txt`.

5. Run `python tools/build_pdf.py` and `python tools/export_txt.py`. The scripts read the Markdown, app source ledger, this handoff, screenshot files and endpoint inventory. They write the PDF and complete plain-text reference. They do not visit Carousell or execute its bundles. The text exporter also includes the root repository README for project context.

6. Run `python tools/verify_package.py` to validate the package hashes and parse the PDF. A deliberately edited source requires regenerating `package-manifest.json` before the integrity check can pass; the verifier explains which file changed. Use `python tools/verify_package.py --write-manifest` only after reviewing the intended changes.

7. Install Poppler separately if needed. Render with `pdftoppm -r 90 -png CAROUSELL-DESIGN-DOCUMENT.pdf review/page` after creating the `review` directory. Inspect every page for clipped tables, missing text, unrendered diagrams and unreadable screenshots. Text extraction alone is insufficient.

8. Commit the updated Markdown, PDF, manifest and validation results together. Keep temporary virtual environments and rendered review images out of Git.

The builder uses Arial/Consolas on Windows and DejaVu or Liberation fonts on common Linux systems, falling back to PDF base fonts if unavailable. Font metrics can change pagination. Recheck all pages after rebuilding on a different machine.

Recover the full REA export

The canonical export is compressed because its original JSON is 233,639,453 bytes. The gzip file preserves all nine retained evidence records and the open residual unknown. The small `rea-static-summary.json` is the normal first reading target.

```
python -c "import gzip,shutil; a=gzip.open('evidence/rea-evidence-bundle.json.gz','rb');
b=open('rea-evidence-bundle.json','wb'); shutil.copyfileobj(a,b); b.close(); a.close()"
```

Check the expanded file's SHA-256 against `evidence/rea-export-identity.json`. Do not commit the expanded JSON; it exceeds GitHub's ordinary per-file limit. The package verifier checks the compressed export and its expanded identity without loading the entire JSON into memory.

Reproduce the investigation

1. Read the project's `AGENTS.md` and the installed `reverse-engineer-anything` skill. Its actual tool names and schemas may differ by version.

2. Record the target country, date, browser build, account state, language, theme and viewport. Start with the Indonesia domain. Use a guest session before any authorized account session.

3. Inspect the REA session once and reuse matching evidence. For a browser action, use a declared REA browser scenario; for an existing user-operated browser, start with target discovery and passive capture. Do not treat a blocked capture as the application's API traffic.

4. The original isolated Chrome attempt reached Cloudflare. The successful public observations used the in-app browser. If protection blocks access, retain that result and use an ordinary supported browser session; do not bypass the protection.

5. Inspect home, category drawer, phone category, global search, price filter, no-results state, a listing, Chat sign-in, seller profile, reviews and photo-first Sell entry. Search for equivalent current items when an old listing disappears. Record changes as new evidence rather than altering historical observations.

6. Capture screenshots and DOM/accessibility snapshots after content settles. Observe desktop and mobile separately, and record whether a theme or language was actually tested. Restore temporary viewport settings.

7. Inventory only public assets actually referenced by the target page. Save original bytes, URL, byte count and SHA-256. Do not execute downloaded bundles as local scripts.

8. Use REA JavaScript analysis with summary delivery. Inspect retained module identities and only the feature boundaries needed. Preserve heap, graph and dynamic-resolution limits. The original 43-file analysis parsed all files but did not fully resolve their semantic graph.

9. To regenerate the syntactic asset inventory, run `node tools/inspect-assets.cjs`. It reads local bundles, produces endpoint/library candidates, and does not contact any candidate API.

10. Consult current official Indonesian help and official app stores. Keep help policy, store marketing, code presence and executed behavior separate. Country-specific restrictions take precedence over assumptions drawn from shared bundles.

11. Native completion needs an official device/build and a legitimately acquired package. Record build identity and use dedicated authorized accounts. No native package was inspected in the original work. Do not infer its framework from the web stack.

12. Export REA evidence and retain exact IDs. Update the coverage/unknown register. Write observed findings first and mark engineering proposals explicitly. Validate the PDF visually before sharing.

Build the reconstruction from the result

1. Implement market/language/theme configuration, category IDs and attribute schemas, public browsing, cards, URL-backed filters, item details and seller reputation.

2. Add contextual identity, photo drafts and validated publishing. Decide upload limits and authenticated transitions using new evidence where this report is unresolved.

3. Add participant-authorized conversations, idempotent offers, atomic acceptance and server-enforced review eligibility. Use controlled buyer/seller accounts to test concurrency.

4. Add likes, saved searches, notification policy, reporting, narrow blocking semantics and retention jobs.

5. Validate both themes, keyboard use, empty/error/loading states, narrow-width overflow, image failure and stale listing state. Use the acceptance matrix in the design document.


6. Keep native parity, current seller entitlements and live wire contracts as separate follow-up investigations. Do not claim these are complete from this public-web report.

Change discipline

Preserve the original evidence snapshots and date. Put new captures under a new dated evidence folder and record their identities. Never include passwords, cookies, private message bodies, authorization headers or personal account exports in commits. Historical guest snapshots contain public advertisements and attribution values; they are evidence rather than reusable application configuration.


Additional screenshot evidence

empty search desktop dark




Observed guest web surface. System dark theme; viewport and scope are documented in the report.

home mobile dark




Observed guest web surface. System dark theme; viewport and scope are documented in the report.

profile desktop dark



Observed guest web surface. System dark theme; viewport and scope are documented in the report.

sell guest desktop dark



Observed guest web surface. System dark theme; viewport and scope are documented in the report.

Static endpoint-registration inventory

All 326 syntactically matched occurrences from the acquired bundles follow. These are static candidates, not validated deployed APIs or Indonesian feature entitlements. Original registration contexts and exact identities are in the accompanying JSON files. Offsets are zero-based decoded JavaScript string offsets, not raw byte offsets.

Method expression	Path	Source offset
g.y.POST	/ads/1.0/ad-config/	cc4919ae5cd0f2a7.min.js : 396277
g.y.POST	/vlq/1.0/auto-renewal/discovery/	cc4919ae5cd0f2a7.min.js : 396414
g.y.POST	/vlq/1.0/auto-renewal/status/	cc4919ae5cd0f2a7.min.js : 396569
g.y.POST	/property-leads/1.0/download	cc4919ae5cd0f2a7.min.js : 396721
g.y.GET	/property-leads/1.0/has-subscription	cc4919ae5cd0f2a7.min.js : 396875
g.y.GET	/property-leads/1.0/term-agreement	cc4919ae5cd0f2a7.min.js : 397043
g.y.POST	/property-leads/1.0/agree-on-term	cc4919ae5cd0f2a7.min.js : 397208
g.y.POST	/pocket/createprofilecollection	cc4919ae5cd0f2a7.min.js : 397368
g.y.POST	/pocket/getprofilecollection	cc4919ae5cd0f2a7.min.js : 397526
g.y.POST	/pocket/getprofilecollectionitems	cc4919ae5cd0f2a7.min.js : 397678
g.y.POST	/pocket/deleteprofilecollection	cc4919ae5cd0f2a7.min.js : 397840
g.y.POST	/pocket/getmylistings	cc4919ae5cd0f2a7.min.js : 397998
g.y.POST	/pocket/createprofilecollectionitems	cc4919ae5cd0f2a7.min.js : 398136
g.y.POST	/pocket/deleteprofilecollectionitems	cc4919ae5cd0f2a7.min.js : 398304
g.y.POST	/pocket/updateprofilecollection	cc4919ae5cd0f2a7.min.js : 398472
g.y.POST	/user/1.0/check-phishing-warning	cc4919ae5cd0f2a7.min.js : 398630
g.y.GET	/sell/1.0/bp-onboarding-info	cc4919ae5cd0f2a7.min.js : 398787
g.y.GET	/sell/1.0/calculate-seller-earnings	cc4919ae5cd0f2a7.min.js : 398927
g.y.POST	/sell/1.0/cgproduct/picker	cc4919ae5cd0f2a7.min.js : 399081
g.y.POST	/sell/1.0/ap-mobile-overall-condition	cc4919ae5cd0f2a7.min.js : 399225
g.y.GET	/sell/1.0/userfeature	cc4919ae5cd0f2a7.min.js : 399398
g.y.GET	/sell/1.0/onboarding/integrated-delivery	cc4919ae5cd0f2a7.min.js : 399535
g.y.POST	/sell/1.0/seller-promotions-preview	cc4919ae5cd0f2a7.min.js : 399712
g.y.GET	/sell/1.0/seller-funded-promotions	cc4919ae5cd0f2a7.min.js : 399872
g.y.GET	/sell/1.0/seller-preferences	cc4919ae5cd0f2a7.min.js : 400030
g.y.POST	/sell/1.0/seller-preferences/buy-button-config	cc4919ae5cd0f2a7.min.js : 400180
g.y.GET	/sell/1.0/seller/bp-eligible	cc4919ae5cd0f2a7.min.js : 400347
g.y.GET	/sell/1.0/mml-listing-creation-eligibility	cc4919ae5cd0f2a7.min.js : 400499
g.y.POST	/sell/1.0/listing-attribute-suggestions	cc4919ae5cd0f2a7.min.js : 400682

Method expression	Path	Source offset
g.y.GET	/sell/1.0/instant-sell/	cc4919ae5cd0f2a7.min.js : 400854
g.y.GET	/sell/1.0/instant-sell/store-locations	cc4919ae5cd0f2a7.min.js : 400997
g.y.GET	/sell/1.0/post-listing-actions/:listing_id	cc4919ae5cd0f2a7.min.js : 401159
g.y.GET	/sell/1.0/inspirations	cc4919ae5cd0f2a7.min.js : 401324
g.y.GET	/listing/1.0/get-sell-form-image-tags	cc4919ae5cd0f2a7.min.js : 401467
g.y.POST	/chat-moderation/1.0/moderate	cc4919ae5cd0f2a7.min.js : 401624
g.y.POST	/chat-moderation/1.0/blocked-keywords-regex	cc4919ae5cd0f2a7.min.js : 401774
g.y.POST	/chat-feedback/1.0/can-submit-feedback	cc4919ae5cd0f2a7.min.js : 401943
g.y.POST	/chat-feedback/1.0/submit-feedback	cc4919ae5cd0f2a7.min.js : 402106
g.y.POST	/chat-feedback/1.0/metadata	cc4919ae5cd0f2a7.min.js : 402262
g.y.GET	/chat/1.0/header	cc4919ae5cd0f2a7.min.js : 402416
g.y.POST	/chat/1.0/:offerId/translate	cc4919ae5cd0f2a7.min.js : 402550
g.y.POST	/user/2.0/id-verification/get-verification-form/	cc4919ae5cd0f2a7.min.js : 402697
g.y.POST	/user/2.0/noauth-id-verification/get-verification-form/	cc4919ae5cd0f2a7.min.js : 402872
g.y.POST	/user/2.0/id-verification/verify-identity/	cc4919ae5cd0f2a7.min.js : 403060
g.y.GET	/user/1.0/profile/flags/	cc4919ae5cd0f2a7.min.js : 403222
g.y.GET	/user/1.0/profile/flags/:listing_id	cc4919ae5cd0f2a7.min.js : 403361
g.y.POST	/user/1.0/profile/reveal-details	cc4919ae5cd0f2a7.min.js : 403513
g.y.POST	/user/add-mobile/request/	cc4919ae5cd0f2a7.min.js : 403666
g.y.POST	/user/add-mobile/verify/	cc4919ae5cd0f2a7.min.js : 403827
g.y.POST	/user/1.0/third-party-contacts/get/	cc4919ae5cd0f2a7.min.js : 403986
g.y.PUT	/user/1.0/third-party-contacts/delete/	cc4919ae5cd0f2a7.min.js : 404163
g.y.POST	/user/1.0/third-party-contacts/has-active-listings/	cc4919ae5cd0f2a7.min.js : 404336
g.y.POST	/listing-quota/1.0/get-purchase-lq-setup	cc4919ae5cd0f2a7.min.js : 404508
g.y.POST	/listing-quota/1.0/get-purchase-lq-pricing	cc4919ae5cd0f2a7.min.js : 404673
g.y.POST	/listing-quota/1.0/get-seller-whatsapp-contacts	cc4919ae5cd0f2a7.min.js : 404842
g.y.POST	/listing-quota/1.0/get-whatsapp-contacts-listing-eligibility	cc4919ae5cd0f2a7.min.js : 405019
g.y.POST	/listing-quota/1.0/set-listings-whatsapp-contacts	cc4919ae5cd0f2a7.min.js : 405224
g.y.POST	/listing-quota/2.0/get-purchase-lq-setup	cc4919ae5cd0f2a7.min.js : 405405
g.y.POST	/listing-quota/2.0/get-purchase-lq-pricing	cc4919ae5cd0f2a7.min.js : 405568
g.y.POST	/listing-quota/1.0/update-auto-purchase-lq	cc4919ae5cd0f2a7.min.js : 405735
g.y.POST	/listing-quota/1.0/enable-auto-purchase	cc4919ae5cd0f2a7.min.js : 405902

Method expression	Path	Source offset
g.y.POST	/listing-quota/1.0/disable-auto-purchase	cc4919ae5cd0f2a7.min.js : 406066
g.y.POST	/listing-quota/1.0/get-onboarding-categories	cc4919ae5cd0f2a7.min.js : 406232
g.y.POST	/listing-quota/1.0/category-quota-summary	cc4919ae5cd0f2a7.min.js : 406404
g.y.POST	/listing/1.0/bulk-update	cc4919ae5cd0f2a7.min.js : 406573
g.y.POST	/listing/1.0/:listing_id/translate	cc4919ae5cd0f2a7.min.js : 406718
g.y.GET	/user/1.0/business-details/	cc4919ae5cd0f2a7.min.js : 406872
g.y.POST	/dogs/1.0/get_bulk_bump_setup/	cc4919ae5cd0f2a7.min.js : 407038
g.y.POST	/dogs/1.2/checkout/bulk	cc4919ae5cd0f2a7.min.js : 407189
g.y.POST	/dogs/1.0/is_bulk_bumps_running/	cc4919ae5cd0f2a7.min.js : 407338
g.y.POST	/listing-quota/1.0/get-all-chat-limit-quotas	cc4919ae5cd0f2a7.min.js : 407497
g.y.POST	/dogs/1.0/get_chat_limit_banner/	cc4919ae5cd0f2a7.min.js : 407667
g.y.POST	/dogs/1.0/get_bump_purchase_pages_setup/	cc4919ae5cd0f2a7.min.js : 407822
g.y.POST	/dogs/1.2/get-setup-page/	cc4919ae5cd0f2a7.min.js : 407992
g.y.POST	/dogs/1.0/get_auto_purchase_coin_setup/	cc4919ae5cd0f2a7.min.js : 408134
g.y.POST	/dogs/1.0/enable_auto_purchase_coin/	cc4919ae5cd0f2a7.min.js : 408302
g.y.POST	/dogs/1.0/disable_auto_purchase_coin/	cc4919ae5cd0f2a7.min.js : 408465
g.y.POST	/merchant-payment/1.0/setup-stripe-recurring-card-payment	cc4919ae5cd0f2a7.min.js : 408630
g.y.POST	/merchant-payment/1.0/complete-recurring-payment	cc4919ae5cd0f2a7.min.js : 408835
g.y.POST	/dogs/1.0/is_auto_purchase_coin_running/	cc4919ae5cd0f2a7.min.js : 409024
g.y.POST	/dogs/1.0/get-auto-topup-free-coins-info	cc4919ae5cd0f2a7.min.js : 409194
g.y.POST	/merchant-automation/1.0/lead-collection	cc4919ae5cd0f2a7.min.js : 409364
g.y.POST	/dogs/1.0/get-auto-topup-nudge-coins-page	cc4919ae5cd0f2a7.min.js : 409523
g.y.POST	/dogs/1.0/get-auto-topup-nudge-page	cc4919ae5cd0f2a7.min.js : 409695
g.y.POST	/dogs/1.0/get-auto-topup-nudge-purchase-page	cc4919ae5cd0f2a7.min.js : 409856
g.y.POST	/dogs/1.0/get-transactions-setup	cc4919ae5cd0f2a7.min.js : 410034
g.y.POST	/dogs/1.0/get-transactions	cc4919ae5cd0f2a7.min.js : 410191
g.y.POST	/dogs/1.0/get-transaction-details	cc4919ae5cd0f2a7.min.js : 410337
g.y.POST	/dogs/1.0/update-transaction-revenue	cc4919ae5cd0f2a7.min.js : 410496
g.y.POST	/dogs/1.0/get-subscription-packages/	cc4919ae5cd0f2a7.min.js : 410661
g.y.POST	/dogs/1.0/get_chat_quota_bundles/	cc4919ae5cd0f2a7.min.js : 410827
g.y.POST	/dogs/1.0/get-bulk-spotlight-daily-budget-setup	cc4919ae5cd0f2a7.min.js : 410984
g.y.POST	/dogs/1.0/get-bulk-spotlight-add-ons	cc4919ae5cd0f2a7.min.js : 411168

Method expression	Path	Source offset
g.y.POST	/dogs/1.0/get-custom-keywords-cpc/	cc4919ae5cd0f2a7.min.js : 411331
g.y.POST	/dogs/1.2/checkout/bulk-spotlight	cc4919ae5cd0f2a7.min.js : 411490
g.y.POST	/dogs/1.0/get-campaign-config	cc4919ae5cd0f2a7.min.js : 411661
g.y.POST	/dogs/1.0/get-campaign-setup	cc4919ae5cd0f2a7.min.js : 411812
g.y.POST	/dogs/1.0/get-campaign-add-ons	cc4919ae5cd0f2a7.min.js : 411961
g.y.POST	/dogs/1.0/get-campaign-listings	cc4919ae5cd0f2a7.min.js : 412113
g.y.POST	/dogs/1.2/checkout/campaign	cc4919ae5cd0f2a7.min.js : 412268
g.y.POST	/dogs/1.0/update-campaign	cc4919ae5cd0f2a7.min.js : 412434
g.y.POST	/dogs/1.0/get-campaigns-list	cc4919ae5cd0f2a7.min.js : 412590
g.y.POST	/dogs/1.0/get-campaign-detail	cc4919ae5cd0f2a7.min.js : 412739
g.y.POST	/dogs/1.0/get-campaign-performance	cc4919ae5cd0f2a7.min.js : 412890
g.y.POST	/dogs/1.0/get-campaign-coins-usage	cc4919ae5cd0f2a7.min.js : 413051
g.y.POST	/dogs/1.0/get-campaign-all-listings	cc4919ae5cd0f2a7.min.js : 413211
g.y.POST	/dogs/1.0/stop-campaign/	cc4919ae5cd0f2a7.min.js : 413373
g.y.POST	/dogs/1.0/perform-campaign-action	cc4919ae5cd0f2a7.min.js : 413514
g.y.POST	/merchant-payment/1.0/get-available-payment-methods	cc4919ae5cd0f2a7.min.js : 413673
g.y.POST	/merchant-payment/2.0/get-available-payment-methods	cc4919ae5cd0f2a7.min.js : 413855
g.y.POST	/cf/1.0/certified-search/	cc4919ae5cd0f2a7.min.js : 414039
g.y.POST	/cf/v1/price-insights/listings	cc4919ae5cd0f2a7.min.js : 414187
g.y.POST	/cf/v1/price-insights/comparables	cc4919ae5cd0f2a7.min.js : 414348
g.y.POST	/cgproduct/1.0/:cgproductId/detail/	cc4919ae5cd0f2a7.min.js : 414515
g.y.POST	/cf/assistant/1.0/search/	cc4919ae5cd0f2a7.min.js : 414675
g.y.GET	/cf/assistant/1.0/suggestions/	cc4919ae5cd0f2a7.min.js : 414834
g.y.POST	/cf/v1/search-garage-sale/	cc4919ae5cd0f2a7.min.js : 414990
g.y.POST	/dogs/1.0/certified-services-reviews	cc4919ae5cd0f2a7.min.js : 415147
g.y.POST	/cf/v1/hot-deals/browse	cc4919ae5cd0f2a7.min.js : 415315
g.y.POST	/cf/v1/hot-deals	cc4919ae5cd0f2a7.min.js : 415459
g.y.GET	/drc/1.0/dispute/:disputeId	cc4919ae5cd0f2a7.min.js : 415597
g.y.GET	/drc/1.0/dispute/order/:orderId	cc4919ae5cd0f2a7.min.js : 415735
g.y.GET	/drc/3.0/ddp/:fulfillmentOrderId	cc4919ae5cd0f2a7.min.js : 415882
g.y.GET	/drc/4.0/ddp/:fulfillmentOrderId	cc4919ae5cd0f2a7.min.js : 416077

Method expression	Path	Source offset
g.y.GET	/drc/3.0/get-disputable-items/:fulfillmentOrderId	cc4919ae5cd0f2a7.min.js : 416282
g.y.GET	/drc/3.0/get-proposal-resolution/:lineItemId	cc4919ae5cd0f2a7.min.js : 416451
g.y.GET	/drc/3.0/dispute/get-proposed-resolution/:disputeId	cc4919ae5cd0f2a7.min.js : 416618
g.y.GET	/drc/4.0/dispute/get-proposed-resolution/:fulfillmentOrderId	cc4919ae5cd0f2a7.min.js : 416799
g.y.POST	/drc/3.0/dispute/confirm-resolution/:disputeId	cc4919ae5cd0f2a7.min.js : 416987
g.y.POST	/drc/3.0/dispute	cc4919ae5cd0f2a7.min.js : 417161
g.y.GET	/drc/3.0/rddp/:disputeItemId	cc4919ae5cd0f2a7.min.js : 417292
g.y.PUT	/drc/3.0/return-received/:fulfillmentOrderId	cc4919ae5cd0f2a7.min.js : 417491
g.y.POST	/drc/3.0/dispute-items	cc4919ae5cd0f2a7.min.js : 417651
g.y.PUT	/drc/3.0/dispute-item/:disputeItemId	cc4919ae5cd0f2a7.min.js : 417794
g.y.POST	/drc/2.1/disputes/cancel/	cc4919ae5cd0f2a7.min.js : 417949
g.y.POST	/drc/3.0/dispute/:disputeId/upload-return-proofs	cc4919ae5cd0f2a7.min.js : 418090
g.y.GET	/drc/3.0/dispute/:disputeId/return-options	cc4919ae5cd0f2a7.min.js : 418259
g.y.POST	/drc/3.0/dispute/:disputeId/return-flow-metadatas	cc4919ae5cd0f2a7.min.js : 418419
g.y.POST	/drc/3.0/dispute/:disputeId/select-return-flow	cc4919ae5cd0f2a7.min.js : 418584
g.y.POST	/drc/3.0/dispute/:disputeId/start-return	cc4919ae5cd0f2a7.min.js : 418750
g.y.POST	/drc/3.0/dispute/:disputeId/add-return-address	cc4919ae5cd0f2a7.min.js : 418912
g.y.POST	/cgproduct/1.0/:cgproductId/listings	cc4919ae5cd0f2a7.min.js : 419077
g.y.GET	/els/bulkupload/template/	cc4919ae5cd0f2a7.min.js : 419239
g.y.POST	/els/bulkupload/history/	cc4919ae5cd0f2a7.min.js : 419388
g.y.POST	/els/bulkupload/createjob/	cc4919ae5cd0f2a7.min.js : 419536
g.y.POST	/activity/2.0/activity-feed	cc4919ae5cd0f2a7.min.js : 419685
g.y.POST	/activity/2.0/activity-mark-as-read	cc4919ae5cd0f2a7.min.js : 419833
g.y.POST	/activity/2.0/do-action	cc4919ae5cd0f2a7.min.js : 419992
g.y.GET	/me/2.0/unread-counts	cc4919ae5cd0f2a7.min.js : 420137
g.y.GET	/activity/2.0/has-new-activity	cc4919ae5cd0f2a7.min.js : 420277
g.y.GET	/fg/1.0/cart/counts	cc4919ae5cd0f2a7.min.js : 420426
g.y.GET	/fg/1.0/cart	cc4919ae5cd0f2a7.min.js : 420561
g.y.POST	/fg/1.0/cart	cc4919ae5cd0f2a7.min.js : 420694
g.y.POST	/fg/1.0/cart/delete	cc4919ae5cd0f2a7.min.js : 420822
g.y.GET	/cf/1.0/related-cart-listings/	cc4919ae5cd0f2a7.min.js : 420960
g.y.GET	/fg/2.0/orders/:orderId/	cc4919ae5cd0f2a7.min.js : 421118

Method expression	Path	Source offset
g.y.POST	/fg/2.0/orders/	cc4919ae5cd0f2a7.min.js : 421266
g.y.GET	/fg/1.0/orders/:orderId/chat-offer/	cc4919ae5cd0f2a7.min.js : 421406
g.y.GET	/fg/1.0/order/arrange-delivery-progress/	cc4919ae5cd0f2a7.min.js : 421573
g.y.GET	/fg/2.0/order/:orderId/delivery-fulfillment-options	cc4919ae5cd0f2a7.min.js : 421742
g.y.POST	/fg/v1/bulk/delivery-fulfillment-options	cc4919ae5cd0f2a7.min.js : 421927
g.y.POST	/fg/1.0/promotion/validate/	cc4919ae5cd0f2a7.min.js : 422104
g.y.POST	/fg/1.0/promotions/list	cc4919ae5cd0f2a7.min.js : 422252
g.y.POST	/fg/1.0/promotions/categories	cc4919ae5cd0f2a7.min.js : 422396
g.y.POST	/fg/1.0/export/orders/	cc4919ae5cd0f2a7.min.js : 422551
g.y.POST	/fg/1.0/promotion/get-promotion-setup-config	cc4919ae5cd0f2a7.min.js : 422689
g.y.POST	/fg/1.0/promotion/create-promotion	cc4919ae5cd0f2a7.min.js : 422860
g.y.POST	/fg/1.0/promotion/decline-create-promotion	cc4919ae5cd0f2a7.min.js : 423013
g.y.POST	/fg/1.0/checkouts/prepare	cc4919ae5cd0f2a7.min.js : 423181
g.y.GET	/fg/1.0/checkouts/:checkoutId/make_payment_info	cc4919ae5cd0f2a7.min.js : 423521
g.y.POST	/feedback/2.0/get-review-eligibility/	cc4919ae5cd0f2a7.min.js : 423691
g.y.POST	/user/1.0/experience/advisory/	cc4919ae5cd0f2a7.min.js : 423854
g.y.POST	/user/1.0/update/experience/advisory/	cc4919ae5cd0f2a7.min.js : 424016
g.y.POST	/user/3.0/email/get-otp/	cc4919ae5cd0f2a7.min.js : 424183
g.y.POST	/user/3.0/email/verify/	cc4919ae5cd0f2a7.min.js : 424347
g.y.POST	/dogs/1.0/get-profile-insight-banner	cc4919ae5cd0f2a7.min.js : 424513
g.y.POST	/dogs/1.0/get-competitor-insight	cc4919ae5cd0f2a7.min.js : 424674
g.y.POST	/dogs/2.0/get-competitor-insight	cc4919ae5cd0f2a7.min.js : 424835
g.y.GET	/dogs/1.0/search-insight	cc4919ae5cd0f2a7.min.js : 424994
g.y.POST	/dogs/1.0/search-insight/category-detail	cc4919ae5cd0f2a7.min.js : 425138
g.y.POST	/dogs/1.0/get-account-stats	cc4919ae5cd0f2a7.min.js : 425313
g.y.POST	/dogs/1.0/get-revenue-vs-spend	cc4919ae5cd0f2a7.min.js : 425460
g.y.POST	/self-moderation/1.0/get-my-moderation	cc4919ae5cd0f2a7.min.js : 425612
g.y.GET	/self-moderation/1.0/moderation/:id	cc4919ae5cd0f2a7.min.js : 425769
g.y.PUT	/self-moderation/1.0/moderation/:id/close	cc4919ae5cd0f2a7.min.js : 425926
g.y.POST	/self-moderation/1.0/moderation/:id/appeal	cc4919ae5cd0f2a7.min.js : 426085
g.y.PUT	/self-moderation/1.0/appeal/:id/close	cc4919ae5cd0f2a7.min.js : 426242
g.y.POST	/user/1.0/profile/signals/	cc4919ae5cd0f2a7.min.js : 426393

Method expression	Path	Source offset
g.y.POST	/chat-moderation/1.0/get-char-set	cc4919ae5cd0f2a7.min.js : 426542
g.y.POST	/interlinks/1.0/list	cc4919ae5cd0f2a7.min.js : 426689
g.y.POST	/dogs/1.0/listing_keyword_insight/	cc4919ae5cd0f2a7.min.js : 426826
g.y.POST	/dogs/1.0/get-outreach-setup	cc4919ae5cd0f2a7.min.js : 426986
g.y.POST	/dogs/1.0/get-category-browse	cc4919ae5cd0f2a7.min.js : 427135
g.y.POST	/dogs/1.0/get-outreach-checkout-setup	cc4919ae5cd0f2a7.min.js : 427294
g.y.POST	/dogs/1.0/get-outreach-pricing	cc4919ae5cd0f2a7.min.js : 427460
g.y.POST	/dogs/1.0/get-outreach-insight	cc4919ae5cd0f2a7.min.js : 427613
g.y.POST	/dogs/1.0/stop-outreach	cc4919ae5cd0f2a7.min.js : 427766
g.y.POST	/dogs/1.0/hide-outreach	cc4919ae5cd0f2a7.min.js : 427906
g.y.POST	/dogs/1.0/get-user-active-outreach-campaigns	cc4919ae5cd0f2a7.min.js : 428046
g.y.GET	/dogs/1.0/get-outreach-promo-templates	cc4919ae5cd0f2a7.min.js : 428225
g.y.POST	/dogs/1.0/get-outreach-campaigns-for-listing	cc4919ae5cd0f2a7.min.js : 428392
g.y.POST	/dogs/1.0/get-all-user-shoutouts	cc4919ae5cd0f2a7.min.js : 428571
g.y.POST	/dogs/1.0/get-shoutout-checkout-setup	cc4919ae5cd0f2a7.min.js : 428724
g.y.POST	/dogs/1.0/get-postpaid-shoutout-checkout-setup/	cc4919ae5cd0f2a7.min.js : 428894
g.y.POST	/dogs/1.0/stop-shoutout/	cc4919ae5cd0f2a7.min.js : 429078
g.y.POST	/dogs/1.2/checkout/init	cc4919ae5cd0f2a7.min.js : 429219
g.y.POST	/dogs/1.2/checkout/complete	cc4919ae5cd0f2a7.min.js : 429371
g.y.POST	/merchant-payment/1.0/update-payment-mode-and-get-one-time-payment-data	cc4919ae5cd0f2a7.min.js : 429531
g.y.POST	/dogs/1.0/buyer-magnet/get-setup-page	cc4919ae5cd0f2a7.min.js : 429760
g.y.POST	/dogs/1.0/buyer-magnet/activate	cc4919ae5cd0f2a7.min.js : 429925
g.y.POST	/dogs/1.0/buyer-magnet/check-availability	cc4919ae5cd0f2a7.min.js : 430090
g.y.POST	/dogs/1.0/certified-services-enquiries	cc4919ae5cd0f2a7.min.js : 430264
g.y.POST	/dogs/1.0/merchant-certified-services-enquiries	cc4919ae5cd0f2a7.min.js : 430436
g.y.POST	/dogs/1.0/get-merchant-service-enquiry-details	cc4919ae5cd0f2a7.min.js : 430625
g.y.POST	/dogs/1.0/update-merchant-service-enquiries	cc4919ae5cd0f2a7.min.js : 430818
g.y.POST	/dogs/1.0/get-merchant-certified-services-quotes	cc4919ae5cd0f2a7.min.js : 430999
g.y.POST	/dogs/1.0/get-merchant-certified-services-quote-details	cc4919ae5cd0f2a7.min.js : 431186
g.y.POST	/dogs/1.0/update-enquiry-quotes	cc4919ae5cd0f2a7.min.js : 431378
g.y.POST	/dogs/1.0/get-enquiry-detail-on-entrypoint	cc4919ae5cd0f2a7.min.js : 431533

Method expression	Path	Source offset
g.y.POST	/dogs/1.0/lta/import-lta-vehicles-data	cc4919ae5cd0f2a7.min.js : 431708
g.y.POST	/dogs/1.0/get-service-fees	cc4919ae5cd0f2a7.min.js : 431872
g.y.POST	/dogs/1.0/get-invoice-pdf	cc4919ae5cd0f2a7.min.js : 432017
g.y.POST	/dogs/1.0/get-service-fee-breakdown-report	cc4919ae5cd0f2a7.min.js : 432160
g.y.POST	/dogs/1.0/get-active-outreach-by-ccid	cc4919ae5cd0f2a7.min.js : 432335
g.y.POST	/dogs/1.0/get-outreach-voucher-details	cc4919ae5cd0f2a7.min.js : 432500
g.y.GET	/dogs/1.0/get-enquiry-form	cc4919ae5cd0f2a7.min.js : 432668
g.y.POST	/dogs/1.0/validate-verticals-promo	cc4919ae5cd0f2a7.min.js : 432812
g.y.POST	/dogs/1.0/submit-enquiry-form	cc4919ae5cd0f2a7.min.js : 432973
g.y.POST	/api/1.0/gen-ai/init-session/	cc4919ae5cd0f2a7.min.js : 433124
g.y.POST	/api/1.0/gen-ai/batch-get-upload-url/	cc4919ae5cd0f2a7.min.js : 433265
g.y.POST	/api/1.0/gen-ai/get-upload-url/	cc4919ae5cd0f2a7.min.js : 433425
g.y.POST	/api/1.0/gen-ai/response-create/	cc4919ae5cd0f2a7.min.js : 433581
g.y.POST	/api/1.0/gen-ai/generate-listing-description/	cc4919ae5cd0f2a7.min.js : 433731
g.y.POST	/dogs/1.0/profile-me-header	cc4919ae5cd0f2a7.min.js : 433918
g.y.POST	/dogs/1.0/profile-tab	cc4919ae5cd0f2a7.min.js : 434068
g.y.POST	/pocket/getprofilecollections	cc4919ae5cd0f2a7.min.js : 434213
g.y.POST	/gamification/v1/available-rewards-data	cc4919ae5cd0f2a7.min.js : 434368
g.y.POST	/gamification/v1/calculate-rewards	cc4919ae5cd0f2a7.min.js : 434534
g.y.POST	/gamification/v1/apply-rewards	cc4919ae5cd0f2a7.min.js : 434688
g.y.GET	/gamification/v1/lifetime-earnings/:sellerId	cc4919ae5cd0f2a7.min.js : 434834
g.y.POST	/merchant-automation/1.0/declare-job	cc4919ae5cd0f2a7.min.js : 435000
g.y.POST	/dogs/1.0/get-cplus-subscription-packages/	cc4919ae5cd0f2a7.min.js : 435151
g.y.POST	/cf/v1/saved-search-listings	cc4919ae5cd0f2a7.min.js : 435330
g.y.POST	/user/1.0/suggest-usernames/	cc4919ae5cd0f2a7.min.js : 435488
g.y.GET	/fg/1.0/order/:orderId/delivery-form/pickup	cc4919ae5cd0f2a7.min.js : 435636
g.y.POST	/fg/3.0/orders/:orderId/schedule_pickup	cc4919ae5cd0f2a7.min.js : 435803
g.y.GET	/fg/v1/invoice-info	cc4919ae5cd0f2a7.min.js : 436346
g.y.GET	/fg/v1/listings/:listingId/delivery-banner	cc4919ae5cd0f2a7.min.js : 436482
g.y.POST	/dogs/1.0/get-leads-suggestions	cc4919ae5cd0f2a7.min.js : 436650
g.y.POST	/dogs/1.0/leads-recycle-sendmessages	cc4919ae5cd0f2a7.min.js : 436805
g.y.GET	/fg/v1/delivery/enable-delivery-options	cc4919ae5cd0f2a7.min.js : 437342

Method expression	Path	Source offset
g.y.POST	/dogs/v1/banner-action	cc4919ae5cd0f2a7.min.js : 437508
g.y.GET	/fg/v1/seller-preference/banner	cc4919ae5cd0f2a7.min.js : 437659
g.y.POST	/cf/v1/thematic-browse/browse/	cc4919ae5cd0f2a7.min.js : 437818
g.y.POST	/cf/v1/thematic-browse/similar	cc4919ae5cd0f2a7.min.js : 437976
g.y.GET	/cf/v1/thematic-browse/homefeed	cc4919ae5cd0f2a7.min.js : 438148
g.y.POST	/user/1.0/cross-device-auth-status/	cc4919ae5cd0f2a7.min.js : 438310
g.y.POST	/user/1.0/cross-device-auth/init/	cc4919ae5cd0f2a7.min.js : 438473
g.y.POST	/api/1.0/agentic-chat/1.0/create-chat-session	cc4919ae5cd0f2a7.min.js : 438626
g.y.POST	/api/1.0/agentic-chat/1.0/send-chat-message	cc4919ae5cd0f2a7.min.js : 438796
g.y.POST	/api/1.0/agentic-chat/1.0/get-chat-messages	cc4919ae5cd0f2a7.min.js : 438958
g.y.POST	/api/1.0/agentic-chat/1.0/init-send-image	cc4919ae5cd0f2a7.min.js : 439120
g.y.POST	/api/1.0/agentic-chat/1.0/retry-chat-message	cc4919ae5cd0f2a7.min.js : 439278
g.y.POST	/dogs/1.0/manage-listings-banners	cc4919ae5cd0f2a7.min.js : 439442
g.y.POST	/user/1.0/otp-channel-config/	cc4919ae5cd0f2a7.min.js : 439604
g.y.POST	/feedback/1.0/get-offers-by-nudge/	cc4919ae5cd0f2a7.min.js : 439756
g.y.GET	/auction/v1/timed-auction/state	cc4919ae5cd0f2a7.min.js : 439918
g.y.POST	/auction/v1/timed-auction/place-bid	cc4919ae5cd0f2a7.min.js : 440072
g.y.POST	/auction/v1/timed-auction/set-max-bid	cc4919ae5cd0f2a7.min.js : 440243
g.y.GET	/auction/v1/timed-auction/bids	cc4919ae5cd0f2a7.min.js : 440417
g.y.GET	/auction/v1/timed-auction/buyer-setup	cc4919ae5cd0f2a7.min.js : 440575
g.y.POST	/auction/v1/timed-auction/buyer-setup	cc4919ae5cd0f2a7.min.js : 440740
g.y.GET	/auction/v1/timed-auction/deal-methods	cc4919ae5cd0f2a7.min.js : 440906
g.y.POST	/auction/v1/timed-auction/deal-methods	cc4919ae5cd0f2a7.min.js : 441073
g.y.POST	/auction/v1/timed-auction/reserve-price	cc4919ae5cd0f2a7.min.js : 441240
g.y.POST	/auction/v1/timed-auction/second-offer	cc4919ae5cd0f2a7.min.js : 441410
g.y.POST	/auction/v1/buyer/create-setup-intent	cc4919ae5cd0f2a7.min.js : 441581
g.y.POST	/auction/v1/buyer/register-payment-method	cc4919ae5cd0f2a7.min.js : 441756
g.y.POST	/cf/v1/timed-auction/listings	cc4919ae5cd0f2a7.min.js : 441946
g.y.GET	/show/v1/shows/discover	cc4919ae5cd0f2a7.min.js : 442091
g.y.GET	/show/v1/shows/moderator	cc4919ae5cd0f2a7.min.js : 442234
g.y.GET	/show/v1/shows/my-shows	cc4919ae5cd0f2a7.min.js : 442378
g.y.POST	/show/v1/shows/:showId/join-show	cc4919ae5cd0f2a7.min.js : 442514

Method expression	Path	Source offset
g.y.GET	/show/v1/shows/setup	cc4919ae5cd0f2a7.min.js : 442658
g.y.GET	/show/v1/shows/:showId	cc4919ae5cd0f2a7.min.js : 442793
g.y.POST	/show/v1/shows/:showId/update	cc4919ae5cd0f2a7.min.js : 442925
g.y.POST	/show/v1/shows/create	cc4919ae5cd0f2a7.min.js : 443367
g.y.POST	/show/v1/shows/:sourceShowId/clone	cc4919ae5cd0f2a7.min.js : 443502
g.y.GET	/show/v1/shows/:showId/summary	cc4919ae5cd0f2a7.min.js : 443662
g.y.GET	/show/v1/shows/:showId/items	cc4919ae5cd0f2a7.min.js : 443809
g.y.POST	/show/v1/shows/:showId/items/add	cc4919ae5cd0f2a7.min.js : 443948
g.y.POST	/show/v1/shows/:showId/items/update	cc4919ae5cd0f2a7.min.js : 444092
g.y.POST	/show/v1/shows/:showId/items/delete	cc4919ae5cd0f2a7.min.js : 444241
g.y.POST	/show/v1/shows/:showId/items/reorder	cc4919ae5cd0f2a7.min.js : 444387
g.y.POST	/show/v1/shows/:showId/items/move-to-front	cc4919ae5cd0f2a7.min.js : 444536
g.y.POST	/show/v1/shows/:showId/items/move-to-position	cc4919ae5cd0f2a7.min.js : 444701
g.y.GET	/show/v1/shows/:showId/current-item	cc4919ae5cd0f2a7.min.js : 444868
g.y.POST	/show/v1/images/generate-upload-url	cc4919ae5cd0f2a7.min.js : 445020
g.y.POST	/auction/v1/shows/:showId/mint-ws-token	cc4919ae5cd0f2a7.min.js : 445185
g.y.POST	/auction/v1/shows/:showId/start-auction	cc4919ae5cd0f2a7.min.js : 445336
g.y.POST	/auction/v1/shows/:showId/start-item	cc4919ae5cd0f2a7.min.js : 445495
g.y.POST	/auction/v1/shows/:showId/close-item	cc4919ae5cd0f2a7.min.js : 445644
g.y.POST	/show/v1/shows/:showId/giveaways/:itemId/activate	cc4919ae5cd0f2a7.min.js : 445793
g.y.POST	/show/v1/shows/:showId/giveaways/:itemId/draw	cc4919ae5cd0f2a7.min.js : 445962
g.y.POST	/show/v1/shows/:showId/giveaways/:itemId/close	cc4919ae5cd0f2a7.min.js : 446128
g.y.POST	/show/v1/shows/:showId/items/:itemId/flash-sale/start	cc4919ae5cd0f2a7.min.js : 446291
g.y.POST	/show/v1/shows/:showId/items/:itemId/flash-sale/end	cc4919ae5cd0f2a7.min.js : 446462
g.y.POST	/show/v1/shows/:showId/items/:itemId/flash-sale/update	cc4919ae5cd0f2a7.min.js : 446626
g.y.GET	/show/v1/shows/:showId/giveaways/:itemId/entrants	cc4919ae5cd0f2a7.min.js : 446796
g.y.GET	/show/v1/shows/:showId/giveaways/:itemId	cc4919ae5cd0f2a7.min.js : 446965
g.y.POST	/dogs/1.0/get-bump-early-stop-info/	cc4919ae5cd0f2a7.min.js : 447128
g.y.POST	/dogs/1.0/smart-refinement/setup	cc4919ae5cd0f2a7.min.js : 447288
g.y.POST	/dogs/1.0/smart-refinement/edit	cc4919ae5cd0f2a7.min.js : 447448
g.y.POST	/dogs/1.0/smart-refinement/tag-suggestions	cc4919ae5cd0f2a7.min.js : 447603
g.y.POST	/cf/1.0/smart-refinement-search/	cc4919ae5cd0f2a7.min.js : 447782

Method expression	Path	Source offset
g.y.POST	/dogs/1.0/smart-refinement/search-suggestions	cc4919ae5cd0f2a7.min.js : 447942
g.y.POST	/dogs/1.0/autos-homepage-hot-keywords	cc4919ae5cd0f2a7.min.js : 448127
g.y.POST	/listing-quota/1.0/get-user-whatsapp-status	cc4919ae5cd0f2a7.min.js : 448296
g.y.POST	/listing-quota/1.0/upsert-user-whatsapp-status	cc4919ae5cd0f2a7.min.js : 448473
g.y.POST	/smart-nudge/v1/action	cc4919ae5cd0f2a7.min.js : 448656
g.y.POST	/dogs/1.0/listing-tier/get-setup-page	cc4919ae5cd0f2a7.min.js : 448917
g.y.GET	/cf/1.0/more_from_this_seller/:productId/	cc4919ae5cd0f2a7.min.js : 449082
g.y.GET	/dogs/1.0/get-home-services-spike-campaign-all-deals	cc4919ae5cd0f2a7.min.js : 449249
g.y.GET	/dogs/1.0/get-home-services-spike-campaign-flash-deals	cc4919ae5cd0f2a7.min.js : 449441
g.y.GET	/dogs/1.0/get-spike-campaign-deal	cc4919ae5cd0f2a7.min.js : 449637
g.y.POST	/dogs/1.0/schedule-spike-campaign-deal-reminder	cc4919ae5cd0f2a7.min.js : 449794