













No	Model No.	Picture	STANDARD EQUIPMENT	QTY	EXW Price (USD)
1	LGM- G30		Spray gun	3	\$1,630
			Suction gun	1	
			Laryngoscope pre-heater	1	
			Instrument tray	2	
			Cotton cup	2	
			Medical bottle	4	
			Vacuum pump	1	
			Compressor	1	
			Doctor chair	1	
			Cotton cup	2	
			Medical bottle	4	
			5 inch intelligent touched control system	1	
			Doctor chair	1	
			LED illuminating light	1	
2	LGM- G35		LED illuminating light	1	\$2,800
			Spray gun	3	
			Suction gun	1	
			Blowing gun	1	
			Laryngoscope pre-heater	1	
			Built-in LED light source	1	
			Luxury thin film viewer	1	
			Blow-off equipment system (with warning system)	1	
			Instrument tray	2	
			Cotton cup	2	
			Medical bottle	7	
			Built-in waste tank	1	
			Built-in equipment recycle tank	1	
			Built-in immersion sterilization cup	1	
			Doctor chair	1	
			Vacuum pump	1	
			Compressor	1	







3	LGM-G60		LED illuminating light	1	\$3,560
			Spray gun(unbent 2 & bend 1)	1	
			Suction gun	1	
			Blowing gun	1	
			Laryngoscope pre-heater	1	
			Built-in LED light source	1	
			Luxury thin film viewer	1	
			Blow-off equipment system (with warning system)	1	
			Instrument tray	2	
			Cotton cup	2	
			Medical bottle	4	
			Built-in waste tank	1	
			Built-in equipment recycle tank	1	
			Built-in immersion sterilization cup	1	
			Doctor chair	1	
			Vacuum pump	1	
			Compressor	1	
4	LGM-G65		LED headlight	1	\$5,150
			Spray gun (it can match different function spray	1	
			Suction gun	1	
			Blowing gun	1	
			Laryngoscope pre-heater	1	
			Built-in LED light source	1	
			Luxury thin film viewer	1	
			Blow-off equipment system (with warning system)	1	
			Instrument tray	2	
			Cotton cup	4	
			Medical bottle	8	
			Built-in waste tank	1	
			Built-in equipment recycle tank	1	
			Built-in immersion sterilization cup	1	
			Doctor chair	1	
			7 inch intelligent touched control system	1	
			Vacuum pump	1	
			Compressor	1	
			Air storage tank	1	


Optional Operating Chair

No	Model No.	Picture	Specifications	EXW Price (USD)
6	LGM-009		<p>1.Voltage:AC220V ; 50HZ</p> <p>2.Function description: The seat can be up and down, backrest can adjust from 90-180°.The foot pad linkage can rise 90°, backrest and leg pad linkage can rotate 180° left and right.</p> <p>3.Seat height adjustment: 450mm(minimum)-600mm (maximum).</p> <p>4.The armrest can be manually adjusted.</p> <p>5.The head pillow height can adjust and move.</p> <p>6.The seat rotation is 180° by manually.</p> <p>7.Power: 230W (maximum),low power consumption and saving power.</p> <p>8.Under weight pressure:250kg(max).</p> <p>9.Net Weight:115kg</p>	\$1,430
7	LGM-011		<p>1.Voltage:AC220V 50HZ</p> <p>2.Power:230W(max)and low power consumption, energy saving. 3.Under weight pressure:250KGS(max)</p> <p>4.Seat height adjustment: 530mm (minimum)-650mm(maximum) 5.Backrest adjustable angle: range from degree 90-135</p> <p>6.Pillow flex:100mm (folding, detachable)</p> <p>7.Size: 790x750x1335 (mm) Rought Weight:112KGS Net Weight:80KGS</p>	\$1,050
8	LGM-012		<p>1.Voltage:AC220V 50HZ</p> <p>2.Power:230W(max)and low power consumption, energy saving.</p> <p>3.Under weight pressure:250KGS(max) 4.Seat height adjustment: 500mm (minimum)-650mm(maximum)</p> <p>5.Backrest adjustable angle:fixed, not adjustable 6.Pillow flex:100mm (folding, detachable) 7.Packing Size: 695x720x1230 (mm)</p>	\$920

Optional Seprated parts pricelist

No	Model No.	Picture	Specifications	EXW Price (USD)
1	Medical endoscope camera(LGM-9103E-T)		1. Camera: 1/2.8" SONY CMOS 2. Total pixels: 2, 100,000 pixels 3. Image size: (horizontal *vertical) 1920X1080 4. Scanning system: Progressive scanning 5. Frame rate: (1920*1080)60p/50p 6. SNR: more than 50dB 7. Video output: By HDMI (X3) & CVBS video output 8. Horizon resolution: 1080 lines 9. Camera with function of capture/zoom out/zoom in/whitebalance 10. With 5" LCD screen 11. Touch Screen Panel 12. With USB HD recording	\$1750
	Camera head		Full HD camera head	
	Optical coupler		18mm, waterproof IPX8	
2	Medical LED light source (LGM-9017E-T)		1. Color Temperature:6500k-7300k 2. Luminous Lux: 2000lm 3. Coloration index: 70 4. Spectral Range: 400nm-700nm 5. Illumination: 400,000 lux 6. Luminance adjustment: 10%-100% adjustable continuously 7. Touch Screen Panel 8. Built-in 80W LED Cold Light Source	\$480
	Light guide cable		2meter, standard diameter	

3	LGM-9001E HD Endoscope Camera		1. Camera: 1 2.8" SONY CMOS 2. Total pixels: 2, 100,000 pixels 3. Image size: (horizontal *vertical) 1920X1080 4. Scanning system: Progressive scanning 5. Frame rate: (1920*1080)60p/50p 6. SNR: more than 50dB 7. Video output: By HDMI (X3) & CVBS video output 8. Horizon resolution: 1080 lines 9. Camera with function of capture/zoom out/zoom in/white balance 10. With 5" LCD screen 11. Built-in 80W LED Cold Light Source 12. With USB HD recording	\$2,150
4	Medical Monitor LGM-8024		24" LCD screen, Dimension ratio: 4:3 Input signal: DVI , VGA,S-VIDEO,CVBS Power supply:AC100~240V 50/60HZ Power:40VA Horizontal Resolution: 1024×768	\$650
5	Otoscope		Φ4; 90mm;0°	\$300
6	Sinuscope		Φ4; 175mm;30°	\$300
7	Laryngoscope		Φ8; 185mm;70°	\$350
8	Ear irrigation system		Constant temperature: 37°C--42°C	\$790

9	ENT microscope		<p>Eyepieces magnification 12.5x,pupil distance adjustable range 55mm~75mm, diopter adjustment range +6D~-6D. Binocular tube 0~200°binocular tube Magnification manual 3-step changer, ratio 0.6, 1.0, 1.6, total magnification 6x, 9x, 14x(F 250mm), illumination LED cold light, strong light, longer lifetime, brightness adjustable infinitely, illumination diameter of light spot 70mm, illumination intensity ≥ 600000 lux, field of view 53mm, 32mm, $\phi 20$mm build-in small-spot, both blue and yellow light filter. Objectives</p>	\$3,700
---	-------------------	---	---	---------