

Dokumentacija



Danilo Zdravkovic 227/16

Dokumentacija za sajt

<https://bookstoreoldor.000webhostapp.com/index.php>

VISOKA ICT SKOLA , BEOGRAD

6 / 7 / 2 0 1 8

Sadržaj

Opis funkcionalnosti	2
Baza Podataka	3
Struktura fajlova.....	4
Glavni Folder	4
Css	4
Images.....	5
Js.....	6
Php	6
Views	7
Kodovi	7
Css folder.....	7
JavaScript folder.....	146
Php folder (php)	157
Php folder (views)	176

Opis funkcionalnosti


Korišćeni jezici: PHP, JavaScript, SQL, JSON, jQuery, PHP PDO, Bootstrap, Ajax.

Tema sajta je kupovina knjiga online. Samo registrovani korisnici mogu da pristupe cart stranici, odnosno da kupe knjigu. Korisnici sa ulogom Administrator imaju pristup admin panelu preko kog mogu da kontrolišu čitav dinamički sadržaj sajta.

Funkcionalnosti:










- Dinamički sadržaj
- Dinamički meni
- Admin panel
- Logovanje i registrovanje
- Serverska provera
- Kupovina
- Anketa
- Responzivan dizajn
- Kontakt administratora
- Galerija
- Straničenje

Baza Podataka









Struktura fajlova





























Glavni Folder

	css	6/20/2018 4:57 AM	File folder	
	images	6/23/2018 6:58 PM	File folder	
	js	6/11/2018 6:06 PM	File folder	
	php	6/24/2018 12:19 AM	File folder	
	views	6/24/2018 12:22 AM	File folder	
	BookstoreDocumentation	6/23/2018 2:13 AM	Microsoft Word D...	34 KB
	index	6/23/2018 11:47 PM	JetBrains PhpStorm	2 KB
	Original PSD Information	7/14/2014 12:11 PM	Text Document	1 KB
	w3layouts-license	12/25/2013 10:51 ...	Text Document	20 KB

Css

	bootstrap	4/5/2014 4:13 PM	JetBrains PhpStorm	119 KB
	etalage	5/5/2014 3:29 PM	JetBrains PhpStorm	5 KB
	fwslider	6/5/2018 2:25 PM	JetBrains PhpStorm	3 KB
	jquery.fancybox	5/3/2014 1:16 PM	JetBrains PhpStorm	5 KB
	magnific-popup	5/5/2014 4:24 PM	JetBrains PhpStorm	4 KB
	style	6/20/2018 4:57 AM	JetBrains PhpStorm	45 KB

Images

	books	6/11/2018 6:06 PM	File folder	
	1529773115bg_image	6/23/2018 6:58 PM	JPG File	238 KB
	arrow	5/2/2014 5:57 PM	PNG File	3 KB
	arrows	5/2/2014 12:33 PM	PNG File	5 KB
	arrows	5/1/2014 4:02 PM	Adobe Photoshop...	68 KB
	bg_image	6/7/2018 7:22 PM	JPG File	238 KB
	close	5/1/2014 5:31 PM	PNG File	3 KB
	close	5/1/2014 3:57 PM	Adobe Photoshop...	27 KB
	close_edit	5/9/2014 11:48 AM	PNG File	3 KB
	currency	5/1/2014 6:02 PM	PNG File	3 KB
	fancybox_sprite	5/3/2014 1:15 PM	PNG File	2 KB
	favico	6/7/2018 7:16 PM	PNG File	4 KB
	img-sprite	5/6/2014 3:46 PM	PNG File	15 KB
	img-sprite	5/6/2014 4:20 PM	Adobe Photoshop...	163 KB
	logo	6/5/2018 1:49 PM	PNG File	7 KB
	logo	5/1/2014 3:43 PM	Adobe Photoshop...	34 KB
	many-books-in-a-b...	6/7/2018 7:24 PM	JPG File	59 KB
	marker	8/22/2013 6:02 PM	PNG File	1 KB
	nav	5/1/2014 4:14 PM	PNG File	1 KB
	search	5/6/2014 3:44 PM	PNG File	4 KB
	slider1	6/7/2018 7:20 PM	JPG File	129 KB
	slider2	6/7/2018 7:20 PM	JPG File	73 KB
	slider3	10/19/2013 12:34 PM	JPG File	115 KB
	speeddial-favico	6/7/2018 7:16 PM	PNG File	4 KB
	team5	6/12/2018 12:04 AM	JPG File	130 KB
	tick1	5/8/2014 12:30 PM	PNG File	3 KB
	wish	5/3/2014 5:43 PM	PNG File	4 KB
	zoom	5/3/2014 5:40 PM	PNG File	5 KB

- U Folderu /books/ su slike korica knjiga koje se prikazuju na sajtu

Js

PS classie	5/6/2014 3:25 PM	JetBrains PhpStorm	2 KB
PS fwslider	5/2/2014 10:03 AM	JetBrains PhpStorm	9 KB
PS jquery.etalage.min	5/3/2014 4:01 PM	JetBrains PhpStorm	17 KB
PS jquery.fancybox	5/3/2014 1:12 PM	JetBrains PhpStorm	48 KB
PS jquery.flexisel	12/18/2013 10:10 ...	JetBrains PhpStorm	8 KB
PS jquery.magnific-popup	5/3/2014 11:54 AM	JetBrains PhpStorm	45 KB
PS jquery.min	5/1/2014 4:11 PM	JetBrains PhpStorm	91 KB
PS jquery-ui.min	5/2/2014 10:03 AM	JetBrains PhpStorm	232 KB
PS responsive-nav	5/1/2014 4:10 PM	JetBrains PhpStorm	2 KB
PS uisearch	5/6/2014 3:25 PM	JetBrains PhpStorm	6 KB























- Neki od script file-ova nisu korisni pa mozda zato izbacuje problem u console tabu na sajtu

Php

PS ajax_delete_book	6/21/2018 2:10 PM	JetBrains PhpStorm	2 KB
PS ajax_delete_slide	6/21/2018 1:52 PM	JetBrains PhpStorm	2 KB
PS ajax_delete_user	6/20/2018 9:48 PM	JetBrains PhpStorm	1 KB
PS buy	6/23/2018 1:32 AM	JetBrains PhpStorm	2 KB
PS config	6/20/2018 9:22 PM	JetBrains PhpStorm	1 KB
PS connection	6/18/2018 7:35 PM	JetBrains PhpStorm	1 KB
PS insert_book	6/23/2018 6:43 PM	JetBrains PhpStorm	5 KB
PS insert_message	6/24/2018 12:09 AM	JetBrains PhpStorm	2 KB
PS insert_slider	6/23/2018 6:57 PM	JetBrains PhpStorm	3 KB
PS login	6/23/2018 3:03 AM	JetBrains PhpStorm	2 KB
PS logout	6/17/2018 7:40 PM	JetBrains PhpStorm	1 KB
PS registration	6/21/2018 2:49 PM	JetBrains PhpStorm	3 KB
PS respond_admin	6/21/2018 3:14 PM	JetBrains PhpStorm	2 KB
PS survey	6/24/2018 12:19 AM	JetBrains PhpStorm	2 KB
PS update_book	6/21/2018 2:57 PM	JetBrains PhpStorm	5 KB
PS update_slide	6/21/2018 3:55 PM	JetBrains PhpStorm	2 KB
PS update_user	6/20/2018 10:22 PM	JetBrains PhpStorm	3 KB

-Funkcionalnost sajta

Views

 about	6/21/2018 4:19 PM	JetBrains PhpStorm	2 KB
 admin	6/21/2018 3:55 PM	JetBrains PhpStorm	14 KB
 cart	6/23/2018 1:39 AM	JetBrains PhpStorm	4 KB
 checkout	6/7/2018 12:18 AM	JetBrains PhpStorm	1 KB
 contact	6/21/2018 2:36 PM	JetBrains PhpStorm	4 KB
 edit	6/20/2018 2:10 AM	JetBrains PhpStorm	3 KB
 editbook	6/21/2018 1:38 AM	JetBrains PhpStorm	4 KB
 editslide	6/23/2018 2:49 AM	JetBrains PhpStorm	3 KB
 footer	6/19/2018 8:27 PM	JetBrains PhpStorm	3 KB
 head	6/19/2018 8:53 PM	JetBrains PhpStorm	3 KB
 header	6/7/2018 12:21 AM	JetBrains PhpStorm	1 KB
 insert_new_book	6/23/2018 3:12 PM	JetBrains PhpStorm	4 KB
 insert_new_slide	6/23/2018 6:58 PM	JetBrains PhpStorm	2 KB
 login	6/20/2018 4:10 AM	JetBrains PhpStorm	3 KB
 main	6/19/2018 8:40 PM	JetBrains PhpStorm	4 KB
 nav	6/23/2018 3:03 AM	JetBrains PhpStorm	3 KB
 register	6/20/2018 1:59 AM	JetBrains PhpStorm	2 KB
 response	6/21/2018 3:15 PM	JetBrains PhpStorm	3 KB
 shipping	6/23/2018 1:36 AM	JetBrains PhpStorm	1 KB
 shop	6/20/2018 4:18 AM	JetBrains PhpStorm	5 KB
 single	6/23/2018 1:31 AM	JetBrains PhpStorm	4 KB
 survey	6/24/2018 12:22 AM	JetBrains PhpStorm	3 KB

-Views fajlovi sajta

Kodovi

Css folder

bootstrap.css

```
/*!  
 * Bootstrap v3.1.1 (http://getbootstrap.com)  
 * Copyright 2011-2014 Twitter, Inc.  
 * Licensed under MIT (https://github.com/twbs/bootstrap/blob/master/LICENSE)  
 */  
  
/*! normalize.css v3.0.0 | MIT License | git.io/normalize */  
html {  
  font-family: sans-serif;  
  -webkit-text-size-adjust: 100%;  
  -ms-text-size-adjust: 100%;  
}
```



```

                methods.adjustScroll();
                canNavigate = true;
            }
        }
    );
}
},

/*****
Adjust Scroll
*****/

adjustScroll: function() {

    var listParent = object.parent();
    var childSet = object.children();

    var innerWidth = listParent.width();
    itemsWidth = (innerWidth)/itemsVisible;
    childSet.width(itemsWidth);
    object.css({'left' : -itemsWidth});

}

};

if (methods[options]) {    // $("#element").pluginName('methodName', 'arg1',
'arg2');
    return methods[options].apply(this, Array.prototype.slice.call(arguments,
1));
} else if (typeof options === 'object' || !options) {    //
$("#element").pluginName({ option: 1, option:2 });
    return methods.init.apply(this);
} else {
    $.error( 'Method "' + method + '" does not exist in flexisel plugin!');
}
};

})(jQuery);

```

Php folder (php)

ajax_delete_book.php

```
<?php
```

```

$statusCode = 404;

if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You aren't authorised to be here!";
}

if (isset($_POST['id'])) {

    $id = $_POST['id'];

    include "connection.php";

    $authorId = $koneksi->query("SELECT author_id FROM book b WHERE b.id = $id ")-

```

```

>fetch();
    $upitDeleteAuthor = $konekcija->prepare("DELETE FROM author WHERE id = :id");
    $upitDeleteAuthor->bindParam(":id",$authorId->author_id);

    try {
        $rezultat1 = $upitDeleteAuthor->execute();

        if ($rezultat1) {

            $pictureId = $konekcija->query("SELECT picture_id FROM book WHERE id =
$id")->fetch();
            $upitDeletePicture = $konekcija->prepare("DELETE FROM pictures WHERE id =
:id");
            $upitDeletePicture->bindParam(":id",$pictureId->picture_id);
            try {
                $rezultat2 = $upitDeletePicture->execute();

                if ($rezultat2) {

                    $upitDeleteBook = $konekcija->prepare("DELETE FROM book WHERE id =
:id");
                    $upitDeleteBook->bindParam(":id",$id);
                    try {
                        $rezultat = $upitDeleteBook->execute();

                        if ($rezultat) {
                            $statusCode = 204;
                        } else {
                            $statusCode = 500;
                        }
                    } catch (PDOException $e) {
                        $statusCode = 500;
                    }

                    } else {
                        $statusCode = 500;
                    }
                } catch (PDOException $e) {
                    $statusCode = 500;
                }
            } else {
                $statusCode = 500;
            }
        } catch (PDOException $e) {
            $statusCode = 500;
        }
    }

    http_response_code($statusCode);

```

-Ovde je odradjena funkcionalnost brisanja knjige iz baze podataka, takodje u Admin Panelu se update-uje tabela gde tu knjigu vise nemamo. ajax_delete fajlovima moze se samo pristupiti preko POST metoda.

ajax_delete_slide.php

```
<?php

$statusCode = 404;

if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You are not authorised to be here!!!";
}

if (isset($_POST['id'])) {

    $id = $_POST['id'];

    include "connection.php";

    $upit = $konekcija->prepare("DELETE FROM pictures_slide WHERE id = (SELECT
picture_id FROM slider s WHERE s.id = :id)");
    $upit->bindParam(':id', $id);

    try {
        $rezultat = $upit->execute();

        if ($rezultat) {
            $upit2 = $konekcija->prepare("DELETE FROM slider WHERE id = :id");
            $upit2->bindParam(':id', $id);

            try {
                $rezultat2 = $upit2->execute();
                if($rezultat2){
                    $statusCode = 200;
                }
                else{
                    $statusCode = 500;
                }
            }
            catch (PDOException $e) {
                $statusCode = 500;
            }
        }
        else {
            $statusCode = 500;
        }
    } catch (PDOException $e) {
        $statusCode = 500;
    }
}

http_response_code($statusCode);
```

-Brisanje slajda u bazi podataka. Brise se slajd zajedno sa inicijalnom slikom koju smo postavili za taj slajd.

ajax_delete_user.php

```
<?php
```



```

$statusCode = 404;

if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You are not authorised to be here!!!";
}

if (isset($_POST['id'])) {

    $id = $_POST['id'];

    include "connection.php";

    $upit = $konekcija->prepare("DELETE FROM bookaneers WHERE id = :id");
    $upit->bindParam(':id', $id);

    try {
        $rezultat = $upit->execute();

        if ($rezultat) {
            $statusCode = 204;
        } else {
            $statusCode = 500;
        }
    } catch (PDOException $e) {
        $statusCode = 500;
    }
}

http_response_code($statusCode);

```

-Brisanje korisnika iz baze.

buy.php

```

<?php

require_once "connection.php";
session_start();
if (isset($_SESSION['korisnik'])) {
    if (isset($_POST['btnBuy'])) {
        $id="";
        if(isset($_GET['id'])){
            $id = $_GET['id'];
        }

        $quantity = $_POST['tbOption'];

        $korName = $_SESSION['korisnik']->bookaneer_name;
        $insertBookCart = $konekcija->prepare("INSERT INTO cart
(book_id,bookaneers_id,day_of_buyout,quantity) VALUES ((SELECT id FROM book WHERE id =
:id),(SELECT id FROM bookaneers WHERE bookaneer_name= '$korName' ),:datum,:quan)");

        $datum = date("Y-m-d H:i:s");
        $insertBookCart->bindParam(':id',$id);
        $insertBookCart->bindParam(':quan',$quantity);
        $insertBookCart->bindParam(':datum', $datum);

        try {

            $rez = $insertBookCart->execute();

```

```

        if($rez){
            header("Location: ../index.php?page=cart");
        }
        else{
            $_SESSION['error'][]= "Error!!";
            header("Location: ../index.php?page=single&id=$id");
        }

    } catch (PDOException $e) {
        echo $e->getMessage();
    }
}
//
}
} else {
    header("Location: ../index.php?page=cart");
}
}

```

-Fukcionalna logika pri kupovini knjige. Inicijalno sam hteo da se posalje na mail korisniku da je posiljka poslata, medjutim zbog kratkog vremenskog perioda, kupovina se samo smesta u bazu I u CART delu na sajtu korisnik moze pogledati ukupnu cenu kupljenog proizvoda (ako ima vise istih knjiga kupljenih).

config.php

```

<?php
define("MYSQL_HOST", "localhost");
define("MYSQL_DBNAME", "id6235252_bookstoreoldor");
define("MYSQL_USERNAME", "id6235252_bookaneerroot");
define("MYSQL_PASSWORD", "legolas1209");

```

-Config fajl za bazu

connection.php

```

<?php
require_once "config.php";

try{
    $konekcija = new
PDO("mysql:host=".MYSQL_HOST.";dbname=".MYSQL_DBNAME.";charset=utf8", MYSQL_USERNAME,
MYSQL_PASSWORD);

    $konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);

    $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
}
catch (PDOException $e){
    echo $e->getMessage();
}

function executeQuery($upit){
    global $konekcija;

    $rezultat = $konekcija->query($upit)->fetchAll();

    return $rezultat;
}

```

-Konekcija sa bazom

insert_book.php

```
<?php

require_once "connection.php";
session_start();
if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type === 'admin'){
if(isset($_POST['btnInsert'])){
    unset($_SESSION['errors']);

    $authorFirstname = trim($_POST['tbAuthorF']);
    $authorLastname = trim($_POST['tbAuthorL']);
    $authorBio = htmlspecialchars($_POST['tbBio']);
    $bookTitle = $_POST['tbTitle'];
    $bookSummary = htmlspecialchars($_POST['tbSummary']);
    $bookSSummary = htmlspecialchars($_POST['tbSSummary']);
    $slika = $_FILES['movePic'];
    $bookCategory = trim($_POST['tbCat']);
    $bookPrice = $_POST['tbPrice'];

    $reImePrezime = "/^[a-zA-Z]+((['. -][a-zA-Z ])?[a-zA-Z]*)*$/";
    $reBio = "/^[\\S]{5,}$/";
    $rePath = "/^[\\S]{5,}$/";
    $rePrice = "/^[0-9]{2,}(\\.[0-9]{2})?$/";
    $reTitle = "/^[\\w\\s]{1,255}$/";

    $errors = [];

    if (!preg_match($reImePrezime, $authorFirstname)) {
        $errors[] = "Wrong type for name.";
    }
    if (!preg_match($reTitle, $bookTitle)) {
        $errors[] = "Title is wrong.";
    }

    if (!preg_match($reImePrezime, $authorLastname)) {
        $errors[] = "Last name wont go.";
    }

    $ime_fajla = $slika['name'];
    $tip_fajla = $slika['type'];
    $velicina_fajla = $slika['size'];
    $tmp_putanja = $slika['tmp_name'];

    $dozvoljeni_formati = array("image/jpg", "image/jpeg", "image/png", "image/gif");

    // if(!in_array($tip_fajla, $dozvoljeni_formati)){
    //     $errors[] = "Wrong Type of file.";
    // }

    if($velicina_fajla > 3000000){
        $errors[] = "File must be less than 3MB.";
    }

    if (count($errors) > 0) {

        $_SESSION['error']= $errors;
        header("Location: ../index.php?page=insertbook");
    }

    else {
```

```

$insertQueryAuthor = $koneksi->prepare("INSERT INTO author
(author_firstname,author_lastname,bio) VALUES (:authorname, :authorlasntame,:bio)");

$insertQueryAuthor->bindParam(':authorname',$authorFirstname );
$insertQueryAuthor->bindParam(':authorlasntame',$authorLastname);
$insertQueryAuthor->bindParam(':bio',$authorBio );

try {

    $rez = $insertQueryAuthor->execute();

}
catch(PDOException $e){
    echo $e->getMessage();
}

    $naziv_fajla = time().$ime_fajla;
    $nova_putanja = "../images/books/".$naziv_fajla;
    $putanja_fajla ="images/books/".$naziv_fajla;

    if(move_uploaded_file($tmp_putanja, $nova_putanja)){

        $unos_slika = 'INSERT INTO pictures (alt,thumbnail,path) VALUES(:alt,
:mala, :putanja)';

        $priprema_slika = $koneksi->prepare($unos_slika);

        $priprema_slika->bindParam(":alt", $bookTitle);
        $priprema_slika->bindParam(":mala", $putanja_fajla);
        $priprema_slika->bindParam(":putanja", $putanja_fajla);

        try{
            $rez_unos = $priprema_slika->execute();
        }
        catch(PDOException $ex){
            echo $ex->getMessage();
        }

    } else {
        echo "File failed to move!";
    }

    $insertQueryBooks = $koneksi->prepare("INSERT INTO book
(title,author_id,picture_id,summary,price,sale,new,cat_id,about) VALUES
(:title,(SELECT id FROM author WHERE author_firstname = :authorfirst AND
author_lastname = :authorlast),(SELECT id FROM pictures WHERE path =
:putanja),:summary,:price,0,1,(SELECT id FROM category WHERE name =
:cat),:ssummary)");
    $insertQueryBooks->bindParam(':title',$bookTitle);
    $insertQueryBooks->bindParam(':authorfirst',$authorFirstname);
    $insertQueryBooks->bindParam(':authorlast',$authorLastname);
    $insertQueryBooks->bindParam(':putanja',$putanja_fajla);
    $insertQueryBooks->bindParam(':summary',$bookSummary);
    $insertQueryBooks->bindParam(':price',$bookPrice);

```

```
$insertQueryBooks->bindParam(':cat',$bookCategory);
$insertQueryBooks->bindParam(':ssummary',$bookSSummary);

try {

    $rez3 = $insertQueryBooks->execute();
    if ($rez3) {
        $_SESSION['success']= "Success!!";
        header("Location: ../index.php?page=admin");
    } else {
        $_SESSION['error'][]= "Error while inserting book";
        header("Location: ../index.php?page=insertbook");
    }

}

catch(PDOException $exs){
    echo $exs->getMessage();
}

}

}

else {
    echo "YOU ARE NOT AUTHORISED TO ENTER THIS PAGE";
}

}
```

insert_message.php

```
<?php
session_start();
require_once "connection.php";
if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You are not authorised to be here!!!";
}

if (isset($_POST['btnSubmitMess'])) {
    unset($_SESSION['error']);

    $contactName = $_POST['tbName'];
    $contactEmail = $_POST['tbEmail'];
    $textSubject = $_POST['tbSubject'];
    $errors = [];

    $reName = "/\b([A-Z]{1}[a-z]{1,30}[- ]{0,1}|[A-Z]{1}[- \']{1}[A-Z]{0,1}[a-z]{1,30}[- ]{0,1}|[a-z]{1,2}[- \']{1}[A-Z]{1}[a-z]{1,30}){2,5}/";

    if (!preg_match($reName, $contactName)) {
        $errors[] = "Wrong type for name.";
    }

    if (!filter_var($contactEmail, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Email is not valid";
    }

    if (count($errors) > 0) {

        $_SESSION['error'] = $errors;
        header("Location: ../index.php?page=contact");
    } else {

        require_once "connection.php";
```

```

        $upit_unos = $konekcija->prepare("INSERT INTO contact
(name,email,subject,text) VALUES ( :name,:email,:subject,:text)");

        // Zamena "placeholdera" iz upita sa vrednostima

        $upit_unos->bindParam(':name', $contactName);
        $upit_unos->bindParam(':email', $contactEmail);
        $upit_unos->bindParam(':subject', $textSubject);
        $upit_unos->bindParam(':text', $text);

        try {

            $rezultat = $upit_unos->execute();
            if ($rezultat) {
                $_SESSION['success'] = "You have sent a message!";
                header("Location: ../index.php?page=contact");
            } else {
                $_SESSION['error'][] = "Error while sending message";
                header("Location: ../index.php?page=register");
            }

        } catch (PDOException $e) {
            echo $e->getMessage();
        }
    }
}
else{
    echo "<script type='text/javascript'>alert('Leave this place mortal')</script>";
}

```

-Logika za Insert poruke sa contact.php strane.

insert_slider.php

```

<?php
session_start();
require_once "connection.php";
if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type === 'admin') {
    if (isset($_POST['btnInsertSlider']))
        unset($_SESSION['error']);

    $slideText = $_POST['tbSlideText'];
    $slidePath = $_POST['tbSPath'];
    $slika = $_FILES['fSlika'];

    //
    $reSlideText = "[A-Za-z\s?]+/";
    // $reUrl = "[a-zA-Z0-9@:%._\+~#={2,256}\.[a-z]{2,6}\b(?:[a-zA-Z0-9@:%_\+.~#?&/=]*)/";
    //
    $errors = [];

    $ime_fajla = $slika['name'];
    $tip_fajla = $slika['type'];
    $velicina_fajla = $slika['size'];
    $tmp_putanja = $slika['tmp_name'];
    $dozvoljeni_formati = array("image/jpg", "image/jpeg", "image/png", "image/gif");
    if ($velicina_fajla > 3000000) {
        $errors[] = "File must be less than 3MB.";
    }

    //
    if (!preg_match($reSlideText, $slideText)) {

```

```

        $errors[] = "Wrong text entered for Slide Text.";
    }
    //
    if ($slidePath == null || $slidePath == "") {
        $errors[] = "Wrong path type.";
    }

    if (count($errors) > 0) {

        $_SESSION['error'] = $errors;
        header("Location: ../index.php?page=newslide");
    } else {

        $naziv_fajla = time().$ime_fajla;
        $nova_putanja = "../images/".$naziv_fajla;
        $putanja_fajla = "images/".$naziv_fajla;

        if(move_uploaded_file($tmp_putanja, $nova_putanja)){

            $unos_slika = 'INSERT INTO pictures_slide (alt,path) VALUES (:alt,
:putanja)';

            $priprema_slika = $konekcija->prepare($unos_slika);

            $priprema_slika->bindParam(":alt", $slideText);
            $priprema_slika->bindParam(":putanja", $putanja_fajla);

            try{
                $rez_unos = $priprema_slika->execute();
            }
            catch(PDOException $ex){
                echo $ex->getMessage();
            }

        } else {
            echo "File failed to move!";
        }

        require_once "connection.php";
        $upit_unos2 = $konekcija->prepare("INSERT INTO slider (text, picture_id,
a_path) VALUES (:text,( SELECT ps.id FROM pictures_slide ps WHERE ps.path = :putanja
), :apath)");

        $upit_unos2->bindParam(':text', $slideText);
        $upit_unos2->bindParam(':putanja', $putanja_fajla);
        $upit_unos2->bindParam(':apath', $slidePath);
        var_dump($upit_unos2);

        try {
            $rezultat2 = $upit_unos2->execute();

            if ($rezultat2) {
                $_SESSION['success'] = "You have inserted a new slide";
                header("Location: ../index.php?page=admin");
            } else {
                $_SESSION['error'][] = "Error!!!";
            }
        }
    }
}

```

```

        header("Location: ../index.php?page=newslide");
    }
    } catch (PDOException $ex) {
        echo $ex->getMessage();
    }
}
} else {
    echo "You dont have the Authorization !!!";
}

```

-Logika za Insert Slider-a u bazu. Takodje sa Admin Panela.

login.php

```

<?php
session_start();
if (isset($_POST['submit'])) {
    unset($_SESSION['greske']);

    $email = $_POST['email'];
    $lozinka = $_POST['password'];

    $errors = [];
    $reLozinka = "/^[\\S]{5,}$/";

    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Email is wrong";
    }

    if (!preg_match($reLozinka, $lozinka)) {
        $errors[] = "Password or e-mail is wrong.";
    }

    if (count($errors) > 0) {
        $_SESSION['greske'] = $errors;
        header("Location: ../index.php?page=login");
    } else {
        require_once "connection.php";
        $lozinka = md5($lozinka);

        $query = "SELECT private_mail,bookaneer_pass,u.type,bookaneer_name FROM
bookaneers b INNER JOIN bookaneerroles u ON b.role_id=u.id WHERE activity=1
AND b.private_mail = :email AND b.bookaneer_pass = :password";

        $stmt = $konekcija->prepare($query);
        $stmt->bindParam(":email", $email);
        $stmt->bindParam(":password", $lozinka);

        $stmt->execute();
        $user = $stmt->fetch(); // Dohvatanje samo jednog korisnika
        if ($user) {
            $_SESSION['korisnik'] = $user; //Pravljenje sesije koja kao sadrzaj ima
            rezultat rada baze podataka
            header("Location: ../index.php?page=shop");
        } else {
            $errors[] = "Wrong e-mail or password";
            $_SESSION['greske'] = $errors;
            header("Location: ../index.php?page=login");
        }
    }
}

```


-Logika (logovanje) za login formu na stranici login.php

logout.php

```
<?php
session_start();
unset($_SESSION['korisnik']);
header("Location: ../index.php?page=login");

-Logout
```

registration.php

```
<?php
session_start();
if (isset($_POST['btnUnos']))
    unset($_SESSION['error']);

    $ime = trim($_POST['tbIme']);
    $prezime = trim($_POST['tbPrezime']);
    $email = trim($_POST['tbEmail']);
    $lozinka = trim($_POST['tbLozinka']);
    $adresa = $_POST['tbAdresa'];

# Validacija podataka

    $reImePrezime = "/^[A-Z][a-z]{2,50}$/";
    $reLozinka = "/^[\\S]{5,}$/";

    $errors = [];

    if (!preg_match($reImePrezime, $ime)) {
        $errors[] = "Wrong type for name.";
    }

    if (!preg_match($reImePrezime, $prezime)) {
        $errors[] = "Last name wont go.";
    }

    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Email is not valid";
    }

    if (!preg_match($reLozinka, $lozinka)) {
        $errors[] = "Password must be at least 5 letters long.";
    }
    if (!preg_match($reImePrezime, $adresa)) {
        $errors[] = "Adress is not valid.";
    }

    if (count($errors) > 0) {

        $_SESSION['error'] = $errors;
        header("Location: ../index.php?page=register");
    } else {

        # Generisanje korisnickog imena od email adrese korisnika

        $podaciEmail = explode("@", $email);

        $korisnicko_ime = $podaciEmail[0];
```

```

        $lozinka = md5($lozinka);

        require_once "connection.php";

        $upit_unos = $konekcija->prepare("INSERT INTO bookaneers VALUES ('', :ime, :prezime, :kor_ime, :email, :lozinka, :datum, '', '', :adresa)");

        // Zamena "placeholdera" iz upita sa vrednostima

        $upit_unos->bindParam(':ime', $ime);
        $upit_unos->bindParam(':prezime', $prezime);
        $upit_unos->bindParam(':email', $email);
        $upit_unos->bindParam(':kor_ime', $korisnicko_ime);
        $upit_unos->bindParam(':lozinka', $lozinka);
        $upit_unos->bindParam(':adresa', $adresa);

        $datum = date("Y-m-d H:i:s");

        $upit_unos->bindParam(':datum', $datum);

        try {
            // izvrsavanje upita

            $rezultat = $upit_unos->execute();

            if ($rezultat) {
                $_SESSION['success'] = "You have Registered successfully!";
                header("Location: ../index.php?page=login");
            } else {
                $_SESSION['error'][] = "Error!!";
                header("Location: ../index.php?page=register");
            }
        } catch (PDOException $e) {
            echo $e->getMessage();
        }
    }
}

```

-Logika za registraciju. Insert korisnika u bazu. Defaultno postavljeno da bude korisnik I nema mogucnost da bude admin.

respond_admin.php

```

<?php
session_start();
require_once "connection.php";
if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You are not authorised to be here!!!";
}
if (isset($_POST['btnSubmitMess']))
    unset($_SESSION['error']);

$text = $_POST['tbText'];
$contactEmail = $_POST['adminMail'];
$textSubject = $_POST['tbSubject'];
$errors = [];

$reName = "/\b([A-Z]{1}[a-z]{1,30}[- ]{0,1}|[A-Z]{1}[- \']{1}[A-Z]{0,1}[a-z]{1,30}[- ]{0,1}|[a-z]{1,2}[- \']{1}[A-Z]{1}[a-z]{1,30}){2,5}/";

//if (!filter_var($contactEmail, FILTER_VALIDATE_EMAIL)) {
//     $errors[] = "Email is not valid";
//

```

```

if (count($errors) > 0) {

    $_SESSION['error'] = $errors;
    header("Location: ../index.php?page=admin");
} else {

    require_once "connection.php";

    $upit_unos = $konekcija->prepare("INSERT INTO contact (email,subject,text) VALUES
( :email,:subject,:text)");

    // Zamena "placeholdera" iz upita sa vrednostima

    $upit_unos->bindParam(':email', $contactEmail);
    $upit_unos->bindParam(':subject', $textSubject);
    $upit_unos->bindParam(':text', $text);

    try {

        $rezultat = $upit_unos->execute();
        if ($rezultat) {
            $_SESSION['success'] = "You have sent a message!";
            header("Location: ../index.php?page=admin");
        } else {
            $_SESSION['error'][] = "Error while sending message";
            header("Location: ../index.php?page=admin");
        }

    } catch (PDOException $e) {
        echo $e->getMessage();
    }
}

```

-Respond poruka od admina nakon slanja sa contact.php strane. Takodje se upisuje u bazu

survey.php

```

<?php
session_start();
require_once "connection.php";
if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You are not authorised to be here!!!";
}
if (isset($_POST['btnUnos'])) {
    unset($_SESSION['error']);

    $contactName = $_POST['tbIme'];
    $novels = $_POST['novels'];
    $answer = $_POST['answer'];
    $errors = [];

    $reName = "/\b([A-Z]{1}[a-z]{1,30}[- ]{0,1}|[A-Z]{1}[- \']{1}[A-Z]{0,1}
[a-z]{1,30}[- ]{0,1}|[a-z]{1,2}[- \']{1}[A-Z]{1}[a-z]{1,30}){2,5}/";

    if (!preg_match($reName, $contactName)) {
        $errors[] = "Wrong type for name.";
    }
    if ($novels == 0 || $novels == null) {
        $errors[] = "Must choose a category";
    }
}

```

```

}
if(!preg_match($reAnswer,$answer)){

}

if (count($errors) > 0) {

    $_SESSION['error'] = $errors;
    header("Location: ../index.php?page=survey");
} else {

    require_once "connection.php";

    $upit_unos = $konekcija->prepare("INSERT INTO survey (name,novelType,answer)
VALUES ( :name,:novel,:answer)");

    // Zamena "placeholdera" iz upita sa vrednostima

    $upit_unos->bindParam(':name', $contactName);
    $upit_unos->bindParam(':novel', $novels);
    $upit_unos->bindParam(':answer', $answer);
    try {

        $rezultat = $upit_unos->execute();
        if ($rezultat) {
            $_SESSION['success'] = "You have sent a message!";
            header("Location: ../index.php?page=main");
        } else {
            $_SESSION['error'][] = "Error while sending message";
            header("Location: ../index.php?page=survey");
        }

    } catch (PDOException $e) {
        echo $e->getMessage();
    }
}}

```

-Logika za Anketu.

update_book.php

```

<?php
session_start();

if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type === "admin") {

    if (isset($_POST['btnUnos3']))
        unset($_SESSION['error']);

    $bookId = $_POST['bookid'];
    $title = $_POST['tbTitle'];
    $summary = trim($_POST['tbSummary']);
    $ssummary = trim($_POST['tbSSummary']);
    $price = $_POST['tbPrice'];
    $authorF = trim($_POST['tbAuthorF']);
    $authorL = $_POST['tbAuthorL'];
    $bio = $_POST['tbBio'];
    $path = $_POST['tbPath'];
    $cat = $_POST['tbCategory'];

    $reImePrezime = "/^[a-zA-Z]+(([',. -][a-zA-Z ])?[a-zA-Z]*)*$/";

```

```

$reLozinka = "/^[\\S]{5,}$/" ;
$rePrice = "/^[0-9]{2,}(\\. [0-9]{,2})?$/";

$errors = [];

if (!preg_match($reImePrezime, $authorF)) {
    $errors[] = "Author First name is not valid.";
}

if (!preg_match($reImePrezime, $authorL)) {
    $errors[] = "Author Last name cant't be written like that";
}

if (!preg_match($rePrice, $price)) {
    $errors[] = "Price is not valid.";
}

if (count($errors) > 0) {

    $_SESSION['error'] = $errors;
    header("Location: ../index.php?page=bookedit&id=$bookId");
} else {

    require_once "connection.php";
    $upit_unos = $konekcija->prepare("UPDATE pictures SET path = :path, alt = :booktitle WHERE id = (SELECT picture_id FROM book WHERE id = :bookid) ");

    $upit_unos->bindParam(':path', $path);
    $upit_unos->bindParam(':booktitle', $title);
    $upit_unos->bindParam(':bookid', $bookId);

    try {

        $rezultat = $upit_unos->execute();

        if ($rezultat) {
            $upit_unos2 = $konekcija->prepare("UPDATE author SET author_firstname = :firstnam, author_lastname = :lastname, bio = :bio WHERE id = (SELECT author_id FROM book WHERE id = :bookid) ");

            $upit_unos2->bindParam(':firstnam', $authorF);
            $upit_unos2->bindParam(':lastname', $authorL);
            $upit_unos2->bindParam(':bio', $bio);
            $upit_unos2->bindParam(':bookid', $bookId);

            try {
                $rez2 = $upit_unos2->execute();

                if ($rez2) {
                    $upit_unos3 = $konekcija->prepare("UPDATE book SET title = :title, author id = (SELECT id FROM author WHERE author firstname = :firstname AND author_lastname = :lastname), picture_id = (SELECT id FROM pictures WHERE path = :path), summary = :summary, price = :price, sale = 1,new = 0,cat_id = (SELECT id FROM category WHERE name = :cat),about = :ssummary WHERE id =:bookid ");

                    $upit_unos3->bindParam(':title', $title);
                    $upit_unos3->bindParam(':firstname', $authorF);
                    $upit_unos3->bindParam(':lastname', $authorL);

```

```

$upit_unos3->bindParam(':path', $path);
$upit_unos3->bindParam(':summary', $summary);
$upit_unos3->bindParam(':price', $price);
$upit_unos3->bindParam(':firstname', $authorF);
$upit_unos3->bindParam(':cat', $cat);
$upit_unos3->bindParam(':ssummary', $ssummary);
$upit_unos3->bindParam(':firstname', $authorF);
$upit_unos3->bindParam(':bookid', $bookId);

        try{
            $rez3 = $upit_unos3->execute();
            if ($rez3) {
                $_SESSION['success'] = "Update was made!";
                header("Location: ../index.php?page=admin");
            } else {
                $_SESSION['error'][] = "Update error!";
                header("Location: ../index.php?page=edit&id=$korId");
            }
        } catch (PDOException $e){
            echo $e->getMessage();
        }
    }
    else {
        $_SESSION['error'][] = "Update error!";
        header("Location: ../index.php?page=edit&id=$bookId");
    }
}

        }
        catch (PDOException $e){
            echo $e->getMessage();
        }
    } else {
        $_SESSION['error'][] = "Update error!";
        header("Location: ../index.php?page=edit&id=$bookId");
    }
} catch (PDOException $e) {
    echo $e->getMessage();
}

}
}

```

update_slide.php

```
<?php
session_start();
if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type === "admin") {

    if (isset($_POST['btnUnos2']))
        unset($_SESSION['error']);

    $slideId = $_POST['sid'];
    $slideText = $_POST['tbText'];
    $slideATag = $_POST['tbAHref'];
    $imgTag = $_POST['tbImg'];
```

```

$errors = [];

if (count($errors) > 0) {

    $_SESSION['error'] = $errors;
    header("Location: ../index.php?page=edit&id=$korId");
} else {

    require_once "connection.php";
    $upit_unos = $konekcija->prepare("UPDATE slider SET text= :text, picture_id =
(SELECT id FROM pictures_slide WHERE path = :img),a_path = :apath WHERE id=:sid ");

    $upit_unos->bindParam(':text', $slideText);
    $upit_unos->bindParam(':img', $imgTag);
    $upit_unos->bindParam(':apath', $slideATag);
    $upit_unos->bindParam(':sid', $slideId);

    try {

        $rezultat = $upit_unos->execute();

        if ($rezultat) {
            $_SESSION['success'] = "Update was made!";
            header("Location: ../index.php?page=admin");
        } else {
            $_SESSION['error'][] = "Update error!";
            header("Location: ../index.php?page=edit&id=$korId");
        }
    } catch (PDOException $e) {
        echo $e->getMessage();
    }
}
}

```

-Update logika za slide-ove. Admin panel.

update_user.php

```

<?php
session_start();
if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type === "admin") {

    if (isset($_POST['btnUnos2']))
        unset($_SESSION['error']);

    $korId = $_POST['korid'];
    $ime = trim($_POST['tbIme2']);
    $prezime = trim($_POST['tbPrezime2']);
    $email = trim($_POST['tbMail2']);
    $lozinka = trim($_POST['tbLozinka2']);
    $adresa = $_POST['tbAdresa2'];

    $reImePrezime = "/^[A-Z][a-z]{2,50}$/";
    $reLozinka = "/^[\\S]{5,}$/";
    $reAdresa = "/^[\\S]{5,}$/";

    $errors = [];
}

```

```

    if (!preg_match($reImePrezime, $ime)) {
        $errors[] = "Name is not valid.";
    }

    if (!preg_match($reImePrezime, $prezime)) {
        $errors[] = "Last name cant't be written like that";
    }

    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Email format is wrong.";
    }

    if (!preg_match($reLozinka, $lozinka)) {
        $errors[] = "Password must be at least 5 letters long.";
    }

    if (!preg_match($reImePrezime, $adresa)) {
        $errors[] = "Address is not valid.";
    }

    if (count($errors) > 0) {

        $_SESSION['error'] = $errors;
        header("Location: ../index.php?page=edit&id=$korId");
    } else {

        $podaciEmail = explode("@", $email);

        $korisnicko_ime = $podaciEmail[0];

        $lozinka = md5($lozinka);

        require_once "connection.php";
        $upit_unos = $konekcija->prepare("UPDATE bookaneers SET first_name = :ime,
last_name = :prezime, bookaneer_name = :kor_ime, private_mail = :email, bookaneer_pass
= :lozinka, adress = :adresa WHERE id=:korid ");

        $upit_unos->bindParam(':korid', $korId);
        $upit_unos->bindParam(':ime', $ime);
        $upit_unos->bindParam(':prezime', $prezime);
        $upit_unos->bindParam(':kor_ime', $korisnicko_ime);
        $upit_unos->bindParam(':email', $email);

        $upit_unos->bindParam(':lozinka', $lozinka);
        $upit_unos->bindParam(':adresa', $adresa);

        try {

            $rezultat = $upit_unos->execute();

            if ($rezultat) {
                $_SESSION['success'] = "Update was made!";
                header("Location: ../index.php?page=admin");
            } else {
                $_SESSION['error'][] = "Update error!";
                header("Location: ../index.php?page=edit&id=$korId");
            }
        } catch (PDOException $e) {
            echo $e->getMessage();
        }
    }
}

```



```
}  
}
```

-Logika za Update User-a. Admin Panel.

Php folder (views)

about.php

```
<div class="main">  
    <div class="shop_top">  
        <div class="container">  
            <div class="row team_box">  
                <h3 class="m_2">About me</h3>  
                <div class="row">  
                    <div class="col-md-4 team_bottom">  
                        <ul class="team_list">  
                            <h4>My knowledge</h4>  
                            <li><a href="#">PHP</a><p>A beginner in PHP programing.  
Learning my ways around it. Its more fun than i expected it to be</p></li>  
                            <li><a href="#">HTML/CSS</a><p>Am pretty good with  
it.</p></li>  
                            <li><a href="#">JavaScript</a><p>Somewhat good. Can be  
better</p></li>  
                            <li><a href="#"></a>C#<p>Beginner.</p></li>  
                        </ul>  
                    </div>  
                    <div class="col-md-8">  
                        <ul class="team_list">  
                            <h4>Danilo Zdravković 227/16</h4>  
                            <p class="m_7">Hi! My name is Danilo Zdravković and im a  
student at a ICT COLLEGE OF VOCATIONAL STUDIES in Belgrade. Big fan of books, games,  
languages, comics, photos, sports and many things more.  
This is a project for our PHP class! No books,  
images and products are for my own benefits! They are purely just for practicing of  
making a PHPwebsite.</p>  
                              
                        </ul>  
                    </div>  
                </div>  
            </div>  
        </div>  
    </div>  
</div>
```

- ABOUT strana.

admin.php

```
<div class="main">  
    <div class="shop_top">  
        <div class="container">  
            <div class="row shop_box-top">  
                <?php if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type  
=== 'admin'): ?>  
                    <ul class="nav nav-tabs">  
                        <li class="active"><a data-toggle="tab"  
href="#users">Users</a></li>  
                        <li><a data-toggle="tab" href="#books">Books</a></li>  
                        <li><a data-toggle="tab" href="#sliders">Sliders</a></li>  
                        <li><a data-toggle="tab" href="#messages">Messages</a></li>  
                    </ul>  
  
                    <div class="tab-content">  
                        <div id="users" class="tab-pane fade in active">
```

```

<h3>Users</h3>
<p>Managing users.</p>
<table class="table table-striped">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">First</th>
      <th scope="col">Last</th>
      <th scope="col">Handle</th>
      <th scope="col">Mail</th>
      <th scope="col">Day Of Registration</th>
      <th scope="col">Activity</th>
      <th scope="col">Type</th>
      <th scope="col">Adress</th>
      <th scope="col">Edit</th>
      <th scope="col">Delete</th>
    </tr>
  </thead>
  <tbody>
    <?php
      $upitcinaZaBazu = "SELECT *,b.id as bid FROM bookaneers b
INNER JOIN bookaneerroles br ON b.role_id = br.id WHERE br.type!='admin'";
      $aloo = executeQuery($upitcinaZaBazu);

      <foreach ($aloo as $user):
        ?>
        <tr>
          <th scope="row"><?=$user->bid ?></th>
          <td><?=$user->first_name ?></td>
          <td><?=$user->last_name ?></td>
          <td><?=$user->bookaneer_name ?></td>
          <td><?=$user->private_mail ?></td>
          <td><?=$user->day_of_reg ?></td>
          <td><?=$user->activity ?></td>
          <td><?=$user->type ?></td>
          <td><?=$user->adress ?></td>
          <td><a href="index.php?page=edit&id=<?=$user->bid
?>">Edit</a></td>

          <td>
            <button type="button" class="btn btn-danger
delete-user"
              data-id="<?=$user->bid ?>">Delete
            </button>
          </td>
        </tr>
      <?php endforeach; ?>
    </tbody>
  </table>
</div>
<div id="books" class="tab-pane fade">
  <h3>Books</h3>
  <p>Books manage</p>
  <table class="table table-striped">
    <thead>
      <tr>
        <th scope="col">#</th>
        <th scope="col">Title</th>
        <th scope="col">Author</th>
        <th scope="col">Price</th>
        <th scope="col">Picture Path</th>
        <th scope="col">Sale</th>
        <th scope="col">New</th>
      </tr>
    </thead>
  </table>

```

```

        </thead>
        <tbody>
        <?php
        $upitBooks = "SELECT *,b.id as bid, p.id as pid FROM book
b INNER JOIN pictures p ON b.picture_id =p.id INNER JOIN author a ON b.author_id =
a.id ORDER BY b.id";
        $getBooks = executeQuery($upitBooks);

        foreach ($getBooks as $book):
            ?>
            <tr>
                <th scope="row"><?= $book->bid ?></th>
                <td><?= $book->title ?></td>
                <td><?= $book->author_firstname." ".$book->
>author_lastname ?></td>
                <td><?= $book->price ?></td>
                <td><?= $book->path ?></td>
                <td><?= $book->sale ?></td>
                <td><?= $book->new ?></td>
                <td><a href="index.php?page=bookedit&id=<?= $book->
>bid ?>">Edit</a></td>
                <td>
                    <button type="button" class="btn btn-danger
delete-book"
                        data-id="<?= $book->bid ?>">Delete
                    </button>
                </td>
            </tr>
        <?php endforeach; ?>
        </tbody>
    </table>
    <a href="index.php?page=insertbook"><input type="button"
class="btn btn-danger" value="INSERT"> </a>
</div>
<div id="sliders" class="tab-pane fade">
    <h3>Sliders</h3>
    <p>Editing and Deleting Sliders</p>
    <table class="table table-striped">
        <thead>
            <tr>
                <th scope="col">#</th>
                <th scope="col">Text</th>
                <th scope="col">Picture path</th>
                <th scope="col">A href path</th>
            </tr>
        </thead>
        <tbody>
        <?php
        $querySlider = "SELECT *,s.id as sid, ps.id as psid FROM
slider s INNER JOIN pictures _slide ps ON s.picture_id = ps.id";
        $getSlider = executeQuery($querySlider);

        foreach ($getSlider as $slider):
            ?>
            <tr>
                <th scope="row"><?= $slider->sid ?></th>
                <td><?= $slider->text ?></td>
                <td><?= $slider->path ?></td>
                <td><?= $slider->a_path ?></td>
                <td><a href="index.php?page=slideedit&id=<?=
$slider->sid ?>">Edit</a></td>
                <td>
                    <button type="button" class="btn btn-danger

```

```

delete-slider"
                                data-id="<?= $slider->sid ?>">Delete
                                </button>
                            </td>
                        </tr>
                    <?php endforeach; ?>
                </tbody>
            </table>
            <a href="index.php?page=newslide"><input type="button"
class="btn btn-danger" value="INSERT"/></a>
        </div>
        <div id="messages" class="tab-pane fade">
            <h3>Messages</h3>
            <p>Sent Messages from users and buyers</p>
            <table class="table table-striped">
                <thead>
                    <tr>
                        <th scope="col">#</th>
                        <th scope="col">Who</th>
                        <th scope="col">Email</th>
                        <th scope="col">Subject</th>
                        <th scope="col">Text</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    $queryContact = "SELECT *,c.id as cid FROM contact c";
                    $getContacts = executeQuery($queryContact);

                    foreach ($getContacts as $contact):
                        ?>
                        <tr>
                            <th scope="row"><?= $contact->cid ?></th>
                            <td><?= $contact->name ?></td>
                            <td><?= $contact->email ?></td>
                            <td><?= $contact->subject ?></td>
                            <td><?= $contact->text ?></td>
                            <td><a href="index.php?page=response&id=<?=
$contact->cid ?>">Respond</a></td>
                        </tr>
                    <?php endforeach; ?>
                </tbody>
            </table>

        </div>
    </div>
</div>
<script type="text/javascript">
    $(document).ready(function () {
        $('.delete-user').click(function () {
            var id = $(this).data('id');
            // alert(id);

            $.ajax({
                method: 'POST',
                url: "php/ajax_delete_user.php",
                dataType: 'json',
                data: {
                    id: id
                },
    
```



```

var id = $(this).data('id');
// alert(id);

$.ajax({
    method: 'POST',
    url: "php/ajax_delete_slide.php",
    dataType: 'json',
    data: {
        id: id
    },
    success: function (podaci) {
        alert("The slide has been removed!");
        location.reload();
    },
    error: function (xhr, statusTxt, error) {
        var status = xhr.status;
        switch (status) {
            case 500:
                alert("Server ERROR! Curently it is not possible
to delete the slide.");
                break;
            case 404:
                alert("Page not Found!");
                break;
            default:
                alert("Error: " + status + " - " + statusTxt);
                location.reload();
                break;
        }
    }
});
});
});
</script>
<?php else: ??>
    <h4> YOU CANT ENTER THIS PAGE </h4>
    <script> alert("DONT DO THIS MATE!");</script>
<?php endif; ??>

```

-Admin Panel strana. Gde se ispisuju svi korisnici, slajdovi I knjige I takodje poruke. Takodje ovde je stavljen ajax sa java scripta, radi lakseg snalazenja u kodu, a I barem sa moje strane je bilo prakticnije. Pristupna I moze uci samo korisnik tipa admin.

cart.php

```

<?php if (isset($_SESSION['korisnik'])): ??>
    <div class="main">
        <div class="shop_top">
            <div class="container">
                <div class="row shop_box-top">
                    <ul class="nav nav-tabs">
                        <li class="active"><a data-toggle="tab"
href="#cart">Cart</a></li>
                    </ul>
                    <?php
                        $korName = $_SESSION['korisnik']->bookaneer_name;
                        $upit = "SELECT * FROM cart c INNER JOIN book b ON c.book_id =
b.id INNER JOIN author a ON b.author_id = a.id INNER JOIN bookaneers u ON
c.bookaneers_id = u.id WHERE bookaneer_name = '$korName' ";
                        $proizvodi = executeQuery($upit);
                    <?php

```

```

        <div class="tab-content">
            <div id="cart" class="tab-pane fade in active">
                <h3>Items</h3>
                <table class="table table-striped">
                    <thead>
                        <tr>
                            <th scope="col">#</th>
                            <th scope="col">Book</th>
                            <th scope="col">Author</th>
                            <th scope="col">Quantity</th>
                            <th scope="col">Price</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php if ($proizvodi): ?>
                            <?php foreach ($proizvodi as $proizvod): ?>
                                <tr>
                                    <th scope="row"><?=$korName ?></th>
                                    <td><?=$proizvod->title ?></td>
                                    <td><?=$proizvod->author_firstname . " " .
. $proizvod->author_lastname ?></td>
                                    <td><?=$proizvod->quantity ?></td>
                                    <td><?=$proizvod->price * $proizvod->
>quantity ?></td>
                                    <td> Delivery Pending</td>
                                </tr>
                            <?php endforeach; ?>
                        <?php else: ?>
                            <tr>
                                <th scope="row"><?=$korName ?></th>
                                <td><?=$proizvod->title ?></td>
                                <td><?=$proizvod->author_firstname . " " .
$proizvod->author_lastname ?></td>
                                <td><?=$proizvod->quantity ?></td>
                                <td><?=$proizvod->price * $proizvod->quantity
?></td>
                                <td> Delivery Pending</td>
                            </tr>
                        <?php endif; ?>
                    </tbody>
                </table>
            </div>
        </div>
    </div>
</div>
<?php else: ?>
    <div class="main">
        <div class="shop_top">
            <div class="container">
                <h4 class="title">Shopping cart is empty</h4>
                <p class="cart">You are not logged in.<br>Click<a
href="index.php?page=login"> here</a> to continue
                login and continue shopping !</p>
            </div>
        </div>
    </div>
</div>
<?php endif; ?>

```

-CART strana sajta gde ako je korisnik ulogovan prikazuje praznu tabelu ukoliko nista nije kupio, u koliko jeste prikazuje da je kupljena knjiga spremna za dostavu. Ukoliko nije ulogovan trazi se da se uloguje


```
</div>
</div>
```

-CONTACT strana sajta. Korisnik moze poslati poruku za kontakt koja stize adminu u admin panelu gde moze odgovoriti na istu.

edit.php

```
<div class="main">
  <div class="shop_top">
    <div class="container">
      <?php
        if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type ===
"admin"): ?>
        <?php
          $id = "";
          if(isset($_GET['id'])){
            $id= $_GET['id'];
          }
          if (isset($_SESSION['error'])) {
            foreach ($_SESSION['error'] as $error) {
              echo "<p>$error</p>";
            }
          }

          $upit = "SELECT * FROM bookaneers WHERE id = $id";
          $korisnici = executeQuery($upit);
          ?>
          <form action="php/update_user.php" method="post">
            <div class="register-top-grid">
              <h3>PERSONAL INFORMATION</h3>
              <?php foreach ($korisnici as $korisnik):?>
                <div>
                  <input type="hidden" value="<?=$korisnik->id ?>"
name="korid"/>
                  <span>Change First Name<label>*</label></span>
                  <input type="text" name="tbIme2" value="<?=$korisnik->first_name ?>">
                </div>
                <div>
                  <span>Change Last Name<label>*</label></span>
                  <input type="text" name="tbPrezime2" value="<?=$korisnik->last_name ?>">
                </div>
                <div>
                  <span>Change Address<label>*</label></span>
                  <input type="text" name="tbAdresa2" value="<?=$korisnik->adresa ?>">
                </div>
              <?php
                ?>
            </div>
            <div class="clear"></div>
          </div>
          <div class="clear"></div>
          <div class="register-bottom-grid" value="">
            <h3>LOGIN INFORMATION</h3>
            <div>
              <span>Password<label>*</label></span>
              <input id="modlgn_passwd" type="text" name="tbLozinka2"
class="inputbox" width="96%"
size="10" autocomplete="off" value="<?=$korisnik-
```

```

>bookaneer_pass ?>">
    </div>

    <div>
        <span>Email Adress<label>*</label></span>
        <input type="text" name="tbMail2" value="<?= $korisnik-
>private_mail ?>">
    </div>
    <div class="clear"></div>
</div>
    <div>
        <?php endforeach; ?>
        <div class="clear"></div>
        <input type="submit" value="submit" name="btnUnos2">
    </form>
</div>
</div>
</div>
<?php else: ?>
    <h1>YOU ARE NOT AUTHORIZED FOR THIS PAGE!! LEAVE!</h1>
<?php endif; ?>

```

-KLIKOM na EDIT za USER tab u Admin panelu dolazi se do ove strane gde admin moze promeniti podatke korisniku.

editbook.php

```

<div class="main">
    <div class="shop_top">
        <div class="container">
            <?php

                if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type ===
"admin"): ?>
                    <?php
                        $id = "";
                        if(isset($_GET['id'])) {
                            $id= $_GET['id'];
                        }
                        if (isset($_SESSION['error'])) {
                            foreach ($_SESSION['error'] as $error) {
                                echo "<p>$error</p>";
                            }
                        }
                    <?php
                        else{
                            echo "Uneti podatke.";
                            unset($_SESSION['greske']);
                        }
                    <?php
                        $upit = "SELECT *, b.id as bid,p.path as ppath FROM book b INNER JOIN
pictures p ON b.picture_id = p.id INNER JOIN author a ON b.author_id = a.id INNER JOIN
category c ON b.cat_id=c.id WHERE b.id = $id";
                        $books = executeQuery($upit);
                        ?>
                        <form action="php/update_book.php" method="post">
                            <div class="register-top-grid">
                                <h3>Book Info</h3>
                                <?php foreach ($books as $book): ?>
                                    <div>
                                        <input type="hidden" value="<?=$book->bid ?>" name="bookid"/>
                                        <span>Book Title<label>*</label></span>
                                        <input type="text" name="tbTitle" value="<?= $book->title ?>">
                                    </div>
                                </div>

```

```

        <span>Change Summary<label>*</label></span>
        <textarea class="textarea" name="tbSummary" "><?= $book-
>summary ?> </textarea>
    </div>
    <div>
        <span>Change Category<label>*</label></span>
        <textarea class="textarea" name="tbCategory" "><?= $book->name
?> </textarea>
    </div>
    <div>
        <span>Change Short Summary<label>*</label></span>
        <textarea class="textarea" name="tbSSummary" "><?= $book-
>about ?> </textarea>
    </div>
    <div>
        <span>Put it on SALE<label>*</label></span>
        <input type="radio" name="radio" value="<?= $book->sale ?>">
Yes
        <input type="radio" name="radio" value="<?= $book->sale ?>">
No
    </div>
    <div>
        <span>Change Image Path<label>*</label></span>
        <input type="text" name="tbPath" value="<?= $book->ppath ?>">
    </div>
    <div>
        <span>Change Price<label>*</label></span>
        <input type="text" name="tbPrice" value="<?= $book->price ?>">
    </div>
    <div class="clear"></div>
</div>
<div class="clear"></div>
<div class="register-bottom-grid" value="">
    <h3>Author Information</h3>
    <div>
        <span>Author First Name<label>*</label></span>
        <input type="text" name="tbAuthorF" value="<?= $book-
>author_firstname ?>">
    </div>
    <div>
        <span>Author Last Name<label>*</label></span>
        <input type="text" name="tbAuthorL" value="<?= $book-
>author_lastname ?>">
    </div>
    <div>
        <span>Author Bio<label>*</label></span>
        <input type="text" name="tbBio" value="<?= $book->bio ?>">
    </div>
    <div class="clear"></div>
</div>
<?php endforeach; ?>
<div class="clear"></div>
<input type="submit" value="submit" name="btnUnos3">
</form>
</div>
</div>
</div>
<?php else: ?>

```

```
<h1>YOU ARE NOT AUTHORIZED FOR THIS PAGE!! LEAVE!</h1>
<?php endif; ?>
```

-KLIKOM na EDIT u BOOK tabu salje se na ovu stranu gde se mogu promeniti podaci o knjiiz.

editslide.php

```
<div class="main">
  <div class="shop_top">
    <div class="container">
      <?php
        if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type ===
"admin"): ?>
        <?php
          $id = "";
          if(isset($_GET['id'])){
            $id= $_GET['id'];
          }
          if (isset($_SESSION['error'])) {
            foreach ($_SESSION['error'] as $error) {
              echo "<p>$error</p>";
            }
          }

          $upit = "SELECT *, s.id as sid,s.a_path as apath,ps.path as imgpath FROM
slider s INNER JOIN pictures_slide ps ON s.picture_id = ps.id WHERE s.id = $id";
          $sliders = executeQuery($upit);
          ?>
          <form action="php/update_slide.php" method="post">
            <div class="register-top-grid">
              <h3>SLIDE INFORMATION</h3>
              <?php foreach ($sliders as $slider):?>
                <div>
                  <input type="hidden" value="<?=$slider->said ?>" name="sid"/>
                  <span>Change Text<label>*</label></span>
                  <input type="text" name="tbText" value="<?= $slider->text ?>">
                </div>
                <div>
                  <span>Change A href Path<label>*</label></span>
                  <input type="text" name="tbAHref" value="<?= $slider->apath
?>" />

                </div>
              <div class="clear"></div>
            </div>
            <div class="clear"></div>
            <div class="register-bottom-grid" >
              <h3>PICTURE INFORMATION</h3>

              <div>
                <span>Change Picture Path<label>*</label></span>
                <input type="file" name="fSlika"/>
              </div>
              <div class="clear"></div>
            </div>
            <?php endforeach; ?>
            <div class="clear"></div>
            <input type="submit" value="submit" name="btnUnos2">
          </form>
        </div>
      </div>
    </div>
  </div>
<?php else: ?>
  <h1>YOU ARE NOT AUTHORIZED FOR THIS PAGE!! LEAVE!</h1>
<?php endif; ?>
```

footer.php

```
<div class="footer">
    <div class="container">
        <div class="row">
            <?php
                $queryNavH4 = "SELECT * FROM h4footer";
                $h4 = executeQuery($queryNavH4);
                foreach ($h4 as $nas):
                    ?>
                    <div class="col-md-3">
                        <ul class="footer_box">

                            <h4><?= $nas->text ?></h4>
                            <?php
                                $queryNavFoot = "SELECT * FROM footer_nav WHERE h4_id = ".$nas->id;
                                $ostalo = executeQuery($queryNavFoot);
                                foreach ($ostalo as $item):
                                    ?>
                                    <li><a href="<?= $item->path ?>"> <?= $item->text ?></a> </li>
                                <?php endforeach; ?>
                                </ul>
                            </div>
                        <?php endforeach; ?>

            <!--
                <div class="col-md-3">-->
            <!--
                <ul class="footer_box">-->
            <!--
                <h4>Customer Support</h4>-->
            <!--
                <li><a
href="http://localhost/PHPWebsite/BookStoreWebsite/Noldor/index.php?page=contact">Cont
act Us</a></li>-->
            <!--
                --><?php //if(!isset($_SESSION['korisnik'])): ?>
            <!--
                <li><a
href="http://localhost/PHPWebsite/BookStoreWebsite/Noldor/index.php?page=login">Login<
/a></li>-->
            <!--
                --><?php //else: ?>
            <!--
                <li><a
href="http://localhost/PHPWebsite/BookStoreWebsite/Noldor/php/logout.php">Logout</a></
li>-->
            <!--
                --><?php //endif; ?>
            <!------>
            <!--
                <li><a href="#">Easy Returns</a></li>-->
            <!--
                <li><a href="#">Warranty</a></li>-->
            <!--
                </ul>-->
            <!--
                </div>-->
            <div class="col-md-3">
                <ul class="social">
                    <li class="facebook"><a
href="http://www.facebook.com/althor10"><span> </span></a></li>
                    <li class="twitter"><a href="http://www.twitter.com"><span>
</span></a></li>
                    <li class="instagram"><a
href="http://www.instagram.com/patakcode"><span> </span></a></li>
                    <li class="pinterest"><a href="http://www.pinterest.com"><span>
</span></a></li>
                    <li class="youtube"><a href="http://www.youtube.com"><span>
</span></a></li>
                </ul>
            </div>
        </div>
        <div class="row footer_bottom">
            <div class="copy">
                <p>© 2014 Template by <a href="http://w3layouts.com"
target="_blank">w3layouts</a></p>
```



```

});

$(".dropdown dd ul li a").click(function () {
    var text = $(this).html();
    $(".dropdown dt a span").html(text);
    $(".dropdown dd ul").hide();
    $("#result").html("Selected value is: " + getSelectedValue("sample"));
});

function getSelectedValue(id) {
    return $("#" + id).find("dt a span.value").html();
}

$(document).bind('click', function (e) {
    var $clicked = $(e.target);
    if (!$clicked.parents().hasClass("dropdown"))
        $(".dropdown dd ul").hide();
});

$("#flagSwitcher").click(function () {
    $(".dropdown img.flag").toggleClass("flagvisibility");
});
});
</script>
</head>
-Head tag.

```

header.php

```

<body>
<div class="header">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="header-left">
                    <div class="logo">
                        <a href="index.php?page=main"></a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</body>
-Logo

```

insert_new_book.php

```

<div class="main">
    <div class="shop_top">
        <div class="container">
            <?php

                if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type ===
"admin"): ?>
                    <?php

                        if (isset($_SESSION['error'])) {
                            foreach ($_SESSION['error'] as $error) {
                                echo "<p>$error</p>";
                            }
                        }
                    ?>
                    <form action="php/insert_book.php" method="post" enctype="multipart/form-
data">

                        <div id="primary">

```



```

        </div>
    </div>
</div>
</div>
<?php else: ?>
    <h1>YOU ARE NOT AUTHORIZED FOR THIS PAGE!! LEAVE!</h1>
<?php endif; ?>

```

-KLIKOM na INSERT u BOOK tabu u Admin panelu dolazi se do ove strane gde se moze ubaciti nova knjiga sa posebnom slikom. Salje se na insert_book.php stranu koja radi logiku ove forme

insert_new_slide.php

```

<div class="main">
    <div class="shop_top">
        <div class="container">
            <?php

                if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type ===
"admin"): ?>
                    <?php

                        if (isset($_SESSION['error'])) {
                            foreach ($_SESSION['error'] as $error) {
                                echo "<p>$error</p>";
                            }
                        }
                    ?>

                    <form action="php/insert_slider.php" method="post"
enctype="multipart/form-data">
                        <div id="primary">
                            <div class="register-top-grid">
                                <h2>Insert Slide</h2>

                                <div>
                                    <input type="hidden" value="" name="" />
                                    <span>Slide Text<label>*</label></span>
                                    <input type="text" name="tbSlideText" placeholder="The
Text that will show!"/>
                                </div>
                                <div>
                                    <span>Slide Path <label>*</label></span>
                                    <input type="text" name="tbSPath" placeholder="Path that
you will send the user"/>
                                </div>
                                <div class="clear"></div>
                            </div>
                            <div class="clear"></div>
                            <div class="register-bottom-grid" value="">

                                <h2>Slide image</h2>

                                <div>
                                    <span>Image Path<label>*</label></span>
                                    <input type="file" name="fSlika" />
                                </div>

                                <div class="clear"></div>
                            </div>
                            <div class="clear"></div>
                            <input type="submit" value="submit" name="btnInsertSlide">

                        </form>

```

```

        </div>
    </div>
</div>
</div>
<?php else: ??>
    <h1>YOU ARE NOT AUTHORIZED FOR THIS PAGE!! LEAVE!</h1>
<?php endif; ??>
    -Admin panel insert SLIDE.

```

login.php

```

<div class="main">
    <div class="shop_top">
        <div class="container">
            <div class="col-md-6">
                <div class="login-page">
                    <h4 class="title">New Customers</h4>
                    <p>Dont have an account? You can create one in just one step!
After that you can browse our wares
                    and find a book that you fancy. You will be given a option to
enter your address. Don't be
                    alarmed it is so that we know where to ship the products. Hope
you enjoy our collection and
                    Happy Bookaneering! </p>
                    <div class="button1">
                        <a href="index.php?page=register"><input
type="submit" name="Submit" value="Create an
Account"></a>
                    </div>
                    <div class="clear"></div>
                </div>
            </div>
            <div class="col-md-6">
                <div class="login-title">
                    <h4 class="title">Registered Customers</h4>
                    <?php if (isset($_SESSION['greske'])) {
                        $sesija = $_SESSION['greske'];
                        foreach ($sesija as $error) {
                            echo "<b>$error</b>";
                        }
                    }; ?>
                    <div id="loginbox" class="loginbox">
                        <form action="php/login.php" method="post" name="login"
id="login-form">
                            <fieldset class="input">
                                <p id="login-form-username">
                                    <label for="modlgn_username">Email</label>
                                    <input id="modlgn_username" type="text"
name="email" class="inputbox" size="18"
                                    autocomplete="off">
                                </p>
                                <p id="login-form-password">
                                    <label for="modlgn_passwd">Password</label>
                                    <input id="modlgn_passwd" type="password"
name="password" class="inputbox" size="18"
                                    autocomplete="off">
                                </p>
                                <div class="remember">
                                    <input type="checkbox" name="remember" class="checkbox"
value="Login">
                                </div>
                                <div class="clear"></div>
                            </fieldset>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </fieldset>
</form>
</div>
</div>
<div class="clear"></div>
</div>
</div>
</div>
</div>

```

-Login forma za sajt. I mogucnost registracije.

main.php

```

<div class="main">
<div class="banner">
    <!-- start slider -->
    <div id="fwslider">
        <div class="slider_container">
            <?php
                $querySlide = "SELECT * FROM slider s INNER JOIN pictures_slide ps ON
s.picture_id=ps.id";
                $sliderBig = executeQuery($querySlide);
                foreach ($sliderBig as $item):
                    ?>
                    <div class="slide">
                        <!-- Slide image -->
                        alt ?>"/>
                        <!-- /Slide image -->
                        <!-- Texts container -->
                        <div class="slide_content">
                            <div class="slide_content_wrap">
                                <!-- Text title -->
                                <h1 class="title"><?=$item->text ?></h1>
                                <!-- /Text title -->
                                <div class="button"><a href="<?=$item->a_path ?>">See
Details</a></div>
                            </div>
                        </div>
                        <!-- /Texts container -->
                    </div>
                    <?php endforeach; ?>

                </div>
                <div class="timers"></div>
                <div class="slidePrev"><span></span></div>
                <div class="slideNext"><span></span></div>
            </div>
            <!--/slider -->
        </div>

    <!-- MAIN!!! -->
    <div class="main">
        <div class="content-top">
            <h2>In store</h2>
            <p>Books that we have in store!</p>
            <div class="close_but"><i class="close1"> </i></div>
            <ul id="flexiselDemo3">
                <?php
                    $upitcina = "SELECT * FROM pictures p INNER JOIN book b ON p.id =
b.picture_id";

```

```

        $slider = executeQuery($upitcina);
        foreach($slider as $sliderImage): ?>
            <li>
                 </li>
            <?php endforeach; ?>
        </ul>
        <h3>Do not miss them!</h3>
        <script type="text/javascript">
            $(window).load(function() {
                $("#flexiselDemo3").flexisel({
                    visibleItems: 5,
                    animationSpeed: 1000,
                    autoPlay: true,
                    autoPlaySpeed: 3000,
                    pauseOnHover: true,
                    enableResponsiveBreakpoints: true,
                    responsiveBreakpoints: {
                        portrait: {
                            changePoint: 480,
                            visibleItems: 1
                        },
                        landscape: {
                            changePoint: 640,
                            visibleItems: 2
                        },
                        tablet: {
                            changePoint: 768,
                            visibleItems: 3
                        }
                    }
                });
            });
        </script>
        <script type="text/javascript" src="js/jquery.flexisel.js"></script>
    </div>
</div>
<div class="content-bottom">
    <div class="container">
        <div class="row content_bottom-text">
            <div class="col-md-7">
                <h3 style="color:black">Words from the<br>Author</h3>
                <p class="m_1" style="color:black"> Hello! My name is Danilo! Just
                wanted to say, before anything else that this is a non-profit website and it's just
                for show. This supposed "company" that I made up is just to have a preview of the
                skills used to make this website.</p>
                <p class="m_2" style="color:black">I do not sell any of the books, nor
                do i own them. They are written by their respected writers and published by REAL
                publishers. Hope you enjoy the design that this site has, and hopefully you would find
                an interesting book to read. Please buy the real one. Like i said we dont sell them
                here, it's just for show!</p>
            </div>
        </div>
    </div>
</div>
</div>

```

-Glavna strana! Pocetna strana. Prikaz mini Galerije knjiga koja se sama pomera I sem toga nema neku vecu funkcionalnost. Slider koji prikazuje vesti koje odredi administrator. I moj 'disclamer' da ne posedujem bilo koju od knjiga niti da ih prodajem za stvarno.

nav.php

```
<div class="menu">
  <a class="toggleMenu" href="#"></a>
  <ul class="nav" id="nav">
    <?php
      $queryNav = "SELECT * FROM navigation";
      $doNav = executeQuery($queryNav);

      foreach ($doNav as $item):
        ?>
        <?php if (!$item->admin): ?>
          <li><a href="<?= $item->path ?>"><?= $item->name ?></a></li>
        <?php elseif (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type ===
"admin" && $item->admin): ?>

          <li><a href="<?= $item->path ?>"><?= $item->name ?></a></li>
        <?php endif; ?>
        <?php endforeach; ?>
      <div class="clear"></div>
    </ul>
    <script type="text/javascript" src="js/responsive-nav.js"></script>
  </div>
<div class="clear"></div>
</div>
<div class="header_right">
  <script src="js/classie.js"></script>
  <script src="js/uisearch.js"></script>
  <script>
    new UISearch(document.getElementById('sb-search'));
  </script>
  <!--//search-scripts-->
  <ul class="icon1 sub-icon1 profile_img">
    <li><a class="active-icon cl" href="#"> </a>
      <ul class="sub-icon1 list">
        <?php if (isset($_SESSION['korisnik'])) {
          echo "Username: " . $_SESSION['korisnik']->bookaneer_name;
        } else echo "Please log in!";
        ?>
        <div class="login_buttons">
          <?php if (!isset($_SESSION['korisnik'])): ?>
            <div class="login_button"><a
              href="index.php?page=login">Login</a>
            </div>
          <?php else: ?>
            <div class="login_button"><a
              href="php/logout.php">Logout</a>
            </div>
          <?php endif; ?>
          <div class="clear"></div>
        </div>
        <div class="clear"></div>
      </ul>
    </li>
  </ul>
  <div class="clear"></div>
</div>
</div>
</div>
</div>
</div>
```

Navigacioni meni koji se dinamički iz baze ispisuje. Takođe ako je korisnik logovan sklanja se LOGIN i zamenjuje sa LOGOUT. I sakriva Admin panel koji može samo admin da pristupi.

register.php

```
<div class="main">
  <div class="shop_top">
    <div class="container">
      <?php
        if (isset($_SESSION['error'])) {
          foreach ($_SESSION['error'] as $error) {
            echo "<p>$error</p>";
          }
        } ?>
        <form action="php/registration.php" method="post">
          <div class="register-top-grid">
            <h3>PERSONAL INFORMATION</h3>
            <div>
              <span>First Name<label>*</label></span>
              <input type="text" name="tbIme">
            </div>
            <div>
              <span>Last Name<label>*</label></span>
              <input type="text" name="tbPrezime">
            </div>
            <div>
              <span>Home Address<label>*</label></span>
              <input type="text" name="tbAdresa">
            </div>
            <div class="clear"></div>

          </div>
          <div class="clear"></div>
          <div class="register-bottom-grid">
            <h3>LOGIN INFORMATION</h3>
            <div>
              <span>Password<label>*</label></span>
              <input id="modlgn_passwd" type="password" name="tbLozinka"
class="inputbox" width="96%"
              size="10" autocomplete="off">
            </div>
            <div>
              <span>Email Adress<label>*</label></span>
              <input type="text" name="tbEmail">
            </div>
            <div class="clear"></div>
          </div>
          <div class="clear"></div>
          <input type="submit" value="submit" name="btnUnos">
        </form>
      </div>
    </div>
  </div>
</div>
```

-Forma za REGISTRACIJU korisnika.

response.php

```
<div class="main">
  <div class="shop_top">
    <div class="container">
      <?php

        if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->type ===
"admin"): ?>
        <?php

        if (isset($_SESSION['error'])) {
```

```

        foreach ($_SESSION['error'] as $error) {
            echo "<p>$error</p>";
        }
    }
    $id="";
    if(isset($_GET['id'])){
        $id= $_GET['id'];
    }
    $upit = "SELECT * FROM contact WHERE id = $id";
    $contact = executeQuery($upit);
    ?>
    <form action="php/respond_admin.php" method="post">
        <?php foreach ($contact as $item): ?>
            <div id="primary">
                <input type="hidden" name="adminMail" value="<?php if
(isisset($_SESSION['korisnik']) && $_SESSION['korisnik']->type === "admin"){echo
$_SESSION['korisnik']->private_mail;}?>" />

                <div class="register-top-grid">

                    <h2>Respond to <?= $item->name ?></h2>

                    <div>
                        <span>Subject<label>*</label></span>
                        <input type="text" name="tbSubject"/>
                    </div>
                    <div>
                        <span>Text<label>*</label></span>
                        <input type="text" name="tbText" />
                    </div>
                    <div>
                        <span>Email<label>*</label></span>
                        <input type="text" name="tbEmail" value="<?=$item->email
?>"/>

                    </div>
                    <div class="clear"></div>
                </div>
                <div class="clear"></div>
                <input type="submit" value="submit" name="btnInsertMessage">
                <?php endforeach; ?>
            </form>
        </div>
    </div>
</div>
</div>
<?php else: ?>
    <h1>YOU ARE NOT AUTHORIZED FOR THIS PAGE!! LEAVE!</h1>
<?php endif; ?>

```

-Forma za ODGOVOR od admina, na pruku koja mu je poslata preko CONTACT strane.
Mogucnost komunikacije I sa ljudima koji nemaju oformljen nalog ali su zainteresovani za saradnju.

shipping.php

```

<div class="main">
    <div class="shop_top">
        <div class="container">
            <div class="row shop_box-top">
                <div class="main">
                    <div class="shop_top">
                        <div class="container">
                            <h4 class="title">SHIPPING INFO</h4>
                            <p class="cart">Wherever you are we will find you. And we

```

shop.php

```
<?php $actual_link = 'http://' . $_SERVER['HTTP_HOST'] . $_SERVER['PHP_SELF']; ?>
<div class="main">
    <div class="shop_top">
        <div class="container">
            <div class="row shop_box-top">
                <?php

                if (isset($_GET['strana'])) {
                    $strana = $_GET['strana'];
                } else
                    $strana = 1;

                $perPage = 4;
                $limit = $strana * $perPage;
                $offset = ($strana * $perPage) - $perPage;

                $stupi = "SELECT *,b.id as bid FROM book b INNER JOIN author a ON
b.author_id=a.id INNER JOIN pictures p ON b.picture_id=p.id INNER JOIN category c ON
b.cat_id=c.id ORDER BY bid LIMIT $limit OFFSET $offset";
                $stupi2 = "SELECT * FROM book b INNER JOIN author a ON b.author_id=a.id
INNER JOIN pictures p ON b.picture_id=p.id INNER JOIN category c ON b.cat_id=c.id";
                $proizvodi = executeQuery($stupi);

                $pagina = executeQuery($stupi2);
                $count = count($pagina);
                foreach ($proizvodi

                as $proizvod):

                ?>

                <div class="col-md-3 shop_box">
                    <a href="<?= $actual_link ?>?page=single&jedan=<?= $proizvod-
>bid ?>">

                        alt ?>" />
                        <?php if ($proizvod->new == 1): ?>
                            <span class="new-box">
                                <span class="new-label">New</span>
                            </span>

                                <?php endif; ?>
                                <?php if ($proizvod->sale == 1): ?>
                                    <span class="sale-box">
                                        <span class="sale-label">Sale!</span>
                                    </span>
                                </?php if ($proizvod->sale == 1): ?>
                                </span>
                            </div>
                        </a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```

        </span>

        <?php endif; ?>
        <div class="shop_desc">
            <h3>
                <a href="<?=$actual_link ?>?page=single&jedan=<?=$proizvod->bid ?>"><?=$proizvod->title ?>
            </h3>
            <p><?=$proizvod->author_firstname . " " . $proizvod->author_lastname ?> </p>
            <span class="actual"><?=$proizvod->price
        ?></span><br>
            <ul class="buttons">
                <li class="cart"><?=$proizvod->name ?></li>
                <li class="shop_btn"><a
href="index.php?page=single&jedan=<?=$proizvod->bid ?>">Read More</a></li>
                <div class="clear"></div>
            </ul>
        </div>

        </a>
    </div>

    <?php endforeach; ?>

</div>
<div class="row div-pagination">
    <div class="col-4 col-offset-6" id="paginacija">
        <ul class="pagination">
            <?php if ($strana - 2 > 0): ?>
                <li>
                    <a href="<?=$actual_link ?>?page=shop&strana=<?=$strana - 2 ?>"><?=$strana - 2; ?></a>
                </li>
            <?php endif; ?>
            <?php if ($strana - 1 > 0): ?>
                <li>
                    <a href="<?=$actual_link ?>?page=shop&strana=<?=$strana - 1 ?>"><?=$strana - 1; ?></a>
                </li>
            <?php endif; ?>
            <li class="active"><a href="#"><?=$strana ?></a></li>
            <?php if ($strana + 1 < $count/$perPage+1): ?>
                <li>
                    <a href="<?=$actual_link ?>?page=shop&strana=<?=$strana + 1 ?>"><?=$strana + 1; ?></a>
                </li>
            <?php endif; ?>
            <?php if ($strana + 2 < $count/$perPage+1): ?>
                <li>
                    <a href="<?=$actual_link ?>?page=shop&strana=<?=$strana + 2 ?>"><?=$strana + 2; ?></a>
                </li>
            <?php endif; ?>
        </ul>
    </div>
</div>

</div>
</div>
</div>

```

-SHOP strana sa koje se mogu pogledati knjige iz baze. Uradjena je paginacija. Odlucio sam se za 4 artikla po strain zato sto se tako najbolje vide I ne prave problem oko dizajna sajta. Klikom na bilo koju sliku prosledjuju se na SINGLE stranu I takodje se prosledjuje ID te knjige gde se tamo posle prikaze I sadrzaj.

single.php

```
<?php
$id='';
    if(isset($_GET['jedan'])){
        $id = $_GET['jedan'];
    }

    $queryBook = "SELECT *,b.id as bid, p.path as pathcina FROM book b INNER JOIN
author a ON b.author_id= a.id INNER JOIN pictures p ON b.picture_id= p.id INNER JOIN
category c ON b.cat_id = c.id WHERE b.id = $id";
    $knjigaJedna = executeQuery($queryBook);

if (isset($_SESSION['error'])) {
    foreach ($_SESSION['error'] as $error) {
        echo "<script type='text/javascript'> alert($error);</script>";
    }
}
?>
<div class="main">
    <div class="shop_top">
        <?php foreach ($knjigaJedna as $knjiga):?>
            <div class="container">
                <div class="row">
                    <div class="col-md-9 single_left">

                        <div class="single_image">

                            <ul id="etalage">

                                <li>
                                    

                                </li>

                            </ul>
                        </div>
                        <!-- end product_slider -->
                        <div class="single_right">
                            <h3><?=$knjiga->title ?> </h3>
                            <p class="m_10"><?=$knjiga->about ?> </p>

                            <div class="btn_form">
                                <form action="php/buy.php?id=<?=$knjiga->bid ??"
method="post">
                                    <input type="submit" name="btnBuy" value="Buy"
title="" data-id="<?=$knjiga->bid ??">

                                </div>
                                <ul class="add-to-links">
                                    <li><a href="#">Add to
wishlist</a></li>

                                </ul>
                                <div class="social_buttons">
                                    <h4>95 Items</h4>
                                    <button type="button" class="btn1 btn1-default1 btn1-
```

```

twitter" onclick="">
        <i class="icon-twitter"></i> Tweet
    </button>
    <button type="button" class="btn1 btn1-default1 btn1-
facebook" onclick="">
        <i class="icon-facebook"></i> Share
    </button>
    <button type="button" class="btn1 btn1-default1 btn1-
google" onclick="">
        <i class="icon-google"></i> Google+
    </button>
    <button type="button" class="btn1 btn1-default1 btn1-
pinterest" onclick="">
        <i class="icon-pinterest"></i> Pinterest
    </button>
</div>
</div>
<div class="clear"> </div>
</div>
<div class="col-md-3">
    <div class="box-info-product">
        <p class="price2">${<?=$knjiga->price ?></p>
        <ul class="prosuct-qty">
            <span>Quantity:</span>
            <select name="tbOption">
                <option value="1">1</option>
                <option value="2">2</option>
                <option value="3">3</option>
                <option value="4">4</option>
                <option value="5">5</option>
                <option value="6">6</option>
            </select>
        </ul>
    </div>
</div>
</div>
</form>
<div class="desc">
    <h4>Plot</h4>
    <p>${<?=$knjiga->summary ?></p>
</div>

</div>
<?php endforeach; ?>
</div>
</div>

```

-Prikaz jedne knjige sa mogucstvom kupovine. Iz baze se hvataju podaci o svakoj knjizi I prikazuju ovde. Klikom na BUY void se na buy.php stranu gde se u bazu upisuje koji korisnik je koju knjigu kupio. Gde se posle u CART strain prikazuje samo njegova kupovina.

survey.php

```

<div class="main">
    <div class="shop_top">
        <div class="container">
            <?php
            if (isset($_SESSION['error'])) {
                foreach ($_SESSION['error'] as $error) {
                    echo "<p>$error</p>";
                    unset($_SESSION['error']);
                }
            }

```

```

        ?>
        <form action="php/survey.php" method="post">
            <div class="register-top-grid">
                <h2>SURVEY</h2>
                <div>
                    <span>First Name</span>
                    <input type="text" name="tbIme">
                </div>
                <div class="clear"></div>

            </div>
            <div class="clear"></div>
            <div class="register-bottom-grid">
                <h3>QUESTION</h3>
                <div>
                    <span>What type of novels do you like to
read?<label>*</label></span>
                    <select name="novels">
                        <option value="0">Choose category...</option>
                        <option value="1">Epic-Fantasy</option>
                        <option value="2">Criminal/Detective</option>
                        <option value="3">Horror</option>
                        <option value="4">Romance/Love</option>
                        <option value="5">Drama/Tragedy</option>
                        <option value="6">Sci-Fi</option>
                        <option value="7">Mystery</option>
                        <option value="7">Westerns</option>
                        <option value="8">Comic Books</option>
                    </select>
                </div>
                <div>
                    <span>Has any book ever made you laugh out loud?</span>
                    <input type="text" name="tbLaugh" name="answer">
                </div>
                <div class="clear"></div>
            </div>
            <div class="clear"></div>
            <input type="submit" value="Answer" name="btnUnos">
        </form>
    </div>
</div>
</div>

```

-Forma za ANKETU gde korisnik odgovara na par pitanja koja se dalje cuvaju u bazu.

index.php

```

<?php

include "php/connection.php";
session_start();
$page = "";

if(isset($_GET['page'])){
    $page = $_GET['page'];
}

include "views/head.php";
include "views/header.php";
include "views/nav.php";

switch($page){

```

```
        case "shop":
            include "views/shop.php";
            break;
        case "about":
            include "views/about.php";
            break;
        case "contact":
            include "views/contact.php";
            break;
        case "login":
            include "views/login.php";
            break;
        case "checkout":
            include "views/checkout.php";
            break;
        case "register":
            include "views/register.php";
            break;
        case "single":
            include "views/single.php";
            break;
        case "admin":
            include "views/admin.php";
            break;
        case 'edit':
            include "views/edit.php";
            break;
        case 'insertbook':
            include "views/insert_new_book.php";
            break;
        case "bookedit":
            include "views/editbook.php";
            break;
        case "newslide":
            include "views/insert_new_slide.php";
            break;
        case "response":
            include "views/response.php";
            break;
        case "slideedit":
            include "views/editslide.php";
            break;
        case "cart":
            include "views/cart.php";
            break;
        case "shipping":
            include "views/shipping.php";
            break;
        case "survey":
            include "views/survey.php";
            break;
        default:
            include "views/main.php";
            break;
    }

    include "views/footer.php";
?>
```

-Glavana INDEX strana sa svim INCLUDE-ovima.

Ostali, tekstualni fajlovi su ostavljeni zbog TEMPLATE-a i zbog licence istog. Takođe Link u futeru je ostavljen zbog istog razloga.