

Dokumentacija



Danilo Zdravkovic 227/16

Dokumentacija za sajt

<https://electrotechshop.000webhostapp.com/>

VISOKA ICT SKOLA , BEOGRAD

2 / 15 / 2019

Sadržaj

Opis funkcionalnosti	3
Baza Podataka	4
Struktura fajlova.....	5
Glavni Folder	5
Css	5
Img	5
Js.....	6
Php	6
Views	7
Kodovi	7
Css folder.....	7
style.css	7
JavaScript folder.....	43
main.js.....	43
Php folder (php)	45
add_to_cart.php	45
ajax_delete_ad.php	48
ajax_delete_item_cart.php.....	48
ajax_delete_product.php.....	49
ajax_delete_user.php	51
buyout.php.....	53
config.php	55
connection.php	55
insertAd.php.....	56
sendMail.php	57
insertProduct.php	58
login.php	61
logout.php.....	62
register.php.....	62
sendNews.php	63
survey.php.....	64

updateAd.php	65
updateProduct.php	67
Php folder (views)	70
index.php	70
contactAdmin.php	71
ad_update.php.....	72
admin.php	74
author.php	80
checkout.php	81
footer.php	85
head.php	87
header.php.....	88
insertAd.php.....	92
insertProduct.php	94
loginAcc.php.....	95
nav.php	97
newsletter.php.....	98
product.php	98
product_update.php	103
register.php.....	105
section1Big.php.....	107
section2newProducts.php	108
section3hot.php	110
section4Top.php	111
section5TopSlider.php	113
store.php.....	116
survey.php.....	126

Opis funkcionalnosti


Korišćeni jezici: PHP, JavaScript, SQL, JSON, jQuery, PHP PDO, Bootstrap, Ajax.

Tema sajta je kupovina elektricne tehnike online. Samo registrovani korisnici mogu da pristupe cart stranici, odnosno da kupe proizvod. Korisnici sa ulogom Administrator imaju pristup admin panelu preko kog mogu da kontrolišu čitav dinamički sadržaj sajta.

Funkcionalnosti:

- Dinamički sadržaj
- Dinamički meni
- Admin panel
- Logovanje i registrovanje
- Serverska provera
- Kupovina
- Anketa
- Responzivan dizajn
- Kontakt administratora
- Galerija (Za proizvod)
- Straničenje

Baza Podataka



Struktura fajlova

Glavni Folder

.idea	18-Feb-19 4:02 PM	File folder	
css	15-Feb-19 5:20 PM	File folder	
fonts	18-Jan-19 9:22 PM	File folder	
img	17-Feb-19 11:55 PM	File folder	
js	15-Feb-19 10:23 PM	File folder	
php	18-Feb-19 4:00 PM	File folder	
screenshot	18-Jan-19 9:22 PM	File folder	
view	18-Feb-19 4:02 PM	File folder	
Credits	17-Jan-18 10:52 PM	Text Document	1 KB
ElectroDocumentation	18-Feb-19 4:03 PM	Microsoft Word D...	708 KB
index	17-Feb-19 11:52 PM	JetBrains PhpStorm	2 KB

Css








ajax-loader	06-Feb-19 12:57 AM	GIF File	4 KB
bootstrap.min	25-Jul-16 8:53 PM	Cascading Style S...	119 KB
font-awesome.min	22-Dec-16 9:50 PM	Cascading Style S...	31 KB
nouislider.min	28-May-17 7:52 PM	Cascading Style S...	4 KB
slick	03-Oct-17 3:51 PM	Cascading Style S...	2 KB
slick-theme	03-Oct-17 3:51 PM	Cascading Style S...	4 KB
style	15-Feb-19 5:20 PM	Cascading Style S...	41 KB

Img

logo	16-Feb-19 6:56 PM	File folder	
products	03-Feb-19 4:45 PM	File folder	
productsDesktop	11-Feb-19 1:42 PM	File folder	
upload	14-Feb-19 10:00 PM	File folder	
ajax-loader	06-Feb-19 12:57 AM	GIF File	4 KB
electrologo	16-Feb-19 6:52 PM	PNG File	5 KB
hotdeal	15-Jan-18 11:11 PM	PNG File	275 KB
logo	16-Jan-18 9:54 PM	PNG File	3 KB
me	12-Jun-18 12:04 AM	JPG File	130 KB
sd	11-Feb-19 2:58 PM	Text Document	15 KB
shop01	15-Jan-18 10:06 PM	PNG File	172 KB
shop02	15-Jan-18 10:08 PM	PNG File	253 KB
shop03	15-Jan-18 10:14 PM	PNG File	207 KB



















- U Folderu /products/ su proizvoda. U folderu upload su slike koje dodaje admin kad pravi nove proizvode.

Js

 bootstrap.min	25-Jul-16 8:53 PM	JavaScript File	37 KB
 jquery.min	17-Jan-17 9:41 PM	JavaScript File	84 KB
 jquery.zoom.min	25-Apr-17 5:28 AM	JavaScript File	3 KB
 jquery-3.3.1.min	15-Feb-19 1:25 PM	JavaScript File	85 KB
 main	17-Jan-18 10:55 PM	JavaScript File	4 KB
 nouislider.min	28-May-17 7:52 PM	JavaScript File	21 KB
 slick.min	03-Oct-17 3:51 PM	JavaScript File	42 KB
























- Neki od script file-ova nisu korisni pa mozda zato izbacuje problem u console tabu na sajtu

Php

 add_to_cart	18-Feb-19 4:00 PM	JetBrains PhpStorm	5 KB
 ajax_delete_ad	15-Feb-19 8:32 PM	JetBrains PhpStorm	1 KB
 ajax_delete_item_cart	18-Feb-19 12:40 AM	JetBrains PhpStorm	2 KB
 ajax_delete_product	15-Feb-19 7:47 PM	JetBrains PhpStorm	3 KB
 ajax_delete_user	15-Feb-19 8:25 PM	JetBrains PhpStorm	4 KB
 buyout	17-Feb-19 3:37 PM	JetBrains PhpStorm	5 KB
 config	01-Feb-19 12:54 AM	JetBrains PhpStorm	1 KB
 connection	09-Feb-19 8:55 PM	JetBrains PhpStorm	1 KB
 insertAd	16-Feb-19 11:54 AM	JetBrains PhpStorm	4 KB
 insertProduct	14-Feb-19 10:48 PM	JetBrains PhpStorm	6 KB
 login	16-Feb-19 3:11 PM	JetBrains PhpStorm	2 KB
 logout	18-Feb-19 9:03 PM	JetBrains PhpStorm	1 KB
 register	15-Feb-19 1:34 AM	JetBrains PhpStorm	3 KB
 sendMail	26-Feb-19 5:00 PM	JetBrains PhpStorm	2 KB
 sendNews	18-Feb-19 4:26 PM	JetBrains PhpStorm	2 KB
 survey	18-Feb-19 6:42 PM	JetBrains PhpStorm	2 KB
 updateAd	16-Feb-19 12:15 PM	JetBrains PhpStorm	5 KB
 updateProduct	14-Feb-19 8:56 PM	JetBrains PhpStorm	5 KB

-Funkcionalnost sajta

Views

 ad_update	16-Feb-19 11:37 AM	JetBrains PhpStorm	6 KB
 admin	26-Feb-19 3:56 PM	JetBrains PhpStorm	18 KB
 author	17-Feb-19 11:57 PM	JetBrains PhpStorm	2 KB
 checkout	17-Feb-19 3:34 PM	JetBrains PhpStorm	10 KB
 contactAdmin	26-Feb-19 4:49 PM	JetBrains PhpStorm	4 KB
 footer	17-Feb-19 11:12 PM	JetBrains PhpStorm	6 KB
 head	16-Feb-19 6:58 PM	JetBrains PhpStorm	3 KB
 header	18-Feb-19 8:43 PM	JetBrains PhpStorm	10 KB
 insertAd	15-Feb-19 10:15 PM	JetBrains PhpStorm	4 KB
 insertProduct	14-Feb-19 10:55 PM	JetBrains PhpStorm	4 KB
 loginAcc	15-Feb-19 1:51 AM	JetBrains PhpStorm	6 KB
 nav	06-Feb-19 2:03 AM	JetBrains PhpStorm	1 KB
 newsletter	18-Feb-19 4:20 PM	JetBrains PhpStorm	2 KB
 product	18-Feb-19 4:02 PM	JetBrains PhpStorm	11 KB
 product_update	18-Feb-19 9:25 PM	JetBrains PhpStorm	7 KB
 register	15-Feb-19 1:20 AM	JetBrains PhpStorm	4 KB
 section1Big	11-Feb-19 5:36 PM	JetBrains PhpStorm	2 KB
 section2newProducts	18-Feb-19 7:57 PM	JetBrains PhpStorm	4 KB
 section3hot	15-Feb-19 6:13 PM	JetBrains PhpStorm	2 KB
 section4Top	18-Feb-19 4:02 PM	JetBrains PhpStorm	6 KB
 section5TopSlider	17-Feb-19 11:40 PM	JetBrains PhpStorm	11 KB
 store	18-Feb-19 8:59 PM	JetBrains PhpStorm	31 KB
 survey	18-Feb-19 5:18 PM	JetBrains PhpStorm	3 KB

-Views fajlovi sajta

Kodovi

Css folder

style.css

```
/*
Template Name: Electro - HTML Ecommerce Template
Author: yamincco

Colors:
  Body      : #333
  Headers   : #2B2D42
  Primary    : #D10024
  Dark      : #15161D ##1E1F29
  Grey      : #E4E7ED #FBFBFC #8D99AE #B9BABC
```



```

        $input.change();
        updatePriceSlider($this , value)
    })
});

var priceInputMax = document.getElementById('price-max'),
    priceInputMin = document.getElementById('price-min');

priceInputMax.addEventListener('change', function() {
    updatePriceSlider($(this).parent() , this.value)
});

priceInputMin.addEventListener('change', function() {
    updatePriceSlider($(this).parent() , this.value)
});

function updatePriceSlider(elem , value) {
    if ( elem.hasClass('price-min') ) {
        console.log('min')
        priceSlider.noUiSlider.set([value, null]);
    } else if ( elem.hasClass('price-max') ) {
        console.log('max')
        priceSlider.noUiSlider.set([null, value]);
    }
}

// Price Slider
var priceSlider = document.getElementById('price-slider');
if (priceSlider) {
    noUiSlider.create(priceSlider, {
        start: [1, 999],
        connect: true,
        step: 1,
        range: {
            'min': 1,
            'max': 999
        }
    });

    priceSlider.noUiSlider.on('update', function( values, handle ) {
        var value = values[handle];
        handle ? priceInputMax.value = value : priceInputMin.value = value
    });
}
})(jQuery);

```

Php folder (php)

add_to_cart.php

```

<?php
session_start();
$statuscode= 404;
if(isset($_SESSION['korisnik'])){
if( $_SERVER['REQUEST_METHOD'] != "POST") {
    echo '<h1> Not authorised to enter this page </h1>';
}else{
    if(isset($_POST['send'])){
        include 'connection.php';
        $prodId= $_POST['id'];
    }
}
}

```

```

        $usrId = $_POST['usrId'];

        if(isset($_POST['quan'])) {
            $quantity1 = $_POST['quan'];
        }

        $queryUpit = $conn->prepare("SELECT * FROM user_product WHERE user_id = :usrId
AND prod_id = :prod AND quantity = 1");
        $queryUpit->bindParam(":usrId", $usrId);
        $queryUpit->bindParam(":prod", $prodId);
        $queryUpit->execute();

        $userProdData = $queryUpit->fetch();

        if($queryUpit->rowCount() < 1) {

            $queryBind = $conn->prepare("INSERT INTO
user_product(user_id,prod_id,quantity) VALUES (:usr,:prod,1)");
            $queryBind->bindParam(':usr', $usrId);
            $queryBind->bindParam(':prod', $prodId);

            try {
                $rezB = $queryBind->execute();

                if ($rezB) {

                    $queryCart = $conn->prepare("INSERT INTO
cart(usr_prod_id,quantity,buyout) VALUES ((SELECT id FROM user_product WHERE user_id =
:usr AND prod_id = :prod AND quantity = 1),1,0)");
                    $queryCart->bindParam(':usr', $usrId);
                    $queryCart->bindParam(':prod', $prodId);

                    $rezC = $queryCart->execute();
                    if ($rezC) {
                        $statusCode = 204;
                        http_response_code($statusCode);
                    } else {
                        $statusCode = 500;

                        http_response_code($statusCode);
                    }
                } else {
                    $statusCode = 500;

                    http_response_code($statusCode);
                }
            } catch (PDOException $e) {
                $e->getMessage();
            }

        } else {

            $queryUpdate = $conn->prepare("UPDATE user_product SET quantity = :quan
WHERE id = :idUP ");
            $quantity = $userProdData->quantity + 1;
            $queryUpdate->bindParam(":quan", $quantity);
            $queryUpdate->bindParam(":idUP", $userProdData->id);

            try {
                $rezU = $queryUpdate->execute();
            }

```

```

        if ($rezU) {

            $querySelCart= $conn->prepare("SELECT * FROM cart WHERE
usr_prod_id = :idup");
            $querySelCart->bindParam(":idup",$userProdData->id);
            $querySelCart->execute();

            if($querySelCart->rowCount()<1){

                $queryCart2 = $conn->prepare("INSERT INTO
cart(usr_prod_id,quantity,buyout) VALUES (:idup,:quan,0)");
                $queryCart2->bindParam(':idup',$userProdData->id);
                $queryCart2->bindParam(":quan",$quantity);

                $rezC2 = $queryCart2->execute();
                if ($rezC2) {
                    $statusCode = 204;
                    http_response_code($statusCode);
                } else {
                    $statusCode = 500;

                    http_response_code($statusCode);
                }

            }else{
                $queryCart3 = $conn->prepare("UPDATE cart SET quantity = :quan
WHERE usr_prod_id = :idup");
                $queryCart3->bindParam(":quan",$quantity);
                $queryCart3->bindParam(':idup',$userProdData->id);

                $rezC3 = $queryCart3->execute();
                if ($rezC3) {
                    $statusCode = 204;
                    http_response_code($statusCode);
                } else {
                    $statusCode = 500;

                    http_response_code($statusCode);
                }
            }

        } else{
            $statusCode = 500;

            http_response_code($statusCode);
        }
    }catch (PDOException $e){
        $e->getMessage();
    }
}

}

else
{ $statusCode= 500;

    http_response_code($statusCode);}
}
}else{

```



```
header("Location: ../index.php?page=login");
$statusCode = 403;
http_response_code($statusCode);
}
```

-Dodavanje u korpu proizvod. Moze se pristupiti samo ako je korisnik ulogovan

ajax_delete_ad.php

```
<?php
```

```
$statusCode = 404;

if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You aren't authorised to be here!";
}

if (isset($_POST['id'])) {
    $id = $_POST['id'];

    include "connection.php";
    $upitDeleteImage = $conn->prepare("DELETE FROM hotad_image WHERE hotad_id = :idh");
    $upitDeleteImage->bindParam(":idh",$id);

    $upitDeleteAd = $conn->prepare("DELETE FROM hotad WHERE id = :ida");
    $upitDeleteAd->bindParam(":ida",$id);

    try {
        $rezDI = $upitDeleteImage->execute();
        $rezDA = $upitDeleteAd->execute();
        if($rezDI && $rezDA){
            $statusCode = 204;
        }else{
            $statusCode = 500;
        }
    } catch (PDOException $e) {
        $statusCode = 500;
    }
}

// Vracanje statusnog koda ka klijentu (JS)
http_response_code($statusCode);
```

-Brisanje reklame sa pocetne strane. Moze pristupiti samo administrator.

ajax_delete_item_cart.php

```
<?php
```

```
$statusCode = 404;

if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You aren't authorised to be here!";
}
```

```

if (isset($_POST['id'])) {

    $id = $_POST['id'];
    $idu = $_POST['idu'];

    include "connection.php";
    $upitDeleteCart = $conn->prepare("DELETE FROM cart WHERE usr_prod_id = (SELECT id
FROM user_product WHERE prod_id = :idc AND user_id = :idu) ");
    $upitDeleteCart->bindParam(":idc",$id);
    $upitDeleteCart->bindParam(":idu",$idu);

    $upitDeleteUP = $conn->prepare("DELETE FROM user_product WHERE prod_id = :idp AND
user id = :idu ");
    $upitDeleteUP->bindParam(":ida",$id);
    $upitDeleteUP->bindParam(":idu",$idu);

    try {

        $rezDC = $upitDeleteCart->execute();

        if($rezDC){
            $rezDUP = $upitDeleteUP->execute();
            if($rezDUP){
                $statusCode = 204;
            }else{
                $statusCode = 500;
            }
        }else{
            $statusCode = 500;
        }
    } catch (PDOException $e) {
        $statusCode = 500;
    }

}

// Vracanje statusnog koda ka klijentu (JS)
http_response_code($statusCode);

```

-Brisanje iz Korpe predmeta. Salje se ajaxom

ajax_delete_product.php

```

<?php

$statusCode = 404;

if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You aren't authorised to be here!";
}

if (isset($_POST['id'])) {

    $id = $_POST['id'];

    include "connection.php";
    $upitDeleteImage = $conn->prepare("DELETE FROM images WHERE product_id = :idi");
    $upitDeleteImage->bindParam(":idi",$id);

```

```

    $upitDeleteWarehouse = $conn->prepare("DELETE FROM warehouse WHERE product_id = :idw");
    $upitDeleteWarehouse->bindParam(":idw",$id);

    $upitDeleteProduct = $conn->prepare("DELETE FROM electroproducts WHERE id = :idp");
    $upitDeleteProduct->bindParam(":idp",$id);

    $upitDeleteVezivna = $conn->prepare("DELETE FROM user_product WHERE prod_id = :idup");
    $upitDeleteVezivna->bindParam(":idup",$id);

    $upitProveraVezivna = $conn->prepare("SELECT * FROM user_product WHERE prod_id = :idupp ");
    $upitProveraVezivna->bindParam(":idupp",$id);

    $upitProveraCart = $conn->prepare("SELECT * FROM cart WHERE usr_prod_id = (SELECT id FROM user_product WHERE prod_id = :iducp)");
    $upitProveraCart->bindParam(":iducp",$id);

    $upitDeleteCart = $conn->prepare("DELETE FROM cart WHERE usr_prod_id=(SELECT id FROM user_product WHERE prod_id = :iddc)");
    $upitDeleteCart->bindParam(":iddc",$id);

    $upitProveraBuyout = $conn->prepare("SELECT * FROM buyout WHERE cart_id = (SELECT id FROM cart WHERE usr_prod_id = (SELECT id FROM user_product WHERE prod_id = :idubp))");
    $upitProveraBuyout->bindParam(":idubp",$id);

    $upitDeleteBuyout = $conn->prepare("DELETE FROM buyout WHERE WHERE cart_id = (SELECT id FROM cart WHERE usr_prod_id = (SELECT id FROM user_product WHERE prod_id = :iddb))");
    $upitDeleteBuyout->bindParam(":iddb",$id);

    try {
        $rezQ = $upitDeleteWarehouse->execute();
        $rezI = $upitDeleteImage->execute();
        $rezPV = $upitProveraVezivna->execute();
        $brRedVezivna = $upitProveraVezivna->rowCount();
        if($brRedVezivna>0){
            // Ako POSTOJI VEZIVNA
            $rezPC = $upitProveraCart->execute();
            if($rezPC){
                $rezPB = $upitProveraBuyout->execute();
                if($rezPB){
                    $rezDB = $upitDeleteBuyout->execute();
                    $rezDC = $upitDeleteCart->execute();
                    $rezP1 = $upitDeleteProduct->execute();
                    if($rezDB && $rezDC && $rezP1){
                        $statusCode = 204;
                    }
                    else
                    {
                        $statusCode=500;
                    }
                }
            }
        }else{
            $statusCode=500;
        }
    }else{
        //AKO ne postoji Vezivna!
        $rezP = $upitDeleteProduct->execute();
    }

```

```

        $statusCode= 204;
    }

    } catch (PDOException $e) {
        $statusCode = 500;
    }

}

// Vracanje statusnog koda ka klijentu (JS)
http_response_code($statusCode);

```

-Brisanje proizvoda iz baze. Administrator samo moze pristupiti ovoj strani.

ajax_delete_user.php

```
<?php
```

```

$statusCode = 404;

if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You aren't authorised to be here!";
}

if (isset($_POST['id'])) {

    $id = $_POST['id'];

    include "connection.php";
    $upitDeleteAdr = $conn->prepare("DELETE FROM address WHERE user_id = :ida");
    $upitDeleteAdr->bindParam(":ida",$id);

    $upitProveraBuy = $conn->prepare("SELECT * FROM buyout WHERE cart_id = (SELECT id
FROM cart WHERE usr_prod_id = (SELECT id FROM user_product WHERE user_id = :idpb ))");
    $upitProveraBuy->bindParam(":idpb",$id);

    $upitDeleteBuy = $conn->prepare("DELETE FROM buyout WHERE cart_id = (SELECT id
FROM cart WHERE usr_prod_id = (SELECT id FROM user_product WHERE user_id = :idb ))");
    $upitDeleteBuy->bindParam(":idb",$id);

    $upitProveraCart = $conn->prepare("SELECT * FROM cart WHERE usr_prod_id = (SELECT
id FROM user_product WHERE user_id = :idpc )");
    $upitProveraCart->bindParam(":idpc",$id);

    $upitDeleteCart = $conn->prepare("DELETE FROM cart WHERE usr_prod_id = (SELECT id
FROM user_product WHERE user_id = :idc )");
    $upitDeleteCart->bindParam(":idc",$id);

    $upitProveraUsPr = $conn->prepare("SELECT * FROM user_product where user_id =
:idpup");
    $upitProveraUsPr->bindParam(":idpup",$id);

    $upitDeleteUsPr = $conn->prepare("DELETE FROM user_product WHERE user_id =
:idup");
    $upitDeleteUsPr->bindParam(":idup",$id);

    $upitDeleteUsr = $conn->prepare("DELETE FROM electrouusers WHERE id = :idu");
    $upitDeleteUsr->bindParam(':idu',$id);

    try {

```

```

$rezDA = $upitDeleteAdr->execute();
if($rezDA){
    $brKolPB = $upitProveraBuy->rowCount();

    if($brKolPB>0){
        $rezDB = $upitDeleteBuy->execute();
        if($rezDB){
            $brKolPC = $upitProveraCart->rowCount();

            if($brKolPC>0){
                $rezDC = $upitDeleteCart->execute();
                if($rezDC){
                    $brKolPUP = $upitProveraUsPr->rowCount();
                    if($brKolPUP>0){
                        $rezPUP = $upitDeleteUsPr->execute();
                        if($rezPUP){
                            $rezDU = $upitDeleteUsr->execute();
                            if($rezDU){
                                $statusCode = 204;
                            }else{
                                $statusCode = 500;
                            }
                        }else{
                            $statusCode = 500;
                        }
                    }else{
                        $statusCode = 500;
                    }
                }else{
                    $rezDU = $upitDeleteUsr->execute();
                    if($rezDU){
                        $statusCode = 204;
                    }else{
                        $statusCode = 500;
                    }
                }
            }else{
                $statusCode = 500;
            }
        }else{
            $rezDU = $upitDeleteUsr->execute();
            if($rezDU){
                $statusCode = 204;
            }else{
                $statusCode = 500;
            }
        }
    }else{
        $statusCode = 500;
    }
}
else
{
    $rezDU = $upitDeleteUsr->execute();
    if($rezDU){
        $statusCode = 204;
    }else{
        $statusCode = 500;
    }
}
}
else{
    $statusCode = 500;
}
}

```

```

    } catch (PDOException $e) {
        $statusCode = 500;
    }

}

// Vracanje statusnog koda ka klijentu (JS)
http_response_code($statusCode);

```

buyout.php

```

<?php
session_start();
$statusCode= 404;
if(isset($_SESSION['korisnik'])){
    if( $_SERVER['REQUEST_METHOD'] != "POST") {
        echo '<h1> Not authorised to enter this page </h1>';
    }else{
        if(isset($_POST['send'])){
            include 'connection.php';
            $userId = $_POST['usrId'];
            $prodSum= $_POST['orderSum'];
            $prodIdArray = $_POST['arr'];
            $quantity = (int)$_POST['sumQuan'];

            for($i=0;$i<count($prodIdArray);$i++){

                $querySelectProduct = $conn->prepare("SELECT id FROM electroproducts
WHERE id = :prodId");
                $querySelectProduct->bindParam(":prodId",$prodIdArray[$i]);
                $querySelectProduct->execute();

                $id_p = $querySelectProduct->fetch();

                $querySelectUP = $conn->prepare("SELECT id FROM user_product WHERE
user_id = :userId AND prod id = :prodId");
                $querySelectUP->bindParam(':userId',$userId);
                $querySelectUP->bindParam(':prodId',$id_p->id);
                $querySelectUP->execute();
                $id_up = $querySelectUP->fetch();

                $querySelectC = $conn->prepare("SELECT id FROM cart WHERE usr_prod_id
= (SELECT id FROM user_product WHERE user_id = :userId AND prod_id = :prodId ) ");
                $querySelectC->bindParam(':userId',$userId);
                $querySelectC->bindParam(':prodId',$id_p->id);
                $querySelectC->execute();

                $id_cart = $querySelectC->fetch();

                $queryUpdateBuyout = $conn->prepare("UPDATE cart SET buyout = 1 WHERE
usr_prod_id = :idup");
                $queryUpdateBuyout->bindParam(':idup',$id_up->id);

                $queryInsertBuyout = $conn->prepare("INSERT INTO buyout VALUES

```

```

(DEFAULT ,:sumPrice,CURRENT_TIMESTAMP ,:idusr");
$queryInsertBuyout->bindParam(':sumPrice',$prodSum);
$queryInsertBuyout->bindParam(':idcart',$id_up->id);

$queryDeleteCart = $conn->prepare("DELETE FROM cart WHERE usr_prod_id
= :idup");
$queryDeleteCart->bindParam(":idup",$id_up->id);

$querySelectSold = $conn->prepare("SELECT sold FROM warehouse
WHERE product_id = :prodId");
$querySelectSold->bindParam(':prodId',$id_p->id);
$querySelectSold->execute();
$soldOld = $querySelectSold->fetch();

$soldNew = $soldOld+$quantity;

$querySold = $conn->prepare("UPDATE warehouse SET sold = :quan
WHERE prod_id = (SELECT id FROM electroproducts WHERE id = :prodid) ");
$querySold->bindParam(":quan",$soldNew);
$querySold->bindParam(":prodId",$id_p->id);

try{
    $rezultatIB = $queryInsertBuyout->execute();
    if($rezultatIB){
        $rezultatUB = $queryUpdateBuyout->execute();
        if($rezultatUB){
            $rezultatUQ = $querySold->execute();
            if($rezultatUQ){
                $rezultatDC = $queryDeleteCart->execute();

                if($rezultatDC){
                    $statusCode = 204;
                    http_response_code($statusCode);
                }
            }else{
                $statusCode = 500;
                http_response_code($statusCode);
            }
        }else{
            {
                $statusCode = 500;
                http_response_code($statusCode);
            }
        }
    }else{
        $statusCode= 500;

        http_response_code($statusCode);
    }
}
else {
    $statusCode= 500;

    http_response_code($statusCode);
}

```

```

    }
    } catch (PDOException $e) {
        $e->getMessage();
    }
}
} else {
    header('Location: ../index.php?page=login');
}
} else {
    header("Location: ../index.php?page=login");
}

```

-Klikom na dugme CHECKOUT ide se na stranu za potvrdu kupovine I klikom tamo na PLACE ORDER ide se ovde I potvrđuje se kupovina. U bazi se menja status predmeta da je kupljen I sakriva se iz Korpe.

config.php

```

<?php
define("MYSQL_HOST", "localhost");
define("MYSQL_DBNAME", "electro");
define("MYSQL_USERNAME", "root");
define("MYSQL_PASSWORD", "");

```

-Config parametric za logovanje na lokalnu bazu. Nisam postavio prave parametre zbog eventualnih napada

connection.php

```

<?php
require_once "config.php";

try {
    $conn = new PDO("mysql:host=".MYSQL_HOST.";dbname=".MYSQL_DBNAME."",
MYSQL_USERNAME, MYSQL_PASSWORD);
    // set the PDO error mode to exception
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);

    // echo "Connected successfully";
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}

function executeQuery($upit){
    global $conn;

    $rezultat = $conn->query($upit)->fetchAll();

    return $rezultat;
}
?>

```


insertAd.php

```
<?php
//echo "RAdim";
session_start();

if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->role === "admin") {
    if (isset($_POST['btnSubbmit']))

        unset($_SESSION['error']);

    $adTitle = $_POST['title'];
    $adText = $_POST['text'];
    $adDate = $_POST['dateTill'];
    $image = $_FILES['adImage'];
    $priority = (int)$_POST['priority'];

    $time = strtotime($adDate);

    $newformat = date('Y-m-d H:i:s', $time);

    $regTitle = "/^[A-z\s]+$/";
    $regText = "/^.{4,55}$/";
    $errors = [];

    if (!preg_match($regTitle, $adTitle)) {
        $errors[] = "Title is not valid.";
    }
    if (!preg_match($regText, $adText)) {
        $errors[] = "Text is not valid.";
    }
    if ($priority == -1) {
        $errors[] = "Must choose priority!";
    }

    $ime_fajla = $image['name'];
    $tip_fajla = $image['type'];
    $velicina_fajla = $image['size'];
    $tmp_putanja = $image['tmp_name'];

    $dozvoljeni_formati = array("image/jpg", "image/jpeg", "image/png", "image/gif");

    if (!in_array($tip_fajla, $dozvoljeni_formati)) {
        $errors[] = "Wrong Type of file.";
    }

    if ($velicina_fajla > 3000000) {
        $errors[] = "File must be less than 3MB.";
    }
    $adDateTime = strtotime($adDate);
    $currentTime = time();
    $currentDate = date("Y-m-d H:i:s");

    if (!($adDateTime - $currentTime) > 0) {
        $errors[] = "Time must be set in the future!";
    }

    if (count($errors) > 0) {
//        echo $priority;
        $_SESSION['error'] = $errors;
        // echo $adDateTime - $currentTime."<br>";
        var_dump($errors);
//        var_dump($adDate);
    }
}
```

```

//      var_dump($adDateTime);
      header("Location: ../index.php?page=newad");
    }
    else{
      try{
        require_once "connection.php";
        $upit_unos = $conn->prepare("INSERT INTO hotad VALUES
('',:title,:ad,:currTime,:endDate,:priority)");
        $upit_unos->bindParam(':title',$adTitle);
        $upit_unos->bindParam(':ad',$adText);
        $upit_unos->bindParam(":currTime",$currentDate);
        $upit_unos->bindParam(':endDate',$newformat);
        $upit_unos->bindParam(":priority",$priority);

        try {
          $rez1 = $upit_unos->execute();
          if($rez1){

            $naziv_fajla = time().$ime_fajla;
            $nova_putanja = "../img/upload/".$naziv_fajla;
            $putanja_fajla = "img/upload/".$naziv_fajla;

            $moveFile = move_uploaded_file($tmp_putanja, $nova_putanja);

            $upit_unos2 = $conn->prepare("INSERT INTO hotad_image VALUES
('',(SELECT id FROM hotad WHERE title=:title AND date_start = :currime),:path)");
            $upit_unos2->bindParam(":title",$adTitle);
            $upit_unos2->bindParam(":currime",$currentDate);
            $upit_unos2->bindParam(":path",$nova_putanja);
            $rez2 = $upit_unos2->execute();
            if($rez2){
              $_SESSION['success'] = "Insert was done successfully!";
              header("Location: ../index.php?page=adminPanel");
            }else{
              $_SESSION['error'][] = "Update error!";
              header("Location: ../index.php?page=newad");
            }
          } else {
            $_SESSION['error'][] = "Update error!";
            header("Location: ../index.php?page=newad");
          }
        }catch(PDOException $e){
          $e->getMessage();
        }
      }catch (PDOException $e){
        $e->getMessage();
      }
    }
  }else{
    echo "<h1>NOT AUTHORISED FOR THIS PAGE. LEAVE!</h1>";
  }
}

```

-Kod za dodavanje nove reklame koju administrator pravi.

sendMail.php

```

<?php
//echo "RAdim";
session_start();
if (isset($_POST['btnSubbmit'])) {

    unset($_SESSION['error']);
}

```

```

    $subject = $_POST['subject'];
    $message = $_POST['message'];
    $fullname = $_POST['fullName'];
    $email = $_POST['email'];

    $errors = [];
    if($subject == ""){
        $errors[] = "Must have a subject!";
    }

    if($message == ""){
        $errors[] = "Can't send an empty message!";
    }

    if (count($errors) > 0) {
        $_SESSION['error'] = $errors;
        var_dump($errors);
        header("Location: ../index.php?page=contactAdmin");
    } else {
        try {
            require_once 'connection.php';
            $queryInsertMail = $conn->prepare("INSERT INTO
adminmessage(id,fullname,email,subject,message,date) VALUES
(DEFAULTT,:fullname,:email,:subject,:mess,CURRENT_TIMESTAMP)");
            $queryInsertMail->bindParam(':fullname',$fullname);
            $queryInsertMail->bindParam(':email', $email);
            $queryInsertMail->bindParam(':subject', $subject);
            $queryInsertMail->bindParam(':mess', $message);
            $rez = $queryInsertMail->execute();
            if ($rez) {
                header("Location: ../index.php?page=pocetna");
            } else {
                $_SESSION['error'][] = "Error!!";
                header("Location: ../index.php?page=contactAdmin");
            }
        } catch (PDOException $e) {
            $e->getMessage();
        }
    }
}

```

-Logika za slanje poruke adminu za autorizovanog korisnika.

insertProduct.php

```

<?php
session_start();

if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->role === "admin") {

    if (isset($_POST['btnSubmit']))
        unset($_SESSION['error']);

    $prodName = $_POST['prodName'];
    $prodDesc = trim($_POST['prodDesc']);
    $prodSpec = trim($_POST['prodSpec']);
    $price = $_POST['prodPrice'];
    $color = $_POST['slColor'];
    $category = $_POST['slCategory'];
    $prodQuantity = $_POST['prodQuantity'];
    $image = $_FILES['filImage'];
}

```

```

$regProductName = "/^[.@&]?[a-zA-Z0-9 ]+[ !.@&()]?[ a-zA-Z0-9!() ]+/" ;
$regPrice = "/^[0-9]{0,4}$/";
$errors = [];

if (!preg_match($regProductName, $prodName)) {
    $errors[] = "Product name is not valid.";
}

if (strlen($prodDesc)>500) {
    $errors[] = "Exceeded maximum character count for the description.";
}
if (!$prodQuantity>0) {
    $errors[] = "You must enter the quantity of products.";
}

if (strlen($prodSpec)>700) {
    $errors[] = "Exceeded maximum character count for the specification.";
}
if (!preg_match($regPrice,$price)){
    $errors[] = "Price format is wrong.";
}
if (!preg_match($regPrice,$prodQuantity)){
    $errors[] = "Quantity is wrong";
}

$ime_fajla = $image['name'];
$tip_fajla = $image['type'];
$velicina_fajla = $image['size'];
$tmp_putanja = $image['tmp_name'];

$dovoljeni_formati = array("image/jpg", "image/jpeg", "image/png", "image/gif");

if(!in_array($tip_fajla, $dovoljeni_formati)){
    $errors[] = "Wrong Type of file.";
}

if($velicina_fajla > 3000000){
    $errors[] = "File must be less than 3MB.";
}

if (count($errors) > 0) {

    $_SESSION['error'] = $errors;
    var_dump($errors);
    header("Location: ../index.php?page=prodinsert");
} else {

    require_once "connection.php";
    $upit_unos = $conn->prepare("INSERT INTO electroproducts
(id,name,description,price,specifications,lastprice,new,sale,hot,color_id,subcat_id)
VALUES ('',:name,:desc,:price,:spec,null,1,0,0,(SELECT id from color WHERE
id=:colId),(SELECT id from subcategory WHERE id= :subId))");

    $upit_unos->bindParam(':name', $prodName);
    $upit_unos->bindParam(':desc',$prodDesc);
    $upit_unos->bindParam(':price', $price);
    $upit_unos->bindParam(':spec', $prodSpec);
    $upit_unos->bindParam(':colId', $color);
    $upit_unos->bindParam(':subId', $category);

```

```

        try {

            $rezultat = $upit_unos->execute();
            //header("Location: ../index.php?page=adminPanel");

            if ($rezultat) {

                $upit_unos2 = $conn->prepare("INSERT INTO warehouse
(id,product_id,quantity,sold) VALUES ('',(SELECT id FROM electroproducts WHERE name =
:name AND specifications = :specs),:quant,0)");

                $upit_unos2->bindParam(':name',$prodName);
                $upit_unos2->bindParam(':specs',$prodSpec);
                $upit_unos2->bindParam(':quant',$prodQuantity);
                $rez2 = $upit_unos2->execute();
                if($rez2){

                    $naziv_fajla = time().$ime_fajla;
                    $nova_putanja = "../img/upload/".$naziv_fajla;
                    $putanja_fajla ="img/upload/".$naziv_fajla;

                    $moveFile = move_uploaded_file($tmp_putanja, $nova_putanja);

                    if($moveFile) {
                        $upit_unos3 = $conn->prepare("INSERT INTO images
(id,product_id,img_path,alt) VALUES ('',(SELECT id FROM electroproducts WHERE name =
:name AND specifications = :specs),:path,:alt)");
                        $upit_unos3->bindParam(":name",$prodName);
                        $upit_unos3->bindParam(':specs',$prodSpec);
                        $upit_unos3->bindParam(':path',substr($nova_putanja,1));
                        $upit_unos3->bindParam(':alt',$prodName);
                        $rez3 = $upit_unos3->execute();
                        if($rez3){
                            try{
                                if ($rez3) {
                                    $_SESSION['success'] = "Insert was done
successfully!";
                                    header("Location: ../index.php?page=adminPanel");
                                } else {
                                    $_SESSION['error'][] = "Update error!";
                                    header("Location: ../index.php?page=prodinsert");
                                }
                            }
                            catch (PDOException $e){
                                echo $e->getMessage();
                            }
                        }
                    }

                }else {
                    header("Location: ../index.php?page=prodinsert");
                    $_SESSION['error'] [] = "Query error";
                }

                }else {
                    header("Location: ../index.php?page=prodinsert");
                    $_SESSION['error'] [] = "Query error";
                }
            } catch (PDOException $e) {
                echo $e->getMessage();
            }
        }
    }

```

```

    }
} else {

    echo "<h1>NOT AUTHORISED FOR THIS PAGE. LEAVE!</h1>";
}

```

-Dodavanje novog proizvoda

login.php

```

<?php
session_start();
if (isset($_POST['submit'])) {
    unset($_SESSION['error']);

    $email = $_POST['email'];
    $lozinka = $_POST['password'];

    $errors = [];
    $reLozinka = "/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)(?=.*[#^+=!*()@%&_-]).{8,}$/" ;

    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Email is in wrong format!";
    }

    if (!preg_match($reLozinka, $lozinka)) {
        $errors[] = "Password or e-mail is wrong.";
    }

    if (count($errors) > 0) {
        $_SESSION['error'] = $errors;
        header("Location: ../index.php?page=login");
    } else {

        require_once "connection.php";
        $lozinka = md5($lozinka);

        $query = "SELECT u.id as uid, email,password,role_id,role,username FROM
electrouusers u INNER JOIN role r ON u.role_id=r.id WHERE active=1
AND u.email = :email AND u.password = :password;";

        $stmt = $conn->prepare($query);
        $stmt->bindParam(":email", $email);
        $stmt->bindParam(":password", $lozinka);

        $stmt->execute();
        $user = $stmt->fetch(); // Dohvatanje samo jednog korisnika

        if ($user) {
            $_SESSION['korisnik'] = $user; //Pravljenje sesije koja kao sadrzaj ima
rezultat rada baze podataka
            header("Location: ../index.php?page=pocetna");
        } else {
            $errors[] = "Wrong e-mail or password";
            $_SESSION['error'] = $errors;
            header("Location: ../index.php?page=login");
        }
    }
}

```

-Funkcionalnost logovanja

logout.php

```
<?php
session_start();
unset($_SESSION['korisnik']);
header("Location: ../index.php?page=login");
```

register.php

```
<?php
session_start();
if (isset($_POST['btnSubmit']))
    unset($_SESSION['error']);

$ime = trim($_POST['first-name']);
$prezime = trim($_POST['last-name']);
$email = trim($_POST['email']);
$slozinka = trim($_POST['password']);
$username = $_POST['username'];
$city = $_POST['city'];
$adresa = $_POST['address'];

# Validacija podataka

$reImePrezime = "/^[A-Z][a-z]{2,50}$/";
$reLozinka = "/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)(?=.*[#$^+=!*()@%&_-]).{8,}$/";
$reAdress = "/^([A-Z][a-z]+\s)+(\d)+$/";
$errors = [];

if (!preg_match($reImePrezime, $ime)) {
    $errors[] = "Wrong type for name.";
}

if (!preg_match($reImePrezime, $prezime)) {
    $errors[] = "Last name wont go.";
}

if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    $errors[] = "Email is not valid";
}

if (!preg_match($reLozinka, $slozinka)) {
    $errors[] = "Password must be at least 5 letters long.";
}

if (!preg_match($reAdress, $adresa)) {
    $errors[] = "Adress is not valid.";
}

if($city=="-1"){
    $errors[] = "You must choose a city!";
}

if (count($errors) > 0) {

    $_SESSION['error']= $errors;
    var_dump($_SESSION['error']);
    header("Location: ../index.php?page=register");
} else {

    # Generisanje korisnickog imena od email adrese korisnika

    $slozinka = md5($slozinka);
```

```

require_once "connection.php";

$upit_unos = $conn->prepare("INSERT INTO electrouers VALUES ('', :first, :last,
:email, :lozinka, :username, :datum, (SELECT id FROM role r WHERE r.role='user'),0)");

$upit_unos->bindParam(':first', $ime);
$upit_unos->bindParam(':last', $prezime);
$upit_unos->bindParam(':email', $email);
$upit_unos->bindParam(':lozinka', $lozinka);
$upit_unos->bindParam(':username', $username);

$datum = date("Y-m-d H:i:s");

$upit_unos->bindParam(':datum', $datum);

try {
    // izvrsavanje upita

    $rezultat = $upit_unos->execute();

    if ($rezultat) {
        $upit_unos2 = $conn->prepare("INSERT INTO address
VALUES('',:adress,(SELECT id FROM city WHERE id= :city),(SELECT id FROM electrouers
WHERE email=:email))");
        $upit_unos2->bindParam(':adress',$adresa);
        $upit_unos2->bindParam(':city',$city);
        $upit_unos2->bindParam(':email',$email);

        try{
            $rezultat2 = $upit_unos2->execute();
            if($rezultat2){
                $success = $_SESSION['success'];
                array_push($success,'DONE!');
                header("Location: ../index.php?page=login");
            }else{
                $_SESSION['error'][]= "Error!!";
                header("Location: ../index.php?page=register");
            }
        }catch (PDOException $e){
            echo $e->getMessage();
        }
    } else {
        $_SESSION['error'][]= "Error!!";
        header("Location: ../index.php?page=register");
    }
} catch (PDOException $e) {
    echo $e->getMessage();
}
}

```

-Registracija korisnika

sendNews.php

```

<?php
//echo "RAdim";

if (isset($_POST['btnSubbmit'])) {

    unset($_SESSION['error']);

    $email = $_POST['email'];

```



```

        if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
            $errors[] = "Email is not valid";
        }

        if (count($errors) > 0) {
            $_SESSION['error'] = $errors;
            var_dump($errors);
            header("Location: ../index.php?page=newad");
        } else {
            try {
                require_once 'connection.php';
                $queryInsertNews = $conn->prepare("INSERT INTO newsletter
(DEFAULT, :mail, CURRENT_TIMESTAMP)");
                $queryInsertNews->bindParam(':mail', $email);
                $rez = $queryInsertNews->execute();
                if ($rez) {
                    header("Location: ../index.php?page=store");
                } else {
                    $_SESSION['error'][] = "Error!!";
                    header("Location: ../index.php?page=pocetna");
                }
            } catch (PDOException $e) {
            }
        }
    }
}

```

-Newsletter. Dodavanje novog maila u bazu za newsletter

survey.php

```

<?php
session_start();
require_once "connection.php";
if ($_SERVER['REQUEST_METHOD'] != "POST") {
    echo "Error! You are not authorised to be here!!!";
}
if (isset($_POST['btnSubmit'])) {
    unset($_SESSION['error']);

    $contactName = $_POST['tbIme'];
    $products = $_POST['products'];
    $answer = $_POST['yesNo'];
    $errors = [];

    $reName = "/\b([A-Z]{1}[a-z]{1,30}[- ]{0,1}|[A-Z]{1}[- \']{1}[A-Z]{0,1}
[a-z]{1,30}[- ]{0,1}|[a-z]{1,2}[- \']{1}[A-Z]{1}[a-z]{1,30}){2,5}/";

    if (!preg_match($reName, $contactName)) {
        $errors[] = "Wrong type for name.";
    }
    if ($products == "" || $products == null) {
        $errors[] = "Must choose an answer";
    }
    if ($answer == null) {
        $errors[] = "Must choose an answer";
    }

    if (count($errors) > 0) {

        $_SESSION['error'] = $errors;
    }
}

```

```

        header("Location: ../index.php?page=survey");
    } else {

        require_once "connection.php";

        $upit_unos = $conn->prepare("INSERT INTO survey (name,product,answer) VALUES (
:name,:product,:answer)");

        // Zamena "placeholdera" iz upita sa vrednostima

        $upit_unos->bindParam(':name', $contactName);
        $upit_unos->bindParam(':product', $products);
        if($answer == 1){
            $yes ="yes";
            $upit_unos->bindParam(':answer', $yes);
        }
        else{
            $no='no';
            $upit_unos->bindParam(':answer', $no);
        }
        try {

            $rezultat = $upit_unos->execute();
            if ($rezultat) {
                $_SESSION['success']= "You have sent a message!";
                header("Location: ../index.php?page=pocetna");
            } else {
                $_SESSION['error'][]= "Error while sending message";
                header("Location: ../index.php?page=survey");
            }

        } catch (PDOException $e) {
            echo $e->getMessage();
        }
    }
}

```

- Logika za Survey.

updateAd.php

```

<?php
session_start();
if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->role === "admin") {
    if (isset($_POST['btnSubbmit']))
        unset($_SESSION['error']);

    $adId = (int)$_POST['adId'];
    $adIId = $_POST['adIId'];
    $adTitle = $_POST['title'];
    $adText = $_POST['text'];
    $adDate = $_POST['dateTill'];
    $adDateStart = $_POST['dateStart'];
    $image = $_FILES['adImage'];
    $priority = (int)$_POST['priority'];

    $time = strtotime($adDate);

    $newformat = date('Y-m-d H:i:s',$time);

    $time2 = strtotime($adDateStart);

    $newformat2 = date('Y-m-d H:i:s',$time2);

```

```

$regTitle = "/^[A-z\s]+$/";
$regText = "/^{4,55}$/";
$errors = [];

if (!preg_match($regTitle, $adTitle)) {
    $errors[] = "Title is not valid.";
}
if (!preg_match($regText, $adText)) {
    $errors[] = "Text is not valid.";
}
if ($priority == -1) {
    $errors[] = "Must choose priority!";
}

$ime_fajla = $image['name'];
$tip_fajla = $image['type'];
$velicina_fajla = $image['size'];
$tmp_putanja = $image['tmp_name'];

$dovoljeni_formati = array("image/jpeg", "image/jpg", "image/png", "image/gif");

if (!in_array($tip_fajla, $dovoljeni_formati)) {
    $errors[] = "Wrong Type of file.";
}

if ($velicina_fajla > 3000000) {
    $errors[] = "File must be less than 3MB.";
}
$adDateTime = strtotime($adDate);
$currentTime = time();
$currentDate = date("Y-m-d H:i:s");

if (!($adDateTime - $currentTime) > 0) {
    $errors[] = "Time must be set in the future!";
}

if (count($errors) > 0) {
//     echo $priority;
//     $SESSION['error'] = $errors;
//     echo $adDateTime - $currentTime."<br>";
    var_dump($errors);
//     var_dump($adDate);
//     var_dump($adDateTime);
    header("Location: ../index.php?page=hotedit&id=".$adId);
}
else {
    try {
        echo $adId;
        var_dump($adId);
        require_once 'connection.php';
        $upit_unos = $conn->prepare("UPDATE hotad SET title = :title, advert = :ad
, date_start = :ds, date_end = :de, priority = :priority WHERE id = :id ");
        $upit_unos->bindParam(':title', $adTitle);
        $upit_unos->bindParam(':ad', $adText);
        $upit_unos->bindParam(':ds', $newformat2);
        $upit_unos->bindParam(':de', $newformat);
        $upit_unos->bindParam(':priority', $priority);
        $upit_unos->bindParam(':id', $adId);

        try {
            $rezUH = $upit_unos->execute();
            // echo 'URADIO';

```

```

        if ($rezUH) {

            $naziv_fajla = time() . $ime_fajla;
            $nova_putanja = "../img/upload/" . $naziv_fajla;
            $putanja_fajla = "img/upload/" . $naziv_fajla;

            $moveFile = move_uploaded_file($tmp_putanja, $nova_putanja);
            if($moveFile){
                echo 'True';
                $upit_unos2 = $conn->prepare("UPDATE hotad_image SET img_path =
:img WHERE hotad_id = :idh");
                $upit_unos2->bindParam(':img', $nova_putanja);
                $upit_unos2->bindParam(':idh', $adId);

                $rezUHI = $upit_unos2->execute();
                if ($rezUHI) {

                    // $_SESSION['success'][] = "Update finished!";
                    // header("Location: ../index.php?page=adminPanel");

                    echo $priority;
                } else {
                    $_SESSION['error'][] = "Update error!";
                    header("Location: ../index.php?page=hotedit&id=" . $adId);
                }
            } else {
                $_SESSION['error'][] = "Move Failed!";
                header("Location: ../index.php?page=hotedit&id=" . $adId);
            }
        } else {

            $_SESSION['error'][] = "Update error!";
            header("Location: ../index.php?page=hotedit&id=" . $adId);
        }

    } catch (PDOException $e) {
        echo $e->getMessage();
        $_SESSION['error'][] = "Update error!";
        header("Location: ../index.php?page=hotedit&id=".$adId);

        // echo 'OVDE';
        echo "<br> ".$adId." ".$nova_putanja;
        var_dump($rezUHI);

    }
} catch (PDOException $e) {
    echo $e->getMessage();
    $_SESSION['error'][] = "Update error!";
    header("Location: ../index.php?page=hotedit&id=".$adId);
}

}
} else{

    echo "<h1>NOT AUTHORISED FOR THIS PAGE. LEAVE!</h1>";
}

```

-Update Reklame.

updateProduct.php

```

<?php
session_start();

```

```

if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->role === "admin") {

    if (isset($_POST['btnSubbmit']))
        //unset($_SESSION['error']);

    $prodId = $_POST['prodId'];
    $prodName = $_POST['productName'];
    $prodDesc = trim($_POST['textDesc']);
    $prodSpec = trim($_POST['textSpec']);
    $lastPrice = $_POST['lastPrice'];
    $sale = $_POST['sale'];
    $price = $_POST['lastPrice'] - ($_POST['lastPrice'] * $sale / 100);
    $new = $_POST['new'];
    $hot = $_POST['hot'];
    $prodQuantity = $_POST['prodQuantity'];
    $prodSold = $_POST['prodSold'];

    $regProductName = "/^[.0&]?[a-zA-Z0-9 ]+[!.0&()]?[ a-zA-Z0-9!() ]+/" ;
    $regPrice = "/^[0-9]{0,4}$/" ;
    $errors = [];

    if (!preg_match($regProductName, $prodName)) {
        $errors[] = "Product name is not valid.";
    }

    if (strlen($prodDesc) > 500) {
        $errors[] = "Exceeded maximum character count for the description.";
    }

    if (strlen($prodSpec) > 700) {
        $errors[] = "Exceeded maximum character count for the specification.";
    }
    // if (!preg_match($regPrice, $price)) {
    //     $errors[] = "Price format is wrong.";
    // }
    if (!preg_match($regPrice, $prodQuantity)) {
        $errors[] = "Quantity is wrong";
    }

    if (count($errors) > 0) {

        $_SESSION['error'] = $errors;
        var_dump($errors);
        echo $sale;
        header("Location: ../index.php?page=prodedit&id=$prodId");
    } else {

        require_once "connection.php";
        $upit_unos = $conn->prepare("UPDATE warehouse SET quantity = :quant , sold = :sold WHERE product_id = (SELECT id FROM electroproducts WHERE id = :prodid) ");

        $upit_unos->bindParam(':quant', $prodQuantity);
        $upit_unos->bindParam(':sold', $prodSold);
        $upit_unos->bindParam(':prodid', $prodId);

        try {

            $rezultat = $upit_unos->execute();
            //header("Location: ../index.php?page=adminPanel");

```

```

        if ($rezultat) {
            if ($lastPrice <> $price && $sale <> -1 && $sale == 0) {
                $upit_unos2 = $conn->prepare("UPDATE electroproducts SET name = :name,
description = :desc, specifications = :specs, price = :price, lastprice = :lastprice,
sale=:sale, new= :new, hot= :hot WHERE id = :prodid ");

                $upit_unos2->bindParam(':name', $prodName);
                $upit_unos2->bindParam(':desc', $prodDesc);
                $upit_unos2->bindParam(':specs', $prodSpec);
                $upit_unos2->bindParam(':price', $price);
                $upit_unos2->bindParam(':lastprice', $lastPrice);
                $upit_unos2->bindParam(':sale', $sale);
                $upit_unos2->bindParam(':new', $new);
                $upit_unos2->bindParam(':hot', $hot);
                $upit_unos2->bindParam(':prodid', $prodId);
            } else {
                $upit_unos2 = $conn->prepare("UPDATE electroproducts SET name =
:name, description = :desc, price=:price, lastprice = null, specifications = :specs,
sale=null, new= :new, hot= :hot WHERE id = :prodid ");

                $upit_unos2->bindParam(':name', $prodName);
                $upit_unos2->bindParam(':desc', $prodDesc);
                $upit_unos2->bindParam(':specs', $prodSpec);
                $querySel = "SELECT lastprice FROM electroproducts WHERE
id=".$prodId;
                $execQ = executeQuery($querySel);
                foreach ($execQ as $item) {
                    $upit_unos2->bindParam(':price', $item->lastprice);
                }
                $upit_unos2->bindParam(':new', $new);
                $upit_unos2->bindParam(':hot', $hot);
                $upit_unos2->bindParam(':prodid', $prodId);
            }
        }

        try {
            $rez2 = $upit_unos2->execute();
            if ($rez2) {
                $_SESSION['success'] = "Update was made!";
                header("Location: ../index.php?page=adminPanel");
            } else {
                $_SESSION['error'][] = "Update error!";

                header("Location:
../index.php?page=prodedit&id=$prodId");
            }
        } catch (PDOException $e) {
            echo $e->getMessage();
        }
    } catch (PDOException $e) {
        echo $e->getMessage();
    }
} else {
    echo "<h1>NOT AUTHORISED FOR THIS PAGE. LEAVE!</h1>";
}

```

-Update Proizvoda.

Php folder (views)

index.php

```
<?php
include "php/connection.php";
session_start();
$page = "";

if(isset($_GET['page'])){
    $page = $_GET['page'];
}

include "view/head.php";

include "view/header.php";
include "view/nav.php";

switch($page){
    case 'pocetna':
        include "view/section1Big.php";
        include "view/section2newProducts.php";
        include "view/section3hot.php";
        include "view/section4Top.php";
        include "view/section5TopSlider.php";
        break;
    case 'product':
        include 'view/product.php';
        break;
    case 'prodedit':
        include "view/product_update.php";
        break;
    case 'login':
        include 'view/loginAcc.php';
        break;
    case 'register':
        include 'view/register.php';
        break;
    case 'adminPanel':
        include 'view/admin.php';
        break;
    case 'prodinsert':
        include 'view/insertProduct.php';
        break;
    case 'newad':
        include "view/insertAd.php";
        break;
    case 'hotedit':
        include 'view/ad_update.php';
        break;
    case 'checkout':
        include 'view/checkout.php';
        break;
    case 'store':
        include 'view/store.php';
        break;
    case 'contact':
        include 'view/author.php';
        break;
    case 'survey':
        include 'view/survey.php';
        break;
    case 'contactAdmin':
```

```

        include 'view/contactAdmin.php';
        break;
    default:
        include "view/section1Big.php";
        include "view/section2newProducts.php";
        include "view/section3hot.php";
        include "view/section4Top.php";
        include "view/section5TopSlider.php";
        break;
    }

include "view/newsletter.php";
include "view/footer.php";
?>

```

-Index logika

contactAdmin.php

```

<?php if(isset($_SESSION['korisnik'])): ?>
    <?php
        $id = $_SESSION['korisnik']->uid;

    ?>
    <div class="main">
        <div class="shop_top">
            <div class="container">
                <div class="row shop_box-top">
                    <ul class="nav nav-tabs">
                        <li class="active"><a data-toggle="tab"
href="#products">Contact Admin</a></li>
                    </ul>
                    <form action="php/sendMail.php" method="post" />
                    <div id="products" class="tab-pane fade in active">
                        <h3>Admin Contact</h3>
                        <p>Managing products.</p>
                        <table class="table table-striped">
                            <thead>
                                <tr>
                                    <th scope="col">#</th>
                                    <th scope="col">Full Name</th>
                                    <th scope="col">Email</th>
                                    <th scope="col">Subject</th>
                                    <th scope="col">Message</th>
                                    <th scope="col">Date</th>
                                </tr>
                            </thead>
                            <?php $query= "SELECT * FROM electrouzers WHERE id=$id";
                                $execQuery = executeQuery($query);
                                foreach($execQuery as $person):
                                    ?>
                                    <tbody>
                                        <tr>
                                            <th scope="row">#</th>
                                            <td><?=$person->firstname ?> <?=$person-
>lastname ?> <input type="hidden" name="fullName" id="fullName" value="<?=$person-
>firstname ?> <?=$person->lastname ?>"/></td>
                                            <td><?=$person->email ?><input type="hidden"
name="email" id="email" value="<?=$person->email ?>"/></td>
                                            <td><input type="text" name="subject"
id="subject"></td>
                                            <td><input type="text" name="message"
id="message"></td>

```



```

                                <?php $date=date('Y-m-d H:i:s',time()); ?>
                                <td><?= $date ?></td>
                                <?php endforeach; ?>
                            </tbody>
                        </table>
                        <input type="submit" class="btn btn-danger" name="btnSubmit"
value="Send">

                        </form>
                        <div class="alert"> Send a message to the website

<b>admin</b>.</div>

                        <div class="alert-danger">
                            <?php if(isset($_SESSION['error'])) {
                                var_dump($_SESSION['error']); } ?>

                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <?php else: ?>
        <h3> YOU ARE NOT AUTHORISED TO ENTER THIS PAGE! PLEASE RETURN </h3>
        <script> alert("DONT DO THIS MATE!"); </script>
    <?php endif; ?>

```

-Forma za kontaktiranje Admina za autorizovanog korisnika.

ad_update.php

```

<?php if(isset($_SESSION['korisnik']) && $_SESSION['korisnik']->role=='admin'): ?>
    <?php if(isset($_GET['id'])): ?>
        <!-- BREADCRUMB -->
        <div id="breadcrumb" class="section">
            <!-- container -->
            <div class="container">

                <!-- row -->
                <div class="row">
                    <div class="col-md-12">
                        <h3 class="breadcrumb-header">Update Ad</h3>
                        <ul class="breadcrumb-tree">
                            <li><a href="<?=
$_SERVER['PHP_SELF'].'?page=adminPanel'?>">Admin Panel</a></li>
                            <li class="active">Insert</li>
                        </ul>
                    </div>
                </div>
            </div>
            <!-- /row -->
        </div>
        <!-- /container -->
    </div>
    <!-- /BREADCRUMB -->

    <!-- SECTION -->
    <div class="section">
        <!-- container -->
        <div class="container">
            <!-- row -->
            <div class="row">

```

```

<div class="col-md-7">
    <!-- Billing Details -->
    <div class="billing-details">
        <div class="section-title">
            <h3 class="title">Insert AD Form</h3>
        </div>
        <?php
            $prodId = (int)$_GET['id'];
            if($prodId):
                $queryGet = "SELECT *,h.id as hid,hi.id as hiid FROM hotad h
INNER JOIN hotad_image hi ON h.id=hi.hotad_id WHERE h.id = $prodId";
                $execGet = executeQuery($queryGet);
                foreach ($execGet as $get):
                    ?>
                    <form action="php/updateAd.php" method="post"
enctype="multipart/form-data">
                        <div class="form-group">
                            <input class="input" type="text" name="title"
placeholder="Title" required value="<?=$get->title ?>">
                        </div>
                        <div class="form-group">
                            <input class="input" type="text" name="text"
placeholder="Text" value="<?=$get->advert ?>" required>
                        </div>
                        <div class="form-group">
                            <label>Start Date</label>
                            <input class="input" type="date" name="dateStart" >
                        </div>
                        <div class="form-group">
                            <label>End Date</label>
                            <input class="input" type="date" name="dateTill"
value="" >
                        </div>
                        <div class="form-group">
                            <input class="input" type="file" name="adImage"
value="<?=$get->img_path ?>" >
                        </div>
                        <div class="form-group">
                            <label>PRIORITY: </label>
                            <select name="priority" required>
                                <?php if($get->priority == 1): ?>
                                    <option value="1">TOP</option>
                                    <option value="-1"></option>
                                    <option value="0">NOT</option>
                                <?php else: ?>
                                    <option value="0">NOT</option>
                                    <option value="-1"></option>
                                    <option value="1">TOP</option>
                                <?php endif: ?>
                            </select>
                        </div>
                        <input type="hidden" name="adId" value="<?=$get->hid ?>">
                        <input type="hidden" name="adIId" value="<?=$get->hiid
?>">
                        <input type="submit" name='btnSubmit' class="primary-btn
order-submit" value="Update">
                    </div>
                </form>
            <?php endforeach; ?>
            <?php else: ?>
                <h1>YOU HAVE IT WRONG MATE!</h1>
                <h2>Not authorised to be on this page</h2>
            </div>
        </div>
    </div>

```

```

        <?php endif; ?>
    </div>
    <div class="col-md-5 order-details">
        <div class="section-title text-center">
            <h3 class="title">Ad instructions!</h3>
        </div>
        <div class="order-summary">
            <div class="order-row">
                <div><p>Keep in mind of the image size and width and
height (1782 x 465), the date must not be expired (past date),
                </br>Look to it that the title and text be catchy
and to attract attention!
                </br> If you want the ad to appear set priority
TOP!</p>
            </div><?php
                if(isset($_SESSION['error'])){
                    $sesija = $_SESSION['error'];
                    foreach ($sesija as $error) {
                        echo "<b>$error</b> ";
                    }
                }
            ?></div>
        </div>
    </div>
</div>
</div>
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->
<?php endif; ?>
<?php else: ?>
    <h1>GET OUT FROM HERE! You are not authorised to be on this page</h1>
<?php endif; ?>

```

admin.php

```

<div class="main">
    <div class="shop_top">
        <div class="container">
            <div class="row shop_box-top">
                <?php if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->role
=== 'admin'): ?>
                    <ul class="nav nav-tabs">
                        <li class="active"><a data-toggle="tab"
href="#users">Users</a></li>
                        <li><a data-toggle="tab" href="#products">Products</a></li>
                        <li><a data-toggle="tab" href="#hotdeals">Hot Deals</a></li>
                        <li><a data-toggle="tab" href="#messages">Messages</a></li>
                        <li><a data-toggle="tab" href="#newsletter">Newsletter</a></li>
                    </ul>
                    <div class="tab-content">
                        <div id="users" class="tab-pane fade in active">
                            <h3>Users</h3>
                            <p>Managing users.</p>
                            <table class="table table-striped">

```

```

<thead>
<tr>
    <th scope="col">#</th>
    <th scope="col">Username</th>
    <th scope="col">Email</th>
    <th scope="col">Date (Made) </th>
    <th scope="col">Role</th>
    <th scope="col">Edit</th>
    <th scope="col">Delete</th>
</tr>
</thead>
<tbody>
<?php
$upitcinaZaBazu = "SELECT *,eu.id as euid FROM
electrouusers eu INNER JOIN role r ON eu.role_id= r.id WHERE role!='admin'";
$aloo = executeQuery($upitcinaZaBazu);

foreach ($aloo as $user):
    ?>
    <tr>
        <th scope="row"><?= $user->euid-1 ?></th>
        <td><?= $user->username ?></td>
        <td><?= $user->email ?></td>
        <td><?= $user->date_made ?></td>
        <td><?= $user->role ?></td>

        <td><a href="index.php?page=edit&id=<?= $user->bid
?>">Edit</a></td>

        <td>
            <button type="button" class="btn btn-danger
delete-user"
                data-id="<?= $user->euid ?>">Delete
            </button>
        </td>
    </tr>
<?php endforeach; ?>
</tbody>
</table>
</div>
<div id="products" class="tab-pane fade">
    <h3>Products</h3>
    <p>Managing products.</p>
    <table class="table table-striped">
        <thead>
            <tr>
                <th scope="col">#</th>
                <th scope="col">Name</th>
                <th scope="col">Price</th>
                <th scope="col">Desc</th>
                <th scope="col">Sale</th>
                <th scope="col">New</th>
                <th scope="col">Hot</th>
                <th scope="col">Quantity</th>
                <th scope="col">Sold</th>
                <th scope="col">Category</th>
            </tr>
        </thead>
        <tbody>
            <?php
$queryProd1 = "SELECT *,e.id as eId, e.name as prodName, s.name as
subName FROM electroproducts e INNER JOIN images i ON e.id = i.product_id INNER JOIN
subcategory s ON e.subcat_id = s.id INNER JOIN warehouse w ON e.id = w.product_id
ORDER BY eId";

```

```

$rez = executeQuery($queryProd1);
?>

<?php foreach ($rez as $prod):
?>
    <tr>
        <th scope="row"><?= $prod->eId ?></th>
        <td><?= $prod->prodName ?></td>
        <td><?= $prod->price ?></td>
        <td><?= $prod->description ?></td>
        <?php if($prod->sale): ?>
        <td><?= $prod->sale ?>%</td>
        <?php else: ?>
        <td>NOT</td>
        <?php endif; ?>
        <?php if($prod->new==1):?>
        <td>YES</td>
        <?php else: ?>
        <td>NO</td>
        <?php endif; ?>
        <?php if($prod->hot==1):?>
        <td>YES</td>
        <?php else: ?>
        <td>NO</td>
        <?php endif; ?>
        <td><?= $prod->quantity ?></td>
        <td><?= $prod->sold ?></td>
        <td><?= $prod->subName ?></td>
        <td><a href="index.php?page=prodedit&id=<?= $prod-
>eId ?>">Edit</a></td>

        <td>
            <button type="button" class="btn btn-danger
delete-product"
                data-id="<?= $prod->eId ?>">Delete
            </button>
        </td>
    </tr>
<?php endforeach; ?>
</tbody>
</table>
<a href="index.php?page=prodinsert"><input type="button"
class="btn btn-danger" value="INSERT"> </a>
</div>
<div id="hotdeals" class="tab-pane fade">
    <h3>Hot Deals</h3>
    <p>Editing and Deleting the "Hot Deals" ad.</p>
    <table class="table table-striped">
        <thead>
            <tr>
                <th scope="col">#</th>
                <th scope="col">Title</th>
                <th scope="col">Text</th>
                <th scope="col">Date Set</th>
                <th scope="col">Date end</th>
                <th scope="col">Priority</th>
            </tr>
        </thead>
        <tbody>
            <?php
                $queryAd = "SELECT *,h.id as hid FROM hotad h INNER JOIN
hotad_image hi ON h.id=hotad_id ";
                $getAD = executeQuery($queryAd);

```

```

        foreach ($getAD as $ad) :
            ?>
            <tr>
                <th scope="row"><?= $ad->hid ?></th>
                <td><?= $ad->title ?></td>
                <td><?= $ad->advert ?></td>
                <td><?= $ad->date_start ?></td>
                <td><?= $ad->date_end ?></td>
                <?php if($ad->priority==1):?>
                <td>TOP</td>
                <?php else: ?>
                <td>NOT</td>
                <?php endif; ?>
                <td><a href="index.php?page=hotedit&id=<?= $ad-
>hid ?>">Edit</a></td>

                <td>
                    <button type="button" class="btn btn-danger
delete-ad"
                                data-id="<?= $ad->hid ?>">Delete
                    </button>
                </td>
            </tr>
        <?php endforeach; ?>
    </tbody>
</table>
    <a href="index.php?page=newad"><input type="button" class="btn
btn-danger" value="INSERT"/></a>
</div>

<div id="messages" class="tab-pane fade">
    <h3>Messages</h3>
    <p>Sent Messages from users and buyers</p>
    <table class="table table-striped">
        <thead>
            <tr>
                <th scope="col">#</th>
                <th scope="col">Who</th>
                <th scope="col">Email</th>
                <th scope="col">Subject</th>
                <th scope="col">Text</th>
                <th scope="col">Date</th>
            </tr>
        </thead>
        <tbody>
            <?php
$queryContact = "SELECT *,c.id as cid FROM adminmessage
c";
$getContacts = executeQuery($queryContact);

        foreach ($getContacts as $contact):
            ?>
            <tr>
                <th scope="row"><?= $contact->cid ?></th>
                <td><?= $contact->fullname ?></td>
                <td><?= $contact->email ?></td>
                <td><?= $contact->subject ?></td>
                <td><?= $contact->message ?></td>
                <td><?= $contact->date ?></td>
                <td><a href="index.php?page=response&id=<?=
$contact->cid ?>">Respond</a></td>
            </tr>
        <?php endforeach; ?>
    </tbody>

```



```

$( '.delete-ad' ).click( function () {
    var id = $( this ).data( 'id' );
    // alert( id );

    $.ajax( {
        method: 'POST',
        url: "php/ajax_delete_ad.php",
        dataType: 'json',
        data: {
            id: id
        },
        success: function ( podaci ) {
            alert( "The ad has been removed!" );
            // alert( podaci );
            location.reload();
        },
        error: function ( xhr, statusTxt, error ) {
            var status = xhr.status;
            switch ( status ) {
                case 500:
                    alert( "Server ERROR! Curently it is not possible
to delete the ad." );

                    break;
                case 404:
                    alert( "Page not Found!" );
                    break;
                default:
                    alert( "Error: " + status + " - " + statusTxt );
                    location.reload();
                    break;
            }
        }
    } );
} );
</script>
<?php else: ??
    <h4> YOU ARE NOT AUTHORISED TO ENTER THIS PAGE! PLEASE RETURN </h4>
    <script> alert( "DONT DO THIS MATE!" ); </script>
<?php endif; ??

```

-Admin panel logika I izgled. Jedini problem koji sam ovde imao bio je mailer koji nisam znao kako da osposobim bez "thirdparty" softvera.

author.php

```

<div class="main">
    <div class="shop_top">
        <div class="container">
            <div class="row team_box">
                <h3 class="m_2">About me</h3>
                <div class="row">
                    <div class="col-md-4 team_bottom">
                        <ul class="team_list">
                            <h4>My knowledge</h4>
                            <li><a href="#">PHP</a><p>A beginner in PHP programing.
Learning my ways around it. Its more fun than i expected it to be</p></li>
                            <li><a href="#">HTML/CSS</a><p>Am pretty good with
it.</p></li>
                            <li><a href="#">JavaScript</a><p>Somewhat good. Can be
better</p></li>
                            <li><a href="#"></a>C#<p>Beginner.</p></li>

```

```

        </ul>
    </div>
    <div class="col-md-8">
        <ul class="team_list">
            <h4>Danilo Zdravković 227/16</h4>
            <p class="m_7">Hi! My name is Danilo Zdravković and im a
student at a ICT COLLEGE OF VOCATIONAL STUDIES in Belgrade. Big fan of books, games,
languages, comics, photos, sports and many things more.
                This is a project for our PHP class! No images and
products are for my own benefits! They are purely just for practicing of making a
PHPwebsite.</p>
                
            </ul>
        </div>
    </div>
</div>
</div>
</div>

```

checkout.php

```

<!-- BREADCRUMB -->
<div id="breadcrumb" class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">
            <div class="col-md-12">
                <h3 class="breadcrumb-header">Checkout</h3>
                <ul class="breadcrumb-tree">
                    <li><a href="#">Home</a></li>
                    <li class="active">Checkout</li>
                </ul>
            </div>
        </div>
        <!-- /row -->
    </div>
    <!-- /container -->
</div>
<!-- /BREADCRUMB -->
<?php
if(isset($_SESSION['korisnik'])): ??
<!-- SECTION -->
<div class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">

            <div class="col-md-7">
                <!-- Billing Details -->
                <div class="billing-details">
                    <div class="section-title">
                        <h3 class="title">Billing address</h3>
                    </div>
                    <?php
                        $queryGetUsr = "SELECT *,co.name as coname,ci.name as ciname FROM
electrouusers u INNER JOIN address a ON u.id = a.user_id INNER JOIN city ci ON
a.city_id = ci.id INNER JOIN country co ON ci.country_id = co.id WHERE u.id =
".$_SESSION['korisnik']->uid;
                        $rezGetUsr = executeQuery($queryGetUsr);

```

```

                foreach ($rezGetUsr as $usr):
                    ?>
                    <div class="form-group">
                        <input class="input" type="text" name="first-name" value="<?=$usr->firstname ?>" readonly>
                    </div>
                    <div class="form-group">
                        <input class="input" type="text" name="last-name" value="<?=$usr->lastname ?>" readonly>
                    </div>
                    <div class="form-group">
                        <input class="input" type="email" name="email" value="<?=$usr->email ?>" readonly>
                    </div>
                    <div class="form-group">
                        <input class="input" type="text" name="address" value="<?=$usr->adress ?>" readonly>
                    </div>
                    <div class="form-group">
                        <input class="input" type="text" name="city" value="<?=$usr->ciname ?>" readonly>
                    </div>
                    <div class="form-group">
                        <input class="input" type="text" name="country" value="<?=$usr->coname ?>" readonly>
                    </div>
                    <div class="form-group">
                        <div class="input-checkbox">
                            <input type="checkbox" id="create-account">
                        </div>
                    </div>
                <?php endforeach; ?>
            </div>
            <!-- /Billing Details -->

            <!-- Order notes -->
            <div class="order-notes">
                <textarea class="input" placeholder="Order Notes"></textarea>
            </div>
            <!-- /Order notes -->
        </div>
    <?php
        $usrId = $_SESSION['korisnik']->uid;
        $queryCart= $conn->prepare("SELECT * FROM cart c INNER JOIN user_product
up ON c.usr_prod_id = up.id WHERE up.user_id=:usid");
        $queryCart->bindParam(':usid',$usrId);
        $rezCart = $queryCart->execute();
        $queryCartObj = "SELECT *,ep.id as pid FROM cart c INNER JOIN user_product
up ON c.usr_prod_id = up.id INNER JOIN electroproducts ep ON up.prod_id = ep.id INNER
JOIN images i ON ep.id = i.product_id WHERE up.user_id=$usrId AND buyout = 0 LIMIT 1";
        $rezCartObj = executeQuery($queryCartObj);

    ?>
    <!-- Order Details -->
    <div class="col-md-5 order-details">
        <div class="section-title text-center">
            <h3 class="title">Your Order</h3>
        </div>
        <div class="order-summary">
            <div class="order-col">
                <div><strong>PRODUCT</strong></div>

```

```

        <div><strong>TOTAL</strong></div>
    </div>

    <div class="order-products">
        <?php foreach ($rezCartObj as $obj):?>
            <div class="order-col">
                <div><?= $obj->quantity ?>× <?= $obj->name ?></div>
                <input type="hidden" class="quantity" value="<?=$obj->quantity ?>">
                <input type="hidden" class="bought-product" value="<?=$obj->pid ?>" >
                <div>$<?= $obj->price ?>.00</div>
            </div>

            <?php endforeach; ?>
        </div>

        <div class="order-col">
            <div>Shiping</div>
            <div><strong>FREE</strong></div>
        </div>
        <div class="order-col">
            <div><strong>TOTAL</strong></div>
            <?php
                $querySum = "SELECT *,ep.id as pid FROM cart c INNER JOIN
user_product up ON c.usr_prod_id = up.id INNER JOIN electroproducts ep ON up.prod_id =
ep.id WHERE up.user_id=$usrId AND buyout = 0 LIMIT 1 ";
                $execSumObj = executeQuery($querySum);
                $suma = 0;
                foreach($execSumObj as $sum)
                {
                    if($obj->quantity>1){
                        $suma += $sum->price*$sum->quantity;
                    }
                    else
                    {
                        $suma += $sum->price;
                    }
                }
            <?>
            <div><strong class="order-total" >$<?= $suma
?>.00</strong></div>
            <input type="hidden" id="orderSum" value="<?=$suma ?>">
            <input type="hidden" id="quantitySum" value=""?>
        </div>
    </div>
    <div class="input-checkbox">
        <input type="checkbox" id="terms">
        <label for="terms">
            <span></span>
            I've read and accept the <a
href="https://docs.google.com/document/d/1GPY-
UEZdkJW4TCBlvmyRPUeyWuOctnTbE04MCGo2mHI/edit">terms & conditions</a>
        </label>
    </div>
    <button class="primary-btn order-submit center-block" >Place
order</button>
    <input type="hidden" id="usrId" value="<?= $_SESSION['korisnik']->uid
?>">
</div>
<!-- /Order Details -->

```



```
<!-- /SECTION -->
<?php else: header("Location: ../index.php?page=login"); ?>
<?php endif;?>
```

-Checkout strana za potvrdu kupovine.

footer.php

```
<!-- FOOTER -->
<footer id="footer">
    <!-- top footer -->
    <div class="section">
        <!-- container -->
        <div class="container">
            <!-- row -->
            <div class="row">
                <div class="col-md-3 col-xs-6">
                    <div class="footer">
                        <h3 class="footer-title">About Author</h3>
                        <p>Danilo Zdravkovic. Second PHP website.</p>
                        <ul class="footer-links">
                            <li><a href="https://www.ict.edu.rs/"><i class="fa fa-map-
marker"></i>Student of ICT COLLEGE OF APPLIED STUDIES</a></li>
                            <li><i class="fa fa-phone"></i>227/16</li>
                            <li><a href="<?=$_SERVER['PHP_SELF']"?page=contact";
?>"><i class="fa fa-envelope-o"></i>danilo.zdravkovic.227.16@ict.edu.rs</a></li>
                        </ul>
                    </div>
                </div>
                <div class="col-md-3 col-xs-6">
                    <div class="footer">
                        <h3 class="footer-title">Categories</h3>
                        <ul class="footer-links">
                            <?php
$queryCat = "SELECT * FROM navigation";
$exeQueryCat = executeQuery($queryCat);
foreach ($exeQueryCat as $footNav1):
    ?>
                            <li><a href="<?=$footNav1->path ?>"><?=$footNav1->name
?></a></li>
                        <?php endforeach; ?>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
        <div class="clearfix visible-xs"></div>
        <div class="col-md-3 col-xs-6">
            <div class="footer">
                <h3 class="footer-title">Information</h3>
                <ul class="footer-links">
                    <?php
                    $queryCat2 = "SELECT * FROM
footer_navigation_subnav WHERE id_footnav = (SELECT id FROM footer_navigation WHERE
title= 'Information')";
                    $exeQueryCat2 = executeQuery($queryCat2);
                    foreach ($exeQueryCat2 as $footNav2):
                        ?>
                            <li><a href="<?=$footNav2->path?>"><?=$footNav2->subnav
?></a></li>
                    <?php endforeach; ?>
                </ul>
```

```

        </div>
    </div>
    <?php if(isset($_SESSION['korisnik'])): ?>
    <div class="col-md-3 col-xs-6">
        <div class="footer">
            <h3 class="footer-title">Service</h3>
            <ul class="footer-links">
                <?php
                    $queryCat3 = "SELECT * FROM
footer_navigation_subnav WHERE id_footnav = (SELECT id FROM footer_navigation WHERE
title= 'Service')";

                    $exeQueryCat3 = executeQuery($queryCat3);
                    foreach ($exeQueryCat3 as $footNav3):
                        ?>
                            <li><a href="<?= $footNav3->path ?>"><?= $footNav3->subnav
?></a></li>

                                <?php endforeach; ?>
                            </ul>
                        </div>
                    </div>
                </div>
            <?php else: ?>
                <div class="col-md-3 col-xs-6">
                    <div class="footer">
                        <h3 class="footer-title">Service</h3>
                        <ul class="footer-links">
                            <li><a
href="index.php?page=register">Register</a></li>
                            <li><a
href="index.php?page=login">Login</a></li>
                        </ul>
                    </div>
                </div>
            <?php endif; ?>

        </div>
    <!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /top footer -->

<!-- bottom footer -->
<div id="bottom-footer" class="section">
    <div class="container">
        <!-- row -->
        <div class="row">
            <div class="col-md-12 text-center">
                <ul class="footer-payments">
                    <li><a href="#"><i class="fa fa-cc-visa"></i></a></li>
                    <li><a href="#"><i class="fa fa-credit-card"></i></a></li>
                    <li><a href="#"><i class="fa fa-cc-paypal"></i></a></li>
                    <li><a href="#"><i class="fa fa-cc-mastercard"></i></a></li>
                    <li><a href="#"><i class="fa fa-cc-discover"></i></a></li>
                    <li><a href="#"><i class="fa fa-cc-amex"></i></a></li>
                </ul>
                <span class="copyright">
                    <!-- Link back to Colorlib can't be removed. Template is
licensed under CC BY 3.0. -->
                    Copyright &copy;<script>document.write(new
Date().getFullYear());</script> All rights reserved | This template is made with <i
class="fa fa-heart-o" aria-hidden="true"></i> by <a href="https://colorlib.com"
target="_blank">Colorlib</a>
                    <!-- Link back to Colorlib can't be removed. Template is licensed

```



```

        <script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
        <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
        <![endif]-->
        <link rel="apple-touch-icon" sizes="57x57" href="/img/logo/apple-icon-57x57.png">
        <link rel="apple-touch-icon" sizes="60x60" href="/img/logo/apple-icon-60x60.png">
        <link rel="apple-touch-icon" sizes="72x72" href="/img/logo/apple-icon-72x72.png">
        <link rel="apple-touch-icon" sizes="76x76" href="/img/logo/apple-icon-76x76.png">
        <link rel="apple-touch-icon" sizes="114x114" href="/img/logo/apple-icon-114x114.png">
        <link rel="apple-touch-icon" sizes="120x120" href="/img/logo/apple-icon-120x120.png">
        <link rel="apple-touch-icon" sizes="144x144" href="/img/logo/apple-icon-144x144.png">
        <link rel="apple-touch-icon" sizes="152x152" href="/img/logo/apple-icon-152x152.png">
        <link rel="apple-touch-icon" sizes="180x180" href="/img/logo/apple-icon-180x180.png">
        <link rel="icon" type="image/png" sizes="192x192" href="/img/logo/android-icon-192x192.png">
        <link rel="icon" type="image/png" sizes="32x32" href="/img/logo/favicon-32x32.png">
        <link rel="icon" type="image/png" sizes="96x96" href="/img/logo/favicon-96x96.png">
        <link rel="icon" type="image/png" sizes="16x16" href="/img/logo/favicon-16x16.png">
        <link rel="manifest" href="/img/logo/manifest.json">
        <meta name="msapplication-TileColor" content="#ffffff">
        <meta name="msapplication-TileImage" content="/img/logo/ms-icon-144x144.png">
        <meta name="theme-color" content="#ffffff">

    </head>

    <body>

```

header.php

```

<!-- HEADER -->
<header>
    <!-- TOP HEADER -->
    <div id="top-header">
        <div class="container">
            <ul class="header-links pull-left">
                <li><a href="#"><i class="fa fa-phone"></i> +021-95-51-84</a></li>
                <li><a href="#"><i class="fa fa-envelope-o"></i> electro@gmail.com</a></li>
                <li><a href="#"><i class="fa fa-map-marker"></i> 1734 Stonecoal Road</a></li>
            </ul>
            <ul class="header-links pull-right">
                <li><a href="#"><i class="fa fa-dollar"></i> USD</a></li>-->
                <?php if(!isset($_SESSION['korisnik'])): ?>
                <li><a href="<?=$_SERVER['PHP_SELF'].">page=login"?>><i class="fa fa-user-o"></i> My Account</a></li>
                <?php endif; ?>
                <?php if(isset($_SESSION['korisnik']) && $_SESSION['korisnik']->role == "admin"): ?>
                <li><a href="<?=$_SERVER['PHP_SELF'].">page=adminPanel"

```

```

?>"<i class="fa fa-user-o"></i> Admin Panel</a></li>
    <?php endif; ?>
    <?php if(isset($_SESSION['korisnik'])): ?>
        <li><a href="php/logout.php"><i class="fa fa-user-o"></i>
Logout</a></li>

    <?php endif; ?>

    </ul>
</div>
</div>
<!-- /TOP HEADER -->

<!-- MAIN HEADER -->
<div id="header">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">
            <!-- LOGO -->
            <div class="col-md-3">
                <div class="header-logo">
                    <a href="<?=$_SERVER['PHP_SELF']>.">page=pocetna">?>"
class="logo">
                        
                    </a>
                </div>
            </div>
            <!-- SEARCH BAR -->
            <div class="col-md-6">
                <div class="header-search">
                    <form>
                        <select class="input-select" name="category">
                            <?php
                                $queryCat = "Select * FROM subcategory";
                                $rezCat = executeQuery($queryCat);

                                ?>
                                <option value="0">All Categories</option>
                                <?php
                                    foreach ($rezCat as $item):
                                        ?>
                                        <option value="<?=$item->id?>"> <?=$item->
>name ?></option>
                                <?php endforeach; ?>

                                </select>
                                <input class="input" name='find' placeholder="Search
here">
                                    <input type="hidden" name="page" value="store">
                                    <button class="search-btn" name="strana"
value="1">Search</button>
                                </form>
                            </div>
                        </div>
                    <!-- /SEARCH BAR -->

                    <!-- ACCOUNT -->
                    <div class="col-md-3 clearfix">
                        <div class="header-ctn">

                            <?php

```

```

        if(isset($_SESSION['korisnik'])):
            $usrId = $_SESSION['korisnik']->uid;
            $queryCart= $conn->prepare("SELECT * FROM cart c INNER
JOIN user_product up ON c.usr_prod_id = up.id WHERE up.user_id=:usid AND buyout=0");
            $queryCart->bindParam(':usid',$usrId);
            $rezCart = $queryCart->execute();
            $querySumRow = $conn->prepare("SELECT *,ep.id as
pid FROM cart c INNER JOIN user_product up ON c.usr_prod_id = up.id INNER JOIN
electroproducts ep ON up.user_id = ep.id INNER JOIN images i ON ep.id = i.product_id
WHERE up.user_id=:usrId AND buyout=0 ");
            $querySumRow->bindParam("usrId",$usrId);
            $rezSumRow = $querySumRow->execute();
            $brojPredmeta = $querySumRow->fetch();
            $queryCartObj = "SELECT *,ep.id as pid FROM cart c
INNER JOIN user_product up ON c.usr_prod_id = up.id INNER JOIN electroproducts ep ON
up.prod_id = ep.id INNER JOIN images i ON ep.id = i.product_id WHERE up.user_id=$usrId
AND buyout=0 ";
            $rezCartObj = executeQuery($queryCartObj);
            ??
        <div class="dropdown">
            <a class="dropdown-toggle" data-toggle="dropdown" aria-
expanded="true">
                <i class="fa fa-shopping-cart"></i>
                <span>Your Cart</span>
                <?php if($querySumRow->rowCount()>0): ??
                <div class="qty"><?= $brojPredmeta->quantity; ??</div>
                <?php else: ??
                    <div class="qty">0</div>
                <?php endif;??
            </a>
            <div class="cart-dropdown">
                <div class="cart-list">
                    <?php foreach ($rezCartObj as $obj): ??
                        <div class="product-widget">
                            <div class="product-img">
                                alt ??">
                            </div>
                            <div class="product-body">
                                <h3 class="product-name"><a href="#"><?= $obj-
>name ??"</a></h3>
                                <?php if($querySumRow->rowCount()>0):
                                    ??
                                    <h4 class="product-price"><span class="qty"><?=
$brojPredmeta->quantity; ??>x</span>$<?= $obj->price ??.00</h4>
                                    <?php endif;??
                                </div>
                                <button class="delete delete-product-cart" data-
id="<?= $obj->pid ??"><i class="fa fa-close"></i></button>
                                <input type="hidden" name="userIdDel"
id="usrIdDel" value="<?= $_SESSION['korisnik']->uid??">
                                </div>
                                <?php endforeach; ??
                            </div>
                        <?php
                            $querySum = "SELECT *,ep.id as pid FROM
cart c INNER JOIN user_product up ON c.usr_prod_id = up.id INNER JOIN electroproducts

```

```

ep ON up.prod_id = ep.id WHERE up.user_id=$usrId AND buyout=0";
        $execSumObj = executeQuery($querySum);

        $suma = 0;
        foreach($execSumObj as $sum)
        {
            if($obj->quantity>1){
                $suma += $sum->price*$sum->quantity;
            }
            else
            {
                $suma += $sum->price;
            }
        }
        ?>

        <div class="cart-summary">
            <?php if($querySumRow->rowCount()>0): ?>
                <small><?= $brojPredmeta->quantity ?> Item(s)
selected</small>

                <?php else: ?>
                    <small>0 Item(s) selected</small>
                <?php endif; ?>
                <h5 name="totalSum">SUBTOTAL: $<?= $suma ?>.00</h5>
            </div>
            <div class="cart-btns">
                <a href="#">Buy -></a>
                <a href="<?=
$_SERVER['PHP_SELF']."'."?page=checkout"?>">Checkout <i class="fa fa-arrow-circle-
right"></i></a>

            </div>
        </div>
    </div>
</div>

    <?php endif; ?>
<!-- /Cart -->

<!-- Menu Toogle -->
<div class="menu-toggle">
    <a href="#">
        <i class="fa fa-bars"></i>
        <span>Menu</span>
    </a>
</div>
<!-- /Menu Toogle -->
</div>
</div>
<!-- /ACCOUNT -->
</div>
<!-- row -->
</div>
<!-- container -->
</div>
<!-- /MAIN HEADER -->
<script src="js/jquery-3.3.1.min.js"></script>
<script type="text/javascript">
    $(document).ready(function () {
        $('.delete-product-cart').click(function () {
            var id = $(this).data('id');
            var idu = $('#usrIdDel').val();
            //alert(id);

            $.ajax({
                method: 'POST',
                url: "php/ajax_delete_item_cart.php",

```



```

<!-- SECTION -->
<div class="section">
  <!-- container -->
  <div class="container">
    <!-- row -->
    <div class="row">

      <div class="col-md-7">
        <!-- Billing Details -->
        <div class="billing-details">
          <div class="section-title">
            <h3 class="title">Insert AD Form</h3>
          </div>
          <form action="php/insertAd.php" method="post"
enctype="multipart/form-data">
            <div class="form-group">
              <input class="input" type="text" name="title"
placeholder="Title" required>
            </div>
            <div class="form-group">
              <input class="input" type="text" name="text"
placeholder="Text" required>
            </div>
            <div class="form-group">
              <input class="input" type="date" name="dateTill"
placeholder="End Date">
            </div>
            <div class="form-group">
              <input class="input" type="file" name="adImage" >
            </div>
            <div class="form-group">
              <label>PRIORITY: </label>
              <select name="priority" required>
                <option value="-1"></option>
                <option value="1">TOP</option>
                <option value="0">NOT</option>
              </select>
            </div>
            <input type="submit" name='btnSubmit' class="primary-btn
order-submit" value="Insert">
          </div>
        </form>
      </div>
      <div class="col-md-5 order-details">
        <div class="section-title text-center">
          <h3 class="title">Ad instructions!</h3>
        </div>
        <div class="order-summary">
          <div class="order-row">
            <div><p>Keep in mind of the image size and width and height
(1782 x 465), the date must not be expired (past date),
            </br>Look to it that the title and text be catchy and
to attract attention!

            </br> If you want the ad to appear set priority TOP!</p>
          </div><?php
            if(isset($_SESSION['error'])) {
              $sesija = $_SESSION['error'];
              foreach ($sesija as $error) {
                echo "<b>$error</b> ";
              }
            }
            ?></div>

```

```

        </div>

    </div>

</div>
</div>

</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->
<?php else: ??>
<h1>GET OUT FROM HERE! You are not authorised to be on this page</h1>
<?php endif; ??>

```

-Forma za dodavanje nove REKLAME.

insertProduct.php

```

<div class="main">
    <div class="shop_top">
        <div class="container">
            <div class="row shop_box-top">
                <?php if(isset($_SESSION['korisnik']) && $_SESSION['korisnik']-
>role=='admin'): ??>
                    <h3>Insert a new Product.</h3><br>
                    <form action="php/insertProduct.php" method="post"
enctype="multipart/form-data">
                        <table>
                            <tr>
                                <td><label>Product Label: </label><input type="text"
name="prodName" class="input"> </td>
                                <td><label>Price: </label><input type="text" name="prodPrice"
class="input"></td>
                                <td><label>Description: </label><textarea type="text"
name="prodDesc" style="width:420px" ></textarea>
                                </td>
                                <td><label>Specifications: </br> </label><textarea
type="text" style="width:420px" name="prodSpec" ></textarea>
                                </td>
                            </tr>
                            <tr>
                                <td><label>Product Color: </label>
                                <?php $queryColor="SELECT * FROM color";
                                $execColor=executeQuery($queryColor);
                                ??>
                                <select name="slColor">
                                    <option value="-1"></option>
                                    <?php foreach ($execColor as $color): ??>
                                        <option value="<?= $color->id?>"><?= $color-
>name?></option>
                                    <?php endforeach; ??>
                                </select>
                                </td>
                                <td>
                                <?php $queryCategory="SELECT * FROM subcategory";
                                $execCat = executeQuery($queryCategory);
                                ??>
                                <label>Category: </label>
                                <select name="slCategory">
                                    <option value="-1"></option>

```

```

                <?php foreach ($execCat as $cat): ?>
                    <option value="<?= $cat->id ?>"><?= $cat->name
?></option>

                <?php endforeach; ?>
            </select>
        </td>
        <td>
            <label>Product Image: </label>
            <input type="file" name="filImage" id="image" />
        </td>
        <td> <label>Quantity :</label>
            <input type="text" name="prodQuantity" class="input"
required/>
        </td>
    </tr>
</table>
</br>
<input type="submit" class="btn btn-danger center-block"
name="btnSubmit" value="Insert">
<div class="alert">
    <?php if(isset($_SESSION['error'])):
        $err = $_SESSION['error'];?>
        <ul>
            <?php foreach($err as $e): ?>
                <li><?=$e?></li>
            <?php endforeach;?>
        </ul>

        <?php endif; ?>
        <p>For Specification <b>before</b> every specification <b>(except
first)</b> and <b>after</b> <b>(except last)</b> add a dlimiter "<b>/</b>" (without "
").</p>
    </div>
</form>
    <?php else: ?>
        <h1>NOT AUTHORISED FOR THIS PAGE!</h1>
    <?php endif; ?>
</div>
</div>
</div>
</div>

```

-Forma za dodavanje Proizvoda.

loginAcc.php

```

<!-- BREADCRUMB -->
<div id="breadcrumb" class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">
            <div class="col-md-12">
                <h3 class="breadcrumb-header">Login</h3>
                <ul class="breadcrumb-tree">
                    <li><a href="<?= $_SERVER['PHP_SELF'] . "?page=pocetna"
?>">Home</a></li>
                    <li class="active">My Account</li>
                </ul>
            </div>
        </div>
        <!-- /row -->
    </div>

```



```

        <!-- /container -->
    </div>
    <!-- /BREADCRUMB -->

    <!-- SECTION -->
    <div class="section">
        <!-- container -->
        <div class="container">
            <!-- row -->
            <div class="row">
                <div class="main">
                    <div class="shop_top">
                        <div class="container">
                            <div class="col-md-6">
                                <div class="login-page">
                                    <h4 class="title">New User</h4>
                                    <p>Don't have an account? You can create one in just
one step! You will be given a option to enter your address. Don't be
alarmed it is so that we know where to ship the
products. Hope you enjoy our collection.</p>
                                    <div class="button1">
                                        <a href="index.php?page=register"><input
style="
                                            height: 30px;
                                            width: 100%;
                                            background: #D10024;
                                            color: #FFF;
                                            font-weight: 700;
                                            border: none;
                                            border-radius: 40px 40px 40px
40px;"
                                            type="submit" name="Submit"
value="Create an Account"></a>
                                        </div>
                                    <div class="clear"></div>
                                </div>
                            </div>
                        </div>
                    <div class="col-md-6">
                        <div class="login-title">
                            <h4 class="title">Registered Customers</h4>
                            <?php if (isset($_SESSION['error'])) {
                                $sesija = $_SESSION['error'];
                                foreach ($sesija as $error) {
                                    echo "<b>$error</b> ";
                                }
                            }?>
                            <div id="loginbox" class="loginbox">
                                <form action="php/login.php" method="post"
name="login" id="login-form">
                                    <table>
                                        <form action="php/login.php" method="post"
name="login" id="login-form">
                                            <tr>
                                                <td> <p id="login-form-username">
<label
for="modlgn_username">Email </label></td>
                                                <td> <input id="modlgn_username"
type="text" name="email" class="input" size="18"
autocomplete="off"></td>
                                            </tr>
                                        </table>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```

                <?php foreach ($rezNav as $item):?>
<!--                <li class="active"><a href="#">Home</a></li>-->

                <li><a href="<?= $item->path ?>"> <?= $item->name ?></a></li>
                <?php endforeach;?>
            </ul>
            <!-- /NAV -->
        </div>
        <!-- /responsive-nav -->
    </div>
    <!-- /container -->
</nav>
<!-- /NAVIGATION -->
-Navigacija

```

newsletter.php

```

<!-- NEWSLETTER -->
<div id="newsletter" class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">
            <div class="col-md-12">
                <div class="newsletter">
                    <p>Sign Up for the <strong>NEWSLETTER</strong></p>
                    <form action="php/sendNews.php">
                        <input class="input" type="email" placeholder="Enter Your
Email">
                        <input type="submit" name="btnSubbmit" class="newsletter-btn"
value="Subscribe" >
                    </form>
                    <ul class="newsletter-follow">
                        <li>
                            <a href="http://www.facebook.com/althor10"><i class="fa fa-
facebook"></i></a>
                        </li>
                        <li>
                            <a href="#"><i class="fa fa-twitter"></i></a>
                        </li>
                        <li>
                            <a href="http://www.instagram.com/patakcode"><i class="fa
fa-instagram"></i></a>
                        </li>
                        <li>
                            <a href="#"><i class="fa fa-pinterest"></i></a>
                        </li>
                    </ul>
                </div>
            </div>
        </div>
        <!-- /row -->
    </div>
    <!-- /container -->
</div>
<!-- /NEWSLETTER -->

```

product.php

```

<?php
$product_id = "";
if(isset($_GET['product'])) {

```

```

        $product_id = $_GET['product'];
    }
    $queryInfo = "SELECT *,ep.id as epid,ep.name as epname, cl.name as clname, c.name
as cname, s.name as sname FROM electroproducts ep INNER JOIN images i ON
ep.id=i.product_id INNER JOIN subcategory s ON ep.subcat_id=s.id INNER JOIN category
c ON s.cat_id=c.id INNER JOIN warehouse w ON ep.id = w.product_id INNER JOIN color cl
ON ep.color_id = cl.id WHERE ep.id=".$_product_id;
    $execInfo = executeQuery($queryInfo);
    foreach ($execInfo as $one):
?>
<!-- BREADCRUMB -->
<div id="breadcrumb" class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">
            <?php
                if(isset($_SESSION['korisnik'])){
                    $usrId = $_SESSION['korisnik']->uid;
                }
            ?>
            <div class="col-md-12">
                <ul class="breadcrumb-tree">
                    <li><a href="<?=$_SERVER['PHP_SELF']?>">Home</a></li>
                    <li><a href="<?=$_SERVER['PHP_SELF'].">page=store">" >All
Categories</a></li>
                    <li><a href="#"><?=$one->cname ?></a></li>
                    <li><a href="#"><?=$one->sname ?></a></li>
                    <li class="active"><?=$one->epname ?></li>
                </ul>
            </div>
        </div>
        <!-- /row -->
    </div>
    <!-- /container -->
</div>
<!-- /BREADCRUMB -->

<!-- SECTION -->
<div class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">
            <!-- Product main img -->
            <div class="col-md-5 col-md-push-2">
                <div id="product-main-img">
                    <div class="product-preview">
                         <!-- Sta ako imam vise
slika ?-->
                    </div>

                    <div class="product-preview">
                        
                    </div>

                    <div class="product-preview">
                        
                    </div>

                    <div class="product-preview">
                        
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
</div>
<!-- /Product main img -->

<!-- Product thumb imgs -->
<div class="col-md-2 col-md-pull-5">
    <div id="product-imgs">
        <div class="product-preview">
            
        </div>

        <div class="product-preview">
            
        </div>

        <div class="product-preview">
            
        </div>

        <div class="product-preview">
            
        </div>
    </div>
</div>
<!-- /Product thumb imgs -->

<!-- Product details -->
<div class="col-md-5">
    <div class="product-details">
        <h2 class="product-name"><?= $one->epname ?></h2>
        <div>
            <div class="product-rating">
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star-o"></i>
            </div>

            </div>
            <div> <!------- -->
                <h3 class="product-price">${<?=$one->price ?>}.00
                    <?php if($one->lastprice): ?>
                        <del class="product-old-price">${<?=$one->lastprice
?>}.00</del></h3>

                    <?php endif; ?>
                    <?php if($one->quantity > 0):?>
                        <span class="product-available">In Stock</span>
                    <?php else: ?>
                        <span class="product-available">Sold out</span>
                    <?php endif; ?>
                </div>
                <p><?= $one->description ?></p>
                <div class="product-options">
                    <label>-->
                        Size-->
                        <select class="input-select">-->
                            <option value="0">X</option>-->
                        </select>-->
                    </label>-->
                    <label>
                        Color

```

```

        <select class="input-select">
            <option value="0"><?= $one->cname ?></option>
        </select>
    </label>
</div>

<div class="add-to-cart">
    <div class="qty-label">
        Qty
        <div class="input-number">
            <input type="number" id="quan" >
            <span class="qty-up">+</span>
            <span class="qty-down">-</span>
        </div>
        <input type="hidden" value="<?= $one->price ?>">
    </div>
    <button class="add-to-cart-btn" data-id="<?= $one->epid ?>"><i
class="fa fa-shopping-cart"></i> add to cart</button>
    <input type="hidden" id="order_user_id" value="<?= $usrId ?>">
</div>

<ul class="product-btns">
    <li><a href="#"><i class="fa fa-heart-o"></i> add to
wishlist</a></li>
    <li><a href="#"><i class="fa fa-exchange"></i> add to
compare</a></li>
</ul>

<ul class="product-links">
    <li>Category:</li>
    <li><a href="#"><?= $one->cname ?></a></li>
    <li><a href="#"><?= $one->sname ?></a></li>
</ul>

<ul class="product-links">
    <li>Share:</li>
    <li><a href="#"><i class="fa fa-facebook"></i></a></li>
    <li><a href="#"><i class="fa fa-twitter"></i></a></li>
    <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    <li><a href="#"><i class="fa fa-envelope"></i></a></li>
</ul>

</div>
</div>
<!-- /Product details -->

<!-- Product tab -->
<div class="col-md-12">
    <div id="product-tab">
        <!-- product tab nav -->
        <ul class="tab-nav">
            <li class="active"><a data-toggle="tab"
href="#tab1">Description</a></li>
            <li><a data-toggle="tab" href="#tab2">Details</a></li>
        </ul>
        <!-- /product tab nav -->

        <!-- product tab content -->
        <div class="tab-content">
            <!-- tab1 -->
            <div id="tab1" class="tab-pane fade in active">
                <div class="row">
                    <div class="col-md-12">

```

```

        <p><?= $one->description ?></p> </div>
    </div>
</div>
<!-- /tab1 -->

<!-- tab2 -->
<div id="tab2" class="tab-pane fade in">
    <div class="row">
        <div class="col-md-12">
            <p><?php
                $specs = explode('/', $one->specifications);
                // echo "<b>".$specs[0]."</b> ".$specs[1];
                $broj=0;
                // var_dump($specs);
                for($i=0;$i<count($specs)-$broj;$i++){

                    echo "<b>".$specs[$i+$broj]."</b>
".$specs[$i+$broj+1]."</br>";
                    $broj++;

                }
            ?></p>
        </div>
    </div>
</div>
<!-- /tab2 -->
<?php endforeach; ?>

</div>
<!-- /product tab content -->
</div>
</div>
<!-- /product tab -->
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->
<script src="js/jquery-3.3.1.min.js"></script>
<script type="text/javascript">
    $(document).ready(function () {
        $('#add-to-cart-btn').click(function () {
            var id = $(this).data('id');
            var usrId = $('#order_user_id').val();
            var quan = $('#quan').val();

            // alert(usrId);
            // alert(id);

            $.ajax({
                method: 'POST',
                url: "php/add_to_cart.php",
                dataType: 'json',
                data: {
                    send:'sent',
                    id: id,
                    usrId:usrId,
                    quan:quan
                }
            });
        });
    });

```

```

    },
    success: function (podaci) {
        alert("The item has been added to cart!");
        alert(quan);
        location.reload();
    },
    error: function (xhr, statusTxt, error) {
        var status = xhr.status;
        switch (status) {

            case 500:
                alert("Server ERROR! Store is currently offline!");
                break;
            case 404:
                alert("Page not Found!");
                break;
            case 403:
                alert("You need to be logged in first!");
                break;
            default:
                alert("Error: " + status + " - " + statusTxt);
                break;
        }
    }
});
});
</script>

```

-Strana jednog proizvoda.

product_update.php

```

<?php if(isset($_SESSION['korisnik']) && $_SESSION['korisnik']->role=='admin'): ??>
<?php if(isset($_GET['id'])) {
    $id = $_GET['id'];
}

??>
<div class="main">
    <div class="shop_top">
        <div class="container">
            <div class="row shop_box-top">
                <ul class="nav nav-tabs">
                    <li class="active"><a data-toggle="tab"
href="#products">Product</a></li>
                </ul>
                <form action="php/updateProduct.php" method="post" />
                <div id="products" class="tab-pane fade in active">
                    <h3>Product</h3>
                    <p>Managing products.</p>
                    <table class="table table-striped">
                        <thead>
                            <tr>
                                <th scope="col">#</th>
                                <th scope="col">Name</th>
                                <th scope="col">Price</th>
                                <th scope="col">Desc</th>
                                <th scope="col">Specs</th>
                                <th scope="col">Sale</th>
                                <th scope="col">New</th>
                                <th scope="col">Hot</th>
                                <th scope="col">Quantity</th>
                                <th scope="col">Sold</th>

```



```

        </tr>
    </thead>
    <tbody>
    <?php
        $queryProd1 = "SELECT *,e.id as eId, e.name as prodName,
s.name as subName FROM electroproducts e INNER JOIN images i ON e.id = i.product_id
INNER JOIN subcategory s ON e.subcat_id = s.id INNER JOIN warehouse w ON e.id =
w.product_id WHERE e.id= ".$id." ORDER BY eId";
        $rez = executeQuery($queryProd1);
        ??

    <?php foreach ($rez as $prod):
        ??
        <tr>
            <th scope="row"><?=$prod->eId ?></th>
            <td><input type="text" name="productName"
id="prodName" value="<?=$prod->prodName ?>"/></td>
            <td><?=$prod->price ?> <input type="hidden"
value="<?=$prod->price ?>" name="lastPrice" id="lP"></td>
            <td><textarea name="textDesc" style="margin: 0px;
height: 350px; width: 180px;" ><?=$prod->description ?></textarea></td>
            <td><textarea name="textSpec" style="margin: 0px;
height: 350px; width: 180px;" ><?=$prod->specifications ?></textarea></td>
            <td>
                <select name="sale">
                    <option value="<?=$prod->sale ?>"><?=$prod-
>sale ?></option>
                    <option value="-1">Full Price</option>
                    <option value="0">0</option>
                    <option value="10">10</option>
                    <option value="20">20</option>
                    <option value="30">30</option>
                    <option value="40">40</option>
                    <option value="50">50</option>
                    <option value="60">60</option>
                    <option value="70">70</option>
                    <option value="80">80</option>
                </select>
            </td>
            <td>
                <select name="new">
                    <?php if($prod->new): ??
                    <option value="1">YES</option>
                    <option value="0">NO</option>
                    <?php else: ??
                    <option value="0">NO</option>
                    <option value="1">YES</option>
                    <?php endif; ??
                </select>
            </td>
            <td>
                <select name="hot">
                    <?php if($prod->hot): ??
                    <option value="1">YES</option>
                    <option value="0">NO</option>
                    <?php else: ??
                    <option value="0">NO</option>
                    <option value="1">YES</option>
                    <?php endif; ??
                </select>
            </td>
            <td><input type="text" name="prodQuantity" size="2px"
id="prodQuantity" value="<?=$prod->quantity ?>"></td>

```

```

        <td><input type="text" name="prodSold" size="2px"
id="prodSold" value="<?= $prod->sold ?>"></td>
        <input type="hidden" name="prodId" value="<?= $prod-
>eId ?>">
    </tr>
    <?php endforeach; ?>
</tbody>
</table>
<input type="submit" class="btn btn-danger" name="btnSubmit"
value="Update">

</form>
<div class="alert"> Price will be defined by the <b>Sold</b> row.
Price will be lowered by the chosen <b>percentage</b>.</div>
<div class="alert-danger">
    <?php if(isset($_SESSION['error'])) {
        var_dump($_SESSION['errora']); }?>

    </div>
</div>
</div>
</div>
</div>
</div>
<?php else: ?>
    <h3> YOU ARE NOT AUTHORISED TO ENTER THIS PAGE! PLEASE RETURN </h3>
    <script> alert("DONT DO THIS MATE!");</script>
<?php endif; ?>

```

register.php

```

        <div class="section-title">
            <h3 class="title">Registration Form</h3>
        </div>
        <form action="php/register.php" method="post">
            <div class="form-group">
                <input class="input" type="text" name="first-name"
placeholder="First Name">
            </div>
            <div class="form-group">
                <input class="input" type="text" name="last-name"
placeholder="Last Name">
            </div>
            <div class="form-group">
                <input class="input" type="email" name="email"
placeholder="Email">
            </div>
            <div class="form-group">
                <input class="input" type="text" name="adress"
placeholder="Address">
            </div>
            <div class="form-group">
                <label>City</label>
                <select name="city" >

                    <option value="-1"></option>
                    <?php $queryCity = "SELECT * FROM city";
                        $execCity = executeQuery($queryCity);

                        foreach ($execCity as $city):
                            ?>
                                <option value="<?= $city->id?>"><?= $city->name
?></option>

                            <?php endforeach; ?>
                        </select>
                    </div>
                    <div class="form-group">
                        <input class="input" type="text" name="username"
placeholder="Username">
                    </div>
                    <div class="form-group">
                        <input class="input" type="password" name="password"
placeholder="Password">
                    </div>
                    <input type="submit" name='btnSubmit' class="primary-btn
order-submit" value="Register">
                </div>
            </form>
            <!-- /Billing Details -->

        </div>

        <!-- Order Details -->
        <div class="col-md-5 order-details">
            <div class="section-title text-center">
                <h3 class="title">Welcome!</h3>
            </div>
            <div class="order-summary">
                <div class="order-row">
                    <div>We're glad that you have chosen to join our little tech
family!

                    Here you will be able to get our new products and get in
touch with latest tech.

                    Our top-end laptops and desktop computers will be to your

```

```

liking!
                So, relax, grab your phone or computer and start ordering
now!
                </div>
            </div>
        </div>
    </div>
</div>
<!-- /Order Details -->
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->

```

-Forma za registrovanje.

section1Big.php

```

<!-- SECTION -->
<div class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">
            <!-- shop -->
            <?php
                $querycina = "SELECT * FROM subcategory";
                $execQuer = executeQuery($querycina);
                //var_dump($execQuer);
            ?>
            <div class="col-md-4 col-xs-6">
                <div class="shop">
                    <div class="shop-img">
                        
                    </div>
                    <div class="shop-body">
                        <h3>Laptop<br>Collection</h3>
                        <a href="<?=$_SERVER['PHP_SELF']. "?page=store&parameter=Laptops"?>"
class="cta-btn">Shop now <i class="fa fa-arrow-circle-right"></i></a>
                    </div>
                </div>
            </div>
            <!-- /shop -->

            <!-- shop -->
            <div class="col-md-4 col-xs-6">
                <div class="shop">
                    <div class="shop-img">
                        
                    </div>
                    <div class="shop-body">
                        <h3>Accessories<br>Collection</h3>
                        <a href="<?=$_SERVER['PHP_SELF']. "?page=store&parameter=Headphones"?>" class="cta-btn">Shop now <i
class="fa fa-arrow-circle-right"></i></a>
                    </div>
                </div>
            </div>
            <!-- /shop -->

            <!-- shop -->

```

```

        <div class="col-md-4 col-xs-6">
            <div class="shop">
                <div class="shop-img">
                    
                </div>
                <div class="shop-body">
                    <h3>Cameras<br>Collection</h3>
                    <a href="<?=$_SERVER['PHP_SELF']. "?page=store&parameter=Cameras"?>"
class="cta-btn">Shop now <i class="fa fa-arrow-circle-right"></i></a>
                </div>
            </div>
        <!-- /shop -->
    </div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->

```

-Velike precice za strane gde su filtrirani proizvodi.

section2newProducts.php

```

<!-- SECTION -->
<div class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">

            <!-- section title -->
            <div class="col-md-12">
                <div class="section-title">
                    <h3 class="title">New Products</h3>

                </div>
            </div>
        </div>
        <!-- /section title -->

        <!-- Products tab & slick -->
        <?php
            $queryProd = "SELECT *,e.id as eId, e.name as prodName, s.name as
subName FROM electroproducts e INNER JOIN images i ON e.id = i.product_id INNER JOIN
subcategory s ON e.subcat_id = s.id";
            $rez = executeQuery($queryProd);
            ?>

        <div class="col-md-12">

            <div class="row">
                <div class="products-tabs">
                    <!-- tab -->

                    <div id="tab1" class="tab-pane active">
                        <div class="products-slick" data-nav="#slick-nav-1">
                            <!-- product -->

                            <?php foreach ($rez as $product): ?>

```

```

                <?php if($product->new): ?>
                <div class="product">
                    <div class="product-img">
                        
>alt??">

                        <div class="product-label">

                            <span class="new">NEW</span>

                        </div>
                    </div>
                    <div class="product-body">
                        <p class="product-category"><?=$product->subName ?></p>
                        <h3 class="product-name"><a href="<?=
$_SERVER['PHP_SELF'].'?page=product&product='.$product->eId ?>" data-id="<?=$product->eId??"><?=$product->prodName ?></a></h3>
                        <h4 class="product-price">$<?=$product->price ?>.00 <?php if($product->lastprice): ?><del class="product-old-price">$<?=$product->lastprice ?>.00</del> <?php endif; ?></h4>
                        <div class="product-rating">
                            <i class="fa fa-star"></i>
                            <i class="fa fa-star"></i>
                            <i class="fa fa-star"></i>
                            <i class="fa fa-star"></i>
                            <i class="fa fa-star"></i>
                        </div>
                        <div class="product-btns">
                            <button class="add-to-wishlist"><i class="fa fa-heart-o"></i><span class="tooltip">add to wishlist</span></button>
                            <button class="add-to-compare"><i class="fa fa-exchange"></i><span class="tooltip">add to compare</span></button>
                            <button class="quick-view"><i class="fa fa-eye"></i><span class="tooltip">quick view</span></button>
                        </div>
                        <div class="add-to-cart">
                            <button class="add-to-cart-btn" data-id="<?=$product->eId ?>"><i class="fa fa-shopping-cart"></i> add to cart</button>
                        </div>
                    </div>
                <?php endif; ?>
                <?php endforeach; ?>

                <!-- /product -->

            </div>
            <div id="slick-nav-1" class="products-slick-nav"></div>
        </div>
        <!-- /tab -->
    </div>

    </div>
    </div>

    <!-- Products tab & slick -->
</div>

    <!-- /row -->
</div>

<!-- /container -->

```

```
</div>
<!-- /SECTION -->
```

-Prikazivanje novih proizvoda.

section3hot.php

```
<?php
$queryGetDeal = "SELECT *,h.id as hid, hi.id as hiid FROM hotad h INNER JOIN
hotad_image hi ON h.id = hi.hotad_id LIMIT 1";
$execGetDeal = executeQuery($queryGetDeal);
foreach ($execGetDeal as $shotDeal):
?>
    <!-- HOT DEAL SECTION -->
    <div id="hot-deal" class="section">
        <!-- container -->
        <div class="container">
            <!-- row -->
            <div class="row">
                <div class="col-md-12">
                    <div class="hot-deal" style="background-image: url("<?= $shotDeal->img_path ?>")">
                        <ul class="hot-deal-countdown">
                            <li><?php
                                $dateLDay = strtotime($shotDeal->date_end);
                                $remaining = $dateLDay - time();
                                $dateLTime = strtotime($dateLDay);

                                $days_remaining = floor($remaining / 86400);
                                $hours_remaining = floor(($remaining % 86400) /
3600);
                                $minutes_remaining = floor(($remaining %
3600)/60);
                                $seconds_remaining = floor($remaining % 60);

                                ?>
                                    <div>
                                        <h3><?= $days_remaining; ?></h3>
                                        <span>Days</span>
                                    </div>
                                </li>
                                <li>
                                    <div>
                                        <h3><?= $hours_remaining; ?></h3>
                                        <span>Hours</span>
                                    </div>
                                </li>
                                <li>
                                    <div>
                                        <h3><?= $minutes_remaining;?></h3>
                                        <span>Mins</span>
                                    </div>
                                </li>
                                <li>
                                    <div>
                                        <h3><?= $seconds_remaining;?></h3>
                                        <span>Secs</span>
                                    </div>
                                </li>
                            </ul>
                            <h2 class="text-uppercase"><?= $shotDeal->title?></h2>
                            <p><?= $shotDeal->advert ?></p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
endforeach;
```

```

                <a class="primary-btn cta-btn" href="<?=$
$_SERVER['PHP_SELF'].'?page=store&parameter=Hot"?>">Shop now</a>
            </div>
        </div>
    </div>
    <!-- /row -->
</div>
<!-- /container -->
</div>
<?php endforeach; ?>
<!-- /HOT DEAL SECTION -->

```

-Deo za Veliku Reklamu sa odbrojavanjem

section4Top.php

```

<!-- SECTION -->
<div class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">

            <!-- section title -->
            <div class="col-md-12">
                <div class="section-title">
                    <h3 class="title">Top selling</h3>
                </div>
            </div>
            <!-- /section title -->

            <!-- Products tab & slick -->
            <?php
                $queryProdTop = "SELECT *, e.id as eId, e.name as prodName, s.name
as subName FROM electroproducts e INNER JOIN images i ON e.id = i.product_id INNER
JOIN subcategory s ON e.subcat_id = s.id INNER JOIN warehouse w ON e.id=w.product_id
WHERE sold>0 ORDER BY sold DESC LIMIT 4";
                $rezTop = executeQuery($queryProdTop);
                ?>

            <div class="col-md-12">
                <div class="row">
                    <div class="products-tabs">
                        <!-- tab -->
                        <div id="tab2" class="tab-pane fade in active">
                            <div class="products-slick" data-nav="#slick-nav-2">
                                <!-- product -->
                                <?php foreach($rezTop as $proizvod): ?>
                                    <div class="product">
                                        <div class="product-img">
                                            
alt ?>">

                                        <div class="product-label">
                                            <?php if($proizvod->sale): ?>
                                                <span class="sale"><?=$proizvod->sale ?>%</span>
                                            <?php endif; ?>
                                            <?php if($proizvod->new): ?>
                                                <span class="new">NEW</span>
                                            <?php endif; ?>
                                        </div>
                                    </div>
                                    <div class="product-body">
                                        <p class="product-category"><?=$proizvod->subName ?></p>
                                        <h3 class="product-name"><a href="<?=$
$_SERVER['PHP_SELF'].'?page=product&product='.$proizvod->eId ?>"><?=$proizvod->

```



```

    },
    error: function (xhr, statusTxt, error) {
        var status = xhr.status;
        switch (status) {

            case 500:
                alert("Server ERROR! Store is currently offline!");
                break;
            case 404:
                alert("Page not Found!");
                break;
            case 403:
                alert("You need to be logged in first!");
                break;
            default:
                alert("Error: " + status + " - " + statusTxt);
                break;
        }
    }
});
});
</script>

```

- DEO ZA NAPRODANJE proizvode.

section5TopSlider.php

```

<!-- SECTION -->
<div class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">
            <div class="col-md-4 col-xs-6">
                <div class="section-title">
                    <h4 class="title">Top selling</h4>
                    <div class="section-nav">
                        <div id="slick-nav-3" class="products-slick-nav"></div>
                    </div>
                </div>

                <div class="products-widget-slick" data-nav="#slick-nav-3">
                    <div>
                        <?php $queryTop3 = "SELECT *,ep.id as epid,s.name as
sname, ep.name as prodname FROM electroproducts ep INNER JOIN warehouse w ON ep.id =
w.product_id INNER JOIN images i ON ep.id = i.product_id INNER JOIN subcategory s ON
ep.subcat_id = s.id WHERE sold>10 LIMIT 3";
                        $exexQuery3 = executeQuery($queryTop3);
                        foreach($exexQuery3 as $top3):
                            ?>
                            <!-- product widget -->
                            <div class="product-widget">
                                <div class="product-img">
                                    alt
?>">

                                </div>
                                <div class="product-body">
                                    <p class="product-category"><?= $top3->sname ?></p>
                                    <h3 class="product-name"><a
href="index.php?page=product&product=<?=$top3->epid?>"><?= $top3->prodname ?></a></h3>
                                    <h4 class="product-price">$<?= $top3->price ?>.00 <?php

```

```

if($top3->lastprice): ?><del class="product-old-price">$<?= $top3->lastprice
?>.00</del> <?php endif; ?></h4>
    </div>
</div>

    <?php endforeach;?>
    <!-- /product widget -->
</div>

<div>
    <?php $queryTop32 = "SELECT *,ep.id as epid,s.name as
sname, ep.name as prodname FROM electroproducts ep INNER JOIN warehouse w ON ep.id =
w.product_id INNER JOIN images i ON ep.id = i.product_id INNER JOIN subcategory s ON
ep.subcat_id = s.id WHERE sold>1 ORDER BY price ASC LIMIT 3 ";
    $exexQuery32 = executeQuery($queryTop32);
    foreach($exexQuery32 as $top32):
        ?>
        <!-- product widget -->
        <div class="product-widget">
            <div class="product-img">
                alt ?>">
            </div>
            <div class="product-body">
                <p class="product-category"><?= $top32->sname ?></p>
                <h3 class="product-name"><a
href="index.php?page=product&product=<?=$top32->epid?>"><?= $top32->prodname
?></a></h3>
                <h4 class="product-price">$<?= $top32->price ?>.00 <?php if($top32->lastprice): ?><del class="product-old-price">$<?=
$top32->lastprice ?>.00</del> <?php endif; ?></h4>
            </div>
        </div>
    <?php endforeach;?>
    <!-- /product widget -->
</div>
</div>
</div>

<div class="col-md-4 col-xs-6">
    <div class="section-title">
        <h4 class="title">Top selling</h4>
        <div class="section-nav">
            <div id="slick-nav-4" class="products-slick-nav"></div>
        </div>
    </div>

    <div class="products-widget-slick" data-nav="#slick-nav-4">
        <div>
            <?php $queryTop33 = "SELECT *,ep.id as epid,s.name as
sname, ep.name as prodname FROM electroproducts ep INNER JOIN warehouse w ON ep.id =
w.product_id INNER JOIN images i ON ep.id = i.product_id INNER JOIN subcategory s ON
ep.subcat_id = s.id WHERE sold>1 AND s.name = 'Laptops' ORDER BY price ASC LIMIT 3 ";
            $exexQuery33 = executeQuery($queryTop33);
            foreach($exexQuery33 as $top33):
                ?>
                <!-- product widget -->
                <div class="product-widget">
                    <div class="product-img">
                        alt ?>">
                    </div>
                    <div class="product-body">

```



```

        <div class="product-widget">
            <div class="product-img">
                alt ?>">
            </div>
            <div class="product-body">
                <p class="product-category"><?= $top35->
>sname ?></p>
                <h3 class="product-name"><a
href="index.php?page=product&product=<?=$top35->epid?>"><?= $top35->prodname
?></a></h3>
                <h4 class="product-price">$<?= $top35->
>price ?>.00 <?php if($top35->lastprice): ?><del class="product-old-price">$<?=
$top35->lastprice ?>.00</del> <?php endif; ?></h4>
            </div>
        </div>
    <?php endforeach; ?>
</div>

<div>
    <?php $queryTop36 = "SELECT *,ep.id as epid,s.name as
sname, ep.name as prodname FROM electroproducts ep INNER JOIN warehouse w ON ep.id =
w.product_id INNER JOIN images i ON ep.id = i.product_id INNER JOIN subcategory s ON
ep.subcat_id = s.id WHERE sold>1 ORDER BY price DESC LIMIT 3 ";
    $exexQuery36 = executeQuery($queryTop36);
    foreach($exexQuery36 as $top36):
        ?>
        <!-- product widget -->
        <div class="product-widget">
            <div class="product-img">
                alt ?>">
            </div>
            <div class="product-body">
                <p class="product-category"><?= $top36->
>sname ?></p>
                <h3 class="product-name"><a
href="index.php?page=product&product=<?=$top36->epid?>"><?= $top36->prodname
?></a></h3>
                <h4 class="product-price">$<?= $top36->
>price ?>.00 <?php if($top36->lastprice): ?><del class="product-old-price">$<?=
$top36->lastprice ?>.00</del> <?php endif; ?></h4>
            </div>
        </div>
    <?php endforeach; ?>
</div>
</div>
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->

```

-Slider koji prikazuje TOP 3 najprodavanija proizvoda iz vise kategorija I drugacije rasporedjeni.

store.php

```

<?php $actual_link = 'http://' . $_SERVER['HTTP_HOST'] . $_SERVER['PHP_SELF']; ?>
<!-- BREADCRUMB -->
<div id="breadcrumb" class="section">
    <!-- container -->

```

```

<div class="container">
    <!-- row -->
    <div class="row">
        <div class="col-md-12">
            <ul class="breadcrumb-tree">
                <?php
                    if(isset($_SESSION['korisnik'])) {
                        $usrId = $_SESSION['korisnik']->uid;
                    }

                ?>
                <input type="hidden" id="order_user_id" value="<?=$usrId ?>">
                <?php if($_GET['page']=='store' && !isset($_GET['parameter'])): ?>
                <li><a href="#">Home</a></li>
                <li><a href="#">All Categories</a></li>
                <?php else: ?>
                    <li><a href="#">Home</a></li>
                    <li><a href="#">All Categories</a></li>
                    <li><a href="#" class="active"><?=$_GET['parameter']; ?></a></li>
                <!--
                    <li class="active">Headphones (227,490 Results)</li>-->
                <?php endif; ?>
            </ul>
        </div>
    </div>
    <!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /BREADCRUMB -->

<!-- SECTION -->
<div class="section">
    <!-- container -->
    <div class="container">
        <!-- row -->
        <div class="row">
            <!-- ASIDE -->
            <div id="aside" class="col-md-3">
                <!-- aside Widget -->
                <div class="aside">
                    <h3 class="aside-title">Categories</h3>
                    <div class="checkbox-filter">
                        <?php
                            $querySelectCat = "SELECT * FROM subcategory";
                            $rezSel = executeQuery($querySelectCat);
                            foreach ($rezSel as $cat):
                                ?>
                                <div class="input-checkbox">
                                    <a href="<?=$
$_SERVER['PHP_SELF']"."?page=store&parameter=".$cat->name?>">
                                    <label for="category-1">
                                        <span></span>
                                        <?=$cat->name ?>
                                    <?php $queryQuantity = $conn->prepare("SELECT * FROM
electroproducts WHERE subcat_id = :subid ");
                                        $queryQuantity->bindParam(":subid",$cat->id);
                                        $queryQuantity->execute();
                                        $numProd = $queryQuantity->rowCount();
                                    ?>
                                    <small>(<?=$numProd ?>)</small>
                                </label></a>
                            </div>
                        <?php endforeach; ?>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
    <!-- /aside Widget -->

    <!-- aside Widget -->
    <!--
        <div class="aside">-->
        <!--
            <h3 class="aside-title">Price</h3>-->
        <!--
            <div class="price-filter">-->
        <!--
            <div id="price-slider"></div>-->
        <!--
            <div class="input-number price-min">-->
        <!--
            <input id="price-min" type="number">-->
        <!--
            <span class="qty-up">+</span>-->
        <!--
            <span class="qty-down">-</span>-->
        <!--
            </div>-->
        <!--
            <span>-</span>-->
        <!--
            <div class="input-number price-max">-->
        <!--
            <input id="price-max" type="number">-->
        <!--
            <span class="qty-up">+</span>-->
        <!--
            <span class="qty-down">-</span>-->
        <!--
            </div>-->
        <!--
            </div>-->
        <!--
            </div>-->

    <div class="aside">
        <h3 class="aside-title">Top selling</h3>
        <?php
            $queryTop3 = "SELECT *,ep.id as epid,s.name as sname, ep.name as
prodname FROM electroproducts ep INNER JOIN warehouse w ON ep.id = w.product_id INNER
JOIN images i ON ep.id = i.product_id INNER JOIN subcategory s ON ep.subcat_id = s.id
WHERE sold>10 ORDER BY price DESC LIMIT 3 ";
            $exexQuery3 = executeQuery($queryTop3);
            foreach($exexQuery3 as $top3):
                ?>
                <div class="product-widget">
                    <div class="product-img">
                        alt ?>">
                    </div>
                    <div class="product-body">
                        <p class="product-category"><?=$top3->sname ?></p>
                        <h3 class="product-name"><a
href="index.php?page=product&product=<?=$top3->epid?>"><?=$top3->prodname ?></a></h3>
                        <h4 class="product-price"><?=$top3->price ?>.00
                            <?php if( $top3->lastprice ): ?>
                                <del class="product-old-price"><?=$top3->lastprice
?>.00</del></h4>
                            <?php endif; ?>
                    </div>
                </div>
            </div>
        <?php endforeach; ?>

    </div>
    <!-- /aside Widget -->
</div>
<!-- /ASIDE -->

<!-- STORE -->
<div id="store" class="col-md-9">
    <!-- store top filter -->
    <div class="store-filter clearfix">
        <div class="store-sort">
            <label>
                Sort By:
                <select class="input-select">

```

```

        <option value="0">Popular</option>
        <option value="1">Position</option>
    </select>
</label>

    <label>
        Show:
        <select class="input-select">
            <option value="0">6</option>
        </select>
    </label>
</div>

</div>
<!-- /store top filter -->

<?php
    $queryProds = "SELECT *,ep.id as epid,ep.name as epname, cl.name
as cname, c.name as cname, s.name as sname FROM electroproducts ep INNER JOIN images
i ON ep.id=i.product_id INNER JOIN subcategory s ON ep.subcat_id=s.id INNER JOIN
category c ON s.cat_id=c.id INNER JOIN warehouse w ON ep.id = w.product_id INNER JOIN
color cl ON ep.color_id = cl.id";
    $queryExec = executeQuery($queryProds);
    if(isset($_GET['parameter'])):
        $parametar = $_GET['parameter'];
        if($parametar!='Hot'):
            $queryProds1 = "SELECT *,ep.id as epid,ep.name as epname,
cl.name as cname, c.name as cname, s.name as sname FROM electroproducts ep INNER JOIN
images i ON ep.id=i.product_id INNER JOIN subcategory s ON ep.subcat_id=s.id INNER
JOIN category c ON s.cat_id=c.id INNER JOIN warehouse w ON ep.id = w.product_id INNER
JOIN color cl ON ep.color_id = cl.id WHERE s.name='".$parametar."'";
            $queryExec1 = executeQuery($queryProds1);

?>
<!-- store products -->
<div class="row">
    <!-- product -->

    <?php foreach($queryExec1 as $proizvod1): ?>
        <div class="col-md-4 col-xs-6">
            <div class="product">
                <div class="product-img">

                    alt ?>">

                    <div class="product-label">
                        <?php if ($proizvod1->sale): ?>
                            <span class="sale"><?= $proizvod1->sale
?>%</span>

                        <?php endif; ?>
                        <?php if ($proizvod1->new): ?>
                            <span class="new">NEW</span>
                        <?php endif; ?>
                    </div>
                </div>
                <div class="product-body">
                    <p class="product-category"><?= $proizvod1->sname
?></p>

                    <h3 class="product-name"><a href="<?=
$_SERVER['PHP_SELF'].'?page=product&product='.$proizvod1->epid ?>"><?= $proizvod1-
>epname ?></a></h3>

                    <h4 class="product-price">$<?= $proizvod1->price ?>.00

```



```

        <?php if($proizvod1->lastprice): ?>
        <del class="product-old-price">$<?= $proizvod1-
>lastprice ?>.00 </del></h4>

        <?php endif; ?>
        <div class="product-rating">
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        </div>
        <div class="product-btns">
        <button class="add-to-wishlist"><i class="fa fa-
heart-o"></i><span class="tooltip">add to wishlist</span></button>
        <button class="add-to-compare"><i class="fa fa-
exchange"></i><span class="tooltip">add to compare</span></button>
        <button class="quick-view"><i class="fa fa-
eye"></i><span class="tooltip">quick view</span></button>
        </div>
        </div>
        <div class="add-to-cart">
        <button class="add-to-cart-btn" data-id="<?=
$proizvod1->epid ?>"><i class="fa fa-shopping-cart"></i> add to cart</button>

        </div>
    </div>

    <?php endforeach; ?>
    <?php else: ?>
    <!-- store products -->
    <div class="row">
    <!-- product -->

    <?php
        $queryProds2 = "SELECT *,ep.id as epid,ep.name as epname,
        cl.name as clname, c.name as cname, s.name as sname FROM electroproducts ep INNER JOIN
        images i ON ep.id=i.product_id INNER JOIN subcategory s ON ep.subcat_id=s.id INNER
        JOIN category c ON s.cat_id=c.id INNER JOIN warehouse w ON ep.id = w.product_id INNER
        JOIN color cl ON ep.color_id = cl.id WHERE hot=1";
        $queryExec2 = executeQuery($queryProds2);
        foreach($queryExec2 as $proizvod2): ?>
        <div class="col-md-4 col-xs-6">
        <div class="product">
        <div class="product-img">

        alt ?>">

        <div class="product-label">
        <?php if ($proizvod2->sale): ?>
        <span class="sale"><?= $proizvod2->sale
?>%</span>

        <?php endif; ?>
        <?php if ($proizvod2->new): ?>
        <span class="new">NEW</span>
        <?php endif;?>
        </div>
        </div>
        <div class="product-body">
        <p class="product-category"><?= $proizvod2->sname
?></p>

```

```

<h3 class="product-name"><a href="<?=$_SERVER['PHP_SELF'].'?page=product&product='.$sproizvod2->epid ?>"><?=$sproizvod2->epname ?></a></h3>

<h4 class="product-price">$<?=$sproizvod2->price
?>.00

<?php if($sproizvod2->lastprice): ?>
<del class="product-old-price">$<?=$sproizvod2->lastprice ?>.00</del></h4>

<?php endif; ?>
<div class="product-rating">
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
</div>
<div class="product-btns">
    <button class="add-to-wishlist"><i class="fa fa-heart-o"></i><span class="tooltip">add to wishlist</span></button>
    <button class="add-to-compare"><i class="fa fa-exchange"></i><span class="tooltip">add to compare</span></button>
    <button class="quick-view"><i class="fa fa-eye"></i><span class="tooltip">quick view</span></button>
</div>
<div class="add-to-cart">
    <button class="add-to-cart-btn" data-id="<?=$sproizvod2->epid ?>"><i class="fa fa-shopping-cart"></i> add to cart</button>
</div>
</div>
<?php endforeach; ?>
<?php endif; ?>

</div>
<!-- /store products -->
<?php elseif(isset($_GET['strana']) && !isset($_GET['category'])
&& !isset($_GET['find'])): ?>
    <?php

        if (isset($_GET['strana'])) {
            $strana = $_GET['strana'];
        } else
            $strana = 1;

        $perPage = 6;
        $limit = $strana * $perPage;
        $offset = ($strana * $perPage) - $perPage;

        $stupi = "SELECT *,ep.id as epid,ep.name as epname, cl.name as
c1name, c.name as cname, s.name as sname FROM electroproducts ep INNER JOIN images i
ON ep.id=i.product_id INNER JOIN subcategory s ON ep.subcat_id=s.id INNER JOIN
category c ON s.cat_id=c.id INNER JOIN warehouse w ON ep.id = w.product_id INNER JOIN
color cl ON ep.color_id = cl.id LIMIT $limit OFFSET $offset";

        $pagina = executeQuery($stupi);
        $count = count($pagina);

    ?>
    <?php foreach($pagina as $sproizvod2): ?>
        <div class="col-md-4 col-xs-6">

```

```

        <div class="product">
            <div class="product-img">
                alt ?>">
            <div class="product-label">
                <?php if ($proizvod2->sale): ?>
                    <span class="sale"><?= $proizvod2->sale ?>%</span>
                <?php endif; ?>
                <?php if ($proizvod2->new): ?>
                    <span class="new">NEW</span>
                <?php endif; ?>
            </div>
        </div>
        <div class="product-body">
            <p class="product-category"><?= $proizvod2->sname ?></p>
            <h3 class="product-name"><a href="<?= $_SERVER['PHP_SELF'].'?page=product&product='.$proizvod2->epid ?>"><?= $proizvod2->epname ?></a></h3>
            <h4 class="product-price">$<?= $proizvod2->price ?>.00
            <?php if ($proizvod2->lastprice): ?>
                <del class="product-old-price">$<?= $proizvod2->lastprice ?>.00</del></h4>
            <?php endif; ?>
            <div class="product-rating">
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
            </div>
            <div class="product-btns">
                <button class="add-to-wishlist"><i class="fa fa-heart-o"></i><span class="tooltip">add to wishlist</span></button>
                <button class="add-to-compare"><i class="fa fa-exchange"></i><span class="tooltip">add to compare</span></button>
                <button class="quick-view"><i class="fa fa-eye"></i><span class="tooltip">quick view</span></button>
            </div>
            <div class="add-to-cart">
                <button class="add-to-cart-btn" data-id="<?= $proizvod2->epid ?>"><i class="fa fa-shopping-cart"></i> add to cart</button>
            </div>
        </div>
    </div>
<?php endforeach; ?>

<?php elseif(isset($_GET['strana']) && isset($_GET['category']) && isset($_GET['find'])): ?>
<?php
    $category = $_GET['category'];
    $find = $_GET['find'];

    if (isset($_GET['strana'])) {
        $strana = $_GET['strana'];
    } else
        $strana = 1;

```

```

$perPage = 6;
$limit = $strana * $perPage;
$offset = ($strana * $perPage) - $perPage;

// echo $find;
if($category==0){
    $queryProds4 = "SELECT *,ep.id as epid,ep.name as epname,
cl.name as cname, c.name as cname, s.name as sname FROM electroproducts ep INNER JOIN
images i ON ep.id=i.product_id INNER JOIN subcategory s ON ep.subcat_id=s.id INNER
JOIN category c ON s.cat_id=c.id INNER JOIN warehouse w ON ep.id = w.product_id INNER
JOIN color cl ON ep.color_id = cl.id WHERE ep.name = '". $find. "'";
    // echo $queryProds4;
}else {
    $queryProds4 = "SELECT *,ep.id as epid,ep.name as epname,
cl.name as cname, c.name as cname, s.name as sname FROM electroproducts ep INNER JOIN
images i ON ep.id=i.product_id INNER JOIN subcategory s ON ep.subcat_id=s.id INNER
JOIN category c ON s.cat_id=c.id INNER JOIN warehouse w ON ep.id = w.product_id INNER
JOIN color cl ON ep.color_id = cl.id WHERE ep.subcat_id = $category AND ep.name
='". $find. "'";
    // echo $queryProds4;
}$rezProdsSearch = executeQuery($queryProds4);
$count = count($rezProdsSearch);

?>
<?php foreach($rezProdsSearch as $prodSrch): ?>
    <div class="col-md-4 col-xs-6">
        <div class="product">
            <div class="product-img">
                alt ?>">
            <div class="product-label">
                <?php if ($prodSrch->sale): ?>
                    <span class="sale"><?=$prodSrch->sale ?>%</span>
                <?php endif; ?>
                <?php if ($prodSrch->new): ?>
                    <span class="new">NEW</span>
                <?php endif; ?>
            </div>
        </div>
        <div class="product-body">
            <p class="product-category"><?=$prodSrch->sname ?></p>
            <h3 class="product-name"><a href="<?=$_SERVER['PHP_SELF'].'?page=product&product='.$prodSrch->epid ?>"><?=$prodSrch->epname ?></a></h3>
            <h4 class="product-price">$<?=$prodSrch->price ?>.00
                <?php if($prodSrch->lastprice): ?>
                    <del class="product-old-price">$<?=$prodSrch->lastprice ?>.00</del></h4>
            <?php endif; ?>
            <div class="product-rating">
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
            </div>
            <div class="product-btns">
                <button class="add-to-wishlist"><i class="fa fa-heart-o"></i><span class="tooltip">add to wishlist</span></button>

```

```

        <button class="add-to-compare"><i
class="fa fa-exchange"></i><span class="tooltip">add to compare</span></button>
        <button class="quick-view"><i class="fa
fa-eye"></i><span class="tooltip">quick view</span></button>
    </div>
</div>
<div class="add-to-cart">
    <button class="add-to-cart-btn" data-id="<?=
$prodSrch->epid ?>"><i class="fa fa-shopping-cart"></i> add to cart</button>

</div>
</div>

</div>
<?php endforeach; ?>

<?php else:?>
<!-- store products -->
<div class="row">
    <!-- product -->

    <?php foreach($queryExec as $proizvod): ?>
    <div class="col-md-4 col-xs-6">
        <div class="product">
            <div class="product-img">
                alt ?>">

                <div class="product-label">
                    <?php if ($proizvod->sale): ?>
                        <span class="sale"><?= $proizvod->sale
?>%</span>

                    <?php endif; ?>
                    <?php if ($proizvod->new): ?>
                        <span class="new">NEW</span>
                    <?php endif; ?>
                </div>
            </div>
            <div class="product-body">
                <p class="product-category"><?= $proizvod->sname
?></p>

                <h3 class="product-name"><a href="<?=
$_SERVER['PHP_SELF'].'?page=product&product='.$proizvod->epid ?>"><?= $proizvod-
>epname ?></a></h3>

                <h4 class="product-price">$<?= $proizvod->price ?>.00
                <?php if($proizvod->lastprice): ?>
                    <del class="product-old-price">$<?= $proizvod-
>lastprice ?>.00</del></h4>

                <?php endif; ?>
                <div class="product-rating">
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                </div>
                <div class="product-btns">
                    <button class="add-to-wishlist"><i class="fa fa-
heart-o"></i><span class="tooltip">add to wishlist</span></button>
                    <button class="add-to-compare"><i class="fa fa-
exchange"></i><span class="tooltip">add to compare</span></button>
                    <button class="quick-view"><i class="fa fa-
eye"></i><span class="tooltip">quick view</span></button>
                </div>

```

```

        </div>
        <div class="add-to-cart">
            <button class="add-to-cart-btn" data-id="<?=$proizvod->epid ?>"><i class="fa fa-shopping-cart"></i> add to cart</button>

        </div>
    </div>

<?php endforeach; ?>

<?php endif; ?>
</div>
<!-- /store products -->

<!-- store bottom filter -->
<?php if(isset($_GET['strana'])): ?>
    <div class="row div-pagination" style="float: right;">
        <div class="col-4 col-offset-6" id="paginacija">
            <ul class="pagination">
                <?php if ($strana - 2 > 0): ?>
                    <li>
                        <a href="<?=$actual_link
?>?page=store&strana=<?=$strana - 2 ?>"><?=$strana - 2; ?></a>
                    </li>
                <?php endif; ?>
                <?php if ($strana - 1 > 0): ?>
                    <li>
                        <a href="<?=$actual_link
?>?page=store&strana=<?=$strana - 1 ?>"><?=$strana - 1; ?></a>
                    </li>
                <?php endif; ?>
                <li class="active"><a href="#"><?=$strana ?></a></li>
                <?php if ($strana + 1 <= $count/$perPage+1): ?>
                    <li>
                        <a href="<?=$actual_link
?>?page=store&strana=<?=$strana + 1 ?>"><?=$strana + 1; ?></a>
                    </li>
                <?php endif; ?>
                <?php if ($strana + 2 < $count/$perPage+1): ?>
                    <li>
                        <a href="<?=$actual_link
?>?page=store&strana=<?=$strana + 2 ?>"><?=$strana + 2; ?></a>
                    </li>
                <?php endif; ?>
            </ul>
        </div>
    </div>
<?php else: ?>
    <div class="row div-pagination" style="float: right;">
        <div class="col-4 col-offset-6" id="paginacija">
            <ul class="pagination">
                <li class="active">
                    <a href="#">1</a>
                </li>
            </ul>
        </div>
    </div>
<?php endif; ?>
<!-- /store bottom filter -->
</div>
<!-- /STORE -->

```



```

<?php
if (isset($_SESSION['error'])) {
    foreach ($_SESSION['error'] as $error) {
        echo "<p>$error</p>";
        unset($_SESSION['error']);
    }
}
?>
<form action="php/survey.php" method="post">
    <div class="register-top-grid">
        <h2>SURVEY</h2>
        <div>
            <span>Name</span>
            <input type="text" name="tbIme">
        </div>
        <div class="clear"></div>

    </div>
    <div class="clear"></div>
    <div class="register-bottom-grid">
        <h3>QUESTION</h3>
        <div>
            <span>What do you use the most?<label>*</label></span>
            <select name="products">
                <option value="0">Choose category...</option>
                <option value="Smartphone">Smartphone</option>
                <option value="Laptop">Laptop</option>
                <option value="Desktop">Desktop</option>
                <option value="Camera">Camera</option>
                <option value="Headphones">Headphones</option>
                <option value="Tablet">Tablet</option>
            </select>
        </div>
        <div>
            <span>Do you like the look of the website?</span>
            <select name="yesNo">
                <option value="0">No</option>
                <option value="1">Yes</option>
            </select>
        </div>
        <div class="clear"></div>
    </div>
    <div class="clear"></div>
    <input type="submit" value="Answer" name="btnSubmit">
</form>
</div>
</div>
</div>

```

-Izgled ankete.